SUSSEX — DAILY RAINFALL — 1911-20

ALCISTON		1911-13
ARDINGLY	LYWOOD HOUSE	1911-17, 19, 20
"	WAKEHURST PLACE	1917-20
ARUNDEL	TORTINGTON HOUSE	1911-14
BALCOMBE	STOCKCROFT	1911-20
"	"THE GABLES"	1911-20
"	W.W.	1911-20
BATTLE	CROWHURST PARK GARDENS	1913-17
"	FOREWOOD	1915
BEACHY HEAD	M.O.	1917-19
BECKLEY	LITTLE HARMERS	1912-20
BEDDINGHAM	COBBE PLACE	1915-16
~~BILLINGSHURST~~	~~FIVE OAKS~~	[illegible]
BEPTON	FAIRFIELD	1919-20
BEXHILL		1911, 13-16
BILLINGSHURST	DUNCANS FARM	1919-20
"	FIVE OAKS	1913-14
BIRCHGROVE		1915-20
BISHOPSTONE	POVERTY BOTTOM P.S.	1911-20
BODIAM	SOUTH PARK	1911-12
BOGNOR	"DALKEITH"	1912-20
"	M.O.	1912-20

SUSSEX DAILY RAINFALL 1911-20

BOGNOR		WATERLOO SQUARE	1911
BOLNEY		VICARAGE	1911
BORDEN WOOD			1911-20
BRAMBER		BURLETTS	1913-20
BRIGHTON		DITCHLING ROAD	1911-16
[illegible]	[illegible]	[illegible]	[illegible]
"	"	GOLDSTONE BOTTOM	1911-20
"		"HIGHCROFT" DYKE ROAD	1920
"		OLD STEINE	1911-20
"		PRESTON ROAD	1914-17
"	W.W.	RACE HILL RESERVOIR	1911-20
"		WHITE HAWK KITE STATION	1913
BROADWATER		QUEEN STREET	1915-19
BURGESS HILL			1913
BUXTED PARK			1911-19
CATSFIELD		PARK GATE	1912-13
CHELWOOD BEACON			1911
CHICHESTER			1912
"		GOODWOOD GARDENS	1911, 13-20
"		MERSTON	1919-20
"		OAKWOOD	1911-14
"		SUMMERSDALE	1916-20

SUSSEX DAILY RAINFALL 1911-20

CHICHESTER	WATERGATE HOUSE	1911-20
"	WESTGATE	1911, 13-20
CHILGROVE		1920
CHILTINGTON WEST	GAYWOOD	1911-20
CLAYTON MILL		1911-16
COBNOR	SUSSES	1920
COCKING	RECTORY	1912
COLEMANS HATCH		1914-20
COMPTON		1911-20
CRAWLEY	WORTH LODGE	1916-20
CRAWLEY DOWN	THE GRANGE	1911-20
CROWBOROUGH		1914
"	JARVIS BROOK	1911-20
"	THE WHARE	1911-20
"	UCKFIELD LODGE	1911-13, 15-20
CUCKFIELD	HENMEAD HALL	1911-17
"	HILFIELD HOUSE	1914-18
"	UNION	1916, 19
"	WORKHOUSE	1920
DANNY PARK		1911-19
DITCHLING		1911-20

SUSSEX DAILY RAINFALL 1911-20

EASTBOURNE		1911-12
"	ARUNDEL ROAD	1911-16, 18-20
"	OCKLYNGE CEMETRY	1911-18
"	STAVELEY CROFS	1911-16
"	WILMINGTON SQUARE	1911-20
EASTGRINSTEAD	~~BROCKHURST OBS.~~	1911-16
"	BROCKHURST OBS.	1911-20
"	HIGHFIELDS	1912, 14-20
"	SHOVELSTROVE	1912-13
EAST HOATHLY	OLD WHYLY	1912-16
ELSTED		1911-20
ERIDGE	CASTLE; GARDENS	1911-20
" GREEN	DANEGATE	1913-17, 19
FAIRLIGHT		1915 19-20
FALMER		1911-20
FALMER COURT		1911-14
FOREST ROW	COURTMEAD	1915-17
FRANT		1912
"	"HIGHFIELD"	1914, 18
FUNTINGDON		1911-20
GROOMBRIDGE	GLEN AUDRED	1911-16
GUESTLING	RECTORY	1911-13

HADLOW DOWN			1917-20
HAILSHAM			1911-20
HARTING WEST			1911-16
HASLEMERE		BLACKDOWN HSE GNS.	1911-20
HASTINGS		BREDE	1920
"		FOREWOOD	1920
"		CEMETRY	1911-20
"		HALTON	1915, 19-20
"		NEWGATE	1911-20
"		ST LEONARDS	1919-20
HAYWARDS	HEATH	BROOK HOUSE	1911-18
"	"	FRANKLYNN ROAD	1911-14
"	"	GOWER ROAD	1919-20
"	"	ST. WINIFREDS PARSONAGE	1911-18
HEATHFIELD		ANGOLA	1916
"		HOLBANS FARM	1914-15
"		SOUTH RIDGE	1915-17, 20
"		THE WHITE COTTAGE	1911-20
"		TOTTINGWORTH PARK	1911-20
HENLEY HOUSE			1911-20
HERSTMONCEAUX PLACE			1911-15
HINDLEAP LODGE			1911-20

SUSSEX DAILY RAINFALL 1911-20

HOLLINGBURY CAMP		1913-15
HOLLYCOMBE		1911-20
HOREHAM ROAD	COXLOW	1911, 13-20
" "	HOLLYCROFT	1911-20
HORLEY		1914
HORSHAM	CHRISTS HOSPITAL	1914-20
"	DENNE PARK GARDENS	1911
HORSHAM ~~GRANGE~~	GRANGE	1911-20
HORSHAM ~~MANOR~~	MANOR	1912
[illegible]	[illegible]	[illegible]
"	RICHMOND ROAD	1911-16
HOVE	TOWN HALL	1912-20
HURST GREEN		1912-20
ICKLESHAM		1916-17
ISFIELD PLACE		1911-18
JEVINGTON		1911-20
KEYMER	THE LIMES	1911-16
KINGSTON	LEWES W.W. PUMPING STN.	1911-20
LEONARDSLEE GDNS.		1911, 12, 14, 18.
LEWES	BEDFORD LODGE	1911-15
LEWES	LITTLEDENE	1911-20
LEWES ROAD	BRIGHTON W.W.	1911-20

LINDFIELD	BOYS SCHOOL	1915-16
"	MALLING PRIORY	1914-16
"	THE BUNGALOW	1915-17, 20
LITLINGTON		1911-20
LITTLEHAMPTON	DORSET HOUSE	1911
"	M.O.	1915-20
LOWER BEEDING		1911-20
MAGHAM DOWN		1911-20
MAYFIELD		1913-18
"	XAVERIAN COLL	1916-19
MIDHURST	KING EDWARD VII SANATORIUM	1911, 19-20
"	HOLLIST	1911-13, 15-17
"	PENDEAN	1912-16
NEWICK		1914-19
NINFIELD	HAZARDS GREEN P.S.	1915-20
NORTHIAM	GREAT DIXTER	1912-20
NUTLEY	THE HALL	1911-16
"	VICARAGE	1911-12
OCKLEY MANOR		1913-15
PATCHAM	BRIGHTON W.W.	1911-20
"	UPPER ROEDALE	1911-16
PATCHING	DULANEY HOUSE	1920

SUSSEX DAILY RAINFALL 1911-20

PATCHING	FARM	1911-20
"	PATCHING HOUSE	1911-14
PETWORTH	PARK GARDENS	1911-20
PEVENSEY BAY	No 1 PUMPING STATION	1913-20
" "	No 2 " "	1914-20
PILT DOWN		1919-20
PIPPINGFORD PARK		1911-13 ~~1911-13~~
PRESTON		1911
"	ASHFORD ROAD	1911-15
PYECOMBE		1911-14
RAPKYNS		1911-16,18
RIPSLEY		1914-20
ROTHERHILL		1911-20
ROTTINGDEAN	SCHOOL	1911-19
RUDGWICK		1911-13
RYE	FAIRFIELD HOUSE	1914
"	POINT HILL	1911-12
~~FILSHAM~~	~~[illegible]~~	
ST LEONARDS	FILSHAM	1915
" "	WEST MARINA GARDENS	1919
SALEHURST	SOUTH PARK	1913
"	VICARAGE	1911
SEAFORD	BOWDEN HOUSE SCHOOL	1913-20

SUSSEX DAILY RAINFALL 1911-20

SEAFORD CAMP		1916-18
SEAFORD COLLEGE		1911-18
SEAFORD	M.O.	1919-20
SELHAM	RECTORY	1911-12
"	SELHAM HOUSE	1915-20
SELSEY	LARGE ACRES	1911-20
" "	" "	" "
SIDLESHAM	IVY GRANGE	1911-13, 15-16
SHOREHAM	BRIGHTON W.W.	1911-20
SOUTHWATER		1912-13
STEDHAM	THE HILLS	1913
STEYNING		1911-12
STONEHURST	FIVE ASHES	1911-20
TARRING	PARK VIEW	1911
TICEHURST		1911-15
"	MYSKYNS	1911-16
TORTINGTON		1916-20
TURNERS HILL		1911-20
UCKFIELD	AGRIC COLLEGE	1911-15
"	HORSTED PLACE	1915
UPPER PORTSLADE	BRIGHTON W.W. MILE OAK	1911-20

SUSSEX DAILY RAINFALL 1911-20

WADHURST	LOWER COUSLEY WOOD	1911-20
"	THE OLIVES	1911-20
WASHINGTON	VICARAGE	1915-20
WESTBOURNE	RECTORY	1911-20
WEST BROYLE		1916-20
WESTDEAN		1911-20
WESTFIELD	VICARAGE	1918-20
WEST THORNEY		1911-16
WEST WORTHING		1911-16
WHATLINGTON	LEEFORDLODGE	1911-17
WILLINGDON	SEWAGE FARM	1912-20
WIMBLEHURST		1911-20
WINCHELSEA	MARITEAN HOUSE	1911-20
"	NESBIT COTTAGE	1911-15
WORTHING		1912-20
WYCH CROSS		1911-20
WYKEHURST PARK		1914-20

ALCISTON

SUSSEX

1911- 1913

FORM A2.
BRITISH RAINFALL.
3 - JAN 1912

REG

wdon

Kept at Alcist

in.

ound 1 ft. - in.

in the County of Sus

Level 172 ft.

A.M.

by Robt. Ma

ne Berwick.

tance 2 Direction N. E.

IMPORTANT NOTE. ne result entered to the previous day. If an Obs sal rule, he is earnestly requested to add the readin in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·10	-	-	·67	-	-	-	·12	-	-	·14	-	1
2	·02	-	-	·02	·32	-	-	·01	-	-	·25	·44	2
3	-	-	-	~~·38~~	·32	-	-	-	-	-	·11	·34	3
4	·17	·02	·03	·28	-	-	-	-	·01	·37	·36	·17	4
5	·02	·01	-	·08	-	-	-	-	-	·53	·08	·23	5
6	·31	-	·03	-	-	-	-	-	-	·04	·01	·52	6
7	·07	-	·05	-	-	-	-	-	-	·54	·90	·39	7
8	·07	-	·19	-	-	-	-	-	-	-	1·09	·20	8
9	·16	-	·01	·04	·01	-	-	-	-	-	·46	·04	9
10	-	·10	·07	·09	-	-	-	-	-	-	·03	·44	10
11	·63	-	·01	-	-	-	-	-	-	-	1·65	·01	11
12	·01	-	1·05	-	-	-	-	-	-	-	·10	-	12
13	-	-	·08	-	·20	·07	-	-	·38	·34	-	·26	13
14	-	·06	·01	-	·21	-	-	-	·01	·01	-	·51	14
15	-	·03	·17	-	-	-	-	-	-	-	·17	·15	15
16	-	-	-	-	-	·45	-	-	-	-	·49	·17	16
17	-	·03	-	-	-	·02	·02	-	-	-	·36	·12	17
18	-	·14	·08	·01	-	-	-	-	-	·01	·69	·33	18
19	-	·03	-	-	-	·11	-	-	·05	·40	·02	·08	19
20	·03	-	·01	-	-	-	-	·53	·15	·09	-	·64	20
21	·04	·36	-	-	-	-	-	·02	-	·68	-	·14	21
22	·03	·01	·31	·03	-	·04	-	·24	-	·42	-	·62	22
23	·07	·27	·09	-	-	1·04	-	-	·47	·90	·04	·20	23
24	·01	·36	·01	-	-	·04	·06	·01	-	·22	-	·48	24
25	-	·02	·66	·11	-	·17	-	·05	·11	·03	-	·01	25
26	-	-	·16	·38	·01	·12	-	·01	-	·33	·04	·43	26
27	-	·61	·27	·05	-	-	-	-	·04	·65	·03	·18	27
28	-	·31	·01	·29	-	·01	-	-	-	-	·02	·01	28
29	-	—·—	-	·01	-	·17	·30	-	·44	·63	-	-	29
30	-	—·—	-	·05	-	·15	-	-	·01	·20	-	·01	30
31	-	—·—	-	—·—	-	—·—	-	-	—·—	·01	—·—	-	31
Total	1·74	2·36	3·30	2·11	1·07	2·39	·38	·99	1·67	6·40	7·03	7·12	TOTAL for Year 36·56
No. of Rain Days	15.	15.	20	14	6	12	3	8	10	19	21	27	170

9,000, IX. '10.

✓

REG

wdon

FORM A2.
BRITISH RAINFALL.
3 - JAN 1912

Kept at Alciston

in the County of Sussex 5

by Robt. Matthews.

RAIN GAUGE

in.

Height of top above Ground 1 ft. - in.

„ „ „ Sea Level 172 ft.

Time of Observation 9·0 A.M.

Nearest Railway Station Name Berwick

Distance 2 Direction N. E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·10	-	-	·67	-	-	-	·12	-	-	·14	-	1
2	·02	-	-	·02	·32	-	-	·01	-	-	·25	·44	2
3	-	-	-	·38	·32	-	-	-	-	-	·11	·34	3
4	·17	·02	·03	·28	-	-	-	-	·01	·37	·36	·17	4
5	·02	·01	-	·08	-	-	-	-	-	·53	·08	·23	5
6	·31	-	·03	-	-	-	-	-	-	·04	·01	·52	6
7	·07	-	·05	-	-	-	-	-	-	·54	·90	·39	7
8	·07	-	·19	-	-	-	-	-	-	-	1·09	·20	8
9	·16	-	·01	·04	·01	-	-	-	-	-	·45	·04	9
10	-	·10	·07	·09	-	-	-	-	-	-	·03	·44	10
11	·63	-	·01	-	-	-	-	-	-	-	1·65	·01	11
12	·01	-	1·05	-	-	-	-	-	-	-	·10	-	12
13	-	-	·08	-	·20	·07	-	-	·38	·34	-	·26	13
14	-	·06	·01	-	·21	-	-	-	·01	·01	-	·51	14
15	-	·03	·17	-	-	-	-	-	-	-	·17	·15	15
16	-	-	-	-	-	·45	-	-	-	-	·49	·17	16
17	-	·03	-	-	-	·02	·02	-	-	-	·36	·12	17
18	-	·14	·08	·01	-	-	-	-	-	·01	·69	·33	18
19	-	·03	-	-	-	·11	-	-	·05	·40	·02	·08	19
20	·03	-	·01	-	-	-	-	·53	·15	·09	-	·64	20
21	·04	·36	-	-	-	-	-	·02	-	·68	-	·14	21
22	·03	·01	·31	·03	-	·04	-	·24	-	·42	-	·62	22
23	·07	·27	·09	-	-	1·04	-	-	·47	·90	·04	·20	23
24	·01	·36	·01	-	-	·04	·06	·01	-	·22	-	·48	24
25	-	·02	·66	·11	-	·17	-	·05	·11	·03	-	·01	25
26	-	-	·16	·38	·01	·12	-	·01	-	·33	·04	·43	26
27	-	·61	·27	·05	-	-	-	-	·04	·65	·03	·18	27
28	-	·31	·01	·29	-	·01	-	-	-	-	·02	·01	28
29	-	—·—	-	·01	-	·17	30	-	·44	·63	-	-	29
30	-	—·—	-	·05	-	·15	-	-	·01	·20	-	·01	30
31	-	—·—	-	—·—	-	—·—	-	-	—·—	·01	—·—	-	31
Total	1·74	2·36	3·30	2·11	1·07	2·39	·38	·99	1·67	6·40	7·03	7·12	TOTAL for Year 36·56
No. of Rain Days	15.	15.	20	14	6	12	3	8	10	19	21	27	170

9,000, IX. '10.

FORM A.
BRITISH RAINFALL

3 - JAN 1913

REGISTER OF RAINFALL IN 1912.

Kept at Alciston
in the County of Sussex 5
by Robert Matthews

Lat. 50° 50' 45" N. Long. 8' 45" E.
Time of Observation 9 A.M.
Nearest Railway Station Berwick
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 172 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·03		·01	·14	·40		·11	·69		·27	1
2		·08	·21	·01		·02	·19						2
3			·03			·18	·02	·09	·05		·01		3
4	·31	·06	·60			·30		·10			·21		4
5	·27	·26	·10			·64		·13			·08		5
6	·73	·13			·05	·01		·72	·01			·03	6
7					·27	·55		·12				·09	7
8	·88	·22	·18		·01		·08	·26				·04	8
9	·01	·08	·01	·04			·16	·23				·08	9
10		·05	·12					·29			·23	·48	10
11	·03	·40	·01			·09		·10				·18	11
12		·14	·02			·05		·67			·01	·10	12
13		·01	·02				·17				·08	·29	13
14			·01		·05			·04		·08	·01	·02	14
15		·14	·16		·11	·68		·02				·34	15
16	·17	·01	·29		·09	·06		·35		·10	·02		16
17	·29		·34		·31	·10		·10			·01	·07	17
18	·08	·01	·49		·08		·02	·24		·02		·29	18
19	·04	·21	·41			·03	·04	·65			·02		19
20		·01	·72				·02	·07		1·23	·03		20
21	·02	·23	·16		·04		·03	·38		·56	·04		21
22	·05	·59	·07					·32		·05		·02	22
23	·40	·30	·41			·01	·02	·37		·53	·21	·04	23
24	·02	·03	·01				·02	·39		·04		·24	24
25	·23	·02				·46		·89		·03	·45	·54	25
26	·01	·09					·07	·06		·32	·15	·38	26
27										·28	·16	·62	27
28		·08				·01	·23	·12	·10	·57	·43	·17	28
29		·02		·03			·12	·17	1·52	·17	·05		29
30			·03		·50	·04		·07	~~1·46~~	·28			30
31			·01				·29	·16					31
Total	3·54	3·17	4·44	·08	1·52	3·37	1·88	7·11.	3·25	4·95	2·20	4·29	YEAR'S TOTAL 39·80
Rain Days.	16.	23	24	3	11	17.	16.	27	6.	15.	18	20.	196

W. 7,500, XI. 12

82.

REGISTER OF RAINFALL IN 1913

87

FORM A.
BRITISH RAINFALL.
22 JAN 1914

Kept at Alciston

in the County of Sussex

by R. Matthews

5

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·04	·53	·11	·11		·02			·02				1
2	·09	·12			·12		·07		·03				2
3			·08	·27	·13								3
4	·19		·12	·01	·02	·01	·04		·77				4
5	·05		·04			·20	·10		·26				5
6		·03	·20	·02	·04	·20	·75						6
7		·27	·08		·03	·07	·22						7
8		·09			·15	·05		·68					8
9		·22			·13		·15		·14				9
10				·03	·01	·02	·30	·01					10
11	·93			·60									11
12					·31								12
13	·68		·03					·01	·09				13
14	·29		·14	·03			·32	·05	·52				14
15	·19		·40	·48	·01		·41		·12				15
16	·32		·74	·24			·03		·17				16
17	·12	·08	·02	·04			·32	·01	·02				17
18	·01		·08	·26			·04		·45				18
19	·21		·11		·21	·02	·11						19
20	·37		·03	·12		·65							20
21			·02	·26									21
22	·35		·31				·02		·07				22
23	·03		·01			·01	·02	·05					23
24	·12			·05		·01		·04					24
25		·01		·20									25
26			·10	·01			·02	·18					26
27			·07										27
28	·13		·35	·15				·25					28
29	·12		·05	·63	·13			·17					29
30	·80			·27	·02			·38	·01				30
31	·02		·12					1·28					31
Total	5·06	1·35	3·21	3·78	1·31	1·26	2·92	3·11	2·67				YEAR'S TOTAL
Rain Days.	20	8	22	19	13	11	16	12	13				

W. 7,500, XI. 12

FORM A2.
BRITISH RAINFALL.

6 - JAN 1912

REG

ARDINGLY
{LYWOOD HOUSE}
SUSSEX
1911–17, 19–20

1911

Kept at Lywood Ho
in the County of Suss
by G. Forrester Scott

"Hawrard"
f top 5 in.
op above Ground – ft. 9 in.
" Sea Level 240 ft. T
9 A.M
ation { Name Horsted Keynes
Distance 1½ m Direction E.N.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·06	–	–	·43	–	–	–	·02	–	–	·11	–	1
2	·06	–	·01	·06	·31	–	–	–	–	–	·20	·33	2
3	–	·01	–	–	·24	–	–	·02	–	–	·13	·21	3
4	·06	–	·02	·18	–	–	–	–	·01	·35	·33	·30	4
5	–	–	–	·19	–	–	–	·01	–	·50	·02	·04	5
6	·30	–	·02	·01	–	–	–	–	–	–	–	·65	6
7	·05	–	·02	–	–	–	–	–	–	·30	·71	·29	7
8	·10	–	·21	–	–	–	–	–	–	–	·70	·25	8
9	·22	–	·06	·02	–	–	–	–	–	–	·17	·11	9
10	–	·09	·10	·06	–	–	–	–	–	–	–	·70	10
11	·49	–	·08	–	·48	–	–	–	–	–	1.25	–	11
12	·01	–	·76	–	·01	–	–	–	·01	–	·17	·01	12
13	–	–	·14	–	·15	–	–	–	·69	·09	·01	·27	13
14	–	·11	·01	–	·16	–	–	–	–	–	–	·67	14
15	–	·05	·24	–	–	–	–	–	–	–	·12	·03	15
16	–	–	–	–	–	·33	–	–	–	–	·51	·14	16
17	–	–	·06	–	–	·06	–	–	–	–	1.36	·19	17
18	–	·15	·03	·01	–	·02	–	–	–	–	1.66	·37	18
19	–	·01	–	–	–	·06	–	–	·19	·28	·16	·13	19
20	·02	·01	·02	–	–	·04	–	·26	·05	·05	–	·97	20
21	·02	·22	–	–	–	–	–	·07	–	·65	–	·16	21
22	·05	·05	·34	–	–	·17	–	·83	–	·39	–	·56	22
23	–	·25	–	–	–	·85	–	–	·37	·13	·03	·17	23
24	·01	·19	–	–	–	·14	·05	·03	–	·73	–	·51	24
25	–	·05	·12	·07	–	·14	–	·26	·08	·02	·01	·01	25
26	–	·01	·13	·27	·41	·17	–	–	–	·24	·10	·26	26
27	–	·50	·21	·11	–	–	–	–	·11	·39	·03	·17	27
28	–	·25	–	·11	–	–	–	·06	–	–	·03	·01	28
29	–		–	·22	–	·11	·26	–	·23	·57	–	–	29
30	–		·01	·02	–	·04	–	–	–	·36	–	·02	30
31	–				–		–	–		–		–	31
Total	1·45	1·95	2·59	1·76	1·76	2·13	·31	1·56	1·74	5·05	7·81	7·53	TOTAL for year 35·64
No. of Rain Days.	13	15	20	14	7	12	2	9	9	15	21	27	164

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.
5 JAN 1912

Kept at Lywood House Ardingly
in the County of Sussex 4
by G. Forrester Scott

RAIN GAUGE
Pattern "Howard"
Diameter of top 5 in.
Height of top above Ground — ft. 9 in.
" " " Sea Level 240 ft. T

Time of Observation 9 A.M

Nearest Railway Station
Name Horsted Keynes
Distance 1½ M Direction E.N.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.06	—	—	.43	—	—	—	.02	—	—	.11	—	1
2	.06	—	.01	.06	.31	—	—	—	—	—	.20	.33	2
3	—	.01	—	—	.24	—	—	.02	—	—	.13	.21	3
4	.06	—	.02	.18	—	—	—	—	.01	.35	.33	.30	4
5	—	—	—	.19	—	—	—	.01	—	.50	.02	.04	5
6	.30	—	.02	.01	—	—	—	—	—	—	—	.65	6
7	.05	—	.02	—	—	—	—	—	—	.30	.71	.29	7
8	.10	—	.21	—	—	—	—	—	—	—	.70	.25	8
9	.22	—	.06	.02	—	—	—	—	—	—	.17	.11	9
10	—	.09	.10	.06	—	—	—	—	—	—	—	.70	10
11	.49	—	.08	—	.48	—	—	—	—	—	1.25	—	11
12	.01	—	.76	—	.01	—	—	—	.01	—	.17	.01	12
13	—	—	.14	—	.15	—	—	—	.69	.09	.01	.27	13
14	—	.11	.01	—	.16	—	—	—	—	—	—	.67	14
15	—	.05	.24	—	—	—	—	—	—	—	.12	.03	15
16	—	—	—	—	—	.33	—	—	—	—	.51	.14	16
17	—	—	.06	—	—	.06	—	—	—	—	1.36	.19	17
18	—	.15	.03	.01	—	.02	—	—	—	—	1.66	.37	18
19	—	.01	—	—	—	.06	—	—	.19	.28	.16	.13	19
20	.02	.01	.02	—	—	.04	—	.26	.05	.05	—	.97	20
21	.02	.22	—	—	—	—	—	.07	—	.65	—	.16	21
22	.05	.05	.34	—	—	.17	—	.83	—	.39	—	.56	22
23	—	.25	—	—	—	.85	—	—	.37	.13	.03	.17	23
24	.01	.19	—	—	—	.14	.05	.03	—	.73	—	.51	24
25	—	.05	.12	.07	—	.14	—	.26	.08	.02	.01	.01	25
26	—	.01	.13	.27	.41	.17	—	—	—	.24	.10	.26	26
27	—	.50	.21	.11	—	—	—	—	.11	.39	.03	.17	27
28	—	.25	—	.11	—	—	—	.06	—	—	.03	.01	28
29	—		—	.22	—	.11	.26	—	.23	.57	—	—	29
30	—		.01	.02	—	.04	—	—	—	.36	—	.02	30
31	—				—		—	—		—		—	31
Total	1.45	1.95	2.59	1.76	1.76	2.13	.31	1.56	1.74	5.05	7.81	7.53	TOTAL for year 35.64
No. of Rain Days.	13	15	20	14	7	12	2	9	9	15	21	27	164

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.
2 - JAN 1913

Kept at Lywood House, Ardingly
in the County of Sussex 4
by G. Forrester Scott

Lat. Long.
Time of Observation 9 A.M.
Nearest Railway Station Horsted Keynes L.B.S.C.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground — ft. 9 in.
" " " " Sea Level 240 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	·11	·01	—	·13	·10	—	·02	·88	—	·24	1
2	—	·01	·46	—	·02	·03	·21	—	—	—	—	—	2
3	·01	·03	·05	—	—	·25	·07	·41	·02	—	—	·01	3
4	·23	—	·79	—	·05	·17	·01	·01	—	—	·15	·01	4
5	·18	·04	·18	—	—	·01	—	·24	—	—	·09	·03	5
6	·39	·09	—	—	·03	—	—	·45	·01	—	·01	·04	6
7	—	—	·02	—	·18	·40	—	·34	—	—	—	·08	7
8	·38	·42	·26	·01	—	·19	—	·25	—	—	—	·03	8
9	·01	·10	·01	·05	—	·04	·08	·18	—	—	—	·22	9
10	·01	·08	—	—	—	—	—	·29	—	—	·15	·34	10
11	·03	·35	—	—	·01	·02	—	—	·02	—	—	·21	11
12	·01	·14	·06	—	·08	·04	—	·21	—	—	·02	·02	12
13	—	·01	·02	—	—	—	—	—	—	—	·13	·08	13
14	—	—	·03	—	·07	—	—	·07	—	·08	—	·01	14
15	·01	·05	·05	—	·14	·64	—	·03	—	—	—	·29	15
16	·26	·01	·16	—	·13	—	—	·11	—	·09	·07	—	16
17	·38	—	·35	—	·01	·06	—	·09	—	—	·18	·09	17
18	·06	—	·45	—	—	—	·01	·06	—	·05	·01	·12	18
19	·04	·12	·23	—	—	—	·03	·26	—	—	·01	—	19
20	·01	·01	·72	—	—	·02	·01	·28	—	·51	·07	—	20
21	—	·09	·28	—	·02	—	—	·10	—	·18	·05	—	21
22	·03	·56	·06	—	—	—	·01	·25	—	·02	—	·02	22
23	·35	·24	·34	—	·29	·01	—	·43	—	·11	·17	·06	23
24	·06	·04	—	—	—	—	—	·31	—	—	—	·14	24
25	·08	·01	—	—	—	·33	—	·98	—	—	·33	·54	25
26	—	·05	—	—	—	·13	—	·48	—	·46	·42	·31	26
27	—	·01	—	—	—	·04	—	—	—	·26	—	·44	27
28	—	·07	—	—	—	·03	·46	·14	·21	·88	1.11	·20	28
29	—	·04	—	—	—	·01	·13	·29	1.97	·07	·03	—	29
30	—		—	—	·55	·47	·12	·25	1.33	·44	—	—	30
31	—		·05				·26	·18		—		—	31
Total	2.53	2.57	4.68	·07	1.58	3.02	1.50	6.69	3.58	4.03	3.00	3.53	YEAR'S TOTAL 36.78
Rain Days.	19	23	21	3	13	20	13	26	7	13	17	23	198

W. 7,500, XI. 12

FORM A.
BRITISH RAINFALL.
4-JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Lywood House Ardingly 4
in the County of Sussex
by G. F. Scott

Lat. .... Long. ....
Time of Observation 9. AM.
Nearest Railway Station Horsted Keynes LB·SC
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground – ft. 9 in.
" " " " Sea Level 240 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·04	·39	·08	·19	·08	–	–	–	·08	·02	·11	·17	1
2	·05	·18	–	·01	·01	–	·11	–	·03	·17	·13	·01	2
3	–	–	·07	·59	·42	–	–	–	·02	·14	–	·16	3
4	·45	–	·12	–	·04	–	–	–	·71	·24	·13	·01	4
5	·20	·08	–	–	–	·09	·07	–	·56	·01	·15	·01	5
6	·01	·03	·02	–	·02	·12	·13	–	·10	·35	·10	·20	6
7	–	·25	·05	–	·07	·05	·09	–	–	·36	·12	·01	7
8	·01	·06	–	–	·18	·06	–	–	–	·17	·03	·03	8
9	–	·09	·01	·02	·15	–	·14	·10	·08	·01	·05	·01	9
10	·01	–	–	·11	–	–	·80	·01	–	·02	·59	–	10
11	·79	–	–	·52	–	–	–	–	–	·77	·63	·01	11
12	–	–	–	–	·22	–	–	–	–	·01	1·21	·01	12
13	·27	–	·06	–	–	–	–	·05	·01	–	·28	–	13
14	·28	–	·07	·05	–	–	1·25	·03	·15	·04	·21	·01	14
15	·21	·02	·21	·35	–	–	·19	–	·09	–	–	–	15
16	·18	–	·58	·19	–	–	–	–	·13	–	–	·01	16
17	·07	·08	·12	·06	–	–	·27	–	·01	–	·03	·02	17
18	·01	–	·12	·18	–	–	·05	–	–	–	·10	–	18
19	·30	–	·13	–	–	·03	·12	–	·51	–	–	–	19
20	·67	–	·08	·11	–	·03	–	–	–	·68	·02	–	20
21	·01	–	·26	·10	–	–	–	–	–	·57	·67	–	21
22	·34	–	·36	–	–	–	·02	·04	·09	·02	·01	–	22
23	–	–	·33	–	–	·02	·01	·11	–	–	–	·76	23
24	·07	–	–	·06	–	·01	–	·01	–	–	·03	·01	24
25	–	·02	–	·21	–	–	–	–	–	·01	–	–	25
26	–	–	·11	·01	–	–	·01	·22	–	·83	–	·25	26
27	·01	–	·09	·05	·50	–	–	–	–	·05	–	–	27
28	·13	–	·30	·06	–	–	–	–	–	·17	–	–	28
29	·12		·08	·47	·45	–	–	·24	–	·11	·01	–	29
30	·55		–	·17	–	–	–	·21	–	·26	–	–	30
31	–		·10		–		–	·91		·23		–	31
Total	4·78	1·20	3·35	3·51	2·14	·41	3·26	1·93	2·57	5·24	4·61	1·69	YEAR'S TOTAL 34·69
Rain Days.	23	10	22	20	11	8	14	11	14	23	20	17	193

W.7,000, XI. 13

Ese. Wg.

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL

2 - JAN 1915

Kept at Lywood House, Ardingly
in the County of Sussex 4
by G. Forrester Scott

Lat. Long.
Time of Observation 9. A. M.
Nearest Railway Station Horsted Keynes L.B.&S.C.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 9 in.
" " " " Sea Level 240 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01	—	·01	·09	—	—	—	·15	—	—	·06	·08	1
2	·01	—	—	·01	—	·04	·19	—	—	—	·20	·18	2
3	—	—	·08	·10	·33	—	·04	·08	—	—	—	·05	3
4	—	—	·01	·31	·09	—	·01	·05	—	—	·35	·39	4
5	·11	—	·09	·49	·07	·02	·24	·10	—	—	·62	—	5
6	—	·13	·02	·25	·05	·09	·13	·05	—	—	·03	·46	6
7	—	·58	·23	·12	·04	·04	·17	—	—	—	·01	·36	7
8	·12	·55	·52	·04	·06	·06	·15	·11	—	—	—	·08	8
9	·33	—	·94	·15	—	—	—	·01	·20	—	—	1.68	9
10	·11	·08	·02	·12	·09	—	—	—	·08	—	—	·04	10
11	—	·57	·62	·04	—	·01	—	—	·20	—	·05	·49	11
12	—	·08	·09	—	—	—	·39	—	·57	·04	·02	·67	12
13	—	·52	·23	—	—	·04	—	—	·15	·01	·13	·79	13
14	—	·26	·19	—	—	—	·08	—	—	·35	·15	·67	14
15	·01	·06	·30	—	—	—	·02	·07	—	—	·83	·01	15
16	—	·06	·01	—	—	—	·01	—	·11	—	—	·01	16
17	—	·51	·11	—	—	—	·02	—	·15	—	—	·20	17
18	—	·08	·25	—	—	—	·01	—	—	—	—	·44	18
19	—	·14	·81	—	—	—	·35	—	—	·01	·21	·11	19
20	·01	·24	·16	—	—	·08	—	—	·01	·01	—	·22	20
21	—	·72	·07	—	—	—	—	·25	—	·06	—	·02	21
22	—	·08	·06	—	·29	·06	·06	·07	—	·38	—	—	22
23	—	—	·22	—	·20	·11	·01	—	—	·03	—	·05	23
24	—	—	·04	—	·02	—	—	—	—	—	·24	—	24
25	·06	—	·35	—	—	—	—	·10	—	·31	·02	·01	25
26	—	—	·05	—	—	—	·04	·26	—	·17	·17	·54	26
27	·02	—	—	—	—	—	—	·02	—	—	·06	·53	27
28	·01	—	—	—	·02	—	—	—	—	·37	·27	·53	28
29	·20	·02	·02	—	—	—	—	—	—	·73	·21	·01	29
30	·01	X	·16	—	—	—	—	—	—	·10	1.18	·35	30
31	·05	X	—	X	·12	X	·01	—	X	—	X	·02	31
Total	1.06	4.68	5.66	1.72	1.38	·55	1.93	1.32	1.41	2.57	4.21	8.99	YEAR'S TOTAL 35.48
Rain Days.	14	17	27	11	12	10	18	13	8	13	19	28	190

W. 8,000. X. 14.

604

FORM A. BRITISH RAINFALL.

4. JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Lywood House, Ardingly

in the County of Sussex 4

by G. Forester Scott

Lat. 51. 3' N. Long. 0. 4' W.
Time of Observation 9 A.M.
Nearest Railway Station Horsted Keynes L.B. & S.C.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground — ft. 9 in.
" " " " Sea Level 240 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·66	·30	·08	—	·01	—	·13	·02	·22	·03	—	·37	1
2	·37	·20	·28	·15	—	—	—	·20	—	·06	·21	·14	2
3	·34	·01	·04	·21	·08	—	—	·07	·06	—	—	·60	3
4	·06	—	—	·01	—	—	—	·38	—	·04	—	·57	4
5	·03	·71	—	·01	—	—	—	·22	—	·01	—	·44	5
6	·62	·23	·07	·72	—	—	·48	·01	—	—	·01	·10	6
7	·25	·44	·09	·02	—	·04	·04	·01	—	—	—	·41	7
8	·02	·64	·01	·03	—	—	·28	·03	—	—	·07	—	8
9	·01	·10	—	·30	—	·19	—	·05	—	—	·48	·89	9
10	·40	·01	·01	—	—	·01	—	—	—	—	—	·56	10
11	—	—	·02	—	—	—	—	—	—	—	·63	·11	11
12	·05	·17	—	·26	·35	—	—	·02	—	—	·45	·01	12
13	·01	·84	—	·01	2.10	—	—	—	·05	—	—	—	13
14	·02	·03	—	—		—	·16	·10	·08	—	—	·62	14
15	·18	·05	—	—	·06	—	·04	·26	—	—	·10	·31	15
16	—	·68	—	·01	·06	—	1.01	·76	—	—	·09	·13	16
17	—	·41	—	—	1.19	—	—	·74	—	—	—	—	17
18	—	·11	·02	—	·17	—	—	—	—	—	·05	·01	18
19	—	·11	—	—	·01	—	·01	—	—	·02	—	—	19
20	·32	—	—	·04	·05	—	—	—	—	—	—	·20	20
21	·19	·01	—	—	—	—	·01	—	—	·14	—	·02	21
22	·33	·01	·05	·01	—	—	1.09	—	—	·01	—	·18	22
23	·01	·12	·12	—	—	·01	·07	—	·02	·36	—	·61	23
24	—	·01	·03	·03	—	—	·36	—	·20	·45	—	·56	24
25	—	—	—	·01	—	·03	·23	—	—	·06	—	·54	25
26	·01	·08	—	—	—	·05	·02	—	—	—	—	·71	26
27	—	·09	—	—	—	·01	·11	—	—	·62	—	·04	27
28	—	·08	—	—	—	·08	·02	—	1.49	·30	·01	—	28
29	—	X	—	—	·01	·26	·30	·43	—	—	·48	·01	29
30	·19	X	—	—	—	·05	—	—	—	·20	·46	·04	30
31	·05	X	—	X	—	X	—	·42	X	·91	X	·30	31
Total	4.12	5.44	·82	1.82	4·09	·73	4·36	3.72	2·12	3.21	3.04	8.48	YEAR'S TOTAL 41·95
Rain Days.	21	24	12	15	11	10	17	16	7	14	12	26	185

W. 8,000. X. 15.

✓ [illegible] days est'd for Jan 594

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL.
12 JAN 1917

Kept at Lywood House, Ardingly
in the County of Sussex
by G. Forrester Scott

Lat. Long.
Time of Observation 9 A.M.
Nearest Railway Station Horsted Keynes L.B.S.C.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground — ft. 9 in.
" " " " Sea Level 240 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·03	·04	—	·12	·03	—	—	·31	·01	·41	—	1
2		·12	·25	—	·39	—	·03	—	—	·72	·09	—	2
3		·65	·34	—	—	—	·04	—	·16	·53	·71	—	3
4		·13	—	—	—	·68	—	—	·23	·03	1.19	—	4
5		·03	—	·03	·34	·18	—	—	—	·11		—	5
6		·10	·10	·19	·05	·48	·29	—	—	·06	·65	—	6
7		·01	·62	—	·27	·17	—	—	—	·08	·78	·02	7
8		—	—	—	·29	—	—	—	—	—	—	·68	8
9		—	—	—	·31	·01	—	—	—	—	—	·14	9
10		·37	·07	·07	—	·19	·26	—	—	—	—	·21	10
11		·12	·01	·27	—	·07	—	—	—	—	—	·05	11
12	Daily readings missing	·09	·28	·07	·11	·17	·09	—	—	·16	—	—	12
13		·26	·42	·08	·04	·01	·01	·02	—	·05	—	—	13
14		·50	·08	·01	·15	—	—	·03	—	·03	—	·07	14
15		·09	·14	—	—	—	—	·01	—	—	—	·03	15
16		·01	·22	·21	—	—	·12	·15	—	—	—	·01	16
17		·15	—	·09	—	—	—	·22	·31	1.02	—	—	17
18		·08	—	·04	—	—	—	·26	·30	·27	·78	·01	18
19		·01	·14	·20	—	·05	—	·06	·10	—	·59	·19	19
20		—	·03	·12	—	—	—	—	·10	—	·20	·65	20
21		—	·26	·01	—	—	·08	—	—	—	·02	·40	21
22		—	·02	—	—	—	—	—	—	·01	·02	·68	22
23		·14	·05	—	—	·10	·01	—	—	·09	·03	·02	23
24		—	·02	—	·11	·02	—	·07	—	·31	·07	·34	24
25		·65	·19	—	—	—	—	·84	—	·13	·04	·02	25
26		·21	·02	—	—	·12	—	·04	·08	·32	—	—	26
27		·10	·79	—	—	·09	—	·04	·08	·51	—	—	27
28		·47	·22	—	—	·04	—	·07	·15	·18	·01	·19	28
29		·21	—	—	—	·34	—	·82	·09	·51	—	·35	29
30		X	—	—	·17	·01	—	·06	—	·21	—	—	30
31		X	—	X	—	X	—	—	X	·12	X	—	31
Total	1·67	4·53	4·31	1·39	2·35	2·76	·93	2·63	1·91	5·46	5·59	4·06	YEAR'S TOTAL 37·59 ✓
Rain Days.	(20)	23	22	13	12	8	9	14	11	22	16	18	(198)

W. 8,000, VIII. 16

LYWOOD HOUSE,
ARDINGLY.
HAYWARDS HEATH.

Jan. 11 1917

Dear Sir

I enclose my rainfall return for 1916, although (owing to pressure of a War-Hon. Secretaryship) the figures are imperfect. I have lost the daily readings for January, and Nov. 4-5 were read as one. The totals for the months and year are accurate.

I am sorry that I was not able to keep to true time for the daily reading when the so called

562

FORM A.
BRITISH RAINFALL.
5 JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Lywood House, Ardingly, Haywards Heath
in the County of Sussex
by G. Forrester Scott

Lat. Long.
Time of Observation 9 A.M.
Nearest Railway Station Horsted Keynes L.B.S.C.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 9 in.
" " " " Sea Level 240 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	·01	·19	—	—	—	1·30	·69	—	·01	·01	1
2	—	—	—	·20	—	—	—	·08	—	·01	·13	—	2
3	—	—	—	·08	—	—	·31	·35	—	·20	·01	—	3
4	—	·17	·14	·01	—	—	·22	·37	—	·42	—	—	4
5	·33	—	·03	·26	—	·02	—	·39	·67	·32	·05	—	5
6	—	—	·20	·02	—	·46	—	—	·38	·02	·19	—	6
7	·29	—	—	—	—	—	·04	—	—	·37	—	·04	7
8	·08	—	—	·10	—	—	·29	·37	—	·34	·32	·30	8
9	·02	—	·04	·05	—	—	·15	·02	—	·01	·02	·71	9
10	·19	—	·15	·07	—	·04	—	·13	—	—	·01	·01	10
11	·20	·02	·11	·45	—	—	—	·33	·03	·69	—	—	11
12	·05	·01	·04	·02	—	—	—	·19	—	·21	·01	—	12
13	·02	—	·17	—	·07	—	—	·01	·02	·23	·01	·01	13
14	—	—	·02	·13	—	—	—	·03	·01	—	—	—	14
15	·02	—	—	·01	·01	—	—	·05	—	·29	—	·10	15
16	·04	·19	—	·17	·06	—	—	—	—	·72	—	1·01	16
17	·02	·01	—	·11	·21	—	·20	·03	·38	·19	—	—	17
18	·03	·04	—	·08	·09	·01	·20	·10	·28	—	—	—	18
19	·03	·17	·18	—	·01	·30	—	·55	·15	—	—	—	19
20	·02	·21	·07	—	·62	·01	—	·03	·06	—	·01	—	20
21	—	—	·05	·01	·01	—	·08	—	—	·01	—	·01	21
22	·01	—	·04	—	—	·13	—	·15	—	·16	·01	—	22
23	—	·18	—	—	·22	—	—	·18	—	—	—	·05	23
24	—	·05	—	—	—	·10	·02	·01	—	·21	·17	·04	24
25	—	·08	·13	—	—	·09	—	—	—	·02	—	—	25
26	—	—	·02	—	—	·02	—	·42	·06	—	·83	·01	26
27	—	—	·05	—	·39	—	—	1·04	—	—	—	—	27
28	—	—	·03	—	—	·60	—	·67	—	—	—	·08	28
29	—	—	·02	—	·13	·01	·18	·04	·01	·75	—	·10	29
30	—	✕	·46	—	—	·02	·70	·47	—	·04	·01	·02	30
31	·06	✕	·06	✕	—	✕	·25	·02	✕	·01	✕	·12	31
Total	1·41	1·16	2·02 1·82	1·96	1·82	1·81	2·64	7·33	2·74	5·22	1·79	2·62	YEAR'S TOTAL 32·32 32·52
Rain Days.	16	11	21	16 7	11	13	12	26	12	21	15	16	190

W. 8,000, IX. 17.

524.

6 JAN 20

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

Kept at Lywood House, Ardingly

in the County of Sussex

by G Forrester Scott

Lat. Long.

Time of Observation 9. A.M.

Nearest Railway Station Horsted Keynes LB&SC

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·46	·04	·05	·01	·05	—	·09	—	—	·11	·05	·82	1
2	·20	—	·03	—	·16	—	·04	—	·04	·04	·07	·10	2
3	·38	—	·35	—	·02	—	·20	—	·24	—	·05	·33	3
4	·21	·05	·61	—	—	·05	·28	—	·06	—	·04	·15	4
5	—	·37	1·02	—	—	—	·07	—	·03	—	·21	·55	5
6	·16	—	·08	—	—	—	—	—	—	·01	—	·07	6
7	·09	—	·60	—	—	—	—	—	·01	—	·03	—	7
8	·33	—	·10	—	—	—	—	—	—	—	·02	—	8
9	·56	—	·05	·12	·27	—	—	—	—	—	·16	—	9
10	·42	—	·09	·05	—	—	—	—	—	—	·01	·23	10
11	·23	—	·21	·34	·07	—	·24	—	—	—	—	·13	11
12	·10	—	·01	·03	·01	—	·48	—	—	·07	·05	·01	12
13	·05	·01	—	·35	—	—	—	—	—	—	—	·08	13
14	·58	—	—	·39	—	—	·11	—	·16	—	—	·07	14
15	·25	·01	·16	·07	—	—	—	—	—	—	—	·67	15
16	·20	·49	—	—	—	—	—	—	—	—	·07	·02	16
17	·01	·29	·02	—	—	—	—	—	—	—	·17	·09	17
18	—	·11	·05	—	—	—	—	·07	—	—	·08	·04	18
19	·02	·34	·57	—	—	·07	·26	·10	·05	—	·07	—	19
20	·36	·06	·04	—	—	·91	·18	·23	—	—	·01	·01	20
21	·09	·52	·03	—	—	·01	·03	—	—	—	·05	·06	21
22	·01	·02	·01	—	—	—	·19	·03	·45	—	·02	·26	22
23	—	—	—	—	—	—	—	—	·24	—	·03	·03	23
24	—	·01	—	·14	—	·03	·06	·01	·01	—	·09	·05	24
25	·03	—	—	—	·01	—	·01	·28	—	·09	—	·02	25
26	·05	·21	·08	·06	—	—	·01	·04	·09	—	·05	·41	26
27	·92	·01	·01	·77	—	—	·01	·31	—	—	·32	·08	27
28	—	—	·25	·03	—	—	—	·81	—	—	·73	·43	28
29	·03		·01	·02	—	·03	—	·53	—	·26	·06	·11	29
30	·01		·01	·21	—	·04	—	·74	—	·03	·26	·78	30
31	·09		·01		—		·01	—		·02		·06	31
Total	5·84	2·54	4·45	2·59	·59	1·14	2·27	3·15	1·38	·63	2·70	5·66	Year's Total 32·94
Days with ·01 in. or more	26	15	25	14	7	7	17	11	11	8	24	27	192

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

453

26 JAN 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Lywood House, Ardingly
in the County of Sussex
by G. Forrester Scott

Lat. 51·3 Long. 0·4
Time of Observation 9 A.M.
Nearest Railway Station Horsted Keynes
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 9 in.
" " " " Sea Level 240 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·09	—	—	·07	·08	—	·35	—	—	·33	·01	·29	1
2	—	—	·15	·01	·02	—	—	·26	·06	·23	—	·13	2
3	·01	—	·01	—	—	—	—	—	·01	·14	—	·05	3
4	—	—	—	·15	—	—	·41	·13	—	·19	—	·01	4
5	—	·09	·09	·01	—	—	·62	·02	·05	—	—	·03	5
6	—	—	·12	—	·18	—	·21	—	—	—	—	—	6
7	·04	—	—	·12	·04	—	·45	—	—	—	—	·01	7
8	—	—	—	·04	·04	—	·67	—	—	—	—	—	8
9	·21	·02	—	·04	·09	·01	·07	—	—	—	—	—	9
10	·73	·13	·11	·03	—	·13	·32	—	—	—	—	·01	10
11	·28	·06	·09	·22	—	·03	·29	—	—	—	—	·07	11
12	·05	·02	—	·31	·01	·30	—	—	—	—	·01	—	12
13	·25	·02	·25	—	—	—	—	—	—	—	·08	—	13
14	—	·02	·52	·39	—	·03	—	—	·10	·09	·46	·01	14
15	·04	·01	·07	·23	—	—	—	—	·82	·22	·17	·01	15
16	·01	—	·01	·01	—	—	—	—	·44	—	—	·01	16
17	·01	—	—	·04	·18	·01	—	—	1·23	—	—	·15	17
18	·03	—	—	·01	·11	·01	—	·92	·55	—	·01	·10	18
19	·07	—	—	·38	—	—	—	—	·08	—	—	·02	19
20	·08	·16	—	·19	—	·57	—	·01	·09	—	—	·02	20
21	·01	·01	—	·01	—	—	·62	—	·22	—	—	~~·38~~ ·23	21
22	·02	—	—	·31	—	—	·01	—	·07	—	—	·38	22
23	—	—	—	·01	—	—	·38	—	—	—	—	·56	23
24	·01	—	·07	·01	—	—	—	·02	—	—	—	·11	24
25	—	—	·01	—	—	—	·30	—	·01	—	—	~~·06~~ —	25
26	·03	—	·01	·04	—	·03	—	—	—	—	·01	~~·30~~ ·06	26
27	·47	·02	·01	·10	—	·06	·11	—	—	—	·76	~~·02~~ ·30	27
28	·57	·01	·15	·01	·14	—	·18	—	—	—	·08	~~·27~~ ·02	28
29	·69	—	·10	·07	·01	—	—	—	—	—	·15	~~·24~~ ·27	29
30	·03	✕	—	—	·02	·07	·09	—	·31	—	·40	·24	30
31	·03	✕	·13	✕	—	✕	—	—	✕	·48	✕	·32	31
TOTAL	3.76 ✓	·57 ✓	1·90 ✓	2.81 ✓	·92 ✓	1·25 ✓	5.08 ✓	1.36 ✓	4.04 ✓	1.68 ✓	2.14 ✓	3.41 ✓	YEAR'S TOTAL 28·92 ✓
Days with ·01 in. or more	23 ✓	12 ✓	17 ✓	25 ✓	12 ✓	11 ✓	16 ✓	6 ✓	14	7 ✓	11 ✓	25 ✓	179 ✓
Days with ·04 in. or more	13 ✓	4 ✓	12 ✓	17 ✓	8 ✓	5 ✓	15 ✓	3 ✓	12 ✓	7	7 ✓	~~16~~ 15	~~112~~ 118

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

519

ARDINGLEY,

WAKEHURST PLACE

SUSSEX

1917-20

564

FORM A. BRITISH RAINFALL.

…LL IN 19 17

Kep…

in th…

by…

…at. 51° 3" 37 N Long. 0° 5" 17 W

…ime of Observation 9 AM

…earest Railway Station 3 Miles Ardingly

…iameter of Funnel of Rain Gauge 5 in.

…eight of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level 437 ft.

pre… …daily at 9 a.m. and the result entered to the … to this almost universal rule, he is earnestly req… …of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		0.01	0.01	0.25		trace		1.53	0.40		0.08	0.03	1
2				0.31				0.10			0.10		2
3				0.15			0.42	0.47		0.16	trace		3
4		0.21	0.16				0.15	0.26		0.43			4
5	0.34		0.03	0.30		0.01		0.43	1.01	0.26	0.07		5
6			0.20	0.09		0.32			0.40	0.01	0.11		6
7	0.38						0.03			0.36		0.05	7
8	0.10			0.13			0.31	0.36	trace	0.38	0.36	0.33	8
9	0.01		0.05	0.05			0.14	0.02	0.01		0.03	0.64	9
10	0.14		0.21	0.07		0.02		0.16			0.01	0.01	10
11	0.25	0.02	0.15	0.39				0.09	0.04	0.63			11
12	0.04	0.01	0.04	0.01	trace	0.01		0.13		0.28	0.02		12
13	0.04		0.22		0.06			0.01	0.03	0.15	0.01	0.02	13
14			0.03	0.15				0.09					14
15	0.06			0.01				0.26		0.24		0.06	15
16	0.09	0.12		0.21	0.09		0.18	trace		0.75		1.24	16
17		0.01		0.12	0.21		0.23	0.06	0.40	0.38			17
18	0.03	0.03		0.08	0.08	0.09	0.22	0.09	0.36	0.01			18
19	0.02	0.16	0.20		0.02	0.34		0.44	0.17		0.01		19
20	0.03	0.18	0.05		0.61		0.02	0.05	0.03		0.02		20
21			0.06	0.02			0.02	0.01		0.03	0.03		21
22	0.02		0.02		0.24	0.32		0.22		0.19		0.01	22
23		0.24	0.01			0.01		0.16				0.08	23
24		0.10				0.36	0.01	0.14		0.22	0.17	0.04	24
25		0.15	0.16			0.02	0.02			0.01			25
26			0.03			0.02		0.66	0.07		0.85	0.01	26
27					0.35			1.20				0.01	27
28		0.01	0.06			0.85		0.54				0.09	28
29			0.05		0.20	0.05	0.25	0.04	0.01	0.84		0.17	29
30	0.02	╳	0.39			0.02	0.82	0.34		0.05	0.01	0.04	30
31	0.05	╳	0.02	╳		╳	0.26	0.06	╳	0.01	╳	0.08	31
Total	1.62	1.25	2.15	2.34	1.86	2.44	3.08	7.92	2.93	5.39	1.88	2.91	YEAR'S TOTAL 35.77
Rain Days.	16	13	21	16	9	14	15	27	12	20	15	17	195

3·43

W. 8,000, IX. 17.

564

L IN 1917

FORM A.
BRITISH RAINFALL.

5 JAN 19

Kept at Wakehurst Place

in the County of Sussex

by Gerald W. E. Loder

Lat. 51° 3' 37 N Long. 0° 5' 17 W

Time of Observation 9 AM

Nearest Railway Station 3 Miles Ardingly

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level 437 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		0.01	0.01	0.25		trace		1.53	0.40		0.08	0.03	1
2				0.31				0.10			0.10		2
3				0.15			0.42	0.47		0.16	trace		3
4		0.21	0.16				0.15	0.26		0.43			4
5	0.34		0.03	0.30		0.01		0.43	1.01	0.26	0.07		5
6			0.20	0.09		0.32			0.40	0.01	0.11		6
7	0.38						0.03			0.36		0.05	7
8	0.10			0.13			0.31	0.36	trace	0.38	0.36	0.33	8
9	0.01		0.05	0.05			0.14	0.02	0.01		0.03	0.64	9
10	0.14		0.21	0.07		0.02		0.16			0.01	0.01	10
11	0.25	0.02	0.15	0.39				0.09	0.04	0.63			11
12	0.04	0.01	0.04	0.01	trace	0.01		0.13		0.28	0.02		12
13	0.04		0.22		0.06			0.01	0.03	0.15	0.01	0.02	13
14			0.03	0.15				0.09					14
15	0.06			0.01				0.26		0.24		0.06	15
16	0.09	0.12		0.21	0.09		0.18	trace		0.75		1.24	16
17		0.01		0.12	0.21		0.23	0.06	0.40	0.38			17
18	0.03	0.03		0.08	0.08	0.09	0.22	0.09	0.36	0.01			18
19	0.02	0.16	0.20		0.02	0.34		0.44	0.17		0.01		19
20	0.03	0.18	0.05		0.61		0.02	0.05	0.03		0.02		20
21			0.06	0.02			0.02	0.01		0.03	0.03		21
22	0.02		0.02		0.24	0.32		0.22		0.19		0.01	22
23		0.24	0.01			0.01		0.16				0.08	23
24		0.10				0.36	0.01	0.14		0.22	0.17	0.04	24
25		0.15	0.16			0.02	0.02			0.01			25
26			0.03			0.02		0.66	0.07		0.85	0.01	26
27					0.35			1.20				0.01	27
28		0.01	0.06			0.85		0.54				0.09	28
29			0.05		0.20	0.05	0.25	0.04	0.01	0.84		0.17	29
30	0.02	X	0.39			0.02	0.82	0.34		0.05	0.01	0.04	30
31	0.05	X	0.02	X		X	0.26	0.06	X	0.01	X	0.08	31
Total	1.62	1.25	2.15	2.34	1.86	2.44	3.08	7.92	2.93	5.39	1.88	2.91	YEAR'S TOTAL 35.77
Rain Days.	16	13	21	16	9	14	15	27	12	20	15	17	195

3.43

W. 8,000, IX. 17.

86

Smade

REGISTER OF RAINFALL IN 19 18

FORM A.
BRITISH RAINFALL.

7 . 1 . 19

Kept at Wakehurst Place
in the County of Sussex
by G. W. E. Loder Esqr
Sgt A W Coote

Lat. 51"3"37N Long. 0"5"17W
Time of Observation 9 AM
Nearest Railway Station Ardingly
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 437 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			0.04		0.03			0.03			0.24	0.01	1
2		0.09	0.02	0.03				0.27	0.03		0.21	0.30	2
3			0.13	0.11	0.31			0.02		0.02	0.29	0.01	3
4		0.22	0.03	0.03	trace			0.08	0.16		0.88	0.03	4
5	0.20	0.05	0.02		0.04			0.16		0.10		0.02	5
6	0.04	0.23		0.26	0.21			0.10		0.08		0.04	6
7		0.16		0.17	0.08	0.01		0.01	0.15	0.07	0.11	0.02	7
8		0.07			trace				0.25	0.03	0.12	0.10	8
9	0.02	0.01		0.13		0.01	0.14		0.61	0.28		0.41	9
10	trace			0.05		0.03	0.45		0.34	0.16		0.32	10
11				0.01			0.73			0.17	0.09	0.20	11
12		0.16			0.19		0.24		0.07	0.02		0.01	12
13	0.20	0.01			0.10		0.38		0.14			0.03	13
14	0.25		0.06		0.01	0.12	0.17		0.28	0.34		0.12	14
15	1.33			0.37		0.10	1.46					0.29	15
16	0.34		0.01	0.16		0.29	0.02		0.21				16
17	0.26			0.14		0.44	0.65	0.04				0.28	17
18	0.51					0.30	0.02		0.32	0.07		0.11	18
19	0.12		0.05	0.03		0.08	0.05			0.03		0.04	19
20	0.06	0.19		0.92		0.02	0.39		0.43	0.29			20
21	0.24	0.07		0.82			0.20		0.54	0.19		0.03	21
22	0.15	0.01			0.05		0.58		0.57			0.20	22
23	0.13			0.03	0.05	0.05	0.40	0.03	0.04			0.02	23
24		0.28		0.09					1.38		0.05		24
25	0.01			0.32			0.07	0.16		0.03	0.02		25
26				0.08			1.04		0.03	0.04	0.16	0.21	26
27		0.21	0.03				0.20	0.22	0.07		0.12	0.05	27
28		0.01	0.28	0.02	0.03			0.03		0.01	0.16		28
29			0.01	0.02					0.79		0.01		29
30		✕	0.55						0.05	0.13		0.11	30
31		✕		✕		✕			✕	0.07	✕	0.01	31
Total	3.86	1.77	1.23	3.79	1.10	1.45	7.19	1.15	6.46	2.13	2.46	2.97	YEAR'S TOTAL 35.56
Rain Days	15	15	12	20	11	11	18	12	20	19	13	25	191

W. 6,500, VII. 18. w w c

B. Meade

cwd for auth

1 JAN 20

526

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Wakehurst Place

in the County of Sussex

by G. W. E. Loder Esqre

Aw Coutes.

Lat. 51' 3' 37N Long. 0' 15' 17 W

Time of Observation 9 am

Nearest Railway Station Ardingly

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground 1 ft. 3 in.

„ „ „ „ Sea Level 437 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.50	0.05	0.02	—	0.09	—	0.08	—	0.01	0.13	0.07	0.78	1
2	0.18	—	0.05	—	0.21	—	0.05	—	0.02	0.09	0.09	0.18	2
3	0.35	—	0.41	—	0.02	—	0.22	—	0.15	—	0.05	0.36	3
4	0.21	0.06	0.49	—	—	0.06	0.33	0.02	0.06	—	0.05	0.15	4
5	—	0.37	1.01	—	—	—	0.09	—	0.01	—	0.20	0.64	5
6	0.15	—	0.08	—	—	—	—	—	—	0.01	0.01	0.09	6
7	0.11	—	0.64	—	—	—	—	—	—	0.01	0.03	—	7
8	0.40	—	0.11	0.01	—	—	—	—	—	—	0.03	—	8
9	0.43	—	0.07	0.09	0.25	—	—	—	—	—	0.14	—	9
10	0.36	—	0.10	0.02	—	—	—	—	—	0.01	0.01	0.16	10
11	0.21	—	0.29	0.35	0.07	—	0.36	—	—	—	—	0.14	11
12	0.14	—	0.02	0.04	—	—	0.15	—	—	0.08	0.04	0.01	12
13	0.04	0.05	0.01	0.40	—	—	—	—	—	—	—	0.06	13
14	0.75	—	—	0.39	—	—	0.10	—	0.30	0.01	—	0.08	14
15	0.36	0.03	0.20	0.07	—	—	—	—	—	0.02	0.01	0.69	15
16	0.23	0.55	—	—	—	—	—	—	0.01	—	0.07	0.03	16
17	—	0.33	0.02	—	—	—	—	—	0.05	—	0.19	0.11	17
18	—	0.14	0.05	—	—	—	—	0.09	—	—	0.08	0.06	18
19	0.03	0.37	0.61	—	—	0.16	0.27	0.12	—	0.01	0.09	—	19
20	0.42	0.08	0.13	—	—	0.69	0.19	0.24	0.57	—	—	0.03	20
21	0.11	0.56	0.03	—	—	0.01	0.03	—	0.14	—	0.04	0.06	21
22	—	0.03	0.02	—	—	—	0.21	—	—	—	0.02	0.28	22
23	—	—	—	—	—	—	—	—	—	—	0.03	~~0.04~~	23
24	—	0.02	—	0.16	—	0.02	0.07	0.02	0.11	0.10	0.14	0.07	24
25	0.05	—	—	—	0.03	—	0.01	0.36	—	—	—	0.02	25
26	0.04	0.19	0.13	0.03	—	—	0.01	0.04	—	—	0.15	0.48	26
27	0.80	0.01	0.01	0.67	—	—	0.03	0.47	—	—	0.27	0.03	27
28	—		0.30	0.03	—	—	—	0.69	—	—	0.45	0.40	28
29	0.04		—	0.01	—	0.03	—	0.60	—	0.26	0.09	0.14	29
30	0.02	X	0.02	0.24	—	0.04	—	0.69	—	0.02	0.24	0.94	30
31	0.11	X	—	X	—	X	0.02	—	X	0.03	X	0.09	31
TOTAL	6.04	2.84	4.52	2.54	0.67	1.01	2.22	3.34	1.43	0.78	2.59	6.12 ~~6.26~~	YEARLY TOTAL 34.40 ~~34.54~~
Days with ·01 in. or more	24	15	24	14	6	7	17	11	11	13	25	27	194

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

H R [illegible]

526

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1919.

Kept at Wakehurst Place, Ardingly (M.O.)

in the County of Sussex.

by G. W. E. Loder, Esq.

Lat. 51° 4' N Long. 0° 5' W

Time of Observation 9h. G.M.T.

Nearest Railway Station

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level ?439 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	
1	0.50	0.05	0.02	-	0.09	-	0.08	-	0.01	0.13	0.07	0.78	1
2	0.18	-	0.05	-	0.21	-	0.05	-	0.02	0.09	0.09	0.18	2
3	0.35	-	0.41	-	0.02	-	0.22	-	0.15	-	0.05	0.36	3
4	0.21	0.06	0.49	-	-	0.06	0.33	0.02	0.06	-	0.05	0.15	4
5	-	0.37	1.01	-	-	-	0.09	-	0.01	-	0.20	0.64	5
6	0.15	-	0.08	-	-	-	-	-	-	0.01	0.01	0.09	6
7	0.11	-	0.64	-	-	-	-	-	-	0.01	0.03	-	7
8	0.40	-	0.11	0.01	-	-	-	-	-	-	0.03	-	8
9	0.43	-	0.07	0.09	0.25	-	-	-	-	-	0.14	-	9
10	0.36	-	0.10	0.02	-	-	-	-	-	0.01	0.01	0.16	10
11	0.21	-	0.29	0.38	0.07	-	0.36	-	-	-	-	0.14	11
12	0.14	-	0.02	0.04	-	-	0.15	-	-	0.08	0.04	0.01	12
13	0.04	0.05	0.01	0.40	-	-	-	-	-	-	-	0.06	13
14	0.75	-	-	0.39	-	-	0.10	-	0.30	0.01	-	0.08	14
15	0.36	0.03	0.20	0.07	-	-	-	-	-	0.02	0.01	0.69	15
16	0.23	0.55	-	-	-	-	-	-	-	-	0.07	0.03	16
17	-	0.33	0.02	-	-	-	-	-	-	-	0.19	0.11	17
18	-	0.14	0.05	-	-	-	-	0.09	0.01	-	0.08	0.06	18
19	0.03	0.37	0.61	-	-	0.16	0.27	0.12	0.05	0.01	0.09	-	19
20	0.42	0.08	0.13	-	-	0.69	0.19	0.24	-	-	-	0.03	20
21	0.11	0.56	0.03	-	-	0.01	0.03	-	-	-	0.04	0.06	21
22	-	0.03	0.02	-	-	-	0.21	-	0.57	-	0.02	0.28	22
23	-	-	-	-	-	-	-	-	0.14	-	0.03	0.04	23
24	-	0.02	-	0.16	-	0.02	0.07	0.02	-	0.10	0.14	0.07	24
25	0.05	-	-	-	0.03	-	0.01	0.36	-	-	-	~~0.07~~	25
26	0.04	0.19	0.13	0.03	-	-	0.01	0.04	0.11	-	0.15	0.02	26
27	0.80	0.01	0.01	0.67	-	-	0.03	0.47	-	-	0.27	0.48 03	27
28	-	-	0.30	0.03	-	-	-	0.69	-	-	0.45	0.40	28
29	0.04		-	0.01	-	0.03	-	0.60	-	0.26	0.09	0.14	29
30	0.02	X	0.02	0.24	-	0.04	-	0.69	-	0.02	0.24	0.94	30
31	0.11	X	-	X	-	X	0.02	-	X	0.03	X	0.09	31
Total	6.04 ✓	2.84 ✓	4.82 ✓	2.54 ✓	0.67 ✓	1.01 ✓	2.22 ✓	3.34 ✓	1.43 ✓	0.78 ✓	2.59 ✓	6.12 ~~6.26~~	YEAR'S TOTAL 34.40
Rain Days.	24 ✓	15 ✓	24 ✓	14 ✓	6 ✓	7 ✓	17 ✓	11 ✓	11 ✓	13 ✓	25 ✓	27	194 ✓

6.16 34.44

Copied from M.O. Form 3203.

W, 6,500, VII. 18. W W C

card by MO W 494

1 MAR 1921
8 JAN 1921

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Wakehurst Place
in the County of Sussex
by G. W. E. Loder.
A. W. Coates

Lat. 51.3.37 N Long. 0.5.17 W
Time of Observation 9 a.m.
Nearest Railway Station Ardingly
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.11	—	—	0.10	0.09	—	0.36	—	trace	0.36	0.02	0.31	1
2	—	—	0.15	—	0.03	—	0.01	0.37	0.08	0.33	—	0.15	2
3	0.01	—	—	0.01	0.03	—	—	trace	0.02	0.17	—	0.07	3
4	—	0.11	—	0.10	—	trace	0.80	0.17	trace	0.19	—	0.01	4
5	—	—	0.09	0.02	trace	—	0.65	0.20	0.04	—	—	0.03	5
6	—	—	0.13	—	0.19	—	0.32	—	—	—	—	0.02	6
7	0.05	—	—	0.17	0.03	—	0.41	—	—	—	—	0.01	7
8	—	—	—	0.04	0.06	—	0.80	trace	—	—	—	—	8
9	0.26	0.03	—	0.05	0.03	0.01	0.04	—	—	—	—	—	9
10	0.90	0.19	0.11	0.03	—	0.15	0.39	—	—	—	0.02	Snow trace of	10
11	0.29	0.07	0.09	0.26	0.02	0.02	0.23	—	—	—	—	0.12 snow	11
12	0.05	0.02	0.01	0.31	—	0.28	—	—	—	—	0.01	—	12
13	0.31	0.04	0.31	—	—	—	—	—	—	—	0.16	—	13
14	—	0.02	0.53	0.43	—	0.04	trace	—	0.12	0.14	0.47	—	14
15	0.04	0.01	0.05	0.16	—	—	—	—	0.15	0.20	0.17	0.01 snow	15
16	—	—	0.02	0.02	trace	—	—	—	0.24	0.01	—	0.01 snow	16
17	0.01	—	—	0.01	0.23	0.16	—	—	1.17	—	—	0.14	17
18	0.03	—	—	0.01	0.11	—	—	1.01	1.26	—	0.01	0.12	18
19	0.10	—	—	0.60	—	0.03	—	—	0.01	—	—	0.06	19
20	0.08	0.26	—	0.25	—	0.58	—	0.01	0.12	—	—	0.01	20
21	—	—	—	0.01	—	—	0.84	—	0.34	—	—	0.23	21
22	0.03	—	—	0.30	—	—	trace	—	0.04	—	—	0.38	22
23	—	—	—	—	—	—	0.36	0.02	—	—	—	0.52	23
24	0.02	0.01	0.09	0.01	—	—	—	—	—	—	0.01	0.12	24
25	—	0.01	0.03	—	—	—	0.31	—	0.02	—	—	—	25
26	0.03	—	0.13	0.04	—	0.02	0.01	—	—	—	0.01	0.09	26
27	0.60	0.02	0.01	0.14	—	0.07	0.02	—	—	—	0.85	0.35	27
28	0.53	0.02	0.16	0.02	0.17	0.01	0.20	—	—	—	0.09	0.02	28
29	0.94	—	0.13	0.13	trace	—	—	—	—	—	0.15	0.33	29
30	0.03	×	—	—	trace	0.09	0.13	—	0.32	—	0.34	0.24	30
31	0.03	×	0.20	×	—	×	—	—	×	0.48	×	0.38	31
Total	4.45	0.81	2.27	3.22	0.99	1.46	5.88	1.78	4.93	1.88	2.34	3.73	YEAR'S TOTAL 33.74
Days with ·01 in. or more	21	13	17	24	11	12	17	6	14	8	13	24	180
Days with ·04 in. or more	13	5	13	15	6	7	14	4	11	7	7	16	118

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

494

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

(MO)

Kept at Wakehurst Place, Ardingly
in the County of Sussex
by G. W. E. Loder Esq. M.A., DL

Lat. 51° 4' N. Long. 0° 5' W.
Time of Observation 9 h G.M.T.
Nearest Railway Station
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level ? 439 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.11	-	-	0.10	0.09	-	0.36	-	-	0.36	0.02	0.31	1
2	-	-	0.18	-	0.03	-	0.01	0.37	0.08	0.33	-	0.15	2
3	0.01	-	-	0.01	0.03	-	-	-	0.02	0.17	-	0.07	3
4	-	0.11	-	0.10	-	-	0.80	0.17	-	0.19	-	0.01	4
5	-	-	0.09	0.02	-	-	0.65	0.20	0.04	-	-	0.03	5
6	-	-	0.13	-	0.19	-	0.32	-	-	-	-	0.02	6
7	0.05	-	-	0.17	0.03	-	0.41	-	-	-	-	0.01	7
8	-	-	-	0.04	0.06	-	0.80	-	-	-	-	-	8
9	0.26	0.03	-	0.05	0.03	0.01	0.04	-	-	-	-	-	9
10	0.90	0.19	0.11	0.03	-	0.15	0.39	-	-	-	0.02	-	10
11	0.29	0.07	0.09	0.26	0.02	0.02	0.23	-	-	-	-	0.12	11
12	0.05	0.02	0.01	0.31	-	0.28	-	-	-	-	0.01	-	12
13	0.31	0.04	0.31	-	-	-	-	-	-	-	0.16	-	13
14	-	0.02	0.53	0.43	-	0.04	-	-	0.12	0.14	0.47	-	14
15	0.04	0.01	0.05	0.16	-	-	-	-	1.15	0.20	0.17	0.01	15
16	-	-	0.02	0.02	-	-	-	-	0.24	0.01	-	0.01	16
17	0.01	-	-	0.01	0.23	0.16	-	-	1.17	-	-	0.14	17
18	0.03	-	-	0.01	0.11	-	-	1.01	1.26	-	0.01	0.12	18
19	0.10	-	-	0.60	-	0.03	-	-	0.01	-	-	0.06	19
20	0.08	0.26	-	0.25	-	0.58	-	0.01	0.12	-	-	0.01	20
21	-	-	-	0.01	-	-	0.84	-	0.34	-	-	0.23	21
22	0.03	-	-	0.30	-	-	-	-	0.04	-	-	0.38	22
23	-	-	-	-	-	-	0.36	0.02	-	-	-	0.52	23
24	0.02	0.01	0.09	0.01	-	-	-	-	-	-	0.01	0.12	24
25	-	0.01	0.03	-	-	-	0.31	-	0.02	-	-	-	25
26	0.03	-	0.13	0.04	-	0.02	0.01	-	-	-	0.01	0.09	26
27	0.60	0.02	0.01	0.14	-	0.07	0.02	-	-	-	0.85	0.35	27
28	0.53	0.02	0.16	0.02	0.17	0.01	0.20	-	-	-	0.09	0.02	28
29	0.94	-	0.13	0.13	-	-	-	-	-	-	0.18	0.33	29
30	0.03	×	-	-	-	0.09	0.13	-	0.32	-	0.34	0.24	30
31	0.03	×	0.20	×	-	×	-	-	×	0.48	×	0.38	31
TOTAL	4.45	0.81	2.27	3.22	0.99	1.46	5.88	1.78	4.93	1.88	2.34	3.73	YEAR'S TOTAL 33.74
Days with ·01 in. or more	21	13	17	24	11	12	17	6	14	8	13	24	180

(44,283). Wt.23,958—215 7500 10/19. Gp.132. A.&E.W.

Copied from M.320(3.)

13 5 15 6 7 14 4 11 7 7 16 118

√

ARUNDEL

TORTINGTON HSE

SUSSEX

1911 - 1914

REGIS

FORM A.
BRITISH RAINFALL.

6 - JAN 1912

Kept at Tortington House ..40 Junction L.B.&S.C. Ry

in the County of Suss m

by Major J. A. Tras

in. Pattern British Assocn

und 1 ft. — in.

Level 25 ft.

NOTE.—Rain should be measured da uctions for the measurement
of rain and particulars as to the British I sent post-free on application
to Dr. H. R. MILL, 62, Camden Square,

Date	Jan.	Feb.	March.	A						Nov.	Dec.	Date.
	in.	in.	in.							in.	in.	
1	02									·10	~~·40~~ d?	1
2			01	·45	·12					·31	·33	2
3				·11	·32			·09		·16	·16	3
4	·03	·01	02	·02	·19				·10	·21	·24	4
5	·01								·78	04		5
6	·35		04	·15					·30	04	·65	6
7	07									85	·24	7
8	·05		18							·79	·38	8
9	·06									21	·29	9
10		·09	18	·03							·29	10
11	·33		10		04			·03		1·13	·03	11
12	·02		82					·29		·07	·05	12
13			02		·22				·18		·38	13
14		·06	02		·15						·30	14
15			03		·01						·08	15
16		·02				·72				·70	·12	16
17			02			·01				1·25	·16	17
18		·13	03	01		·03			·01	69	·44	18
19		·02	01			·05		·15	·32	·03	·15	19
20		·07	02				·34	·11			·71	20
21		·18							39		34	21
22	25	·02	01			·06	·29		·38		55	22
23		·13				·61		·27	·34	·03	·22	23
24		·23				·03	·04		·54	·06	·30	24
25		·02		·10	·23	·05		·06	·15		·02	25
26		·02	02	·35	·01	·03			·12		·34	26
27		·47	·34	·15			·27	·08	·04	·33	·02	·22	27
28		·11		·11					·29	·05		28
29				·04	·01	·13		·33	·38	·01		29
30				·05	·01	·13	17	·01	·32		·02	30
31							·08				01	31
Total	1·19	1·58	1·87	1·57	1·31	1·85	·52	·84	1·29	4·93	6·75	7·02 ✓	TOTAL for year 30·72 ✓
No. of Rain Days	10	15	17	12	11	11	3	5	9	16	20	27 ✓	156 ✓

·15

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Total for year 30·72

Price 2d.

√

REGIS

FORM A.
BRITISH RAINFALL.

6 - JAN 1912

RT

Kept at Tortington House - Arundel

in the County of Sussex 2

by Major J. A. Travers

Lat. 50.50.0 Long. 0.32.40

Nearest Railway Station Ford Junction L.B.&S.C.Ry

Time of Observation 9 a.m and result entered to previous day

Diameter of Rain Gauge 5 in. Pattern British Assoc^n

Height of top of Gauge above Ground 1 ft. — in.

" " " Sea Level 25 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	02										·10	~~·40~~ 07	1
2			01	·45	·12						·31	·33	2
3				·11	·32			·09			·16	·16	3
4	·03	·01	02	·02	·19					·10	·21	·24	4
5	·01									·78	04		5
6	·35		04	·15						·30	04	·65	6
7	07										85	·24	7
8	·05		18								·79	·38	8
9	·06										21	·29	9
10		·09	18	·03								·29	10
11	·33		10		04				·03		1·13	·03	11
12	·02		82						·29		·07	·05	12
13			02		·22					·18		·38	13
14		·06	02		·15							·30	14
15			03		·01							·08	15
16		·02				72					·70	·12	16
17			02			·01					1·25	·16	17
18		·13	03	01		·03				·01	69	·44	18
19		·02	01			·05			·15	·32	·03	·15	19
20		·07	02					·34	·11			·71	20
21		·18								·39		34	21
22	25	·02	01			·06		·29		·38		55	22
23		·13				·61			·27	·34	·03	·22	23
24		·23				·03		·04		·54	·06	·30	24
25		·02		·10	·23	·05			·06	·15		·02	25
26		·02	02	·35	·01	·03				·12		·34	26
27		·47	·34	·15			·27	·08	·04	·33	·02	·22	27
28		·11		·11						·29	·05		28
29				·04	·01	·13			·33	·38	·01		29
30				·05	·01	·13	·17		·01	·32		·02	30
31							·08					01	31
Total	1·19	1·58	1·87	1·57	1·31	1·85	·52	·84	1·29	4·93	6·75	7·02 ✓	TOTAL for year 30·72 ✓
No. of Rain Days	10	15	17	12	11	11	3	5	9	16	20	27 ✓	156 ✓

15

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Total for year 30·72

Price 2d.

Cordy B 5.11.13

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1912

Kept at Tortington House, Arundel
in the County of Sussex 2
by J. A. Travers

Lat. 50 50 Long. 0. 34. 32
Nearest Railway Station Ford Junction L.B.&S.C. Ry
Time of Observation 9 a.m
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " Sea Level 25 ft.

6 JAN 1913

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·03		·03	·26	·36		·12	·68		·15	1
2	·01		·46				·14			—		—	2
3	03	02	05			15		·54					3
4	22	01	69			25		·08			·17	—	4
5	45	01	07			20		·30			·10		5
6	37	15	06			02		·32			·01		6
7		16	04		39	58		·24				·10	7
8	70	21	03	·02				·23		·01		·05	8
9	—	07	15	·03		08	01	·15		·01		·15	9
10	02	10					—	·32		·01	·03	·32	10
11	06	49			03		·02			·02	·01	·18	11
12		12	03		17	12	·16	·32		·02		·02	12
13	01	03	01				·41	·09			—	·15	13
14	01	05	05	—	06	03		·19	—	·03	·02	·15	14
15	—	06	06		—	47	—	03			·01	·22	15
16	13		24		12	04		·21		·01	·19		16
17	61		39		11	05		·15		·01		·05	17
18	08	02	25					·12		·10	·03	·08	18
19	07	05	15			02	·07	·53					19
20	02	03	1·19			01				·52	·03		20
21	01	08	15		12		·02	·18		·08	·03		21
22	09	66	07		01			·17		·01		·05	22
23	40	20	32					·49		·06	15	·02	23
24	03	08					·05	39		·02		·20	24
25	10	—	·02			·26		1·12		·05	·28	·52	25
26		07					·08	·12	—	·49	—	·33	26
27	—		·01	—		·20	·05		—	·42		·45	27
28		08	—			·10	·18	·08	·11	·63		·20	28
29		06	—				·06	·12	1·48	·17	·15	—	29
30					·16	02	·08	·13	1·04	·20			30
31			·11		·11		·22			·01			31
Total	3·42	2·81	4·63	·05	1·31	2·86	1·91	6·62	2·75	3·56	1·21	3·39	34·52 TOTAL for year 3452
No. of Rain Days	20	23	24	2	11	18	15	25	4	22	14	19	197

1,000, IX. '10.

EDWARD STANFORD. 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

~~W~~ DL cordley obr 24·11·14

Ref K 23.11.14

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

6- JAN 19

Kept at Tortington

in the County of Sussex

by J. A. Travers

2

Lat. 50°·50′ Long. 0°34′ 32″

Time of Observation 9 a.m

Nearest Railway Station Ford Junction L.B.&S.C.Ry

Diameter of Rain Gauge 5″ in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 25 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		48	16	13	02	03	09			02	30	11	1
2	·06	11		08			·09		·20	27	·07		2
3	·01		06	19	33		03				10	26	3
4	·37	08			19	19	03		93	18	02	02	4
5	·13		02		01	15	·02		11	02	44	04	5
6		04	07		09	05	08			82	19	25	6
7		20	13		13	06	31			40	21	02	7
8	01	18			20		05	11		20	01	04	8
9		05			·09	03	·12		15		04		9
10	01			03			08			07	31		10
11	·87			47	08					54	24		11
12	·12				70					11	90		12
13	08		02			02		01	16	01	24		13
14	·23			0V			65	04		03	07	02	14
15	·20	11	26	46			23		05		01		15
16	·13		22	06			01		05				16
17	·24		48	09	07		21				02	01	17
18	02	03	18	08			07				05		18
19	·37		04			08	05		50		02	01	19
20	·38		11	12	03	74				34	01		20
21			21	19						77	57		21
22	·37		39					12	21	17		10	22
23	02		11			05		53			01	80	23
24	·11			08							01		24
25		02		13						02			25
26			10	07				12		70	02	25	26
27			18	02						02			27
28	14	02	25	09				18		11	02		28
29	10		06	37	56			06		13			29
30	54			07				2·72		14	01		30
31	06		15					104		10			31
Total	4·57	1·32	3·20	2·74	2·50	1·40	2·00	4·93	2·36	5·17	3·89	1·93	YEAR'S TOTAL 36·01
Rain Days.	23	11	20	19	13	10	14	10	9	22	25	13	189 Rain Days

W.7,000, XI. 13

[illegible] 15.11.15 ~~W~~ MK

REGISTER OF RAINFALL IN 1914

Kept at Tortington House; Arundel
in the County of Sussex 2
by John Amory Travers

Lat. 50..50 Long. 0..34..32
Time of Observation 9.30 am
Nearest Railway Station Ford Junction Sussex
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 25 ft.

FORM A. BRITISH RAINFALL. 8 - JAN 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. X

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				03				10			12	06	1
2				01			09	02			02	09	2
3			05	03	·33		01	01			01	03	3
4	·02		05	33	·03	03	04	03			27	40	4
5	·09		08	39	·08		23	·26			03		5
6	·02	20	07	29	·05	05					02	54	6
7	·03	39	22	03	·06		01				01	33	7
8	·05	56	25	06	·03	07	14	13				20	8
9	·03		57	17	·02				14			1·25	9
10	·09	46		15	·23	01			38			13	10
11		16	59	01	·11		31		02		04	59	11
12		15	17			01	03		41		17	53	12
13		40	17						27	04	06	91	13
14		15	19			05	10			39	28	47	14
15		09	17				24	58		02	87	01	15
16		11	12				01		18				16
17		55	03			01	02					22	17
18		07	47									37	18
19		15	60				35				07	09	19
20		21	15						16		06	48	20
21		45	10				03			03			21
22		03	03		12					13		01	22
23			33			01				03			23
24						86					17		24
25			23							41	01	32	25
26			03					35		05		46	26
27	·02		01				56		01		(·15) ~~75~~	40	27
28	·06	04			06					48	23	42	28
29	·08		09		05					41	28	03	29
30		X	06	·43						19	72	57	30
31	·02	X		X	08	X	04		X	06	X	03	31
Total	·51	4·17	4·83	1·93	1·25	1·10	2·21	1·48	1·57	2 24	3 59	8·94	YEAR'S TOTAL 33·82
Rain Days.	11	17	25	12	13	9	16	8	8	12	20	26	177

W. 8,000. X. 14.

FORM A2.
BRITISH RAINFALL.
2 - JAN 1912

REGI 1911

BALCOMBE
"STOCKCROFT"
SUSSEX
1911-20

Kept at Stockcroft,
in the County of Su
by R.

Symons
top 5 in.
op above Ground 1 ft. 1 in.
„ Sea Level 341 ft.
n 9 am
tation { Name Balcombe
Distance 1m Direction S

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.05			0.39				0.02			0.07		1
2	0.09		0.01	0.08	0.42						0.19	0.45	2
3	0.01				0.27			0.01			0.17	0.22	3
4	0.07	0.01	0.02	0.12					0.01	0.30	0.34	0.27	4
5				0.25						0.40	0.02	0.05	5
6	0.42		0.02	0.01								0.75	6
7	0.08									0.22	0.82	0.39	7
8	0.15		0.23								0.64	0.34	8
9	0.25		0.04	0.02							0.24	0.22	9
10		0.11	0.15	0.04								0.67	10
11	0.53		0.07		0.60						1.38		11
12			0.71						0.02		0.07	0.02	12
13			0.12		0.20				0.53	0.02		0.28	13
14		0.15	0.01		0.21							0.75	14
15		0.06	0.15								0.13	0.04	15
16						0.39					0.82	0.20	16
17			0.07			0.07					1.57	0.23	17
18		0.15	0.04	0.01		0.01					1.10	0.49	18
19						0.12			0.21	0.33	0.16	0.11	19
20	0.03	0.01	0.01			0.11		0.15	0.08	0.03		1.07	20
21	0.02	0.27						0.15	0.04	0.64		0.21	21
22	0.06	0.06	0.29			0.22		1.16		0.38		0.56	22
23		0.33	~~[illegible]~~			0.85			0.37	0.22	0.02	0.25	23
24	0.01	0.21				0.09	0.04	0.02		0.52		0.41	24
25		0.07	0.09	0.08		0.14	0.01	0.08	0.07	0.03	0.01		25
26			0.11	0.29	0.18	0.21	0.01	~~0.09~~		0.30	0.07	0.34	26
27		0.64	0.23	0.15					0.14	0.43	0.06	0.19	27
28		0.31		0.18				0.09			0.03		28
29				0.40		0.12	0.29		0.23	0.57			29
30				0.03		0.07		0.01		0.36		0.04	30
31													31
Total	1.77	2.38	2.37	2.05	1.88	2.40	0.35	1.69	1.70	4.75	7.91	8.55	TOTAL for year 37.80
No. of Rain Days.	13	13	18	14	6	12	4	9	10	15	20	25	159

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.

2 - JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Stockcroft, Balcombe

in the County of Sussex 4

by R. [illegible]

RAIN GAUGE
Pattern Symons
Diameter of top 5 in.
Height of top above Ground 1 ft. 1 in.
" " " Sea Level 341 ft.

Time of Observation 9 am

Nearest Railway Station
Name Balcombe
Distance 1m Direction S

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.05			0.39				0.02			0.07		1
2	0.09		0.01	0.08	0.42						0.19	0.45	2
3	0.01				0.27			0.01			0.17	0.22	3
4	0.07	0.01	0.02	0.12					0.01	0.30	0.34	0.27	4
5				0.25						0.40	0.02	0.05	5
6	0.42		0.02	0.01								0.75	6
7	0.08									0.22	0.82	0.39	7
8	0.15		0.23								0.64	0.34	8
9	0.25		0.04	0.02							0.24	0.22	9
10		0.11	0.15	0.04								0.67	10
11	0.53		0.07		0.60						1.38		11
12			0.71						0.02		0.07	0.02	12
13			0.12		0.20				0.53	0.02		0.28	13
14		0.15	0.01		0.21							0.75	14
15		0.06	0.15								0.13	0.04	15
16						0.39					0.82	0.20	16
17			0.07			0.07					1.57	0.23	17
18		0.15	0.04	0.01		0.01					1.10	0.49	18
19						0.12			0.21	0.33	0.16	0.11	19
20	0.03	0.01	0.01			0.11		0.15	0.08	0.03		1.07	20
21	0.02	0.27						0.15	0.04	0.64		0.21	21
22	0.06	0.06	0.29			0.22		0.16		0.38		0.56	22
23		0.33	~~[illegible]~~			0.85			0.37	0.22	0.02	0.25	23
24	0.01	0.21				0.09	0.04	0.02		0.52		0.41	24
25		0.07	0.09	0.08		0.14	0.01	0.08	0.07	0.03	0.01		25
26			0.11	0.29	0.18	0.21	0.01	~~0.09~~		0.30	0.07	0.34	26
27		0.64	0.23	0.15					0.14	0.43	0.06	0.19	27
28		0.31		0.18				0.09			0.03		28
29				0.40		0.12	0.29		0.23	0.57			29
30				0.03		0.07		0.01		0.36		0.04	30
31													31
Total	1.77	2.38	2.37	2.05	1.88	2.40	0.35	1.69	1.70	4.75	7.91	8.55	TOTAL for year 37.80
No. of Rain Days.	13	13	18	14	6	12	4	9	10	15	20	25	159

W. 8,000, X. '11.

5876

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.
3 - JAN 1913

Kept at Stockcroft, Balcombe
in the County of Sussex 4
by R. Newton

Lat. 51.30′ Long. 0.8 W
Time of Observation 9 a.m.
Nearest Railway Station Balcombe
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 1 in.
" " " " Sea Level 341 ft. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			0.16			0.16	0.23		0.05	0.88		0.28	1
2		0.01	0.41			0.03	0.24						2
3	0.02		0.08			0.28	0.02	0.44	0.03			0.03	3
4	0.24	0.02	0.74		0.07	0.12		0.02			0.18	0.01	4
5	0.21	0.04	0.24		0.01			0.42			0.09	0.04	5
6	0.48	0.11			0.03			0.61				0.05	6
7			0.03		0.25	0.39		0.39				0.15	7
8	0.40	0.43	0.28	0.01		0.15		0.24				0.03	8
9	0.03	0.14	0.01	0.07		0.19	0.14	0.12				0.18	9
10		0.12						0.09			0.11	0.37	10
11	0.06	0.33	0.04		0.01	0.01			0.02			0.24	11
12		0.20	0.07		0.18	0.06		0.24			0.02	0.06	12
13			0.02				0.03				0.15	0.11	13
14			0.02		0.04			0.11		0.13		0.02	14
15	0.02	0.04	0.08		0.17	0.71		0.03				0.34	15
16	0.26	0.02	0.27		0.18			0.15		0.11	0.15		16
17	0.44		0.47			0.08		0.12			0.14	0.13	17
18	0.07		0.34				0.01	0.13		0.07	0.01	0.18	18
19	0.06	0.13	0.19				0.03	0.35			0.01		19
20	0.01	0.01	0.61			0.05		0.18		0.54	0.05		20
21	0.01	0.13	0.31		0.02			0.11		0.13	0.04		21
22	0.06	0.60	0.05					0.30				0.02	22
23	0.37	0.27	0.37		0.06	0.01		0.53		0.10	0.21	0.05	23
24	0.02	0.05				0.04		0.31				0.17	24
25	0.09					0.38		0.92			0.32	0.65	25
26		0.06		0.01		0.13		0.83		0.48	0.40	0.35	26
27		0.01				0.01	0.08			0.29		0.48	27
28		0.07				0.07	0.17	0.14	0.20	1.16	0.86	0.23	28
29		0.05				0.09	0.04	0.32	2.09	0.07	0.05		29
30					0.53	0.45	0.13	0.21	1.42	0.46			30
31			0.09				0.40	0.21					31
Total	2.85	2.84	4.88	0.09	1.55	3.41	1.52	7.52	3.81	4.42	2.79	4.17	YEAR'S TOTAL 39.85
Rain Days.	18	21	22	3	12	20	12	26	6	12	16	23	191

W. 7,500, XI. ·12

FORM A.
BRITISH RAINFALL.

2 JAN 1914

REGISTER OF RAINFALL IN 1913

ex. Hols

Kept at Stockcroft, Balcombe

in the County of Sussex 4

by R. Lewton

Lat. 51. 30 Long. 0.8 West

Time of Observation 9 a.m.

Nearest Railway Station Balcombe

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 1 in.

" " " " Sea Level 341 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	0.03	0.43	0.10	0.43	0.15				0.12	0.01	0.21	0.23	1
2	0.07	0.20					0.09		0.04	0.10	0.07	0.02	2
3			0.09	0.47	0.57				0.02	0.11		0.13	3
4	0.55		0.10	0.01	0.07				0.67	0.29	0.12	0.01	4
5	0.19	0.09	0.03			0.12	0.13		0.50		0.18	0.01	5
6	0.12	0.07	0.13		0.02	0.15	0.26		0.12	0.20	0.06	0.22	6
7		0.30	0.04		0.05	0.12	0.30			0.35	0.14		7
8		0.10			0.21	0.02		0.06		0.37	0.01	0.05	8
9	0.01	0.06		0.02	0.18	0.01	0.13		0.11		0.04	0.01	9
10				0.10			0.95			0.03	0.47		10
11	0.83			0.52						0.87	0.34	0.01	11
12					0.29					0.01	1.05	0.01	12
13	0.35	0.01	0.06					0.02	0.08		0.29		13
14	0.32		0.08	0.07			0.78	0.03	0.18	0.06	0.29	0.01	14
15	0.22	0.06	0.28	0.41			0.26		0.13				15
16	0.20		0.64	0.18					0.14				16
17	0.07	0.03	0.11	0.04			0.27				0.01	0.01	17
18	0.02		0.17	0.22			0.03				0.08		18
19	0.36		0.11		0.01	0.03	0.13		0.64				19
20	0.91		0.19	0.17		0.17				0.68	0.03	0.01	20
21			0.21	0.09						0.41	0.86		21
22	0.36		0.31	0.05			0.01	0.06	0.10	0.02	0.01	0.01	22
23			0.35			0.05		0.15				0.74	23
24	0.08			0.05							0.05		24
25		0.02		0.24									25
26			0.12	0.01				0.16		0.75		0.26	26
27			0.09	0.08	0.59					0.03			27
28	0.11		0.35	0.11				0.14		0.19			28
29	0.10		0.05	0.37	0.32			0.20		0.11	0.02		29
30	0.62			0.13				0.26	0.02	0.25			30
31			0.13					0.84		0.32			31
Total	5.52	1.37	3.74	3.77	2.46	0.67	3.34	1.92	2.87	5.16	4.33	1.74	YEAR'S TOTAL 36.89 ✓
Rain Days.	20	11	22	21	11	8	12	10	14	20	20	16	185 ✓

W. 7,500, XI. ·12

Ex. Mg.

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
9 JAN 1915

Kept at Stockcroft, Balcombe

in the County of Sussex 4

by R. Newton

Lat. 51° 30 Long. 0.8 W.

Time of Observation 9 a m

Nearest Railway Station Balcombe

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 1 in.

" " " " Sea Level 341 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			0.01	0.04				0.22			0.05	0.10	1
2	0.01					0.04	0.10	0.01			0.18	0.19	2
3		0.01	0.09	0.22	0.36		0.05	0.21				0.04	3
4			0.01	0.34	0.11		0.02	0.07			0.39	0.43	4
5	0.09		0.10	0.49	0.18	0.04	0.15	0.33			0.08		5
6		0.21	0.04	0.21	0.08	0.07	0.12	0.05				0.50	6
7		0.77	0.28	0.20	0.03	0.06	0.13					0.41	7
8	0.15	0.69	0.63	0.03		0.10	0.11	0.21				0.23	8
9	0.36		0.98	0.25				0.01	0.20		0.02	1.63	9
10	0.07	0.10	0.03	0.14	0.09				0.10			0.04	10
11		0.70	0.69	0.04					0.24		0.05	0.51	11
12		0.14	0.10				0.40		0.46	0.06	0.02	0.69	12
13		0.64	0.25			0.05			0.16	0.02	0.16	0.81	13
14		0.39	0.25				0.15			0.28	0.26	0.85	14
15	0.01	0.04	0.34				0.03	0.07			0.87	0.01	15
16		0.07	0.01				0.04		0.12				16
17		0.66	0.24				0.02		0.21			0.26	17
18		0.12	0.22				0.01					0.51	18
19		0.15	0.80				0.26				0.25	0.17	19
20		0.28	0.15			0.12				0.01		0.27	20
21		0.75	0.08					0.03		0.09		0.05	21
22		0.05	0.12		0.24	0.03	0.07	0.06		0.30			22
23			0.33		0.37	0.13		0.01		0.01		0.03	23
24	0.01		0.04								0.25		24
25	0.06		0.37					0.13		0.39	0.01	0.04	25
26			0.12				0.03	0.27		0.15	0.22	0.71	26
27	0.03										0.11	0.68	27
28	0.02	0.04			0.01		0.04			0.26	0.40	0.46	28
29	0.23		0.03							0.63	0.30		29
30	0.01	X	0.22							0.09	1.22	0.41	30
31	0.04	X	~~6.53~~	X	0.15	X	0.01		X		X	0.02	31
Total	1.09	5.81	6.53	1.96	1.62	0.64	1.74	1.68	1.49	2.29	4.84	10.05	YEAR'S TOTAL 39.74
Rain Days.	13	18	27	10	10	9	18	14	7	12	18	26	182

W. 8,000. X. 14.

ex JS

606

FORM A. BRITISH RAINFALL.

3 - JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at "Stockcroft." Balcombe

in the County of Sussex 4

by R. Luxton

Lat. 51° 30 Long. 0.8 w

Time of Observation 9 am

Nearest Railway Station Balcombe

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 1 in.

" " " " Sea Level 341 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.63	0.34	0.13				0.19		0.22	0.02	0.12	0.28	1
2	0.33	0.21	0.31	0.16	0.01			0.24	0.03	0.10		0.14	2
3	0.31		0.07	0.23	0.06			0.06	0.06			0.73	3
4	0.10							0.08		0.02		0.60	4
5	0.03	0.73						0.23		0.03		0.48	5
6	0.60	0.28	0.07	0.77			0.55	0.04				0.09	6
7	0.28	0.49	0.07				0.05	0.01				0.44	7
8	0.02	0.59	0.01	0.08			0.46	0.03			0.05	0.01	8
9	0.02	0.11		0.44		0.17					0.45	0.83	9
10	0.37							0.03				0.59	10
11			0.03					0.01		0.01	0.68	0.06	11
12	0.05	0.16		0.28	0.35			0.12		0.02	0.71	0.01	12
13		0.82			1.98				0.05				13
14	0.03	0.03					0.17	0.10	0.09			0.73	14
15	0.14	0.02			0.06		0.03	0.05			0.17	0.43	15
16		0.77			0.07		1.10	0.67			0.03	0.13	16
17		0.59			1.19			0.41					17
18		0.04	0.03		0.19						0.07		18
19		0.13			0.02		0.04			0.05			19
20	0.42			0.02	0.06							0.20	20
21	0.20						0.03			0.15		0.02	21
22	0.39	0.02	0.07				1.27			0.01		0.21	22
23	0.01	0.10	0.11			0.03	0.21			0.35		0.56	23
24			0.03	0.01			0.29		0.36	0.48		0.51	24
25				0.04			0.37			0.04		0.46	25
26		0.09				0.07	0.02					0.74	26
27		0.09	0.01			0.03	0.10			0.66		0.06	27
28		0.09				0.05			1.35	0.38	0.02		28
29					0.01	0.28	0.24	0.24		0.01	0.47	0.01	29
30	0.15	✗				0.03				0.21	0.71	0.04	30
31	0.07	✗		✗		✗		0.59	✗	0.97	✗	0.35	31
Total	4.15	5.70	0.94	2.03	4.00	0.66	5.12	2.91	2.16	3.51	3.48	8.71	YEAR'S TOTAL 43.37
Rain Days.	19	20	12	9	11	7	16	16	7	17	11	26	171

W. 8,000. X. 15.

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
2 JAN 1917

Kept at "Stockcroft", Balcombe
in the County of Sussex
by R. Newton

Lat. 51° 30 Long. 0.8.W.
Time of Observation 9 am
Nearest Railway Station Balcombe
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 1 in.
" " " " Sea Level 341 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.17		0.03		0.15	0.04			0.25	0.03	0.41		1
2	0.56	0.15	0.22		0.38		0.03		0.03	0.77	0.02		2
3	0.02	0.65	0.27			0.01	0.04		0.22	0.65	0.90		3
4	0.27	0.12	0.01			0.67			0.27	0.10	0.48		4
5	0.03	0.06			0.32	0.14				0.15	0.81	0.01	5
6	0.02	0.15	0.05	0.14	0.06	0.37	0.40			0.07	0.84		6
7	0.04	0.01	0.60		0.35	0.20	0.01			0.10	0.71	0.04	7
8			0.02		0.33	0.04						0.56	8
9					0.43	0.01						0.12	9
10		0.42	0.09	0.08	0.01	0.25	0.11				0.01	0.26	10
11	0.07	0.18		0.25	0.01	0.09						0.04	11
12	0.03	0.13	0.23	0.08	0.13	0.17	0.16			0.16	0.01		12
13		0.31	0.36	0.11	0.07	0.01	0.01	0.03	0.01	0.05			13
14		0.63	0.02		0.15					0.05		0.08	14
15		0.12	0.14	0.06				0.17				0.03	15
16	0.02	0.01	0.33	0.19			0.13	0.27					16
17	0.32	0.18		0.11			0.01	0.49	0.31	1.18			17
18	0.01	0.11	0.01	0.06				0.37	0.34	0.27	0.76	0.07	18
19	0.30	0.01	0.14	0.23		0.09		0.02	0.12		0.60	0.13	19
20	0.14		0.08	0.30							0.19	0.69	20
21	0.04		0.21				0.15				0.01	0.34	21
22	0.01	0.01	0.01							0.04	0.01	0.62	22
23	0.01	0.17	0.03			0.06		0.01		0.14	0.05	0.06	23
24	0.01		0.01		0.12	0.08		0.01		0.39	0.09	0.34	24
25		0.93	0.23					1.11		0.08	0.05		25
26	0.05	0.36	0.05			0.14		0.11	0.13	0.34			26
27	0.03	0.06	1.07	0.01		0.05		0.09	0.18	0.38		0.02	27
28		0.46	0.15			0.05		0.04	0.12	0.14	0.02	0.22	28
29		0.21	0.01			0.35		0.95	0.13	0.54		0.39	29
30		X			0.56	0.01		0.03		0.28			30
31		X		X		X		0.01	X	0.21	X	0.01	31
Total	2.15	5.44	4.37	1.62	3.07	2.83	1.05	3.71	2.11	6.12	5.97	4.03	YEAR'S TOTAL 42.47
Rain Days.	20	23	25	12	14	20	10	15	12	22	18	19	210

W. 8,000, VIII. 16

561

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL

2 JAN 1918

Kept ~~at~~ "Stockcroft" Balcombe

in the County of Sussex

by R. Newton

Lat. 51° 30 Long. 0. 8 W

Time of Observation 9 a m

Nearest Railway Station Balcombe

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 1 in.

" " " " Sea Level 341 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			0.01	0.26		0.01		1.61	0.36		0.09	0.03	1
2				0.29				0.07			0.10		2
3				0.14			0.49	0.40		0.18	0.01		3
4		0.15	0.16				0.12	0.45		0.39			4
5	0.35		0.03	0.31		0.02		0.37	0.44	0.31	0.08		5
6			0.23	0.02		0.41			0.33	0.01	0.11		6
7	0.37		0.01				0.04			0.35		0.05	7
8	0.11			0.13			0.33	0.40	0.01	0.36	0.32	0.31	8
9	0.01		0.07	0.05			0.14	0.06		0.01	0.03	0.66	9
10	0.19		0.23	0.11		0.03		0.16			0.01	0.01	10
11	0.22	0.02	0.14	0.39				0.14		0.64			11
12	0.05		0.04	0.02		0.03		0.12		0.26	0.01		12
13	0.04		0.22		0.06			0.01	0.03	0.23	0.01	0.01	13
14			0.03	0.17				0.08					14
15	0.08							0.14		0.20		0.06	15
16	0.07	0.12		0.19	0.09		0.14			0.75	0.01	1.31	16
17		0.02		0.13	0.17		0.25	0.03	0.40	0.26			17
18	0.03	0.03		0.09	0.07	0.03	0.20	0.18	0.36				18
19	0.04	0.15	0.24		0.01	0.08		0.45	0.17				19
20	0.01	0.19	0.06		0.57			0.07	0.03		0.02		20
21			0.05	0.01	0.01			0.01		0.03	0.04		21
22						0.11		0.24		0.20		0.02	22
23		0.26			0.25			0.19				0.04	23
24		0.12				0.22	0.01	0.18		0.20	0.21	0.04	24
25		0.12	0.05			0.01				0.01			25
26			0.02			0.02		0.32	0.07		0.86		26
27					0.24			1.40					27
28			0.06			0.73		0.45		0.01		0.08	28
29		0.01	0.06		0.17	0.05	0.14	0.04		0.90		0.13	29
30		X	0.35			0.01	0.84	0.30		0.05		0.03	30
31	0.08	X	0.05	X		X	0.26	0.04	X	0.01	X	0.08	31
Total	1.65	1.19	2.11	2.31	1.64	1.76	2.96	7.91	2.20	5.36	1.91	2.86	YEAR'S TOTAL 33.86
Rain Days.	14	11	20	15	10	14	12	27	10	21	15	15	184

W. 8,000, IX. 17.

89

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

Kept at Stockcroft, Balcombe

in the County of Sussex

by R. Newton

Lat. 51.30 Long. 0.8.W 9.

Time of Observation 9 a m 1

Nearest Railway Station Balcombe 9

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 1 in.

" " " " Sea Level 341 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			0.01		0.03						0.27	0.11	1
2		0.05	0.01	0.02				0.31	0.01		~~0.[illegible]~~ 26	0.30	2
3			0.09	0.11	0.28			0.07		0.03	0.37	0.01	3
4		0.22	0.02	0.02				0.07	0.12		0.98	0.02	4
5		0.05	0.01		0.04			0.18		0.11		0.03	5
6	0.19	0.23		0.22	0.20			0.15		0.07		0.06	6
7	0.02	0.15		0.19	0.11			0.02	0.22	0.08	0.12	0.01	7
8		0.08							0.36	0.06	0.15	0.11	8
9	0.02	0.01		0.15		0.11	0.09		0.62	0.33		0.51	9
10				0.05		0.06	0.41		0.36	0.14		0.34	10
11				0.03			0.58		0.03	0.19	0.08	0.16	11
12		0.16			0.18		0.27		0.07	0.02		0.01	12
13	0.20	0.01			0.15		0.14		0.16			0.03	13
14	0.26		0.05	0.01	0.01	0.11	0.15		0.33	0.37		0.13	14
15	1.28			0.41		0.16	1.13		0.01			0.30	15
16	0.30			0.13		0.21	0.01		0.18				16
17	0.30			0.11		0.07	0.75	0.02				0.28	17
18	0.49		0.01			0.30			0.33			0.10	18
19	0.11		0.04	0.06		0.18	0.07			0.03		0.05	19
20	0.06	0.21		0.77		0.02	0.37		0.39	0.23			20
21	0.30	0.01		0.82			0.24		0.45	0.20		0.03	21
22	0.14				0.24		0.30		0.82			0.22	22
23	0.12			0.06	0.04		0.66	0.04	0.06		0.04	0.02	23
24		0.33		0.10		0.08			0.39		0.06		24
25	0.01			0.16			0.12	0.18		0.04			25
26							1.13		0.04	0.05	0.17	0.22	26
27	0.01	0.18	0.02	0.10			0.10	0.22	0.07		0.14	0.06	27
28		0.01	0.30	0.02	0.06			0.04		0.01	0.16	0.01	28
29	0.02			0.01					0.79		0.02	0.01	29
30		X	0.57						0.03	0.12		0.12	30
31	0.01	X		X		X			X	0.06	X	0.01	31
Total	3.84	1.70	1.13	3.55	1.34	1.30	6.52	1.30	5.84	2.14	2.77	3.26	YEAR'S TOTAL 34.69
Rain Days.	18	14	11	21	11	10	17	11	22	18	13	27	193

W. 8,000, IX. 17.

529

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919

Kept at Stockcroft, Balcombe
in the County of Sussex
by R. Lenton

Lat. 51.30 Long. 0.8 W
Time of Observation 9 am
Nearest Railway Station Balcombe
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 1 in.
" " " " Sea Level 341 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.50	0.04	0.02	0.01	0.05		0.15			0.13	0.06	0.84	1
2	0.25		0.05		0.25		0.08		0.04	0.02	0.07	0.19	2
3	0.35		0.40		0.02		0.23		0.18		0.04	0.35	3
4	0.24	0.06	0.51			0.06	0.23	0.03	0.08		0.05	0.11	4
5		0.37	0.82				0.04		0.01		0.15	0.60	5
6	0.19	0.01	0.08							0.01		0.06	6
7	0.13		0.59								0.04		7
8	0.45		0.11								0.03		8
9	0.40		0.09	0.12	0.11				0.01		0.12		9
10	0.30		0.10	0.04						0.01		0.21	10
11	0.22		0.26	0.37	0.09		0.21					0.14	11
12	0.16		0.03	0.04			0.35			0.09	0.05	0.01	12
13	0.04	0.06	0.01	0.35								0.06	13
14	0.69			0.43			0.13		0.35	0.01		0.12	14
15	0.30	0.04	0.23	0.05								0.80	15
16	0.25	0.61									0.08	0.04	16
17		0.26	0.01	0.01							0.17	0.10	17
18		0.15	0.06					0.07	0.01		0.10	0.05	18
19	0.04	0.39	0.58			0.11	0.30	0.12	0.02	0.01	0.08		19
20	0.49	0.12	0.09			0.69	0.19	0.25			0.02	0.03	20
21	0.10	0.56	0.02				0.02					0.07	21
22		0.02	0.01				0.21		0.60		0.01	0.29	22
23									0.13	0.01	0.03	0.03	23
24		0.01		0.15		0.02	0.05			0.12	0.12	0.09	24
25	0.06	0.01			0.02			0.29				0.01	25
26	0.05	0.19	0.10	0.07				0.04	0.12		0.14	0.49	26
27	0.87	0.01	0.01	0.51			0.01	0.36			0.28	0.06	27
28			0.29	0.03				0.87			0.51	0.41	28
29	0.03			0.02		0.01		0.48		0.26	0.12	0.13	29
30	0.01		0.01	0.21		0.02		0.74		0.02	0.25	1.05	30
31	0.07						0.01			0.02		0.14	31
Total	6.19	2.91	4.48	2.41	0.54	0.91	2.21	3.25	1.55	0.71	2.52	6.48	Year's Total 34.16
Days with ·01 in. or more	24	17	24	15	6	6	15	10	11	12	22	27	189

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

497

3 JAN 1921

Form A. 1. METEOROLOGICAL OFFICE—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Stockcroft, Balcombe
in the County of Sussex
by R. Weston

Lat. 51° 30 Long 0° 8′ W
Time of Observation 9 a m
Nearest Railway Station Balcombe
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 1 in.
" " " " Sea Level 341 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.11			0.18	0.09		0.40			0.33	0.01	0.28	1
2			0.21	0.03	0.03		0.01	0.32	0.07	0.19		0.15	2
3	0.02		0.01		0.03				0.01	0.16		0.06	3
4		0.10		0.06			1.05	0.21		0.23			4
5			0.08	0.02			0.60	0.18	0.05		0.01	0.04	5
6			0.13		0.19		0.31					0.02	6
7	0.05	0.02		0.17	0.05		0.33						7
8				0.04	0.05		0.71					0.01	8
9	0.23	0.02		0.04	0.05	0.02	0.06						9
10	0.78	0.16	0.13	0.02		0.13	0.37					0.01	10
11	0.27	0.08	0.09	0.19	0.01	0.08	0.22					0.11	11
12	0.05	0.02		0.36	0.01	0.29				0.01	0.02		12
13	0.28	0.04	0.33	0.01							0.14		13
14		0.03	0.53	0.38		0.03			0.10	0.12	0.47		14
15	0.04	0.01	0.07	0.21					0.85	0.17	0.18		15
16		0.01	0.02	0.01					0.53				16
17	0.01				0.22	0.01			1.40		0.01	0.11	17
18	0.03				0.11	0.01		0.93	0.71			0.11	18
19	0.10	0.01		0.52					0.02		0.01	0.04	19
20	0.09	0.38		0.25		0.66			0.06		0.01	0.02	20
21							0.78		0.34			0.21	21
22	0.04			0.30					0.05			0.41	22
23							0.39	0.03				0.55	23
24	0.02	0.01	0.09	0.02								0.12	24
25		0.01	0.02		0.01		0.36		0.01		0.01		25
26	0.04		0.13	0.05		0.07					0.01	0.10	26
27	0.66	0.03		0.13		0.07	0.05				1.01	0.35	27
28	0.60	0.01	0.18	0.01	0.17		0.22				0.08	0.02	28
29	0.90		0.12	0.13					0.01		0.23	0.33	29
30	0.03	╳				0.10	0.11		0.28	0.02	0.36	0.24	30
31	0.04	╳	0.12	╳		╳			╳	0.64	╳	0.36	31
Total	4.39	0.94	~~0.53~~ 2.26	3.13	1.02	1.47	5.97	1.67	4.49	1.87	2.56	3.65	Year's Total 33.42
Days with ·01 in. or more	21	16	16	22	13	11	16	5	15	9	15	22	181
Days with ·04 in. or more	16	5	13	15	8	7	15	4	11	7	7	17	125

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

BALCOMBE

{"THE GABLES"}

SUSSEX

1911-20

REGIS' 11

FORM A2.
BRITISH RAINFALL.
6 - JAN 1912

Kept at The Gables

in the County of Suss

by G. J. Warren

Eight in.

bove Ground one ft. three in.

" Sea Level 358 ft.

9. a.m

Name Balcombe

Distance ½ mile Direction W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·06			·39				·03			·08		1
2	·06		·02	·08	·38						·19	·44	2
3	·04	·02			·25			·02			·19	·19	3
4	·07	·01	·03	·25					·01	·29	·31	·27	4
5	·01	·01		·50						·49	·02	·07	5
6	·41		·03	·03							·01	·72	6
7	·08			·02						·21	·78	·39	7
8	·14		·24	·01							·68	·33	8
9	·24		·04	·03							·27	·10	9
10		·10	·16	·05							·03	·74	10
11	·50		·08		·70						1·48	·03	11
12	·01		·70						·03		·10	·02	12
13			·13		·16				·55	·02		·29	13
14		·15	·01		·29							·76	14
15		·07	·15								·13	·05	15
16						·35					·76	·19	16
17			·08			·08					1·57	·22	17
18		·15	·05	·01		·03					1·06	·47	18
19						·10			·24	·32	·15	·12	19
20	·03	·01	·03			·09		·17	·08	·04		1·03	20
21	·03	·24						·15	·05	·71		·20	21
22	·07	·08	·29			·19		1·47		·39	·01	·60	22
23	·02	·29				·[illegible]3			·37	·21	·02	·24	23
24	·02	·21				·08	·04	·02		·60		·39	24
25	·02	·07	·08	·08		·14	·02	·11	·08	·06	·01	·01	25
26			·18	·27	·20	·19		·01		·27	·07	·33	26
27		·62	·23	·16				·01	·14	·42	·08	·19	27
28		·28		·18				·08			·05	·02	28
29				·35		·12	·28		·22	·56	·01		29
30				·04		·07		·02		·35		·05	30
31													31
Total	1·81	2·31	2·53	2·45	1·98	2·27	·34	2·09	1·77	4·94	8·06	8·46	TOTAL for year 39·01
No. of Rain Days.	17	15	18	16	6	12	3	11	10	15	24	28	175

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
6 - JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at The Gables. Balcombe

in the County of Sussex 4

by G. J. Warren

RAIN GAUGE
Pattern
Diameter of top Eight in.
Height of top above Ground one ft. three in.
" " " Sea Level 358 ft.

Time of Observation 9. a m

Nearest Railway Station
Name Balcombe
Distance ½ mile Direction W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·06			·39				·03			·08		1
2	·06		·02	·08	·38						·19	·44	2
3	·04	·02			·25			·02			·19	·19	3
4	·07	·01	·03	·25					·01	·29	·31	·27	4
5	·01	·01		·50						·49	·02	·07	5
6	·41		·03	·03							·01	·72	6
7	·08			·02						·21	·78	·39	7
8	·14		·24	·01							·68	·33	8
9	·24		·04	·03							·27	·10	9
10		·10	·16	·05							·03	·74	10
11	·50		·08		·70						1·48	·03	11
12	·01		·70						·03		·10	·02	12
13			·13		·16				·55	·02		·29	13
14		·15	·01		·29							·76	14
15		·07	·15								·13	·05	15
16						·35					·76	·19	16
17			·08			·08					1·57	·22	17
18		·15	·05	·01		·03					1·06	·47	18
19						·10			·24	·32	·15	·12	19
20	·03	·01	·03			·09		·17	·08	·04		1·03	20
21	·03	·24						·15	·05	·71		·20	21
22	·07	·08	·29			·19		1·47		·39	·01	·60	22
23	·02	·29				·[illegible]3			·37	·21	·02	·24	23
24	·02	·21				·08	·04	·02		·60		·39	24
25	·02	·07	·08	·08		·14	·02	·11	·08	·06	·01	·01	25
26			·18	·27	·20	·19		·01		·27	·07	·33	26
27		·62	·23	·16				·01	·14	·42	·08	·19	27
28		·28		·18				·08			·05	·02	28
29				·35		·12	·28		·22	·56	·01		29
30				·04		·07		·02		·35		·05	30
31													31
Total	1·81	2·31	2·53	2·45	1·98	2·27	·34	2·09	1·77	4·94	8·06	8·46	TOTAL for year 39·01
No. of Rain Days.	17	15	18	16	6	12	3	11	10	15	24	28	175

W. 8,000, X. '11.

cwd 6. 11. 13

FORM A.
BRITISH RAINFALL.
15 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at The Gable Balcombe

in the County of Sussex 4

by G. J. Warren

Lat. Long.

Time of Observation 9. A M

Nearest Railway Station Balcombe

Diameter of Rain Gauge Eight in.

Height of top of Gauge above Ground One ft. three in.

" " " " Sea Level 358 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	·02	—	·17		—	·15	·24	—	·06	·88	—	·28	1
2	—	·03	·37		·01	·05	·23	—	—	·01	—	—	2
3	·02	·04	·10		—	·38	·03	·44	·05	—	—	·03	3
4	·24	·06	·75		·07	·13	—	·03	—	—	·18	·02	4
5	·19	·06	·26		·01	—	—	·34	—	—	·10	·05	5
6	·48	·14	—		·05	·01	—	·58	—	—	—	·05	6
7	—	·01	·03		·23	·39	—	·34	—	—	—	·13	7
8	·40	·45	·27	·01	—	·16	·14	·21	—	—	—	·04	8
9	·03	·13	·03	·08	—	·27	—	·12	—	—	—	·17	9
10	—	·12	—		—	—	—	·10	—	—	·12	·37	10
11	·06	·34	·04		·02	·02	—	—	·02	—	·01	·23	11
12	·01	·18	·09		·17	·07	—	·23	—	—	·02	·06	12
13	—	·01	·03		—	—	·04	—	—	—	·15	·11	13
14	—	—	·03		·04	—	—	·11	—	·12	—	·02	14
15	·03	·05	·08		·16	·70	—	·03	—	—	·01	·35	15
16	·27	·02	·24		·19	·01	—	·15	—	·09	·13	—	16
17	·40	—	·48		—	·07	—	·13	—	—	·13	·12	17
18	·07	—	·34		—	—	·01	·13	—	·07	·02	·18	18
19	·07	·14	·18		—	—	·04	·37	—	—	·02	—	19
20	·03	·02	·66		—	·05	—	·16	—	·51	·06	—	20
21	·02	·13	·30		·03	—	—	·10	—	·13	·05	—	21
22	·07	·57	·05		—	—	—	·29	—	·01	—	·03	22
23	·39	·25	·37		·07	·02	—	·48	—	·10	·19	·04	23
24	·03	·05	—		—	·04	—	·28	—	—	—	·15	24
25	·10	·01	—		—	·39	—	·92	—	—	·30	·65	25
26	—	·06	—		—	·14	—	·73	—	·47	·38	·35	26
27	—	·01	·01		—	·03	·04	—	—	·28	—	·45	27
28	—	·08	—		—	·08	·21	·19	·20	1·07	·86	·22	28
29	—	·07	—		—	·07	·03	·25	2·10	·07	·07	—	29
30	—		—		·51	·37	·12	·21	1·48	·48	—	—	30
31	·01		·07		—		·35	·21		—		·01	31
Total	2·94	3·03	4·95	·09	1·56 ~~·09~~	3·60	1·48	7·13	3·91	4·29	2·80	4·11	YEAR'S TOTAL 39·89 ✓
Rain Days.	21	25	23	2	13	22	12	26	6	14	18	24	206 ✓

W. 7,500, XI. ·12

cod by B thy ann. stats 11·II·14

FORM A. BRITISH RAINFALL.

7 JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at The Gables, Balcombe

in the County of Sussex

by G. J. Warren

4

Lat. Long.

Time of Observation 9 a.m

Nearest Railway Station Balcombe

Diameter of Rain Gauge Eight in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level 358 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·03	·40	·10	·40	·18				·13	·02	·15	·22	1
2	·09	·20			·02		·10		·05	·11	·10	·02	2
3			·10	·45	·55				·03	·12		·14	3
4	·51		·10	·01	·09				·67	·27	·12	·02	4
5	·20	·11	·04			·11	·13		·50	·01	·19	·02	5
6	·10	·08	·12		·04	·14	·27		·14	·21	·08	·21	6
7		·28	·05		·06	·07	·19			·33	·15		7
8	·02	·10			·21	·08		·06		·31	·02	·05	8
9		·07		·03	·17	·02	·14	·02	·10	·01	·06	·01	9
10	·02			·10			·87			·02	·48		10
11	·85			·51						·89	·36	·02	11
12					·29					·02	1·05	·02	12
13	·33		·07	·0				·03	·12	·01	·29		13
14	·33		·08	·07			·78	·04	·19	·06	·26	·02	14
15	·23	·07	·26	·39			·25		·08				15
16	·21		·67	·18					·13			·01	16
17	·10	·04	·10	·05			·27				·02	·02	17
18	·03		·18	·22			·04				·09		18
19	·35		·11		·01	·04	·13		·62				19
20	·87		·18	·18		·17				·71	·04		20
21			·23	·11						·42	·81		21
22	·37		·33	·05			·01	·05	·11	·03	·01	·02	22
23	·01		·33			·05	·01	·15	·01			·75	23
24	·09			·06		·01					·06		24
25		·02		·26						·02			25
26			·12	·02			·01	·16		·74		·25	26
27			·11	·08	·64					·04			27
28	·13		·33	·11				·07		·18	·02		28
29	·12		·06	·37	·33			}·56		·10	·02		29
30	·61			·14					·01	·24			30
31			·13					·87		·28			31
Total	5·60	1·37	3·80	3·79	2·59	0·69	3·20	2·01 ✓	2·89	5·15	4·38	1·80	YEAR'S TOTAL 37·27 ✓
Rain Days.	22	10	22	21	12	9	14	11 ✓	15	24	21	16	197 ✓

W.7,000, XI. 13

6X My

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
8 - JAN 1915

Kept at The Gables. Balcombe

in the County of Sussex 4

by G. J. Warren

Lat. Long.

Time of Observation 9. a.m

Nearest Railway Station Balcombe

Diameter of Rain Gauge Eight in.

Height of top of Gauge above Ground One ft. three in.

" " " " Sea Level 358 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·02	·06				·18			·05	·09	1
2	·02			·01		·05	·11	·01			·18	·20	2
3		·01	·10	·21	·36		·06	·21			·02	·05	3
4		·01	·02	·34	·11		·03	·08			·38	·40	4
5	·13	·02	·11	·49	·14	·05	·15	·31			·07		5
6		·19	·04	·22	·08	·08	·14	·08				·45	6
7	·02	·69	·26	·19	·05	·07	·13					·40	7
8	·17	·67	·59	·04		·08	·11	·18			·02	·18	8
9	·35		·95	·21				·01	·17		·01	1·62	9
10	·08	·09	·05	·14	·09				·07		·01	·05	10
11		·67	·68	·04					·24		·05	·53	11
12		·14	·11				·39		·42	·07	·03	·65	12
13		·59	·24			·06			·15	·03	·13	·73	13
14		·34	·24				·10			·28	·17	·81	14
15		·09	·32				·02	·09			·88	·01	15
16		·08	·02				·06		·12				16
17		·68	·26				·02		·17			·24	17
18		·12	·24									·47	18
19		·16	·76				·27			·01	·24	·16	19
20		·27	·14			·10				·01		·27	20
21		·72	·10					·04		·10		·05	21
22		·06	·13		·25	·04	·07	·07		·28		·01	22
23			·32		·39	·11		·01		·02		·02	23
24			·06							·01	·24		24
25	·08		·34					·12		·35	·02		25
26			·11				·04	·27		·16	·19	·83	26
27	·03		·01							·01	·11	·63	27
28	·03	·05			·01		·06			·25	·36	·46	28
29	·22		·06							·62	·27	·02	29
30	·02	X	·19							·09	1·17	·41	30
31	·05	X		X	·14	X	·02		X		X	·03	31
Total	1·20	5·65	6·47	1·95	1·62	0·64	1·78	1·66	1·34	2·29	4·60	9·77	YEAR'S TOTAL 38.97 ✓
Rain Days.	12	20	28	11	10	9	17	14	7	15	21	27	191 ✓

W. 8,000. X. 14.

[illegible] 23.11.16 15 [illegible]

605

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.
13 JAN 1916

Kept at The Gables Balcombe

in the County of Sussex 4

by G. J. Warren

Lat. ________ Long. ________

Time of Observation 9. a.m

Nearest Railway Station Balcombe

Diameter of Funnel of Rain Gauge Eight in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level 352 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·60	·32	·12				·25		·21	·03	·11	·43	1
2	·31	·18	·31	·13	·02			·21	·03	·11		·14	2
3	·30		·07	·23	·07			·07	·07			·73	3
4	·11							·09		·03		·60	4
5	·03	·72						·19		·03		·51	5
6	·58	·27	·07	·78			·52	·04				·16	6
7	·26	·45	·07	·02			·05	·02				·44	7
8	·03	·54	·01	·06			·44	·04			·05		8
9	·02	·12		·41		·17		·04			·41	·87	9
10	·35	·02	·01						·01			·59	10
11		·02	·03								·68	·16	11
12	·04	·17		·24	·36			·04		·04	·72	·05	12
13	·01	·76			1·92				·05				13
14	·03	·04	·01				·15	·09	·09			·75	14
15	·14	·01			·07		·04	·05			·14	·42	15
16	(·01) ·01	·72		·01	·08		1·03	·49			·05	·09	16
17		·54			1·16			·47					17
18		·05	·03		·18						·10		18
19		·10			·03		·04			·05			19
20	·40	·01		·02	·06							·26	20
21	·26	·02					·03			·14		·03	21
22	·75	·03	·07	·02			1·20			·01		·20	22
23	·04	·08	·10			·04	·17		·01	·35		·62	23
24			·04				·33		·35	·47		·49	24
25				·05			·28		·01	·04	·01	·44	25
26	·01	·12				·08	·02					·76	26
27		·09	·02			·03	·10			·66		·13	27
28		·08				·06			1·32	·35	·03		28
29						·25	·21	·15		·01	·46	·08	29
30	·16	X				·04				·21	·62	·10	30
31	·06	X		X		X		·51	X	·98	X	·40	31
Total	4·50	5·46	0·96	1·97	3·95	0·67	4·86	2·50	2·15	3·51	3·38	9·45	YEAR'S TOTAL 43·36
Rain Days.	22	24	14	11	10	7	16	15	10	16	12	25	182

W. 8,000. X. 15.

FORM A.
BRITISH RAINFALL.

10. JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at The Gables, Balcombe
in the County of Sussex
by G. J. Warren

Lat. Long.
Time of Observation 9. a.m
Nearest Railway Station Balcombe
Diameter of Funnel of Rain Gauge Eight in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 352 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·16	·02	·05		·16	·03			·24	·03	·43		1
2	·53	·15	·22		·38		·04		·05	·76	·03		2
3	·03	·61	·24			·01	·04		·18	·63	·87		3
4	·26	·10	·02			·58			·25	·07	·46		4
5	·05	·06			·30	·11				·12	·74	·01	5
6	·03	·13	·04	·14	·05	·37	·36			·06	·79		6
7	·05	·02	·50		·34	·13	·01			·11	·68	·04	7
8		·02			·35	·03						·55	8
9			·02		·38	·02				·01		·12	9
10		·41	·09	·08	·02	·22	·12				·02	·23	10
11	·07	·18	·01	·23	·02	·08						·05	11
12	·04	1·33	·19	·10	·12	·18	·14			·15	·01		12
13		·28	·40	·10	·08	·02	·01		·02	·06			13
14		·61	·04	·01	·16			·02		·04		·08	14
15		·12	·14	·07				·12		·02		·04	15
16	·03	·01	·32	·19			·13	·33		[illegible]			16
17	·33	·19		·10				·30	·29	1·11			17
18	·02	·11	·01	·07				·32	·33	·25	·70	·06	18
19	·30	·01	·13	·22		·20		·04	·13		·62	·19	19
20	·13		·09	·33		·01				·01	·21	·77	20
21	·05		·18				·14				·01	·33	21
22	·03		·02							·04	·02	·63	22
23	·03	·25	·04			·07		·01		·14	·05	·05	23
24	·02		·02		·13	·05		·02		·38	·08	·33	24
25	·03	·75	·21					1·19		·09	·06		25
26	·06	·25	·04			·12		·12	·14	·33			26
27	·04	·16	1·03	·02		·06		·12	·21	·47			27
28		·57	·09			·05		·05	·14	·13	·03	·24	28
29		·21	·02			·32		·91	·12	·48		·40	29
30		X	·01		·52	·01		·04		·25			30
31		X		X		X		·01	X	·21	X	·01	31
													YEAR'S TOTAL
Total	2·28	6·55	4·17	1·66	3·01	2·57	0·99	3·60	2·10	5·95	5·81	4·13	42·82
Rain Days.	218 21	24	27	13	14	21	9	15	12	25	18	18	217

W. 8,000, VIII. 16

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1917

Kept at The Gables Balcombe

in the County of Sussex

by G. J. Warren

Lat. Long.

Time of Observation 9. A. M

Nearest Railway Station Balcombe

Diameter of Funnel of Rain Gauge ~~No.~~ 8 in. Eight

Height of top of Gauge above Ground 1 ft. 3 in.

„ „ „ „ Sea Level 360 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·04	·02	·22		·02		1·51	·40		·11	·04	1
2				·25				·06		·02	·09		2
3				·12			·47	·34		·16	·01		3
4		·33	·12	·01			·11	·44		·39			4
5	·33		·05	·24		·03		·29	·47	·29	·07		5
6	·34		·23	·03		·40			·32	·02	·11		6
7	·35						·05			·32		·06	7
8	·11			·14			·33	·32		·34	·31	·29	8
9	·02		·10	·05			·13	·05	·01	·01	·04	·61	9
10	·23		·23	·05		·03		·15			·02	·02	10
11	·21	·07	·15	·38				·13	·06	·63			11
12	·05	·01	·04	·05		·02		·13		·24	·02		12
13	·04		·24		·07			·03	·04	·22	·02	·04	13
14			·04					·11					14
15	·07			·15				·13		·21		·06	15
16	·07	·11			·05		·13			·70	·02	·81	16
17	·02	·02		·17	·20		·24	·05	·39	·30			17
18	·04	·03		·12	·07	·01	·20	·15	·32				18
19	·02	·16	·25	·10	·02	·13		·59	·27				19
20	·01	·19	·05		·58			·07	·05		·03		20
21			·06		·01			·02		·03	·05		21
22	·01		·01			·10		·24		·21			22
23		·24			·24			·15				·07	23
24		·11				·15	·02	·13		·20	·22	·09	24
25		·11	·05			·11	·01			·03			25
26			·03			·03		·31	·07		·85		26
27					·26			1·33					27
28		·02	·07			·69		·46				·05	28
29			·06		·16	·05	·15	·05		·82	·02	·18	29
30	·03	X	·33			·03	·75	·30		·05		·03	30
31	·16	X	·03	X		X	·25	·04	X	·02	X	·06	31
Total	2·11	1·44	2·16	2·08	1·66	1·80	2·84	7·58	2·40	5·21	1·99	2·41	YEAR'S TOTAL 33·68
Rain Days.	18	13	20	15	10	14	13	27	11	21	16	14	192

W. 8,000, IX. 17.

Exd. E.F.E.

88

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL.

13.1.19

Kept at The Gables. Balcombe

in the County of Sussex

by G. J. Warren

Lat. ______ Long. ______

Time of Observation 9 a.m

Nearest Railway Station Balcombe

Diameter of Funnel of Rain Gauge Eight in.

Height of top of Gauge above Ground One ft. three in.

" " " " Sea Level 360 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
												·12	1
1					·04			·01			·27	·30	2 ~~1~~
2		·06		·03				·30			·20	·02	3 ~~2~~
3			·09	·10	·25			·08		·03	·37	·04	4 ~~3~~
4		·20	·03	·03				·08	·13		·87	·04	5 ~~4~~
5		·05	·03		·05			·17		·10		·06	6 ~~5~~
6	·21	·20		·22	·18			·16	·02	·08		·02	7 ~~6~~
7	·05	·14		·19	·10			·03	·18	·08	·12	·11	8 ~~7~~
8		·07							·31	·05	·14	·48	9 ~~8~~
9	·03	·01		·14		·10	·10		·61	·29	·02	·33	10 ~~9~~
10	·02			·05		·05	·40		·37	·14	·01	·18	11 ~~10~~
11				·03			·31		·01	·19	·08	·02	12 ~~11~~
12		·16			·14		·57		·08	·03		·04	13 ~~12~~
13	·41	·01			·13		·53		·16			·13	14 ~~13~~
14	·15		·06		·03	·12	·15		·27	·37		·29	15 ~~14~~
15	1·27		·01	·34		·18	1·31		·02				16 ~~15~~
16	·46			·12		·21	·03		·20			·26	17 ~~16~~
17	·30			·10		·12	·65	·03				·11	18 ~~17~~
18	·46		·02			·32	·01		·34	·01		·05	19 ~~18~~
19	·11		·04	·05		·21	·07			·07		·01	20 ~~19~~
20	·06	·20		·70		·02	·37		·34	·21		·04	21 ~~20~~
21	·30	·02		·82			·24		·46	·20		·23	22 ~~21~~
22	·14	·01			·14		·27		·72	·02	·04	·03	23 ~~22~~
23	·11			·06	·04		·69	·04	·05		·07		24 ~~23~~
24		·32		·08		·08			·36		·01		25 ~~24~~
25	·01			·23			·09	·18		·04	·16	·21	26 ~~25~~
26							1·19		·04	·04	·13	·07	27 ~~26~~
27	·01	·17	·03	·09			·10	·21	·07		·17	·01	28 ~~27~~
28	·02	·01	·28	·02	·11			·05		·02	·03	·02	29 ~~28~~
29	·01			·02					·74			·11	30 ~~29~~
30		×	·58					·01	·04	·13		·02	31 ~~30~~
31	·02	×		×		×			×	·07	×		31
Total	4·15 ✓	1·63 ✓	1·17 ✓	3·42 ✓	1·21 ✓	1·41 ✓	7·08 ✓	1·35 ✓	5·52 ✓	2·17 ✓	2·69 ✓	3·35 ✓	YEAR'S TOTAL 35·15 ✓
Rain Days.	20 ✓	15 ✓	10 ✓	20 ✓	11 ✓	10 ✓	18 ✓	13 ✓	22 ✓	20 ✓	16 ✓	28 ✓	203 ✓

W, 6,500, VII. 18. W W C

[illegible] 528

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

8 JAN

Kept at The Gables Balcombe
in the County of Sussex
by Geo. J. Warren

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Balcombe
Diameter of Funnel of Rain Gauge Eight in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 360 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·46	·12	·03	·03	·06		·15			·14	·07	·80	1
2	·22		·05		·25		·07		·07	·03	·06	·17	2
3	·35		·40		·03		·19		·19		·05	·35	3
4	·24	·09	·48		·01	·06	·23	·04	·07		·06	·11	4
5		·34	·76				·05		·03		·15	·61	5
6	·20	·03	·09								·01	·07	6
7	·13		·55							·01	·05		7
8	·42		·11	·01							·03		8
9	·37		·09	·12	·11						·12		9
10	·39		·09	·05						·01		·18	10
11	·19		·25	·37	·09		·15					·15	11
12	·18		·03	·04	·02		·40			·09	·05	·01	12
13	·05	·05	·01	·33								·06	13
14	·65	·01		·42			·13		·35			·12	14
15	·30	·04	·19	·06								·77	15
16	·22	·59									·09	·03	16
17		·22	·02	·01							·17	·11	17
18		·12	·07					·08	·01		·10	·05	18
19	·05	·36	·54	~~[illegible]~~		·11	·24	·10	·02		·07		19
20	·46	·10	·08			·69	·20	·25				·04	20
21	·10	·55	·03	~~[illegible]~~			·04				·04	·06	21
22		·03	·02				·20 ~~·06~~	·02	·59		·02	·29	22
23						·01			·24		·04	·05	23
24		·02		·15		·03	·06			·12	·14	·09	24
25	·07				·01		·01	·30			·02	·03	25
26	·05	·18	·11	·07				·05	·10		·13	·45	26
27	·72	·01	·02	·47			·03	·35			·25	·06	27
28	·03		·20	·03				·83			·48	·42	28
29	·03			·03				·51		·25	·11	·13	29
30	·03	╳	·02	·21		·04		·77		·03	·24	1·00	30
31	·06	╳		╳		╳	·02		╳	·04	╳	·15	31
TOTAL	5·97 ~~5·87~~	2·86	4·24	2·40	0·58	0·94	2·17	3·30	1·57	0·72	2·55	6·36	YEAR'S TOTAL 33·66 ~~33·56~~
Days with ·01 in. or more	25	17	24	16	8	6	16	11	10	9	24	27	193

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

496

6 JAN 1921

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at The Gables, Balcombe
in the County of Sussex
by G. J. Warren

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Balcombe
Diameter of Funnel of Rain Gauge Eight in.
Height of top of Gauge above Ground one ft. three in.
" " " " Sea Level 360 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·10			·18	·09		·37			·31	·01	·26	1
2	·02		·20	·02	·04		·01	·32	·07	·11		·13	2
3	·03	·01			·05				·01	·16		·06	3
4		·10		·07			·96	·19		·19			4
5			·08	·02			·59	·21	·06			·06	5
6			·13		·18		·29					·03	6
7	·05			·17	·07		·40						7
8		·02		·05	·04		·79						8
9	·23	·02		·05	·06	·03	·05						9
10	·76	·16	·10	·02		·11	·37						10
11	·28	·07	·09	·19		·11	·28					·12	11
12	·06	·03	·01	·37	·02	·26					·02		12
13	·27	·03	·33	·02							·16		13
14		·04	·50	·37		·03			·12	·13	·42		14
15	·05	·02	·07	·21					·84	·15	·14		15
16		·02	·03	·02					·53				16
17	·02				·20				1·33			·11	17
18	·04			·01	·12	·02		·94	·89		·02	·10	18
19	·09			·50					·04			·04	19
20	·09	·30		·25		·63			·06			·02	20
21							·80		·31			·20	21
22	·05			·30			·02		·05			·39	22
23							·36	·04				·54	23
24	·03	·02	·09	·02							·02	·11	24
25		·02	·04		·02		·34		·01		·01		25
26	·04		·12	·06		·11					·02	·09	26
27	·62	·03	·01	·14		·07	·07				1·00	·34	27
28	·58	·02	·18	·01	·17		·21				·08	·03	28
29	·86		·12	·12							·21	·30	29
30	·04	✕				·10	·11		·29		·35	·23	30
31	·04	✕	·12	✕		✕			✕	·61	✕	·33	31
Total	4·35	·91	2·22	3·17	1·06	1·47	6·02	1·70	4·61	1·66	2·46	3·49	Year's Total 33·12
Days with ·01 in. or more	~~176~~ 22	16	17	23	12	10	17	5	14	7	13	20	176
Days with ·04 in. or more	18	5	14	15	10	7	15	5	12	7	7	17	132

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

FORM A2.
BRITISH RAINFALL.

2 - JAN 1912

524

BALCOMBE
W.W.
SUSSEX
1911-20

REGIST

11

Kept at Balcombe Waterw

in the County of Sussex.

by Mid-Sussex Joint Wat

shers

3" in.

e Ground 1 ft. in.

Sea Level 471·28 ft.

a.m. Daily

Name Balcombe

Distance 1½ mls Direction S.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·09			·38				·05			·08	·05	1
2				·15	·45						·16	·44	2
3	·09	·03			·25							·28	3
4	·08	·04	·04								·55	·34	4
5										·47			5
6	·39			·49								·81	6
7	·09		·06							·15	·70	·47	7
8	·18		·28								·64	·42	8
9	·29		·03	·03							·23	·14	9
10		·10	·15	·03							·05	·83	10
11	·47		·06		·30						1·30		11
12			·70						·04		·10	·09	12
13			·10		·05				·73			·25	13
14		·15			·39					·03		·88	14
15		·06	·15								·15		15
16						·45					1·00	·15	16
17			·07			·08					1·33	·41	17
18		·15	·04								·89	·59	18
19						·13			·18	·37	·17	·15	19
20	·03					·05		·13	·11	·08		1·07	20
21		·31						·20	·03	·61		·30	21
22	·08		·34			·24		·38		·47		·37	22
23		·39				·83			·36	·19	·05	·26	23
24		·21				·05		·04		·61		·48	24
25		·07				·22	·07		·07	·05			25
26			·19	·35	·03	·19	·03			·32		·37	26
27		·64	·24	·11					·15	·45	·10	·22	27
28		·30						·11			·09		28
29				·70		·06	·34		·22	·57			29
30						·11			·03	·42		·05	30
31													31
Total	1·79	2·45	2·45	2·24	1·47	2·41	·44	·91	1·92	4·79	7·59	9·42	TOTAL for year 57·88
No. of Rain Days.	10	12	14	8	6	11	3	6	10	14	17	24	135

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.

2 - JAN 1912

524

REGISTER OF RAINFALL IN 1911

Kept at Balcombe Waterworks

in the County of Sussex. 4

by Mid-Sussex Joint Water Board.

RAIN GAUGE
Pattern Glaishers
Diameter of top 8" in.
Height of top above Ground 1 ft. in.
" " " Sea Level 471·28 ft.

Time of Observation 9 a.m. Daily

Nearest Railway Station
Name Balcombe
Distance 1½ mls Direction S.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·09			·38				·05			·08	·05	1
2				·15	·45						·16	·44	2
3	·09	·03			·25							·28	3
4	·08	·04	·04								·55	·34	4
5										·47			5
6	·39			·49								·81	6
7	·09		·06							·15	·70	·47	7
8	·18		·28								·64	·42	8
9	·29		·03	·03							·23	·14	9
10		·10	·15	·03							·05	·83	10
11	·47		·06		·30						1·30		11
12			·70						·04		·10	·09	12
13			·10		·05				·73			·25	13
14		·15			·39					·03		·88	14
15		·06	·15								·15		15
16						·45					1·00	·15	16
17			·07			·08					1·33	·41	17
18		·15	·04								·89	·59	18
19						·13			·18	·37	·17	·15	19
20	·03					·05		·13	·11	·08		1·07	20
21		·31						·20	·03	·61		·30	21
22	·08		·34			·24		·38		·47		·37	22
23		·39				·83			·36	·19	·05	·26	23
24		·21				·05		·04		·61		·48	24
25		·07				·22	·07		·07	·05			25
26			·19	·35	·03	·19	·03			·32		·37	26
27		·64	·24	·11					·15	·45	·10	·22	27
28		·30						·11			·09		28
29				·70		·06	·34		·22	·57			29
30						·11			·03	·42		·05	30
31													31
Total	1·79	2·45	2·45	2·24	1·47	2·41	·44	·91	1·92	4·79	7·59	9·42	TOTAL for year 37·88
No. of Rain Days.	10	12	14	8	6	11	3	6	10	14	17	24	135

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 19 12

FORM A. BRITISH RAINFALL.

29 JAN 1913

524

Kept at Balcombe Waterworks.

in the County of Sussex. 4

by Mid-Sussex Joint Water Board.

Lat. Long.

Time of Observation 9 a.m. Daily.

Nearest Railway Station Balcombe

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 471.28 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			.14			.20	.15		.09	.94		.36	1
2			.41				.26			.03			2
3	.04		.10			.30	.03	.47	.05			.05	3
4	.25		.68		.08			.08					4
5	.25		.26			.10		.65			.21	.06	5
6	.41	.23	.05		.04	.05		.75			.15	.07	6
7					.27	.45		.47				.10	7
8	.49		.32			.06		.27				.03	8
9		.50	.05			.11	.13	.09				.32	9
10		.21					.03	.09			.08	.38	10
11	.09	.37	.06									.25	11
12		.20	.08		.21	.07		.37			.03		12
13			.09								.12	.27	13
14					.07			.10		.12		.02	14
15		.09	.08			.71						.37	15
16	.33		.32		.15			.17		.10	.23		16
17	.41		.56			.08		.12			.10	.23	17
18			.38					.18		.07		.15	18
19	.10	.15	.21				.02	.30					19
20	.03		.65			.03		.18		.52	.09		20
21		.12	.53		.03			.08		.18	.04		21
22		.70	.04					.30				.03	22
23	.42	.27	.37					.56		.10	.23	.06	23
24	.10	.05				.05		.38				.10	24
25						.44		.91			.32	.70	25
26		.05				.08		.80		.50	.48	.32	26
27										.40		.49	27
28		.13				.07	.25	.19	.25	1.14	.87	.32	28
29		.06				.05	.06	.30	2.14	.07	.07		29
30					.55	.11	.10	.24	1.62	.41			30
31			.10				.35	.20					31
Total	2.92	3.13	5.48		1.40	2.96	1.38	8.25	4.15	4.58	3.02	4.68	YEAR'S TOTAL 41.95
Rain Days.	12	14	21	-	8	17	10	25	5	13	14	21	160

W. 7,500, XI. 12

REGISTER OF RAINFALL IN 1913

Box. 1[illegible]

4

FORM A. BRITISH RAINFALL.
2 JAN 1914

524

Kept at Balcombe Waterworks.
in the County of Sussex.
by Mid-Sussex Joint Water Board.

Lat. 12 Long.
Time of Observation 9 a.m. daily.
Nearest Railway Station Balcombe.
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 471·28 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1	·06	·43	·05	·48	·11				·13		·19	·25	1
2	·07	·25					·09		·04	·12	·15		2
3			·14	·44	·55					·09		·14	3
4	·55		·20	·03	·15				·71	·25	·13		4
5	·21	·08	·05			·12	·14		·52		·13		5
6	·18	·09	·15			·15	·29		·07		·05	·25	6
7		·35	·05		·12	·08	·32			·19	·14		7
8		·12			·22	·05		·07		·49	·04	·05	8
9		·06			·14		·16		·13	·27			9
10	·05			·14			·59				·50		10
11	·80			·55						·80	·57		11
12					·31						1·04	·06	12
13	·36		·03					·04	·11		·33		13
14	·29		·12	·09			1·68		·14	·07	·31		14
15	·20		·30	·41			·38		·05				15
16	·22		·66	·25					·16				16
17	·09		·07	·05			·25						17
18	·03		·25	·25			·09				·16		18
19	·42		·05			·04	·07		·52				19
20	·99		·17	·16		·03				·68	·04		20
21			·25	·07						·41	·86		21
22	·35		·43	·26			·03			·06			22
23			·24				·05	·23				·80	23
24	·09			·06				·05			·06		24
25				·20									25
26			·12					·11		·76		·35	26
27		·10	·07	·13	·40					·09			27
28	·15		·34	·09						·16			28
29	·10		·05	·34	·38			·42		·19			29
30	·66			·12				·20		·20			30
31			·15					·72		·22			31
Total	5·87	1·48	3·94	4·12	2·38	·47	4·14	1·84	2·58	5·05	4·70	1·90	YEAR'S TOTAL 38·47
Rain Days.	20	8	22	19	9	6	13	8	11	17	16	7	156

W. 7,500, XI. ·12

REGISTER OF RAINFALL IN 1914

Ex. M.Q.

FORM A. BRITISH RAINFALL. 8 JAN 1915

524

Kept at Balcombe Waterworks

in the County of Sussex 4

by Mid - Sussex Joint Water Board.

Lat. Long.

Time of Observation 9.a.m. Daily.

Nearest Railway Station , Balcombe.

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

„ „ „ „ Sea Level 471•28 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			•06	•03				•18				•08	1
2						•03	•10				•23	•20	2
3			•07	•10	•37		•05	•09			•04	•09	3
4			•03	•39	•13		•02	•10			•38	•32	4
5	•13		•10	•51	•18		•16	•21			•06		5
6		•20		•18	•11	•10		•04				•63	6
7		•74	•32	•23	•03	•07	•14					•44	7
8	•19	•77	•62	•02		•14	•09	•25				•21	8
9	•46		1•06	•30					•22			1•44	9
10	•05	•11		•14	•10				•04			•04	10
11		•74	•68	•04					•39		•08	•56	11
12		•13	•06				•42		•45	•08	•04	•70	12
13		•67	•30			•04			•14		•15	•81	13
14		•36	•30				•24			•28	•27	•80	14
15	•03	•15	•32				•04	•10			•86		15
16		•05	•03				•03		•15				16
17		•67	•15				•02		•25			•35	17
18		•12	•23									•44	18
19		•15	•61				•32				•21	•20	19
20		•33	•14			•06						•28	20
21		•83	•07							•03		•06	21
22		•04	•11		•09		•08	•07		•11			22
23			•32		•31	•07				•39		•05	23
24			•05							•38	•28		24
25	•08		•35					•15		•14		•04	25
26			•10					•23			•28	•76	26
27										•27	•07	•64	27
28		•03								•55	•60	•46	28
29	•28		•04				•08			•09	•35		29
30			•22								1•32	•39	30
31	•05				•14								31
Total	1•27	6•09	6•34	1•94	1•46	•51	1•79	1•42	1•64	2•32	5•22	9•99	YEAR'S TOTAL 39•99
Rain Days.	8	17	25	10	9	7	14	10	7	10	16	24	157

W. 8,000. X. 14.

6x ML

607

524

FORM A.
BRITISH RAINFALL.

3 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Balcombe Waterworks

in the County of Sussex. 4

by Mid - Sussex Joint Water Board.

Lat. Long.

Time of Observation 9 a.m. daily

Nearest Railway Station Balcombe

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 471·28 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·60	·36	·09				·41		·31	·03	·28	·43	1
2	·40		·46	·16	·03			·21	·04	·12		·14	2
3	·27	·21	·09	·27	·04			·07	·05			·82	3
4	·15							·05				·62	4
5	·03	·68						·21				·48	5
6	·60	·35	·09	·77			·54	·03				·17	6
7	·35	·49					·07					·51	7
8		·64		·07			·43				·03		8
9	·07	·12		·39		·09		·07			·45	·87	9
10	·32							·08				·55	10
11					—			·03			·67	·08	11
12	·07	·15		·21	·39					·05	·79		12
13		·85			2·03								13
14	·06	·05			·06		·12	·05	·10			·76	14
15	·14	·03					·08	·09				·43	15
16	·03	·80			·06		1·21	·51			·19	·09	16
17		·59			1·20		·03						17
18		·07			·20						·03		18
19		·24			·03		·06			·04			19
20	·44				·07							·20	20
21	·16									·23		·07	21
22			·10				1·24					·19	22
23	·45		·09				·08			·30		·60	23
24			·04				·25		·36	·53		·74	24
25				·07			·20					·36	25
26		·18										·71	26
27		·08				·04	·14			·64		·10	27
28						·06			1·15	·38	·08		28
29		×				·25	·19	·13		·04	·61		29
30	·16	×								·25	·71	·05	30
31	·06	×		×		×		·61	×	·91	×	·34	31
Total	4·36	5·89	·96	1·94	4·11	·44	5·05	2·14	2·01	3·52	3·84	9·31	YEAR'S TOTAL 43.57
Rain Days.	18	17	7	7	10	4	15	13	6	12	10	23	142

W. 8,000. X. 15.

Exd Dh 598

524

BRITISH RAINFALL FORM A.

JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Balcombe Waterworks.

in the County of Sussex.

by Mid - Sussex Joint Water Board.

Lat. Long.

Time of Observation 9. a. m. daily

Nearest Railway Station Balcombe.

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 471•28 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	•21	•03	•08		•16				•23	•05	•38		1
2	•57	•12	•18		•35		•04		•03	•85	•04		2
3	•03	•63	•21						•16	•71	•91		3
4	•30	•13				•64			•26	•12	•50		4
5	•08	•07			•34	•14				•16	•76		5
6	•03	•21	•05	•15	•07	•24	•41			•12	•96		6
7	•04		•35		•35	•05					•98	•06	7
8			•05		•32	•03					•03	•69	8
9			•12		•46						•02	•08	9
10			•12	•09		•21	•12			•04			10
11	•07	•44	•03	•25		•08						•42	11
12		•26		•07	•14	•15	•15			•15			12
13		•40	•59	•10	•10	•03		•10	•07	•05		•03	13
14		•56	•03	•02	•14					•06			14
15		•14	•14	•03				•25				•04	15
16	•03		•33	•25			•14	•36					16
17	•41	•20	•03	•12				•55	•37	1•31			17
18		•13		•07				•37	•27	•29	•40		18
19	•34		•17	•22		•07		•07	•06		•92	•06	19
20	•20		•07	•25							•16	•85	20
21	•03		•22				•14					•25	21
22	•04									•05		•64	22
23	•03		•06			•05				•08	•08	•05	23
24					•03	•03				•38	•18		24
25			•22		•07			•85		•05	•04		25
26	•07		•05			•10		•14	•15	•39			26
27	•03	•25	•97	•16		•07		•09	•17	•38			27
28		•99	•15			•06		•04	•13	•16		•26	28
29		•20	•03			•35		•90	•14	•51		•39	29
30		X			•66	•05		•05		•35			30
31		X		X	•03	X		•04	X	•33	X		31
Total	2•51	4•76	4•25	1•78	3•22	2•35	1•00	3•81	2•04	6•59	6•36	3•82	YEAR'S TOTAL 42•49
Rain Days.	17	16	23	13	14	17	6	13	12	22	15	13	181

W. 8,000, VIII. 16

387

524

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 19 17

Kept at Balcombe Waterworks.

in the County of Sussex.

by Mid-Sussex Joint Water Board.

Lat. Long.

Time of Observation 9.a.m. Daily

2 JAN 1918

Nearest Railway Station Balcombe.

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 471:28 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	-	-	·23	-	-	-	1·81	·49	-	·09	·05	1
2	-	-	-	·35	-	-	-	·07	·04	-	·18	-	2
3	-	-	-	·23	-	-	·66	·25	-	·22	-	-	3
4	-	-	·15	-	-	-	·15	·59	-	·36	-	-	4
5	·42	-	·04	·39	-	·03	-	·90	·35	·38	·10	-	5
6	-	-	·25	·09	-	·33	-	-	·25	·03	·11	-	6
7	·36	-	-	-	-	-	·06	-	-	·35	-	·06	7
8	·12	-	-	·10	-	-	·30	·17	-	·37	·35	·40	8
9	-	-	·06	·05	-	-	·15	·07	-	-	·04	·44	9
10	·25	-	·27	·07	-	·03	-	·05	-	-	-	·03	10
11	·22	·20	·15	·40	-	-	-	·03	·11	·58	-	-	11
12	·05	·06	·03	·08	-	·08	-	·09	·04	·25	-	-	12
13	·05	-	·23	-	·06	-	-	-	-	·28	-	-	13
14	-	-	·09	·16	-	-	-	·05	-	-	-	-	14
15	·08	-	-	-	-	-	-	·20	-	·16	-	·05	15
16	·08	·12	-	·17	·05	-	·50	-	-	·82	-	·25	16
17	·05	-	-	·12	·19	-	·25	·11	·40	·20	-	-	17
18	·03	-	-	·12	·06	·05	·15	·12	·38	-	-	-	18
19	-	·18	·20	-	-	·05	-	·33	·18	-	-	-	19
20	-	·21	·06	-	·57	-	-	·10	·04	-	·04	-	20
21	-	-	·04	-	-	-	-	-	-	·05	·05	-	21
22	-	-	-	-	-	·19	-	·23	-	·20	-	-	22
23	-	·31	-	-	·21	-	-	·20	-	-	-	-	23
24	-	·13	-	-	-	·17	-	·03	-	·20	·17	1·45	24
25	-	·10	·05	-	-	·05	-	-	-	·03	-	-	25
26	-	·03	-	-	-	-	-	·65	·05	-	·84	-	26
27	-	-	·03	-	·25	-	-	1·44	-	-	-	-	27
28	-	-	·08	-	-	·78	-	·20	-	-	-	-	28
29	-		·04	--	·31	·05	·10	·11	-	·80	-	·18	29
30	-		·33	-	-	-	·75	·28	-	·05	-	·04	30
31	-		·07		-		·20	·20		-		-	31
Total	1·71	1·34	2·17	2·56	1·7	1·81	3·27	8·28	2·33	5·33	1·97	2·95	YEAR'S TOTAL 35·42
Rain Days.	11	9	18	14	8	11	11	25	11	18	10	10	156

W. 8,000, IX. 17.

Section **A** for the entry of Daily Observations

Station No.

METEOROLOGICAL OFFICE

METFORM 1090
(Rev. Feb. 1965)

REGISTER OF RAINFALL IN 1968

Kept at Balcombe Waterworks

in the County of Sussex

Diameter of funnel of gauge in.

Height of top of gauge above ground ft. in.

Height of ground above sea level ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1				·04	·04						·31	·12		1
2		·06		·04				·33	·03		·34	·33		2
3			·12	·10	·35			·08		·04	·35			3
4		·25	·04	·07					·25		·99	·04		4
5		·06			·05			·27	·03	·17	·11	·08		5
6	·28	·30		·20	·19			·13	·24		·16	·03		6
7		·20		·19	·15			·04	·37	·16		·06		7
8		·10							·35	·36		·11		8
9	·05			·14		·10	·08		·63	·12		·52		9
10				·07			·32		·40	·19		·36		10
11							·25			·04		·15		11
12		·17			·14		·60		·05					12
13					·22		·14		·17	·37		·05		13
14	·46		·05			·10	·14		·42			·10		14
15	1·32			·35		·15	·63					·34		15
16				·16		·35	·04		·25			—		16
17	·59			·13		·04	·80	·04				·35		17
18	·55					·31			·44					18
19	·10		·04	·10		·05	·10			·13		·17		19
20	·09	·21		·65			·30		·28	·14				20
21	·35			·85			·23		·43	·33		·04		21
22	·20				·31		·35		1·02			·20		22
23	·13			·10			·66	·04	·06					23
24		·36		·10		·08			·37		·15			24
25	·03			·13			·07	·17		·05	·04			25
26							1·16				·15	·26		26
27		·22	·03	·10			·10	·20	·08		·15			27
28			·32	·07						·04	·22	·05		28
29		X							·75					29
30		X	·59						·04	·13		·14		30
31		X		X		X			X	·06	X			31
TOTAL	4·15	1·93	1·19	3·59	1·45	1·18	5·97 5·67	1·30	6·66	2·33	2·97	3·50	Year's Total 35·92	
*Days with .01 in. or more.													3622	
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side.

†Spare column, no entries required, except year's total.

(*Signed*) (P.T.O.)

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

524

4. 1. 19

Kept at Balcombe Waterworks
in the County of Sussex
by Mid Sussex Joint Water Board

Lat. Long.
Time of Observation 9 a.m Daily
Nearest Railway Station Balcombe
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 471·28 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	—	·04	·04	—	—	—	—	—	·31	·12	1
2	—	·06	—	·04	—	—	—	[illegible]	·23	—	·34	·33	2
3	—	—	·12	·10	·35	—	—	[illegible]	—	·04	·35	—	3
4	—	·25	·04	·07	—	—	—	—	·26	—	·99	·04	4
5	—	·06	—	—	·05	—	—	·27	·03	·17	—	·08	5
6	·28	·30	—	·20	·19	—	—	[illegible]	·24	—	—	·03	6
7	—	·20	—	·19	·15	—	—	[illegible]	·37	—	·11	·06	7
8	—	·10	—	—	—	—	—	—	·15	·16	·16	·11	8
9	·05	—	—	·14	—	·10	[illegible]	—	·63	·36	—	·52	9
10	—	—	—	·07	—	—	[illegible]	—	·40	·12	—	·36	10
11	—	—	—	—	—	—	·15	—	—	·19	—	·15	11
12	—	·17	—	—	·14	—	[illegible]	—	·05	·04	—	—	12
13	—	—	—	—	·22	—	[illegible]	—	·17	—	—	·05	13
14	·46	—	·05	—	—	·10	[illegible]	—	·42	·37	—	·10	14
15	1·32	—	—	·35	—	·15	·64	—	—	—	—	·24	15
16	—	—	—	·16	—	·35	·04	—	·25	—	—	—	16
17	·59	—	—	·13	—	·04	[illegible]	·04	—	—	—	·05	17
18	·55	—	—	—	—	·31	—	—	·44	—	—	—	18
19	·10	—	·04	·10	—	·05	·10	—	—	·13	—	·17	19
20	·09	·21	—	·65	—	—	·30	—	·27	·14	—	—	20
21	·35	—	—	·85	—	—	·23	—	·43	·33	—	·04	21
22	·20	—	—	—	·31	—	·15	—	1·02	—	—	·20	22
23	·13	—	—	·10	—	—	·66	·04	·06	—	—	—	23
24	—	·36	—	·10	—	·08	—	—	·37	—	·15	—	24
25	·03	—	—	·13	—	—	·07	·17	—	·05	·04	—	25
26	—	—	—	—	—	—	1·16	—	—	—	·15	·26	26
27	—	·22	·03	·10	—	—	·10	·20	·08	—	·15	—	27
28	—	—	·32	·07	—	—	—	—	—	·04	·22	·05	28
29	—	—	—	—	—	—	—	—	·75	—	—	—	29
30	—	×	·59	—	—	—	—	—	·04	·13	—	·14	30
31	—	×	—	×	—	×	—	—	×	·06	×	—	31
Total	4·15	1·93	1·19	3·59	1·45	1·18	5·67	1·30	6·66	2·33	2·97	3·10	YEAR'S TOTAL 35·92
Rain Days.	12	10	7	19	8	8	17	9	21	15	11	20	157

W, 6,500, VII. 18. W W C

530

524

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 19 19.

Kept at Balcombe Waterworks.
in the County of Sussex.
by Mid-Sussex Joint Water Board.

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Balcombe.
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft 0 in.
" " " " Sea Level 471.28 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.45	-	.05	-	.05	-	.11	-	-	.11	.10	.73	1
2	.20	-	.04	-	.25	-	.10	-	.10	-	.06	.40	2
3	.36	-	.45	-	-	-	.26	-	..05	-	.03	.34	3
4	.23	-	.63	-	-	.07	.23	-	-	-	.06	.09	4
5	-	.30	.78	-	-	-	.05	-	.06	-	.12	.69	5
6	.20	.23	.08	-	-	-	-	-	-	-	-	.05	6
7	.16	-	.52	-	-	-	-	-	-	-	.05	-	7
8	.51	-	.13	-	-	-	-	-	-	-	-	-	8
9	.41	-	.08	.10	.11	-	-	-	-	-	.16	-	9
10	.37	-	.11	.05	-	-	-	-	-	-	-	.22	10
11	.35	-	.28	.36	-	-	.28	-	-	-	-	.16	11
12	.09	-	.05	-	-	-4	.41	-	-	-	-	-	12
13	-	.10	-	.47	-	-	-	-	-	-	-	.07	13
14	.73	-	-	.40	-	-	.15	-	.35	-	-	.12	14
15	.45	.10	.20	.07	-	-	-	-	-	.04	-	.82	15
16	.15	.50	-	.04	.11	-	-	-	-	-	-	-	16
17	-	-	-	-	-	-	-	-	-	-	.25	.11	17
18	-	.37	.16	-	-	-	-	.05	-	-	.10	.05	18
19	-	.37	.60	-	-	.10	.38	.12	.03	-	.08	-	19
20	.50	.21	.10	-	-	.61	.20	.25	-	-	-	.04	20
21	.10	.58	.07	-	-	-	-	-	-	-	-	-	21
22	-	-	.03	-	-	-	.25	-	.67	-	.08	.42	22
23	-	-	-	-	-	-	-	-	.03	-	-	.06	23
24	-	-	-	.16	-	-	.06	-	-	.11	.14	.06	24
25	-	-	-	--	-	-	-	.35	-	-	-	-	25
26	.07	.22	-	.07	-	-	-	-	.10	-	-	.49	26
27	-	-	.20	.71	-	-	.05	.50	-	-	.35	.07	27
28	.50	-	.21	.24	-	-	-	.82	-	-	.42	.43	28
29	.28	-	-	.03	-	-	-	.36	-	.20	.10	.10	29
30	-		-	.20	-	.07	-	.70	-	-	.23	1.09	30
31	-		-		-		-	-		-		.10	31
TOTAL	6.11	2.98	4.77	2.90	.52	.85	2.53	3.15	1.39	.46	2.33	6.71	YEAR'S TOTAL 34.7
Days with ·01 in. or more	19	10	20	13	4	4	13	8	8	4	16	23	142

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

G X 911

498

524

9 JAN 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Balcombe Waterworks
in the County of Sussex.
by Mid-Sussex Joint Water Board

Lat.
Long.
Time of Observation 9 a.m.
Nearest Railway Station Balcombe.
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 471·28 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·06	·08	-	·15	·05	-	·37	-	-	·52	-	·34	1
2	·03	-	-	·04	·06	-	-	·30	-	·10	-	·14	2
3	·03	-	-	-	-	-	-	-	·03	·16	-	·10	3
4	-	·11	-	·07	-	-	1·72	·23	-	-	-	-	4
5	-	-	·04	-	-	-	·61	·17	·09	-	-	-	5
6	-	-	·15	-	·23	-	·33	-	-	-	-	-	6
7	-	-	-	·22	-	-	·20	-	-	-	-	-	7
8	·05	-	-	·04	·05	-	·43	-	-	-	-	-	8
9	·23	-	-	·04	·06	-	·13	-	-	-	-	-	9
10	·85	·20	·15	·03	-	·15	·41	-	-	-	-	-	10
11	-	·07	·08	-	-	·03	·28	-	-	-	-	-	11
12	·05	·04	-	·40	-	·25	-	-	-	-	-	-	12
13	·30	·07	·27	-	-	-	-	-	-	-	·04	-	13
14	-	-	-	·48	-	-	-	-	·09	·35	·64	-	14
15	-	-	·07	·12	-	-	-	-	·99	·22	·25	-	15
16	·05	-	-	·05	-	-	-	-	·50	-	-	-	16
17	·03	-	-	-	·20	-	-	-	·89	-	-	·43	17
18	-	-	-	·04	·09	-	-	·92	·45	-	-	-	18
19	·11	-	-	·30	-	-	-	-	·03	-	-	·15	19
20	·10	·26	-	·25	-	·75	-	-	-	-	-	-	20
21	-	-	-	-	-	-	·98	-	·47	-	-	·21	21
22	·04	-	-	·30	-	-	-	-	-	-	-	·43	22
23	-	-	-	·03	-	-	·41	-	-	-	-	·49	23
24	·03	-	·10	-	-	-	-	-	-	-	-	·17	24
25	-	-	·03	-	-	-	·38	-	-	-	-	·03	25
26	·07	-	·13	-	-	-	-	-	-	-	-	-	26
27	·60	·03	-	-	-	·10	-	-	-	-	·99	·47	27
28	·59	-	-	·20	·14	-	·23	-	-	-	·08	-	28
29	·82	-	-	·13	-	-	-	-	-	-	·21	·37	29
30	-	×	-	-	-	·05	·11	-	·30	-	·45	·30	30
31	-	×	·20	×	-	×	-	-	×	·89	×	·45	31
TOTAL	4·04	·86	1·22	2·91	·88	1·33	6·59	1·62	3·84	2·24	2·66	4·08	YEAR'S TOTAL 32·27
Days with ·01 in. or more	18	8	10	18	8	6	14	4	10	6	7	14	~~123~~
Days with ·04 in. or more	14	4	9	16	8	5	14	4	8	6	7	13	111

made ✓

REG

Kept at Crowhurst

in the County of Sus

by A. Mund

BATTLE —

CROWHURST PARK GDNS

SUSSEX

19~~13~~ - 1917

o'clock a. m.

Crowhurst

5 in.

ve Ground ft. 9 in.

Sea Level about 480 ft.

FORM A.
BRITISH RAINFALL.
-3 FEB 1914

IMPORTANT NOT the result entered to the previous day. If an O versal rule, he is earnestly requested to add the rea ar in the space provided for it at the end of thi ment of rain, the selection and placing British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 0·0

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1	—	—	—	—	0·6	0·1	—	—	—	—	0·21	0·5	1
2	—	0·43	0·5	0·50	—	—	0·15	—	—	0·5	0·19	0·6	2
3	0·12	0·20	0·9	—	—	—	—	—	—	—	—	0·20	3
4	—	—	0·2	0·1	0·2	—	0·9	—	0·49	0·2	0·44	0·1	4
5	0·18	0·3	0·19	0·1	—	0·12	0·8	—	0·81	0·25	0·15	0·3	5
6	0·11	0·2	0·10	—	—	0·10	0·29	—	0·2	0·67	0·24	0·10	6
7	—	0·26	0·4	—	0·21	0·5	0·16	—	—	0·30	0·10	—	7
8	—	0·3	—	0·1	0·13	—	—	—	—	0·22	0·9	0·4	8
9	—	0·18	—	0·4	—	—	—	0·5	0·20	0·10	0·4	0·1	9
10	—	—	—	0·60	0·16	—	0·22	—	—	—	0·75	—	10
11	0·10	—	—	0·1	—	—	—	—	—	0·83	0·2	—	11
12	0·85	—	0·3	—	—	—	—	—	—	—	0·80	0·3	12
13	—	—	0·20	0·8	—	—	—	0·6	0·11	—	0·23	—	13
14	0·93	0·2	0·35	0·35	—	—	0·68	—	0·31	0·8	—	—	14
15	0·17	—	0·75	0·23	—	—	0·39	—	—	—	0·10	—	15
16	0·16	—	0·3	0·10	—	—	—	—	0·49	—	0·1	—	16
17	0·42	0·4	0·5	0·28	—	—	0·25	—	—	—	0·5	0·3	17
18	0·17	—	0·17	—	—	—	0·10	—	0·10	—	0·20	—	18
19	0·1	—	—	0·20	—	—	0·12	0·3	0·27	—	—	—	19
20	0·6	—	0·3	0·17	0·3	1·47	—	—	—	0·52	0·5	—	20
21	0·41	—	0·4	—	0·1	—	—	—	—	0·79	0·68	—	21
22	0·1	—	0·2	—	—	0·3	0·5	—	0·5	0·1	—	—	22
23	0·35	—	0·2	0·1	—	—	0·2	—	0·2	—	—	0·81	23
24	0·5	—	0·1	0·31	—	—	—	—	—	—	0·20	—	24
25	0·15	—	0·15	—	—	—	—	—	—	—	—	—	25
26	—	0 5	0·10	—	—	—	—	0·3	0·1	0·96	0·1	0·35	26
27	0·1	—	0·25	0·4	—	—	—	0·1	—	0·13	—	—	27
28	—	0·9	0·5	0·14	0·2	—	—	—	—	0·21	—	—	28
29	0·14		0·4	0·28	0·7	—	—	0·5	—	—	—	—	29
30	0·25		0·7	—	—	—	—	1·25	0·11	0·7	0·1	0·4	30
31	0·68		0·12		—		—	1·30		0·13		—	31
Total	5·33 ✓	1·35 ✓	2·97 ✓	3·37 ✓	0·71 ✓	1·78 ✓	2·60 ✓	2·78 ✓	2·99 ✓	5·34 ✓	4·77 ✓	1·76 ✓	YEAR'S TOTAL 35·75
Rain Days.	21	11	25	19	9	6	13	8	13	17	21	13	176

2·78

W. 7,500, XI. 12

made

REG

FORM A.
BRITISH RAINFALL
-3 FEB 1914

Kept at Crowhurst Park, Battle
in the County of Sussex 5
by A. Munday

Time of Observation 9 o'clock a.m.
Nearest Railway Station Crowhurst
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 9 in.
" " " " Sea Level about 480 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 0·0

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1	—	—	—	—	0·6	0·1	—	—	—	—	0·21	0·5	1
2	—	0·43	0·5	0·50	—	—	0·15	—	—	0·5	0·19	0·6	2
3	0·12	0·20	0·9	—	—	—	—	—	—	—	—	0·20	3
4	—	—	0·2	0·1	0·2	—	0·9	—	0·49	0·2	0·44	0·1	4
5	0·18	0·3	0·19	0·1	—	0·12	0·8	—	0·81	0·25	0·15	0·3	5
6	0·11	0·2	0·10	—	—	0·10	0·29	—	0·2	0·67	0·24	0·10	6
7	—	0·26	0·4	—	0·21	0·5	0·16	—	—	0·30	0·10	—	7
8	—	0·3	—	0·7	0·13	—	—	—	—	0·22	0·9	0·4	8
9	—	0·18	—	0·4	—	—	—	0·5	0·20	0·10	0·4	0·1	9
10	—	—	—	0·60	0·16	—	0·22	—	—	—	0·75	—	10
11	0·10	—	—	0·1	—	—	—	—	—	0·83	0·2	—	11
12	0·85	—	0·3	—	—	—	—	—	—	—	0·80	0·3	12
13	—	—	0·20	0·8	—	—	—	0·6	0·11	—	0·23	—	13
14	0·93	0·2	0·35	0·35	—	—	0·68	—	0·31	0·8	—	—	14
15	0·17	—	0·75	0·23	—	—	0·39	—	—	—	0·10	—	15
16	0·16	—	0·3	0·10	—	—	—	—	0·49	—	0·1	—	16
17	0·42	0·4	0·5	0·28	—	—	0·25	—	—	—	0·5	0·3	17
18	0·17	—	0·17	—	—	—	0·10	—	0·10	—	0·20	—	18
19	0·1	—	—	0·20	—	—	0·12	0·3	0·27	—	—	—	19
20	0·6	—	0·3	0·17	0·3	1·47	—	—	—	0·52	0·5	—	20
21	0·41	—	0·4	—	0·1	—	—	—	—	0·79	0·68	—	21
22	0·1	—	0·2	—	—	0·3	0·5	—	0·5	0·1	—	—	22
23	0·35	—	0·2	0·1	—	—	0·2	—	0·2	—	—	0·81	23
24	0·5	—	0·1	0·31	—	—	—	—	—	—	0·20	—	24
25	0·15	—	0·15	—	—	—	—	—	—	—	—	—	25
26	—	0·5	0·10	—	—	—	—	0·3	0·1	0·96	0·1	0·35	26
27	0·1	—	0·25	0·4	—	—	—	0·1	—	0·13	—	—	27
28	—	0·9	0·5	0·14	0·2	—	—	—	—	0·21	—	—	28
29	0·14		0·4	0·28	0·7	—	—	0·5	—	—	—	—	29
30	0·25		0·7	—	—	—	—	1·25	0·11	0·7	0·1	0·4	30
31	0·68		0·12		—		—	1·30		0·13		—	31
Total	5·33	1·35	2·94	3·37	0·71	1·78	2·60	2·78	2·99	5·34	4·77	1·76	YEAR'S TOTAL 35·75
Rain Days.	21	11	25	19	9	6	13	8	13	17	21	13	176

2·78

W. 7,500, XI. 12

Ex LMC

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
5 - JAN 1915

Kept at Crowhurst Park Gdns, Battle,
in the County of Sussex 5
by A. Munday

Lat. .... Long. ....
Time of Observation 9. a. m.
Nearest Railway Station Crowhurst
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. .... in.
" " " " Sea Level 480 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	·4	—	—	—	·7	·3	—	—	·7	·5	1
2	·3	—	—	—	—	—	—	—	—	—	·10	·33	2
3	—	—	·22	·3	·20	—	·15	—	—	—	—	—	3
4	·2	—	·1	·39	—	—	—	·32	—	—	·43	·40	4
5	·19	—	·14	·32	—	·1	—	·1	—	—	—	—	5
6	—	·5	—	·18	·1	·8	—	·10	—	—	—	·68	6
7	·10	·40	·23	·5	—	·14	·13	—	—	—	—	·36	7
8	·15	·38	·37	—	·5	·7	·10	·3	—	—	—	·10	8
9	·16	—	·53	·12	—	—	—	—	·12	—	·1	1·23	9
10	·3	·4	·3	·11	·14	—	—	—	—	—	—	·3	10
11	—	·46	·53	·9	—	—	—	—	·28	—	·8	·53	11
12	—	·4	·13	—	—	·2	·10	—	·57	·5	·1	·50	12
13	—	·49	·32	—	—	·11	—	—	·24	·8	·14	·89	13
14	—	·24	·16	—	—	·2	·7	—	·3	·40	·30	·29	14
15	—	·9	·43	—	—	—	·5	·1	—	—	·80	·1	15
16	—	·40	·4	—	—	—	—	—	·12	—	—	—	16
17	—	·25	·8	—	—	—	·3	—	·18	·2	—	·15	17
18	—	·7	·11	—	—	—	—	—	—	·3	·2	·53	18
19	—	·13	·70	—	—	—	·20	—	·3	·14	·20	·42	19
20	—	·13	·10	—	—	·3	·3	—	—	·4	—	·46	20
21	—	·71	·11	—	—	—	—	—	—	·3	—	[illegible] 5	21
22	—	·3	·4	—	·5	·9	·40	·4	—	·5	—	[illegible] 1	22
23	—	—	·3	—	—	—	·3	—	—	·2	—	—	23
24	—	—	·84	—	·3	·70	—	—	—	·3	·35	—	24
25	·12	—	·3	—	—	—	—	—	—	·37	4	—	25
26	·3	—	·19	—	—	—	—	·64	—	—	·13	·46	26
27	·3	—	·4	—	—	—	—	·5	—	·4	·12	·51	27
28	·6	·3	—	—	—	—	·14	—	—	·67	·60	·34	28
29	·10		—	—	—	—	—	—	—	·62	10	·4	29
30	·2	X	·14	—	—	—	·1	—	—	·11	1·60	·13	30
31	·2	X	—	X	·34	X	—	—	X	—	X	·12	31
Total	1·06	3·94	5·59	1·29	0·82	1·27	1·51	1·23	1·57	2·70	5·10	8·62	YEAR'S TOTAL 34·70
Rain Days.	14	17	26	8	7	10	14	9	8	16	18	25	172

W. 8,000. X. 14.

Ck ML

631

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

3 JAN 1916

Kept at Crowhurst Park, Battle

in the County of Sussex 5

by A. Munday.

Lat. Long.

Time of Observation 9 a.m

Nearest Railway Station Crowhurst

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 480 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	00·61	0·17	0·03	—	—	—	—	0·14	0·83	0·01	0·23	0·19	1
2	0·43	0·30	0·24	0·14	0·02	—	—	0·02	0·20	0·03	—	0·21	2
3	0·36	0·01	0·03	0·27	0·21	—	—	0·22	0·15	—	—	0·53	3
4	0·05	—	—	0·02	—	—	—	0·14	—	—	0·02	0·31	4
5	0·04	0·20	—	0·08	—	—	—	0·03	—	0·02	0·03	0·61	5
6	0·66	0·22	0·05	0·51	—	—	0·07	—	—	—	—	0·16	6
7	0·37	0·39	—	0·02	—	—	0·02	—	—	—	—	0·41	7
8	0·06	0·18	0·15	0·02	—	—	0·43	—	—	—	—	0·02	8
9	0·03	0·25	—	0·09	—	0·02	0·37	—	—	—	0·74	1·04	9
10	0·28	—	—	—	—	0·42	—	—	—	—	—	0·70	10
11	—	0·04	0·01	—	—	—	—	—	—	—	1·00	0·05	11
12	0·04	0·17	—	0·35	—	—	—	—	—	0·08	0·55	—	12
13	0·01	0·87	—	0·03	0·27	—	—	—	0·07	—	—	—	13
14	0·06	0·05	—	—	1·82	—	0·55	—	0·05	—	—	0·49	14
15	0·16	—	—	—	0·11	—	0·36	0·91	—	—	0·32	0·23	15
16	—	0·55	—	0·08	0·30	—	1·12	0·19	—	—	—	0·01	16
17	—	0·61	—	—	1·31	—	—	0·86	—	0·02	—	0·20	17
18	—	0·06	0·01	—	0·08	—	—	—	—	—	0·02	0·05	18
19	—	0·01	—	—	—	—	—	—	—	0·02	—	—	19
20	0·43	—	—	0·04	0·02	—	—	0·06	—	—	—	0·18	20
21	0·14	—	—	—	—	—	—	—	—	0·04	—	0·08	21
22	0·02	—	0·07	0·02	—	—	0·75	—	—	—	—	0·16	22
23	0·02	—	0·10	—	—	0·02	0·05	—	—	0·04	—	0·74	23
24	—	0·10	0·03	0·09	—	—	0·02	—	0·38	1·00	—	0·36	24
25	0·01	—	—	0·05	—	—	0·14	—	—	0·05	—	0·24	25
26	—	0·01	—	—	—	0·11	—	—	—	—	—	0·80	26
27	—	0·01	—	—	—	0·43	0·05	—	0·01	0·43	—	0·03	27
28	—	0·05	—	—	—	0·06	—	—	1·27	0·35	0·01	0·01	28
29	—		—	—	0·07	—	0·03	0·49	0·01	0·05	0·34	0·03	29
30	0·26	╳	—	—	—	—	—	—	—	0·12	0·31	0·02	30
31	0·02	╳	—	╳	—	╳	0·02	—	╳	0·72	╳	0·33	31
Total	4·06	4·25	0·72	1·81	4·21	1·06	3·98	3·09	2·94	2·98	3·60	8·19	YEAR'S TOTAL 40·92 ✓
Rain Days.	21	20	10	15	10	6	14	10	9	15	11	28	169 ✓

W. 8,000. X. 15.

622

FORM A.
BRITISH RAINFALL.
9 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Crowhurst Park Gdns Battle

in the County of Sussex

by A. Munday

Lat. Long.

Time of Observation 9. a.m.

Nearest Railway Station Battle

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 480 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·10	0·03	0·01	—	0·34	0·02	—	—	0·02	0·03	0·84	—	1
2	0·35	0·05	0·48	—	0·22	—	—	—	—	0·48	0·07	—	2
3	0·03	0·26	0·36	—	(·01)	—	0·17	—	0·03	0·22	0·38	—	3
4	0·20	0·07	—	0·03	—	0·30	—	—	0·25	0·07	0·33	—	4
5	0·03	0·03	0·02	0·01	0·15	0·07	—	—	0·03	0·08	0·40	0·02	5
6	0·03	0·13	0·10	0·49	0·08	0·82	0·32	—	—	0·15	0·28	0·03	6
7	0·01	0·02	0·67	—	0·37	0·02	0·06	—	—	0·07	0·43	0·34	7
8	—	0·03	—	—	0·26	0·06	—	—	—	—	0·03	0·27	8
9	0·02	—	0·01	—	0·38	0·18	—	—	0·01	—	—	0·57	9
10	—	0·45	0·02	0·09	—	0·44	0·09	—	—	0·07	0·01	0·24	10
11	0·05	0·26	0·02	0·15	0·02	0·20	—	—	—	—	0·01	—	11
12	0·08	0·09	0·17	0·07	0·24	0·14	0·14	—	0·02	0·08	0·01	0·05	12
13	—	0·22	0·22	0·03	0·37	0·07	0·04	0·02	—	0·03	0·01	0·12	13
14	0·02	0·21	0·08	—	0·17	—	—	0·32	—	—	—	0·33	14
15	0·01	0·21	0·11	0·01	—	—	—	—	—	—	—	0·10	15
16	0·02	0·03	0·10	0·30	—	—	0·24	0·02	—	—	—	—	16
17	0·56	0·14	—	0·05	—	—	0·02	0·01	0·43	0·89	—	—	17
18	0·08	0·09	0·02	0·01	—	—	—	0·07	0·25	0·42	1·17	0·03	18
19	0·31	0·04	0·04	0·31	—	—	—	—	0·10	0·02	1·40	0·06	19
20	0·08	—	0·08	0·32	—	0·04	—	0·14	—	0 —	0·15	0·49	20
21	0·06	0·01	0·48	0·15	—	—	—	—	—	—	—	0·65	21
22	0·01	0·24	0·16	0·02	—	0·03	—	—	—	0·01	0·02	0·70	22
23	0·02	0·25	0·34	—	—	0·12	0·04	0·09	—	—	0·07	0·04	23
24	0·02	0·10	0·08	—	0·04	0·03	—	—	—	0·37	0·20	0·31	24
25	0·01	0·60	0·15	—	—	0·02	—	0·57	—	0·22	0·14	—	25
26	0·04	0·25	—	—	—	0·10	—	0·07	—	0·09	0·03	0·12	26
27	0·02	0·65	0·77	—	—	0·18	—	0·02	0·13	0·55	—	0·02	27
28	—	0·70	0·04	—	—	0·28	—	0·15	0·26	0·65	—	0·30	28
29	—	0·20	—	—	—	0·48	—	0·83	0·07	0·67	—	0·56	29
30	—	╳	0·02	—	—	—	—	0·08	—	0·30	—	0·01	30
31	0·01	╳	—	╳	—	╳	—	—	╳	0·32	╳	0·02	31
Total	2·17	5·56	4·55	2·04	2·65	3·60	1·12	2·39	1·60	5·79	5·98	5·38	YEAR'S TOTAL 42·83
Rain Days.	25	24	25	15	13	20	9	13	12	22	20	23	224

W. 500, X. 14.

EDWARD STANFORD, Ltd., 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

cards for curtis

591

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.
1918

Kept at Crowhurst Park

in the County of Battle. Sussex

by E. Carpenter

Lat. Long.

Time of Observation 9. AM

Nearest Railway Station Crowhurst

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level about 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	—	10	—	—	—	1-82	8	—	—	—	1
2	—	—	1	9	—	—	—	34	—	—	15	—	2
3	3	—	—	10	—	—	45	36	—	32	3	—	3
4	2	18	22	—	—	—	—	11	—	31	—	—	4
5	28	—	9	—	—	32	—	—	21	24	—	—	5
6	1	—	—	30	—	—	—	—	8	—	38	10	6
7	50	—	—	—	—	—	25	—	—	67	—	21	7
8	5	—	—	11	—	—	33	—	—	33	53	33	8
9	3	—	9	3	—	—	4	—	—	—	—	97	9
10	14	—	12	5	—	50	—	11	—	—	—	—	10
11	28	—	19	11	—	—	—	3	—	46	—	—	11
12	3	—	1	10	—	—	—	3	—	47	—	—	12
13	5	—	20	—	—	—	—	3	—	—	—	—	13
14	—	—	—	30	—	—	—	3	—	26	—	—	14
15	2	—	—	—	11	—	—	41	—	6	—	—	15
16	7	8	—	25	—	—	—	—	—	13	—	87	16
17	—	2	—	9	21	—	41	—	30	30	—	—	17
18	4	5	—	6	15	—	26	—	13	—	—	—	18
19	—	—	12	—	—	—	—	—	18	—	—	—	19
20	1	30	9	—	1-25	4	—	—	—	—	—	—	20
21	2	—	5	—	—	—	—	6	—	2	—	—	21
22	1	15	18	—	—	48	—	6	—	27	6	—	22
23	—	20	9	—	25	—	—	14	—	—	—	—	23
24	—	—	—	—	—	—	—	—	—	32	—	—	24
25	—	18	6	—	—	—	13	4	—	—	—	—	25
26	—	—	—	—	—	—	—	1-13	8	—	1-6	—	26
27	—	—	—	—	—	—	—	63	—	—	—	—	27
28	—	—	13	—	—	2 in	—	3	—	—	—	—	28
29	—		6	—	—	13	75	48	—	—	—	—	29
30	10	X	10	—	—	—	34	—	—	57	—	43	30
31	—	X	18	X	—	X	34	—	X	8	X	—	31
Total	1-69	1-16	1-99	1-89	1-87	3-47	3-30	5-84	1-06	4-81	2-21	2-91	YEAR'S TOTAL 32-00 ~~29-5~~
Rain Days.	18	8	18	13	5	6	10	18	7	16	6	6	~~128~~ 131

W. 8 000, IX. 17.

Sfride.

F … 15

FORM A.
BRITISH RAINFALL
14. JUN. 1916

—

BATTLE

FOREWOOD

SUSSEX

1915

Kept at Forewo…
in the County of
by

…ong.
… 9 a.m.
…tion Battle
…f Rain Gauge 8 in.
…ge above Ground – ft. 10 in.
„ Sea Level 100 ft.

IMPORTANT … and the result entered to the previous day. If … t universal rule, he is earnestly requested to add th… …g year in the space provided for it at the end o… …asurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	45	08	02	–	–	–	–	–	92	–	02	31	1
2	–	25	–	–	02	–	–	01	04	–	–	11	2
3	26	–	21	–	01	–	–	14	07	–	–	63	3
4	06	–	03	–	–	–	–	01	–	01	–	34	4
5	04	17	01	–	–	–	–	01	–	01	02	51	5
6	35	17	01	–	–	–	13	02	–	–	–	22	6
7	52	33	01	–	–	–	01	–	–	–	–	48	7
8	07	09	04	–	–	–	51	–	–	–	–	–	8
9	04	31	–	–	–	–	08	–	–	–	77	1·01	9
10	22	–	–	–	–	34	–	–	–	–	–	51	10
11	–	03	–	–	–	–	–	–	–	–	25	15	11
12	04	01	–	25	02	–	–	–	–	01	76	–	12
13	03	82	–	02	1·65	–	–	–	–	–	–	01	13
14	04	04	–	01	–	–	45	–	11	01	–	43	14
15	15	00	–	–	12	–	35	65	01	02	25	31	15
16	–	25	–	08	–	–	1·02	–	01	04	01	01	16
17	–	89	–	–	–	–	01	–	–	–	–	18	17
18	–	08	–	–	–	–	–	–	–	–	–	02	18
19	01	04	–	–	–	–	–	–	–	12	–	–	19
20	30	01	–	16	–	–	–	–	–	01	–	06	20
21	17	–	–	–	–	–	–	–	–	02	–	12	21
22	03	–	–	03	–	–	65	–	–	01	–	22	22
23	02	–	–	–	–	–	08	–	–	–	–	72	23
24	–	04	–	04	–	–	02	–	33	25	–	28	24
25	–	02	–	–	–	–	15	–	01	–	–	24	25
26	–	–	–	–	–	–	–	–	–	01	–	56	26
27	–	01	–	–	–	42	05	–	–	32	–	08	27
28	–	06	–	–	–	14	–	–	–	49	–	02	28
29	–	–	–	–	04	02	03	35	–	02	31	01	29
30	–	X	–	–	–	–	03	–	–	15	3	01	30
31	29	X	–	X	–	X	–	–	X	57	X	02	31
Total	3·09	3·67	·33	~~·59?~~ imp	~~1·82?~~ imp	~~·58?~~ imp	3·57	1·19	~~·60~~ imp	2·07	2·42	7·47	YEAR'S TOTAL
Rain Days.	19	20	7				15	7	~~8~~	17	9	28	

W. 8,000. X. 15.

Spade,

E 15

FORM A. BRITISH RAINFALL.

14. JUN. 1916

Kept at Forewood

in the County of Sussex

by P H Palmer

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Battle

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground – ft. 10 in.

" " " " Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	45	08	02	+	-	-	-	-	92	-	02	31	1
2	-	25	-	+	02	-	-	01	04	-	-	11	2
3	26	-	21	+	01	-	-	14	07	-	-	63	3
4	06	-	03	+	-	-	-	01	-	01	-	34	4
5	04	17	01	+	-	-	-	01	-	01	02	51	5
6	35	17	01	+	-	-	13	02	-	-	-	22	6
7	52	33	01	+	-	-	01	-	-	-	-	48	7
8	07	09	04	+	-	-	51	-	-	-	-	-	8
9	04	31	-	+	-	-	08	-	-	-	77	1·01	9
10	22	-	-	+	-	34	-	-	-	-	-	51	10
11	-	03	-	+	-	-	-	-	-	-	25	15	11
12	04	01	-	25	02	-	-	-	-	01	76	-	12
13	03	82	-	02	1·65	-	-	-	-	-	-	01	13
14	04	04	-	01	-	-	45	-	11	01	-	43	14
15	15	00	-	-	12,	-	35	65	01	02	25	31	15
16	-	25	-	08	-	-	1·02	-	01	04	01	01	16
17	-	89	-	-	+	-	01	-	-	-	-	18	17
18	-	08	-	-	+	-	-	-	-	-	-	02.	18
19	01	04	-	-	+	-	-	-	-	12	-	-	19
20	30	01	-	16	+	-	-	-	-	01	-	06	20
21	17	-	-	-	+	-	-	-	-	02	-	12	21
22	03	-	-	03	+	-	65	-	-	01	-	22	22
23	02	-	-	-	+	-	08	-	-	-	-	72	23
24	-	04	-	04	+	-	02	-	33	25	-	28	24
25	-	02	-	-	+	-	15	-	01	-	-	24	25
26	-	-	-	-	+	4	-	-	-	01	-	56	26
27	-	01	-	-	+	42	05	-	-	32	-	08	27
28	-	06	-	-	+	14	-	-	+	49	-	02	28
29	-	-	-	-	04	02	03	35	+	02	31	01	29
30	-	X	-	-	+	-	03	-	+	15	3	01	30
31	29	X	-	X	+	X	-	-	X	57	X	02	31
Total	3·09	3·67	·33	~~·56?~~ imp	~~1·82?~~ imp	~~·58?~~ imp	3·57	1·19	~~1·50~~ imp	2·07	2·42	7·44	YEAR'S TOTAL
Rain Days.	19	20	7				15	7	~~8~~	17	9	28	

W. 8,000. X. 15.

BEACHY HEAD
MET. OFF
SUSSEX
1917-19

REGIS

Kept at Polegate, K

15'E

in the County of Sussex

astbourne

by Meteorological

auge 6 in.

Ground 1 ft. 4 in.

Sea Level 506 ft.

FORM A.
BRITISH RAINFALL
18 JAN 1918

IMPORTANT NOTE … he result entered to the previous day. If an Obs … rsal rule, he is earnestly requested to add the readi … in the space provided for it at the end of this … ent of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	nil	nil	nil	0.07	nil	nil	nil	1.69	0.01	nil	0.12	0.04	1
2	nil	nil	nil	0.04	nil	nil	nil	0.12	nil	0.47	0.04	nil	2
3	Trace	nil	nil	0.04	nil	nil	0.28	0.21	nil	0.09	0.27	nil	3
4	nil	nil	0.16	nil	nil	nil	0.05	0.14	nil	0.28	nil	nil	4
5	0.39	nil	0.04	0.05	nil	0.06	nil	nil	0.71	0.28	nil	nil	5
6	nil	nil	0.13	0.23	nil	0.70	nil	nil	0.37	nil	nil	nil	6
7	0.41	nil	nil	nil	0.01	nil	0.10	nil	nil	0.35	0.16	0.10	7
8	0.02	nil	nil	0.12	nil	nil	0.05	0.09	nil	0.44	0.47	0.31	8
9	nil	nil	0.12	nil	nil	nil	0.02	nil	nil	0.09	0.08	0.60	9
10	0.12	nil	0.12	nil	nil	0.86	nil	0.07	nil	nil	nil	nil	10
11	0.24	nil	0.12	0.06	nil	nil	nil	0.01	nil	0.30	nil	nil	11
12	nil	nil	0.01	0.03	nil	nil	nil	0.28	nil	0.43	nil	nil	12
13	0.02	nil	0.20	nil	0.06	nil	nil	0.03	nil	0.32	nil	nil	13
14	nil	nil	nil	0.20	nil	nil	0.02	0.38	nil	0.09	nil	nil	14
15	nil	nil	nil	nil	nil	nil	nil	0.05	nil	0.08	nil	Trace	15
16	nil	0.09	nil	0.04	0.30	nil	nil	nil	nil	0.14	nil	0.69	16
17	nil	0.04	nil	0.12	0.06	nil	0.33	0.01	0.23	0.24	nil	nil	17
18	nil	Trace	nil	0.05	0.12	nil	0.20	0.04	0.08	nil	nil	nil	18
19	nil	0.24	0.08	nil	nil	0.01	nil	nil	0.15	nil	nil	nil	19
20	nil	0.16	0.01	nil	0.50	0.01	nil	nil	nil	nil	nil	nil	20
21	nil	nil	0.02	Trace	0.01	0.01	0.64	nil	nil	0.02	nil	0.05	21
22	nil	nil	0.05	Trace	nil	0.06	nil	0.18	nil	0.23	nil	nil	22
23	nil	0.24	nil	nil	0.23	nil	nil	0.04	nil	nil	nil	0.03	23
24	nil	0.02	nil	Trace	nil	nil	0.31	0.02	nil	0.24	nil	nil	24
25	nil	0.02	0.04	nil	nil	nil	0.04	nil	0.08	0.08	0.08	nil	25
26	nil	nil	Trace	nil	nil	0.04	nil	0.85	nil	nil	0.71	nil	26
27	nil	nil	nil	nil	nil	0.11	nil	1.28	nil	0.17	nil	nil	27
28	nil	nil	0.10	nil	nil	1.70	0.19	0.49	nil	nil	nil	nil	28
29	nil	nil	nil	nil	nil	0.04	0.18	0.08	nil	0.18	nil	0.06	29
30	nil	X	0.04	nil	nil	nil	0.69	0.21	nil	0.32	nil	0.04	30
31	nil	X	0.18	X	nil	X	0.32	nil	X	0.03	X	0.12	31
Total	1.20	0.81	1.42	1.05	1.29	3.60	3.42	6.24	1.63 1.62	4.87	1.93	2.04	YEAR'S TOTAL 29.53 29.54
Rain Days.	6	7	16	12	8	11	15	21	7	22	8	10	143

W. 8,000, IX. 17.

3-21

✓

REGIS

FORM A.
BRITISH RAINFALL.
18 JAN 1918

[illegible]

Kept at Polegate, R.N., Meteorological Stn.,

in the County of Sussex

by Meteorological Officer,

Lat. 50 43 Long. 0 15'E

Time of Observation 9 a.m.

Nearest Railway Station Eastbourne

Diameter of Funnel of Rain Gauge 6" in.

Height of top of Gauge above Ground 1 ft. 7 in.

" " " " Sea Level 506 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.
—

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	nil	nil	nil	0·07	nil	nil	nil	1·69	0·01	nil	0·12	0·04	1
2	nil	nil	nil	0·04	nil	nil	nil	0·12	nil	0·47	0·04	nil	2
3	Trace	nil	nil	0·04	nil	nil	0·28	0·21	nil	0·09	0·27	nil	3
4	nil	nil	0·16	nil	nil	nil	0·05	0·14	nil	0·28	nil	nil	4
5	0·39	nil	0·04	0·05	nil	0·06	nil	nil	0·71	0·28	nil	nil	5
6	nil	nil	0·13	0·23	nil	0·70	nil	nil	0·37	nil	nil	nil	6
7	0·41	nil	nil	nil	0·01	nil	0·10	nil	nil	0·35	0·16	0·10	7
8	0·02	nil	nil	0·12	nil	nil	0·05	0·09	nil	0·44	0·47	0·31	8
9	nil	nil	0·12	nil	nil	nil	0·02	nil	nil	0·09	0·08	0·60	9
10	0·12	nil	0·12	nil	nil	0·86	nil	0·07	nil	nil	nil	nil	10
11	0·24	nil	0·12	0·06	nil	nil	nil	0·01	nil	0·30	nil	nil	11
12	nil	nil	0·01	0·03	nil	nil	nil	0·28	nil	0·43	nil	nil	12
13	0·02	nil	0·20	nil	0·06	nil	nil	0·03	nil	0·32	nil	nil	13
14	nil	nil	nil	0·20	nil	nil	0·02	0·38	nil	0·09	nil	nil	14
15	nil	nil	nil	nil	nil	nil	nil	0·05	nil	0·08	nil	Trace	15
16	nil	0·09	nil	0·04	0·30	nil	nil	nil	nil	0·14	nil	0·69	16
17	nil	0·04	nil	0·12	0·06	nil	0·33	0·01	0·23	0·24	nil	nil	17
18	nil	Trace	nil	0·05	0·12	nil	0·20	0·04	0·08	nil	nil	nil	18
19	nil	0·24	0·08	nil	nil	0·01	nil	nil	0·15	nil	nil	nil	19
20	nil	0·16	0·01	nil	0·50	0·01	nil	nil	nil	nil	nil	nil	20
21	nil	nil	0·02	Trace	0·01	0·01	0·64	nil	nil	0·02	nil	0·05	21
22	nil	nil	0·05	Trace	nil	0·06	nil	0·18	nil	0·23	nil	nil	22
23	nil	0·24	nil	nil	0·23	nil	nil	0·04	nil	nil	nil	0·03	23
24	nil	0·02	nil	Trace	nil	nil	0·31	0·02	nil	0·24	nil	nil	24
25	nil	0·02	0·04	nil	nil	nil	0·04	nil	0·08	0·08	0·08	nil	25
26	nil	nil	Trace	nil	nil	0·04	nil	0·85	nil	nil	0·71	nil	26
27	nil	nil	nil	nil	nil	0·11	nil	1·28	nil	0·17	nil	nil	27
28	nil	nil	0·10	nil	nil	1·70	0·19	0·49	nil	nil	nil	nil	28
29	nil	nil	nil	nil	nil	0·04	0·18	0·08	nil	0·18	nil	0·06	29
30	nil	×	0·04	nil	nil	nil	0·69	0·21	nil	0·32	nil	0·04	30
31	nil	×	0·18	×	nil	×	0·32	nil	×	0·03	×	0·12	31
Total	1·20 ✓	0·81 ✓	1·42 ✓	1·05 ✓	1·29 ✓	3·60 ✓	3·42 ✓	6·27 ✓	1·63 1·63	4·87 ✓	1·93 ✓	2·04	YEAR'S TOTAL 29·53 29·53
Rain Days.	6 ✓	7 ✓	16 ✓	12 ✓	8 ✓	11 ✓	15 ✓	21 ✓	7 ✓	22 ✓	8 ✓	10 ✓	143 ✓

W. 8,000, IX. 17.

3-21

91

FORM A.
BRITISH RAINFALL.

27.1.19

REGISTER OF ~~RAINFALL~~ Expo IN 1918

Kept at Beachy Head Met Station (RAF).
in the County of Sussex
by A Stocks Lieut (RAF-Met)

Lat. 50°44'50"N Long. 0°15'E
Time of Observation 9 am.
Nearest Railway Station Eastbourne
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 506 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	/	/	Trace	10	3	/	/	38	/	/	13	21	1
2	/	0	Trace	Trace	/	/	/	82	/	/	152	45	2
3	/	/	9	34	113	/	/	33	/	Trace	51	9	3
4	/	9	10	10	21	/	/	17	31	/	133	/	4
5	/	77	~~0~~	Trace	27	/	/	34	/	3	/	/	5
6	80	29	/	26	81	/	/	78	7	/	10	12	6
7	Trace	22	/	13	14	3	/	11	105	6	2	/	7
8	/	/	/	1	/	/	/	/	61	/	34	9	8
9	/	/	/	23	/	25	32	/	93	60	Trace	32	9
10	/	/	/	10	/	64	20	/	30	23	Trace	31	10
11	Trace	5	/	/	/	/	19	/	138	170	27	19	11
12	/	45	/	/	55	/	1	/	25	34	/	8	12
13	48	/	5	/	15	/	52	/	62	/		1	13
14	60	/	32	/	/	11	54	/	99	98	/	11	14
15	120	/	/	9	/	8	/	/	/	/	/	40	15
16	20	/	/	16	/	/	55	/	5	Trace	/	/	16
17	81	/	/	11	/	/	49	2	/	/	/	53	17
18	35	/	/	/	/	58	Trace	/	153	15	/	12	18
19	15	/	43	1	/	4	/	1	3	10	/	/	19
20	14	13	/	173	/	10	1·17 in 296	Trace	66	94	/	/	20
21	55	/	/	139	/	/	/	/	142	44	/	9	21
22	28	/	/	/	87	/	215	/	52	/	/	62	22
23	16	/	/	9	/	/	87	/	/	/	/	10	23
24	/	40	/	2	/	9	/	/	53		/	/	24
25	/	/	/	/	/	/	/	1·2·5	/	5	28	/	25
26		/	/	1	/	/	31	/	18	2	20	40	26
27	/	13	2	27	/	/	31	64	79	7	22	32	27
28	/	/	66	36	15	/	/	/	/	3	70	9	28
29	/	X	2	27	/	/	/	/	196	/	11		29
30	/	X	124	/		/	/	/	/	21	/	32	30
31	/	X	2	X		X	/	8	X	14	X	/	31
Total	572	253	295	578	431	192	942	493	1418	609	573	506	YEAR'S TOTAL 27·10 in 683·2
Rain Days.	12	9	10	20	10	9	13	~~12~~ 11	20	17	13	~~21~~ 29	~~166~~ 164

W, 6,500, VII. 18. W W O

N.B. All these items of Rain are given in tenths of millimetres

M.O. Form 3362.

Co. by Hyetograph records

METEOROLOGICAL OFFICE, LONDON.

Values of Rainfall Amounts

at Beachy Head 1919

– = nil

~~N = no record~~

Date	Jan.	Feb.	March	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Year
1	9.0	-	-	-	1.4	-	0.3	-	-	3.3	0.2	14.4	
2	3.3	0.8	0.3	-	0.2	-	4.6	-	trace	1.2	1.5	9.2	
3	5.4	-	22.6	-	3.3	-	-	-	3.4	-	0.5	9.0	
4	8.5	0.3	10.8	-	-	-	1.4	1.6	0.3	-	2.9	1.4	
5	0.2	2.4	23.6	-	-	0.2	-	trace	-	-	3.4	10.2	
6	5.4	7.8	0.7	-	-	-	trace	-	-	0.1	0.2	3.0	
7	1.1	-	8.8	-	-	[illegible]	-	-	-	0.1	0.8	-	
8	6.9	-	1.1	-	-	-	-	-	0.2	-	trace	-	
9	5.2	-	2.6	trace	2.1	-	-	-	0.2	-	7.5	-	
10	7.4	-	1.3	1.2	-	-	-	-	-	-	0.1	0.6	
11	7.0	-	4.7	13.7	1.2	-	0.4	-	-	-	-	4.0	
12	4.2	-	0.1	-	0.2	-	2.2	-	-	16.4	0.1 ~~N~~	-	
13	1.9	trace	0.3	5.7	-	-	-	-	-	-	0.1	0.2	
14	9.2	-	-	6.7	-	-	1.3	-	2.6	-	-	1.9	
15	4.8	0.5	1.0	1.1	-	~~N~~	-	-	trace	-	0.6	6.6	
16	3.6	16.1	-	-	-	-	-	-	-	-	3.5	0.2	
17	-	8.5	0.2	0.1	-	-	0.1	-	-	-	4.9	0.5	
18	-	-	0.5	-	-	-	-	0.4	-	-	2.4	0.2	
19	0.2	6.3	14.1	-	-	0.5	11.9	3.6	0.2	-	3.0	0.2	
20	10.6	1.9	4.4	-	-	9.4	3.9	3.0	-	-	trace	0.3	
21	2.1	12.3	0.9	-	-	-	2.1	-	-	-	1.1	0.5	
22	-	0.7	0.1	-	-	-	5.3	-	9.9	-	0.5	4.2	
23	-	-	-	-	-	1.2	0.9	-	2.4	-	0.2 ~~N~~	0.4	
24	-	4.3	-	3.2	-	~~N~~	-	1.2	0.2	0.9	14.4	4.7	
25	1.2	0.2	-	-	-	-	-	5.3	trace	-	-	1.0	
26	4.6	6.8	~~2.8~~ 1.4	0.6	-	-	trace	1.5	1.0	-	13.4	10.5	
27	7.6	-	2.3	10.8	-	-	-	-	-	-	7.7	-	
28	trace	-	8.0	0.3	-	-	0.1	13.7	-	-	34.2	14.7	
29	0.8		-	0.1	-	-	-	3.4	-	4.6	3.6	4.0	
30	-		-	7.1	-	0.15	-	9.4	-	2.5	3.3	7.7	
31	-		trace		-		0.3	-		1.9		1.3	
	110.2	68.9	112.8	50.6	8.4	11.4	34.8	43.1	20.4	31.0	112.1	110.9	714.6
	23	14	20	10	6	4	12	10	10	7	22	26	164

Authority and Remarks

E.W.B.

(47,474). Wt.34,260—273. 1000. 1/20. Gp.132. A.&E.W

FORM A.
BRITISH RAINFALL.

3 JAN 1913

REGISTER

BECKLEY
{LITTLE HARMERS}
SUSSEX
1912-20

Kept at Birley Lodge ·38 l m
in the County of Sussex arthian Ek 1912
by B. Ed. N. Ramus 5 in.
Ground 1 ft. – in.
Sea Level 280 ft.

IMPORTANT NOTE.—Rain the result entered to the previous day. If an Observer pre universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	-	-	·11	·02	-	·35	·26	-	·25	·55	-	·28	1
2	-	·04	·15	-	-	·18	·13	-	-		-	-	2
3	·06	·02	·11	-	-	·32	·06	·16	·02		-	-	3
4	·30	-	·66	-	-	·52	-	·10	-		-	-	4
5	·15	·21	·12	-	-	·29	-	·28	-		·45	·02	5
6	·43	·16	-	-	·02	-	-	1·20	-		-	·03	6
7	-	-	-	-	·17	28	-	·22	-		-	·11	7
8	46	·46	·25	-	-	·09	-	·05	-		-	-	8
9	·07	·03	-	·08	-	-	·06	·10	02		-	·13	9
10	-	·04	·02	-	-	-	-	·52	-		·10	·31	10
11	04	·36	-	-	-	47	-	-	-		-	·21	11
12	-	·33	-	-	-	27	·07	·62	-		-	·05	12
13	-	-	·07	-	-	-	·01	-	-		·18	·07	13
14	-	-	06	-	·05	-	-	·02	-		-	·03	14
15	-	03	·06	-	·10	·78	-	-	-		-	·32	15
16	·17	-	·18	-	·07	·23	-	·11	-	·11	-	-	16
17	·48	-	·50	-	-	·02	-	·05	-	-	-	·09	17
18	·05	-	·37	-	-	-	·23	·50	-	·03	05	·38	18
19	·03	·30	·36	-	-	-	·08	·54	-	-	-	-	19
20	·02	-	·90	-	·02	-	-	·12	-	·95	·03	-	20
21	-	·11	·16	-	-	-	-	·33	-	·40	·07	-	21
22	·05	·45	·28	-	-	02	03	·16	-	-	-	-	22
23	·47	·23	·36	-	-	02	-	·39	-	·17	·17	·04	23
24	·18	-	-	-	-	-	·03	·11	-	·05	-	·25	24
25	·18	·08	-	-	-	·39	-	·90	-	-	·38	·52	25
26	-	·07	-	-	-	·02	-	·20	-	·35	·31	·46	26
27	-	-	-	-	-	-	·16	-	-	·18	-	[illegible]	27
28	-	03	-	-	-	-	·20	·08	·05	·62	·45	·14	28
29	-	-	-	·01	-	-	·04	·23	1·55	·21	·14	-	29
30	-		-	-	05	-	-	·62	1·76	·16	-	-	30
31	-		·05				13	-		-		-	31
Total	3·14	2·95	4·77	·10 ·11	·48	4·25	1·49	7·57 7·61	3·65	3·78	2·33	3·80	YEAR'S TOTAL 38·30 38·36
Rain Days.	16	17	19	3	7	16	14	24	6	12	11	19	164

W. 7,500, XI. ·12

FORM A.
BRITISH RAINFALL.

9 JAN 1913

REGISTER

Kept at Birley Lodge Beckley
in the County of Sussex 6
by B. Ed. N. Ramus

Lat. 50·58 Long. 0·38 E
Time of Observation 9. a m
Nearest Railway Station Northiam S.E.R.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 280 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	–	–	·11	·02	–	·35	·26	–	·25	·55	–	·28	1
2	–	·04	·15	.	.	·18	·13	–	–		–	–	2
3	·06	·02	·11	.	–	·32	·06	·16	·62		–	–	3
4	·30	–	·66	–	–	·52	–	·10	–		–	–	4
5	·15	·21	·12	–	–	·29	–	·28	–		·45	·02	5
6	·43	·16	–	–	·02	–	–	1·20	–		–	·03	6
7	–	–	–	–	·17	28	–	·22	–		–	·11	7
8	46	·46	·25	–	–	·09	.	·05	–		–	–	8
9	·07	·03	–	·08	–	–	·06	·10	02		–	·13	9
10	–	·04	·02	–	–	.	–	·52	.		·10	·31	10
11	04	·36	–	–	–	47	.	–	.		–	·21	11
12	–	·33	–	–	–	27	·07	·62	–		.	·05	12
13	–	–	·07	–	–	–	·01	–	.		·18	·07	13
14	–	–	06	–	·05	.	–	·02	–		–	·03	14
15	–	03	·06	–	·10	·78	–	–	–		–	·32	15
16	·17	–	·18	.	·07	·23	.	·11	–	·11	–	–	16
17	·48	–	·50	–	–	·02	–	·65	.	–	.	·09	17
18	·05	–	·37	–	.	–	·23	·50	.	·03	05	·38	18
19	·03	·30	·36	.	–	–	·08	·54	.	–	–	–	19
20	·02	–	·90	–	·02	–	–	·12	–	·95	·03	–	20
21	–	·11	·16	–	–	–	–	·33	.	·40	·07	–	21
22	·05	·45	·28	–	–	02	03	·16	.	–	–	–	22
23	·47	·23	·36	.	.	02	–	·39	–	·17	·17	·04	23
24	·18	–	–	–	–	–	·03	·11	–	·05	–	·25	24
25	·18	·08	–	–	–	·39	–	·90	–	–	·38	·54	25
26	–	·07	–	–	–	·02	–	·20	–	·35	·31	·46	26
27	–	–	–	–	–	–	·16	–	.	·18	–	[illegible]	27
28	–	03	–	–	–	–	·20	·08	·05	·62	·45	[illegible]	28
29	–	–	–	·01	–	–	·04	·23	1·55	·21	·14	–	29
30	–		–	–	05	–	–	·62	1·76	·16	–	–	30
31	–		·05				13	–		–		–	31
Total	3·14	2·95	4·77	·10 11	·48	4·25	1·49	7·67 61 7·61	3·65	3·78	2·33	3·80	YEAR'S TOTAL 38·38 38·36
Rain Days.	16	17	19	3	7	16	14	24	6	12	11	19	164

W. 7,500, XI. ·12

cord for auth 11·II·14

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL
3 - JAN 1914

Kept at Birchy Lodge Beckley
in the County of Sussex (East)
by B. E. de L. Ramus

6

Lat. 50·58 Long. 0·38 E
Time of Observation 9. AM
Nearest Railway Station Northiam
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 180 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	·39	·10	·11	–	·06	–	–	–	·10	·22	–	1
2	·02	·21	–	–	–	–	·18	–	–	·05	·15	·04	2
3	–	–	·06	·61	·27	–	–	–	–	–	–	·25	3
4	·10	–	·08	–	–	–	·10	–	·05	·06	·12	–	4
5	·30	·03	·04	–	–	·11	·05	–	–	·07	·22	·05	5
6	–	–	·10	–	·02	·08	·47	–	·92	·66	·23	·08	6
7	–	·25	·07	–	–	·05	·24	–	–	·29	·05	–	7
8	–	·06	·04	–	·26	·08	–	·84	–	·21	·07	·03	8
9	–	·03	·01	–	·12	–	–	·17	–	–	·02	·01	9
10	–	–	–	·03	–	–	·15	–	·10	–	·50	–	10
11	·83	–	–	·46	–	–	–	–	–	·48	·01	–	11
12	–	–	–	–	04	–	–	–	–	–	·75	–	12
13	1·04	–	–	–	–	–	–	–	·04	·02	·22	–	13
14	78	–	·24	05	–	–	·64	–	·29	·09	·23	–	14
15	·15	–	·37	–	–	–	·18	–	·03	–	–	–	15
16	·50	–	·67	·55	–	–	–	–	·40	–	–	–	16
17	·12	06	·03	·04	–	–	·34	–	–	–	·05	05	17
18	–	–	·11	·37	–	–	·01	–	–	–	·13	–	18
19	·06	–	·21	–	·10	–	·10	·12	·10	–	–	–	19
20	·50	–	·64	·23	·02	·32	–	–		·51	–	–	20
21	–	–	·07	·11	·01	·01	–	–	·01	·65	83	–	21
22	·29	–	·13	–	–	–	·05	–	·06	–	–	–	22
23	–	–	03 ·03	–	–	·04	·02	–	·01	–	01	·65	23
24	·11	–	·03	–	–	–	–	·13	–	–	·05	·02	24
25	–	–	–	·40	–	–	–	–	–	–	–	–	25
26	–	–	·21	–	–	–	·03	·07	–	·68	–	·44	26
27	–	·04	·20	–	·02	–	–	–	–	·20	–	–	27
28	·18	–	·19	·02	–	–	–	–	–	·34	–	–	28
29	·20	–	·03	·40	·10	–	–	·53	–		–	–	29
30	·59	–	–	·22	·09	–	–	·55	–	·10	–	·07	30
31	–		·13				–	·86		·11		–	31
Total	5·17	1·07	3·20 3·19	3·60	1·04	·75	2·56	3·27	2·01	4·52	3·86	1·69	YEAR'S TOTAL 32·72 32·73
Rain Days.	16	8	24	14	11	8	14	8	11	17	18	11	160

W.7,000, XI. 13

[illegible] 20.11.15 ~~W~~ DJJ

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
1 FEB 1915

Kept at Birchy Lodge . Beckley
in the County of East Sussex 6
by Bertram Ramus

Lat. Long.
Time of Observation 9 AM
Nearest Railway Station Northiam
Diameter of Rain Gauge Five in.
Height of top of Gauge above Ground one ft. — in.
" " " " Sea Level 230 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	—	·02	—	—	·04	·05	—	—	·10	·04	1
2	—	—	—	—	—	—	·17	—	—	—	·11	·31	2
3	—	—	·15	·63	·22	—	—	—	—	—	—	—	3
4	—	—	·05	·33	—	—	—	·31	—	—	·43	·48	4
5	·19	—	·13	·33	—	—	·33	—	—	—	—	[illegible]	5
6	—	·04	—	·31	·04	·06	—	·11	—	—	—	·65	6
7	·03	·63	·35	·07	·02	·04	·04	·03	—	—	—	·37	7
8	·11	·29	·47	—	—	·07	·05	·02	—	—	—	·14	8
9	·30	—	·70	·13	—	—	—	—	·15	—	—	1·17	9
10	—	·05	·03	·08	·10	—	—	—	—	—	—	·05	10
11	—	·38	·58	·07	·06	·01	—	—	·23	—	·07	·46	11
12	—	·06	·09	—	—	·06	·04	—	·54	—	·01	·71	12
13	05	·57	·32	—	—	·27	—	—	·15	·05	·10	·96	13
14	—	·30	·28	—	—	—	—	—	·02	·60	·12	·25	14
15	—	·07	·47	—	—	—	·50	·02	—	—	1·21	—	15
16	—	·30	·07	—	—	—	·17	—	—	—	—	—	16
17	—	·36	—	—	—	—	—	—	·32	·03	—	·10	17
18	—	·11	18	—	—	—	—	—	—	—	—	·53	18
19	—	·10	1·00	—	—	—	·35	—	—	·22	·28	·53	19
20	—	·16	·10	—	—	·07	·02	—	—	·05	—	·36	20
21	—	·86	·07	—	—	·01	—	—	—	·03	—	·03	21
22	—	·04	—	—	·03	·07	·32	·03	—	·10	—	—	22
23	—	—	·76	—	·61	·72	·01	—	—	·02	—	—	23
24	—	—	·01	·03	—	—	—	—	—	·03	·16	—	24
25	·15	—	·19	—	·03	—	—	—	—	·39	·02	—	25
26	—	—	·06	—	—	—	·04	·38	—	—	·09	·60	26
27	·02	—	—	—	—	—	—	·02	—	·08	·11	·70	27
28	·03	·01	—	—	·02	—	·08	—	—	·54	·52	·30	28
29	·05		—	—	—	—	—	—	—	·72	·13	·04	29
30	·03	×	·12	—	—	—	—	—	—	·15	1·54	·08	30
31	·02	×	—	×	·44	×	01	—	×	—	×	·08	31
Total	·98	4·33	6·18	1·40	·97	1·38 1·38	2·17	·97	1·41	3·01 3·01	5·00	8·94 8·94	YEAR'S TOTAL 36·74 36·74
Rain Days.	11	17	22	10	10	10	15	9	6	14	16	23	163

W. 8,000. X. 14.

DL   cnd pr arith 24.11.16

641

FORM A.
BRITISH RAINFALL.
11 JAN. 1916

REGISTER OF RAINFALL IN 1915

Kept at Bixley Lodge Beckley 6
in the County of Sussex (East)
by Bertram Edw. Ramus

Lat. 51 N Long. ·05 E
Time of Observation 9 AM
Nearest Railway Station Northiam
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·54	·10	·05	—	—	—	—	·23	·51	—	·11	·27	1
2	·40	·29	·18	—	—	—	—	·03	·10	—	—	·24	2
3	·46	—	·01	·32	25	—	—	·08	·27	·20	—	·53	3
4	·05	—	—	—	—	—	—	·13	—	—	—	·18	4
5	·05	·30	—	—	—	—	—	·03	—	—	·07	·63	5
6	·20	29	—	·30	—	—	·20	·03	—	—	·62	·13	6
7	·73	34	·05	·40	—	—	·17	—	—	—	—	30	7
8	03	37	·10 s	—	—	·10	·64	—	—	—	—	—	8
9	—	18	—	11	—	—	—	—	—	—	53	·92	9
10	—	—	—	—	—	·05	—	—	—	—		·72	10
11	·33	·03	—	—	—	—	—	—	—	—	1·05	·01	11
12	—	·17	—	—	—	—	—	—	—	—	·56	—	12
13	—	·90	—	23	1·84	—	—	—	·04	—	—	—	13
14	·26	·03	—	—	—	—	·36	·32	·65	—	·37	·39	14
15	·20	—	—	—	08	—	·10	·08	—	—	—	·23	15
16	—	·62	—	—	—	—	1·06	—	—	—	—	·03	16
17	—	·51	—	08	1·90	—	—	—	—	—	·04	—	17
18	—	·10	—	—	·18	—	—	—	—	·05	—	33	18
19	—	·01	·01 s	—	—	—	—	—	—	—	—	—	19
20	46	·02	—	—	—	—	·02	·04	—	—	—	·19	20
21	06	—	—	—	—	—	—	—	—	—	—	·04	21
22	—	—		—	—	—	·62	—	—	—	—	20	22
23	04	12 s	·26 (·26)	—	—	—	·23	—	—	—	—	·83	23
24	—			10	—	—	·15	—	·35	·56	—	·62	24
25	—		—	—	—	—	·18	—	—	·02	—	·12	25
26	—		—	—	—	·10	—	—	—	—	—	·72	26
27	—		—	—	—	—	·08	—		—	—	—	27
28	—	13	—	—	—	·04	·04	—	1·67	·64	—	—	28
29			—	—	—	—	·19	·52	—	·05	·54	·03	29
30	31	✕	—			·27	·04	—	—	—	·28	—	30
31	02	✕	—	✕	—	✕	—	—	✕	·67	✕	·26	31
Total	~~4·29~~ 4·24	~~4·55~~ 4·51	~~·68~~ ·66	1·54	4·25	·56	3·48	~~1·59~~ 1·49	2·99	2·19	3·57	7·92	YEAR'S TOTAL 37·40
Rain Days.	16	18	~~10~~ 9	7	5	5	15	10	7	7	10	23	~~143~~ 132

W. 8,000. X. 15.

632

FORM A.
BRITISH RAINFALL

1. JAN 19

REGISTER OF RAINFALL IN 1916

Kept at Little Harness Beckley

in the County of Sussex

by Bertram Edw. Harness

Lat. 51 Long. 0 5 E

Time of Observation 9 a.m.

Nearest Railway Station Northiam Rail Rd

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 150 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·09	–	–	–	·30	–	–	–	–	–	·66	–	1
2	·27	·10 ·60	·17	–	–	–	–	–	–	–	·05	–	2
3	·01	37	19	–	–	–	·29	–	·07	·33	·42	–	3
4	·20	·08	–	–	–	·53		–	·11	–	·42	–	4
5	·01	·02	01	04	05	·08	–	–	–	·10	·51	–	5
6	–	·07	34	45	–	–	·25	–	–	–	·41	–	6
7	·10	·04	46		·19	·40	·02	–	–	·07	·56	·05	7
8	–	–	–	–	·40	–	–	–	–	·10	–	·50	8
9	–	–	–	–	·30	·02	–	–	–	–	–	·05	9
10	–	·32	–	–	–	·65	·05	–	–	–	–	·63	10
11	–	·24	–	10	–	·22	–	·11	·02	–	–	·36	11
12	·08	·09	–	–	–	·14	·15	[illegible]	·56	05	–	·01	12
13	–	·22	·25	·12	35	·13	–	–	·17	–	–	·40	13
14	–	·50	–	–	–	–	[illegible]	[illegible]	·13	–	–	·23	14
15	–	·16	·25	–	17	–	–	[illegible]	–	–	–	–	15
16	–	–	·12	·18	–	–	·30	–	–	·05	–	–	16
17	·28	–	–	·10	–	–	·05	03	–	87	–	–	17
18	·02	·18	–	·9	–	–	–	·05	–	58	1·05×	·23	18
19	·26	·04	·06	·12	–	–	–	·01	–	01	1·53	·64	19
20	·03	–	·07	·10	–	–	–	·09	–	–	·20	–	20
21	·10	–	·25	·22	–	–	–	·23 ·23	–	–	·01	–	21
22	–	·24	·30	–	·01	–	–	17	–	05	–	–	22
23	–	·39	33 ×	–	–	17	–	–	–	48	–	·70	23
24	04	–	–	·04	–	–	–	–	–	–	·11	·40	24
25	–	·80 ×	22	–	·03	–	–	–	–	37	·23	–	25
26	–	·23	04	–	–	·37	–	–	–	–	11	–	26
27	–	·28	69	–	–	·05	–	–	[illegible]	·96	–	–	27
28	04	·53	08	–	–	·24	–	–	[illegible]	·98	–	·30	28
29	–	·15	–	–	–	·47	–	79	[illegible] 68	·51	–	·47	29
30	–	×	–	–	–	–	–	07	–	·45	–	–	30
31	–	×	–	×	–	×	–	–	×	·20	×	31	31
Total	1·53	5·05 5·05	3·83 3·83	1·56	1·80	3·47 3·47	1·11	2·90 2·00	1·79 1·79	6·16	6·21	5·22	YEAR'S TOTAL ~~40·04~~ 39·73
Rain Days.	14	21	17	11	9	13	7	11	8	17	14	15	157

W. 8,000, VIII. 16 × 8 new · sheet

603

FORM A. BRITISH RAINFALL. 4 MAR 1918

REGISTER OF RAINFALL IN 1917

Kept at Little Harmers, Beckley
in the County of Sussex (East)
by Bertram Ramus

Lat. 51 N Long. 0 5 E
Time of Observation 9 a.m.
Nearest Railway Station Northiam
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 150 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	–	–	·23	–	–	–	1·86	–	–	·16	–	1
2	–	–	–	·20	–	–	–	·19	–	20	·03	–	2
3	–	·05	–	·10	–	–	·37	·61	·46	·13	·01	–	3
4	–	–	·33	–	–	–	·31	·05	–	·30	–	–	4
5	·24	·10	·10	·35	–	–	–	–	–	·18	·32	–	5
6	·56	–	·07	–	–	–	–	–	–	·01	·21	–	6
7	·63	–	–	·02	–	·12	·39	·12	·05	1·00	·01	·15	7
8	·07	–	–	·14	–	–	·37	–	–	·30	–	·25	8
9	·01	–	·05	·07	–	–	·11	–	–	–	–	·96	9
10	–	–	·16	(10)	–	·14	–	·21	–	–	·03	–	10
11	·16	–	·25	·10	[illegible]	–	–	–	–	·58	·32	·02	11
12	·18	–	·02	–	–	–	–	·02	–	·28	–	·03	12
13	–	–	·18	03	·03	–	–	·04	·02	·32	–	–	13
14	·03	–	–	·32	–	–	–	–	·10	·07	–	–	14
15	–	–	–	–	·07	–	–	·28	–	–	–	·07	15
16	·02	–	–	·33	·10	–	–	–	–	·20	–	·77	16
17	·05	–	–	·08	·52	–	·29	·10	·30	·30	–	·15	17
18	–	–	–	03	·13	–	·39	–	·18	–	–	–	18
19	–	–	·25	–	–	–	–	–	·12	–	–	–	19
20	–	–	·12	–	·60	·07	–	–	·07	–	–	·03	20
21	–	·45	·18	–	–	–	–	–	·01	23	–	·05	21
22	–	–		–	·27	·56	–	·03	–	·02	–	·02	22
23	–	·20	–	–	–	–	–	·12	–	–	–	02	23
24	–	–	–	–	–	–	–	·19	–	·30	·09	03	24
25	–	·10	·24	[illegible]	–	·02	·07	–	–	·03	–	–	25
26	–	–	·11	–	–	–	·11	1·46	·05	–	·98	–	26
27	–	–	–	–	–	09	–		–	–	–	·04	27
28	–	–	09	–	–	1·68	–	·68	·01	–	–	·07	28
29	–	×	–	–	–	–	1·20	·02	–	–	01	·10	29
30	·07	×	04	–	–	·11	·68	·30	–	·62	[illegible]	–	30
31	·15	×	·30	×	–	×	·61	–	×		×	·05	31
Total	2·17	·90	2·49	2·16	1·72	2·79	4·80	6·78	1·37	5·07	2·18	2·71	YEAR'S TOTAL 35·14
Rain Days.	12	5	17	14	7	8	12	18	11	19	12	1~~8~~7	15~~3~~2

W. 8,000, IX. 17.

5·05

17 III 19

122

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL.

8. 2. 19

Kept at Little Harmers Beckley

in the County of Sussex (East)

by B. E. de M. Ramus

Lat. 51 N Long. 0 5 E

Time of Observation 9 AM

Nearest Railway Station NORTHIAM

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 150 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	—	—	—	—	—	—	—	—	·17	·02	1
2	—	·01	·02	·15	—	—	—	·33	—	—	·62	—	2
3	—	·01	—	·03	·33	—	—	·05	—	·10	·37	·27	3
4	—	·04	·11	—	·12	—	—	—	·23	—	·53	—	4
5	·10	·15	·01	—	·32	—	—	·23	—	·04	—	·05	5
6	—	·11	—	—	·28	—	—	·06	·20	—	·09	07	6
7	—	—	—	·17	—	·01	—	·02	·71	·04	—	—	7
Sn 8	·05	—	—	—	—	—	—	—	·15	—	·16	·04	8
Sn 9	·05	·02	—	·24	—	·15	·13	—	·72	·31	·01	·17	9
10	—	—	—	·05	—	·50	—	—	·48	·48	—	·18	10
11	—	—	—	—	·97	—	·37	—	·25	·28	·06	·10	11
12	—	·13	·01	—	·05	—	·10	—	·02	—	—	·04	12
13	18	—	—	—	·10	—	—	—	·09	·34	—	·02	13
Sn 14	20	—	—	·07	·21	·06	·14	—	·25	·03	—	·05	14
15	1·92	—	—	·10	·03	—	·01	—	—	·02	[illegible]	·20	15
16	—	—	—	·11	—	—	·25	—	·03	—	—	—	16
17	·58	—	—	·07	—	·42	·05	—	—	—	—	·30	17
18	·28	—	—	—	—	·30	—	—	·43	06	—	·05	18
19	·14	—	—	—	—	·07	—	—	—	18	—	—	19
20	·07	—	·07	·26	—	·03	1·07	—	·40	·58	—	—	20
21	·13	·15	—	·15	·10	—	·03	—	·50	·06	—	·06	21
22	·20	—	—	·02	·06	—	—	—	·80	·01	—	·21	22
23	·05	—	—	—	·02	—	1·04	—	—	—	—	·04	23
24	—	·13	—	—	—	·03	·23	—	·15	—	—	—	24
25	—	—	—	—	—	—	—	·13	—	—	·07	—	25
26	—	—	—	—	—	—	·23	—	10	—	—	·17	26
27	—	—	·28	·09	—	slight	·24	·22	32	·07	·13	06	27
28	—	·10	—	·04	—	·14	—	·02	—	—	·28	—	28
29	—		—	—	—	—	—	—	1·40	—	—	·01	29
30	—	×	·41	·07	—	—	—	—	·10	·15	—	·19	30
31	·05	×	—	×	—	×	—	—	×	·05	×	·06	31
Total	4·00 ~~4·30~~	·85	·91	1·62	1·69	1·71	3·89	1·06	7·33 ~~7·32~~	2·80 ~~2·75~~	2·49	2·36	YEAR'S TOTAL 30·71 ~~30·65~~
Rain Days.	14	10	7	15	12	10	13	8	20	17	11	22	159

W. 6,500, VII. 18. W W C

561

13 FEB 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Little Harmers Beckley
in the County of Sussex East
by B. S. de L. Ramus

Lat. 51 N Long. 0 S E
Time of Observation 9 A.M.
Nearest Railway Station Northiam
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 150 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·60	·08	·01	—	·03	—	·15	—	—	·18	·02	·57	1
2	·20	·02	·06	—	—	—	·21	—	—	—	·07	·30	2
3	·29	—	·57	—	·04	—	·02	—	·10	—	·03	·25	3
4	·26	—	·39	—	—	·05	—	·03	·08	—	·21	·16	4
5	·27	·39	·69	—	—	—	—	·10	—	—	·10	·28	5
6	·02	·01	·06	—	—	—	—	—	—	—	·02	·06	6
7	·06	—	·45	—	—	—	—	—	—	·07	·12	—	7
8	·37	—	·10	—	—	—	—	—	—	—	—	—	8
9	·55	—	·05	·01	—	—	—	—	—	—	·03	—	9
10	·51	—	·10	·19	—	—	—	—	—	—	·24	·08	10
11	·34	—	·01	·38	·04	—	—	—	—	—	·09	·09	11
12	·08	—	—	—	·05	—	·40	—	—	·09	—	—	12
13	·02	·01	—	·34	—	—	—	—	—	·01	·05	·10	13
14	·59	—	—	·64	—	—	·10	—	—	—	—	·04	14
15	·20	—	—	·07	—	—	—	—	·08	—	·06	·16	15
16	·27	·57	—	—	—	—	—	—	—	—	·18	·03	16
17	·01	·45	—	03	—	—	—	—	—	—	·20	·04	17
18	—	·02	·66	—	—	—	·13	·06	·03	—	·08	·05	18
19	—	·11	·72	—	—	—	·10	·21	·04	—	·16	—	19
20	·30	·10	·19	—	—	·40	·37	·11	—	—	—	—	20
21	—	·61	·04	—	—	02	·03	—	—	—	·03	·04	21
22	—	—	·01	—	—		·39	—	·65	—	—	·16	22
23	—	—	—	—	—	02	·03	—	·36	—	·03	·03	23
24	—	—	—	18	02	—	—	·07	—	·03	31	·11	24
25	·04	·14	—	10	—	—	·06	·48	—	—	[illegible]	·01	25
26	·03	·15	·14	83	—	—	·26	·03	·08	—	·15	·49	26
27	·35	·02	·12	14	—	—	·02	·45	—	—	·23	·03	27
28	·01	01	·37	18	—	—	—	·51	—	—	·40	·39	28
29	·04		—	24	—	—	—	·33	—	·25	·23	·22	29
30	—	✕	—		—	—	—	·63	·01	·16	·40	·48	30
31	·20	✕	—	✕	—	✕	—	·01	✕	·32	✕	03	31
TOTAL	5·61	2·19	4·14 ~~4·13~~	3·33	·18	·49	2·27	3·02	1·43	1·11 ~~1·18~~	3·44	4·14 ~~3·14~~	YEAR'S TOTAL 31·85 ~~[illegible]~~
Days with ·01 in. or more	24	15	19	13	5	4	14	13	9	8	24	25	173

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

5 29

26 JAN 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Little Harmers Beckley
in the County of East Sussex
by Bertram Ramus

Lat. 51 N Long ·05 E
Time of Observation 9 a.m.
Nearest Railway Station Northiam
Diameter of Funnel of Rain Gauge 6 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 150 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·08	–	·01	·09	·02	–	·11	–	–	·58	–	·47	1
2	–	–	·08	–	·01	–	–	·62	·05	·10	·14	·15	2
3	–	–	–	–	–	·02	–	–	–	·01	·01	·01	3
4	–	·13	–	–	–	–	·58	·13	–	–	–	·12	4
5	–	–	·01	–	–	–	·42	·05	·04	–	–	·13	5
6	–	–	·11	–	·13	–	·34	–	–	–	–	–	6
7	·12	–	–	·13	·40	–	·06	–	–	–	–	–	7
8	–	–	–	·12	–	–	·28	–	–	–	–	–	8
9	·34	–	·01	–	·13	–	–	–	–	–	–	–	9
10	·64	·20	·04	·22	–	·05	·07	–	–	–	·04	·01	10
11	·40	–	·10	·12	·08	·05	·22	–	–	–	–	·16	11
12	·07	–	–	·15	·03	·38	·05	–	–	–	–	·12	12
13	·24	·06	·25	–	–	–	–	–	–	–	·14	·01	13
14	–	·02	·44	·42	–	–	–	–	–	–	·47	–	14
15	–	·02	·04	–	–	–	–	–	·81	·20	·12	–	15
16	·02	–	·02	·06	·14	–	–	–	·36	–	–	·28	16
17	·01	–	–	·05	·14	–	·05	–	·36	·16	–	·04	17
18	·08	–	–	–	~~·14~~	–	–	1·21	·41	–	–	·05	18
19	·12	–	–	·43	·21	–	–	·03	·03	–	–	·05	19
20	–	–	–	–	–	·61	–	–	·80	–	–	–	20
21	–	–	–	·12	–	–	29	–	·20	–	–	·38	21
22	–	–	–	·25	–	–	–	–	·23	–	–	·48	22
23	·01	–	–	–	–	–	–	–	–	–	–	·45	23
24	·03	–	·05	·01	–	–	·69	–	·04	–	–	·11	24
25	–	–	–	·01	·02	–	·28	–	–	–	–	–	25
26	·14	–	·21	·07	–	–	·01	–	–	–	·03	·03	26
27	·35	·10	–	·17	–	·08	·05	–	–	–	–	·31	27
28	·33	–	–	·06	·27	–	–	–	–	–	·51	·07	28
29	·48	–	·03	·07	–	·07	–	–	–	–	·15	·12	29
30	·04	×	–	·02	–	–	·15	–	·21	–	·35	·30	30
31	–	×	·02	×	–	×	·03	–	×	–	×	·26	31
TOTAL	3·50	·53	1·42	2·57	1·58	1·26	3·68	2·04	3·54	1·05	1·96	4·11	YEAR'S TOTAL 27·24
Days with ·01 in. or more	18	6	15	19	12	7	17	5	12	5	10	23	149
Days with ·04 in. or more	14	3 4	9	16	8	6	15	4	11	4	8	19	118

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

notified 24/2/16.

584

FORM A.
BRITISH RAINFALL.

1916

BEDD~~IN~~GHAM
COBBE PLACE
SUSSEX
1915 – 16

REGI

Kept at Cobbe Plac

in the County of Susse

by Sir Albert K

lynde

auge ……… in.
Ground ……… ft. 8 in.
Sea Level 50 ft.

IMPORTANT NOTI … he result entered to the previous day. If an Obs … sal rule, he is earnestly requested to add the readi … in the space provided for it at the end of this … nt of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.44	0.15	—	—	—	—	—	0.19	0.94	0.15	—	0.50	1
2	0.45	0.40	0.50	0.21	—	—	—	0.13	0.02	0.01	—	0.25	2
3	0.24	~~0~~ —	—	0.19	—	—	—	—	0.09	—	—	0.50	3
4	0.06	—	—	0.04	0.15	—	—	0.02	—	—	—	—	4
5	0.10	0.59	—	—	—	—	—	0.24	—	—	—	0.40	5
6	0.70	0.26	0.06	0.53	—	—	—	0.01	—	—	—	0.20	6
7	0.45	0.42	—	0.03	—	0.08	0.21	—	—	—	—	0.39	7
8	0.06	0.10	0.06	—	—	—	0.63	—	—	—	0.06	—	8
9	0.04	—	—	0.32	—	0.35	—	0.04	—	—	0.52	1.04	9
10	0.42	0.20	—	—	—	0.05	—	—	—	—	—	0.80	10
11	0.04	—	—	—	—	—	—	—	—	—	0.94	0.06	11
12	0.03	0.56	—	0.27	0.18	—	—	—	—	—	0.85	—	12
13	0.06	—	—	—	2.00	—	0.30	—	0.07	—	—	—	13
14	~~[illegible]~~	—	—	—	—	—	0.10	0.06	0.07	—	0.18	0.70	14
15	0.15	—	—	—	0.12	—	0.70	0.35	—	—	—	0.56	15
16	0.06	0.54	—	—	0.15	—	1.64	0.15	—	—	—	—	16
17	—	0.52	—	—	1.42	—	0.03	—	—	—	—	0.12	17
18	—	0.30	—	0.04	0.17	—	—	—	—	—	—	—	18
19	—	0.04	—	—	—	—	—	—	—	0.06	—	—	19
20	—	—	—	—	0.32	—	—	—	—	0.07	—	0.11	20
21	0.30	—	0.08	—	—	—	—	—	—	0.31	—	0.05	21
22	—	0.05	—	—	—	—	1.50	—	—	—	—	0.06	22
23	0.16	0.10	0.10	—	—	—	0.05	—	0.26	0.22	—	1.20	23
24	—	—	—	—	—	—	0.04	—	0.29	0.93	—	0.70	24
25	—	—	—	—	—	—	0.36	—	0.015	—	—	0.25	25
26	—	0.15	—	—	—	—	0.06	—	0.015	—	—	0.86	26
27	—	—	—	—	—	0.29	0.29	—	—	0.43	—	0.03	27
28	—	—	—	—	—	0.15	—	—	1.05	0.46	—	—	28
29	—	—	—	—	0.15	—	—	0.21	—	0.04	0.57	0.02	29
30	0.10	X	—	—	—	—	—	—	0.02	0.22	0.15	0.05	30
31	—	X	—	X	—	X	—	0.33	X	0.84	X		31
Total	3.86	4.38	0.80	1.63	~~3~~.66 4.66	0.92	5.82	1.73	2.84	3.74	3.27	8.85	YEAR'S TOTAL 42.50 42.50
Rain Days.	18	15	5	8	9	5	13	11	11	12	7	22	136

W. 8,000. X. 15.

[illegible] 24/2/16.

584

REGISTER OF RAINFALL IN 19

FORM A. BRITISH RAINFALL.

Kept at Cobbe Place, Beddingham

in the County of Sussex 4

by Sir Albert Bosanquet

Lat. Long.

Time of Observation

Nearest Railway Station Glynde

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. 8 in.

" " " " Sea Level 50 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.44	0.15	—	—	—	—	—	0.19	0.94	0.15	—	0.50	1
2	0.45	0.40	0.50	0.21	—	—	—	0.13	0.02	0.01	—	0.25	2
3	0.24	—	—	0.19	—	—	—	—	0.09	—	—	0.50	3
4	0.06	—	—	0.04	0.15	—	—	0.02	—	—	—	—	4
5	0.10	0.59	—	—	—	—	—	0.24	—	—	—	0.40	5
6	0.70	0.26	0.06	0.53	—	—	—	0.01	—	—	—	0.20	6
7	0.45	0.42	—	0.03	—	0.08	0.21	—	—	—	—	0.39	7
8	0.06	0.10	0.06	—	—	—	0.63	—	—	—	0.06	—	8
9	0.04	—	—	0.32	—	0.35	—	0.04	—	—	0.52	1.04	9
10	0.42	0.20	—	—	—	0.05	—	—	—	—	—	0.80	10
11	0.04	—	—	—	—	—	—	—	—	—	0.94	0.06	11
12	0.03	0.56	—	0.27	0.18	—	—	—	—	—	0.85	—	12
13	0.06	—	—	—	2.00	—	0.30	—	0.07	—	—	—	13
14	[illegible]	—	—	—	—	—	0.10	0.06	0.07	—	0.18	0.70	14
15	0.15	—	—	—	0.12	—	0.70	0.35	—	—	—	0.56	15
16	0.06	0.54	—	—	0.15	—	1.64	0.15	—	—	—	—	16
17	—	0.52	—	—	1.42	—	0.03	—	—	—	—	0.12	17
18	—	0.30	—	0.04	0.17	—	—	—	—	—	—	—	18
19	—	0.04	—	—	—	—	—	—	—	0.06	—	—	19
20	—	—	—	—	0.32	—	—	—	—	0.07	—	0.11	20
21	0.30	—	0.08	—	—	—	—	—	—	0.31	—	0.05	21
22	—	0.05	—	—	—	—	1.50	—	—	—	—	0.06	22
23	0.16	0.10	0.10	—	—	—	0.05	—	0.26	0.22	—	1.20	23
24	—	—	—	—	—	—	0.04	—	0.29	0.93	—	0.70	24
25	—	—	—	—	—	—	0.36	—	0.015	—	—	0.25	25
26	—	0.15	—	—	—	—	0.06	—	0.015	—	—	0.86	26
27	—	—	—	—	—	0.29	0.20	—	—	0.43	—	0.03	27
28	—	—	—	—	—	0.15	—	—	1.05	0.46	—	—	28
29	—	—	—	—	0.15	—	—	0.21	—	0.04	0.57	0.02	29
30	0.10	X	—	—	—	—	—	—	0.02	0.22	0.15	0.05	30
31	—	X	—	X	—	X	—	0.33	X	0.84	X		31
Total	3.86	4.38	0.80	1.63	4.66	0.92	5.82	1.73	2.84	3.74	3.27	8.85	YEAR'S TOTAL 42.50
Rain Days.	18	15	5	8	4.66 9	5	13	11	11	12	7	22	42.50 136

W. 8,000. X. 15.

573

FORM A. BRITISH RAINFALL.
29 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Cobbe Place, Lewes
in the County of East Sussex
by Sir Albert Bosanquet, K.C.

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station Glynde L. B. & S. C. Ry
Diameter of Funnel of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.02	.02	.16	—	.23	.06	—	—	.04	.12	.35		1
2	.49	.03	.24	—	.32	—	—	—	—	.90	.05		2
3	.06	.19	.04	—	—	—	—	—	.08	.38	.47		3
4	.18	.24	—	—	.02	.56	—	—	.22	.09	.42		4
5	.02	—	—	.06	.11	—	—	—	—	—	.43		5
6	.02	.10	.04	.17	.06	—	.40	—	—	.10	.42		6
7	—	.02	.84	—	.25	—	—	—	—	.11	.32	.06	7
8	—	—	—	—	.65	—	—	—	—	.04	.04	.36	8
9	—	—	.06	.15	.17	.04	—	—	—	.02	—	.30	9
10	—	.50	—	—	—	.30	.09	—	.03	—	—	.06	10
11	.04	.19	—	.02	.10	.32	—	—	—	.04	—		11
12	.09	.10	.10	.04	.04	—	.10	.01	—	—	—		12
13	—	.23	.46	.06	.06	.24	.08	—	.03	.06	—	.32	13
14	—	.76	.24	—	—	—	—	.11	—	—	—		14
15	—	.21	.08	.04	—	—	—	.06	—	—	—		15
16	.10	.06	.21	.34	—	—	—	—	—	—	—		16
17	.14	.16	—	.04	—	—	—	.10	.30	.87	—		17
18	.20	—	.02	—	—	—	—	.15	.29	—	.74	.14	18
19	.16	—	.10	.26	—	—	.30	.03	.05	—	.95	.36	19
20	.18	—	.12	.07	—	—	.04	.03	—	.15	.22	.54	20
21	.08	—	.20	—	—	—	—	—	—	—	.10	.50	21
22	—	.10	.10	—	—	.18	—	—	—	.16	.06	.49	22
23	—	.20	.14	—	.04	—	—	.06	—	.60	.07		23
24	.04	.07	.06	—	—	—	—	.02	—	.29	.09	.46	24
25	—	.48	.10	—	—	—	—	.54	.04	.10	—	—	25
26	—	.30	.88	—	—	—	—	.06	.05	.21	—	.06	26
27	—	.50	—	—	—	.04	—	.12	.10	.57	—		27
28	—	.80	.10	—	—	.21	—	.11	.30	.86	—	.50	28
29	—	.19	—	—	—	.47	—	.32	.20	.80	—	.52	29
30	—	X	—	—	.08	—	—	.06	—	.15		.02	30
31	—	X	—	X		X	—	.01	X	.41	X		31
Total	1.82	5.45	4.29	1.25	2.13	2.42	1.01	1.79	1.73	7.03	4.73	4.69	YEAR'S TOTAL 38.34
Rain Days.	15	22	21	11	13	10	6	16	13	22	15	15	178

W. 8,000, VIII. 16

corret for WD REGISTE

BEPTON

FAIRFIELD

SUSSEX

1919 - 20

FORM A.
BRITISH RAINFALL.

Kept at Fairfield·Bept 39 w

in the County of Sussex hurst L&S.W.R.

5 in.

by MAJOR W. A. CHA

d — ft. 8" in.

evel 157·8' ft.

IMPORTANT NOTE.—Ra esult entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.
00·12

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·34	·02	·00	·00	·25	·00	·00	·00	·00	·00	·00	·71	1
2	·50	·00	·02	·01	·00	·00	·15	·00	·00	·02	·00	1·06	2
3	·40	·00	·58	·00	·12	·00	·00	·00	·00	·00	·07	·04	3
4	·46	·00	·20	·00	·00	·00	·01	·00	·23	·00	·00	·15	4
5	·49	·09	·29	·00	·00	·00	·00	·03	·00	·00	·07	·07	5
6	·00	·28	·74	·00	·00	·00	·07	·00	·11	·00	·17	·21	6
7	·59	·00	·15	·00	·09	·00	·00	·00	·00	·00	·00	·10	7
8	·19	·00	·00	·00	·00	·00	·00	·00	·00	·00	·00	·00	8
9	·34	·00	·19	·00	·00	·00	·00	·00	·00	·00	·00	·00	9
10	·41	·00	·01	·23	·05	·00	·00	·00	·00	·00	·06	·00	10
11	1·01	·00	·17	·00	·00	·00	·00	·00	·00	·00	·00	·54	11
12	·46	·00	·09	·22	·06	·00	·17	·00	·00	·00	·00	·04	12
13	·02	·00	·01	·02	·00	·00	·06	·00	·00	·04	·05	·00	13
14	·07	·00	·02	·86	·00	·00	·19	·00	·00	·00	·00	·02	14
15	·50	·00	·00	·15	·00	·00	·00	·00	·40	·00	·00	·14	15
16	·25	·21	·02	·01	·00	·00	·00	·00	·00	·00	·00	1·28	16
17	·05	·45	·00	·00	·00	·00	·00	·00	·00	·00	·09	·00	17
18	·00	·41	·00	·00	·00	·00	·00	·03	·00	·00	·00	·02	18
19	·00	·07	·29	·00	·03	·00	·00	·08	·01	·00	·11	·00	19
20	·39	·49	1·53	·00	·00	·19	·37	·00	·00	·00	·01	·00	20
21	·70	·03	·12	·00	·00	·42	·01	·14	·00	·00	·00	·00	21
22	·02	·09	·00	·00	·00	·00	·00	·00	·00	·00	·00	·00	22
23	·00	·09	·00	·00	·00	·00	·18	·00	·40	·00	·00	·18	23
24	·00	·00	·00	·00	·00	·00	·00	·00	·00	·02	·05	·02	24
25	·00	·09	·00	·02	·00	·04	·00	·00	·00	·22	·22	·08	25
26	·00	·07	·00	·00	·00	·00	·00	·42	·11	·00	·00	·04	26
27	·21	·20	·09	·09	·00	·00	·00	·00	·10	·00	·08	·66	27
28	·27	·00	·00	·56	·00	·00	·00	·73	·00	·00	·00	·02	28
29	·00	·00	·29	·00	·00	·00	·00	·79	·00	·00	·52	·37	29
30	·02	×	·00	·00	·10	·00	·00	·34	·00	·11	·00	·30	30
31	·01	×	·00	×	·00	×	·00	·61	×	·00	×	·85	31
Total	·02 ~~7·70~~ 7·72	~~2·31~~ 2·29	4·81	·25 ~~2·27~~ 2·42	~~·60~~ ·35	·65	1·21	3·17	1·36	·41	·31 ~~1·90~~ 2·21	~~6·90~~ 6·31	YEAR'S TOTAL ~~32·79~~ 32·57
Rain Days.	23	~~11~~ 10	18	~~10~~ 11	5 ~~6~~/~~60~~	3/~~71~~	9/~~80~~	9/~~89~~	7/~~96~~	5/~~101~~	~~12~~ 13/~~113~~	22/~~135~~	135
		~~10·01~~	~~14·62~~	16·79	~~17·39~~	~~17·44~~	~~18·65~~	~~21·82~~	~~25·18~~	25·59	24·90		

W. 6,500, VII. 18. wwc

corect for WD REGISTE

39 W

FORM A.
BRITISH RAINFALL.

Kept at Fairfield·Bept

in the County of Sussex

by MAJOR W. A. CHAUNCY.

Nearest Railway Station Midhurst L&S.W.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground — ft. 8" in.
" " " " Sea Level 157·8 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following. 00·12

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·34	·02	·00	·00	·25	·00	·00	·00	·00	·00	·00	·71	1
2	·50	·00	·02	·01	·00	·00	·15	·00	·00	·02	·00	1·06	2
3	·40	·00	·58	·00	·12	·00	·00	·00	·00	·00	·07	·04	3
4	·46	·00	·20	·00	·00	·00	·01	·00	·23	·00	·00	·15	4
5	·49	·09	·29	·00	·00	·00	·00	·03	·00	·00	·07	·07	5
6	·00	·28	·74	·00	·00	·00	·07	·00	·11	·00	·17	·21	6
7	·59	·00	·15	·00	·09	·00	·00	·00	·00	·00	·00	·10	7
8	·19	·00	·00	·00	·00	·00	·00	·00	·00	·00	·00	·00	8
9	·34	·00	·19	·00	·00	·00	·00	·00	·00	·00	·00	·00	9
10	·41	·00	·01	·23	·05	·00	·00	·00	·00	·00	·06	·00	10
11	1·01	·00	·17	·00	·00	·00	·00	·00	·00	·00	·00	·54	11
12	·46	·00	·09	·22	·06	·00	·17	·00	·00	·00	·00	·04	12
13	·02	·00	·01	·02	·00	·00	·06	·00	·00	·04	·05	·00	13
14	·07	·00	·02	·86	·00	·00	·19	·00	·00	·00	·00	·02	14
15	·50	·00	·00	·15	·00	·00	·00	·00	·40	·00	·00	·14	15
16	·25	·21	·02	·01	·00	·00	·00	·00	·00	·00	·00	1·28	16
17	·05	·45	·00	·00	·00	·00	·00	·00	·00	·00	·09	·00	17
18	·00	·41	·00	·00	·00	·00	·00	·03	·00	·00	·00	·02	18
19	·00	·07	·29	·00	·03	·00	·00	·08	·01	·00	·11	·00	19
20	·39	·48	1·53	·00	·00	·19	·37	·00	·00	·00	·01	·00	20
21	·70	·03	·12	·00	·00	·42	·01	·14	·00	·00	·00	·00	21
22	·02	·09	·00	·00	·00	·00	·00	·00	·00	·00	·00	·00	22
23	·00	·09	·00	·00	·00	·00	·18	·00	·40	·00	·00	·18	23
24	·00	·00	·00	·00	·00	·00	·00	·00	·00	·02	·05	·02	24
25	·00	·00	·00	·02	·00	·04	·00	·00	·00	·22	·27	·08	25
26	·00	·07	·00	·00	·00	·00	·00	·42	·11	·00	·00	·04	26
27	·21	·20	·09	·09	·00	·00	·00	·00	·10	·00	·08	·66	27
28	·27	·00	·00	·56	·00	·00	·00	·73	·00	·00	·00	·02	28
29	·00	·00	·29	·00	·00	·00	·00	·79	·00	·00	·52	·37	29
30	·02	X	·00	·00	·10	·00	·00	·34	·00	·11	·00	·30	30
31	·01	X	·00	X	·00	X	·00	·61	X	·00	X	·85	31
Total	·02 ~~7·70~~ 7·98	~~2·31~~ 2·29	4·81	·25 ~~2·47~~ 2·42	~~·60~~ ·35	·65	1·21	3·17	1·36	·41	·75 ~~1·90~~ 2·21	·12 ~~6·09~~ 6·31	YEAR'S TOTAL ~~32·79~~ 32·57
Rain Days.	23	~~11~~ 10	18	~~10~~ 11	5 ~~6/60~~	3/~~71~~	9/~~80~~	9/~~89~~	7/~~96~~	5/~~101~~	~~12~~ 13/~~113~~	22/~~135~~	135
		~~10·01~~	~~14·62~~	16·79	~~17·39~~	17·44	~~18·65~~	21·82	25·18	25·59	24·90		

W. 6,500, VII

end for month 442

Form A. 1. METEOROLOGICAL OFFICE—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Fairfield · Bepton · Midhurst
in the County of Sussex
by MAJOR W. A. CHAUNCY.

Lat. 50°·58'·26" N Long. 00°·46'·39" W
Time of Observation 9 am
Nearest Railway Station L.B.S.W.R. Midhurst
Diameter of Funnel of Rain Gauge 5" in.
Height of top of Gauge above Ground – ft 8" in.
" " " " Sea Level 157·9' ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·16

1" = 101 tons, 22673 [illegible]

av² 33·467

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
av²	3·1 in ·99	2 in ·22	2 in ·20	2 in ·40	2 in ·74	2 in ·76	3 in ·21	3 in ·09	2 in ·99	3 in ·53	3 in ·01	2 in ·53	33·467
1	·12	·08	·00	·24	·00	·00	·00	+ ·00	·00	·16	1·25	·36	1
2	·13	·00	·01	·10	·19	·00	·49	·03	·00	·71	·04	·42	2
3	·10	·00	·08	·03	·12	·00	·01	·13	·07	+ ·03	·00	·19	3
4	·11	·00	·00	·01	·00	·00	·01	·00	·00	·46	·00	·01	4
5	·00	·08	·00	·05	·00	·00	1·12	·31	+ ·00	·38	·00	+ ·03	5
6	·00	·00	·17	·05	·00	·00	·80	·10	·00	·07	·00	·00	6
7	·00	·00	·20	·09	·22	·00	·40	·00	·00	·00	+ ·00	·03	7
8	·05	·00	·00	·12	·05	·00	·24	+ ·00	·00	·00	·00	·00	8
9	·00	·00	·00	·04	·16	·00	·35	·00	·00	·00	·00	·00	9
10	·33	·08	·00	·09	·00	·06	·38	·10	·00	+ ·00	·00	·06	10
11	·63	·08	·06	·04	·00	·32	·36	·00	·00	·00	·00	·00	11
12	·13	·00	·08	·75	·02	·00	·30	·00	+ ·00	·00	·00	+ 6"s ·50	12
13	·04	·06	·00	·29	·00	·42	·00	·00	·00	·00	·03	·00	13
14	·20	·00	·30	·05	·00	·00	·00	·00	·00	·00	+ ·03	·00	14
15	·00	·02	·53	·47	·00 06	·00	·00	+ ·00	·05	·16	·66	·00	15
16	·02	·00	·01	·09	·03	·00	·00	·00	1·04	·32	·09	·00	16
17	·00	·01	·00	·02	·00	·00	·00	·00	·12	+ ·00	·00	·00	17
18	·00	·00	·00	·00	·20	·00	·00	·00	·53	·00	·00	·03	18
19	·07	·00	·00	·02	·22	·00	·00	·87	+ ·03	·00	·00	+ ·05	19
20	·03	·00	·00	·26	·00	·02	·00	·00	·21	·00	·00	·01	20
21	·06	·05	·00	·24	·00	·55	·00	·00	·00	·00	+ ·00	·12	21
22	·00	·00	·00	·01	·00	·00	·80	+ ·00	·13	·00	·00	·16	22
23	·02	·00	·00	·35	·00	·00	·00	·00	·00	·00	·00	·42	23
24	·00	·00	·00	·02	·00	·00	·36	·12	·00	+ ·00	·00	·48	24
25	·01	·09	·18	·00	·04	·00	·00	·00	·00	·06	·05	·15	25
26	·00	·00	·03	·00	·07	·00	·69	·00	+ ·00	·00	·00	+ ·00	26
27	·04	·00	·24	·00	·00	·02	·00	·00	·00	·00	·01	·12	27
28	·77	·00	·00	·20	·00	·05	·04	·00	·00	·00	+ ·36	·28	28
29	·48	·01	·37	·02	·05	·00	·00	+ ·00	·00	·00	·02	·05	29
30	·64		·14	·03	·00	·00	·00	·00	·00	·00	·36	·34	30
31	·07		·01		·00		·01	·00		+ ·02		·45	32·95
TOTAL	·08 ~~4·09~~ 4·01	~~·47~~ 4·52 ·39	·24 ~~2·44~~ 6·93 2·65	·00 ~~3·64~~ 10·57 3·40	1·43 15·00	1·44 16·44	6·36 22·80	1·56 24·36	·18 ~~2·18~~ 26·54 2·84	1·25 ~~2·21~~ 28·75 3·30	·36 ~~2·98~~ 31·65 2·01	·16 ~~4·26~~ 34·91 4·06	~~32·94~~ 35·91
Days with ·01 in. or more	21	8 ~~9~~ 30	16 45	~~2~~ 25 90	12 82	7 89	15 104	6 110	9 118	9 127	11 138	20 158	158

(44,283). Wt.21,958—218 7500. 10/19. G.132. A.&E.W.

11 58 12 16 10 5 12 5-87 7 7 15 119

BEXHILL

SUSSEX

1911, 13,-16

FORM A2.
BRITISH RAINFALL.
10 MAY 1912

R

Kept at Beq

...roudon

in.

Ground 1 ft. — in.

in the County of S

Sea Level 28 ft.

a.m.

by Geo. B

Name L.B.T.S.C.

Distance 3 Mls Direction N.

IMPORTANT NOTI ... the result entered to the previous day. If an Obs ... rsal rule, he is earnestly requested to add the read ... year in the space provided for it at the end of this ... Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.08			0.52				0.13			0.04		1
2			0.01		0.32						37	0.22	2
3	02				08						07	43	3
4	06		03	20						0.26	21	18	4
5	10			03							03	10	5
6	19			05						26		36	6
7	03									63	97	29	7
8	10		11								77	32	8
9	16		01	02							47	12	9
10		0.09		07						03	04	38	10
11	59		01		05						1.15		11
12	02		94							03	10	02	12
13					14				0.17	15		16	13
14		04			03							37	14
15		01	12							02	08	18	15
16						0.31					26	07	16
17						01					10	06	17
18		07	10			02				01	64	35	18
19						03			09	20	04	14	19
20			01					1.37	19	06		37	20
21	02	10							05	28		08	21
22	01	02	41			05		70		26		58	22
23	01	18	18			95			33	1.17	03	10	23
24		16				04	0.05	06		16		30	24
25			35	06		07		12	04	06		01	25
26			20	19	06	08				27	18	31	26
27		30	16	01					03	40		07	27
28		24		19							01		28
29						07	10		23	37			29
30						03				15		01	30
31													31
Total	1.33	1.21	2.64	1.34	0.68	1:66	0.15	2:38 ~~2.40~~	1.13	4.77	5.56 ~~4.56~~	5.58	TOTAL for year 28.43
No. of Rain Days.	13	10	14	10	6	11	2	5	8	19	19	26	143

W. 8,000, X. '11.

R

FORM A2.
BRITISH RAINFALL.

10 MAY 1912

Kept at Bexhill.

in the County of Sussex 5

by Geo. Brailey Borough Mt.

Pattern London

Rain Gauge: Diameter of top 5 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level 28. ft.

Time of Observation 9 a.m.

Nearest Railway Station: Name L.B.&S.C.
Distance 3 m. Direction N

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.08			0.52				0.13			0.04		1
2			0.01		0.32						37	0.22	2
3	02				08						07	43	3
4	06		03	20						0.26	21	18	4
5	10			03							03	10	5
6	19			05						26		36	6
7	03									63	97	29	7
8	10		11								77	32	8
9	16		01	02							47	12	9
10		0.09		07						03	04	38	10
11	59		01		05						1.15		11
12	02		94							03	10	02	12
13					14				0.17	15		16	13
14		04			03							37	14
15		01	12							02	08	18	15
16						0.31					26	07	16
17						01					10	06	17
18		07	10			02				01	64	35	18
19						03			09	20	04	14	19
20			01					1.37	19	06		37	20
21	02	10							05	28		08	21
22	01	02	41			05		70		26		58	22
23	01	18	18			95			33	1.17	03	10	23
24		16				04	0.05	06		16		30	24
25			35	06		07		12	04	06		01	25
26			20	19	06	08				27	18	31	26
27		30	16	01					03	40		07	27
28		24		19							01		28
29						07	10		23	37			29
30						03				15		01	30
31													31
Total	1.33	1.21	2.64	1.34	0.68	1:66	0.15	~~2.40~~ 2:38	1.13	4.77	~~4.56~~ 5.56	5.58	TOTAL for year 28:43
No. of Rain Days.	13	10	14	10	6	11	2	5	8	19	19	26	143

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
22 JAN 1914

Kept at Bexhill on Sea 4 RA
in the County of Sussex
by The Health Dept, Town Hall 5

Lat. 50° 50′ N Long. 0° 30′ E.
Time of Observation 9 A.m.
Nearest Railway Station Bexhill L.B.&S.C.Ry
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 28 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0·01	0·41	0·06	0·09		0·02				0·11	0·08	0·08	1
2	·01	·13			0·08		0·11		0·04		·10	·02	2
3			·03	·45	·13				·01			·12	3
4	·33	·01	·06			·03	·02		·61	·04	·17		4
5	·02		·03	·02		·17	·06		·32	·30	·36	·02	5
6		·02	·11		·01	·06	·22		·06	·62	·23	·12	6
7		·22	·08	·01	·02	·01	·09			·20	·11		7
8		·08	·05		·13	·03		0·04		·50	·05	·02	8
9		·02		·01	·11				·14	·17	·02	·01	9
10	·02			·01			·35				·53		10
11	·59			·51						·62	·01	·01	11
12					·15						·59	·01	12
13	·61		·01					·04	·06		·21		13
14	·25		·08	·04			·66		·25	·05	·09		14
15	·17		·30	·27			·22		·01		·01		15
16	·33		·43	·15					·26		·01		16
17	·17	·03	·02	·02			·26	·03			·05	·02	17
18	·01		·09	·13			·05				·09		18
19	·11		·06		·02	·11	·12	·03	·14				19
20	·15		·02	·08		·28				·42	·02		20
21	·02		·05	·21						·64	·46		21
22	·32		·11				·02		·03				22
23	·02		·01			·03						·73	23
24	·04		·02	·01							·08		24
25				·27		·01	·04				·01		25
26		·02	·14				·01	·09		·91		·37	26
27			·05							·10			27
28	·12		·22	·03				·27		·19			28
29	·15		·03	·09				·04				·01	29
30	·47		·03	·27	·06			·50		·08		·01	30
31			·04					1·36		·26			31
Total	3·92	0·94	2·13	2·67	0·71	0·75	2·23	2·40	1·93	5·21	3·28	1·55	YEAR'S TOTAL 27·72
Rain Days.	21	9	25	19	9	10	14	9	12	16	21	14	179

W.7,000, XI. 13

Cw. forsaith thymo. 9. VI. 15.

referred 25. III. 15

Cf MO

FORM A. BRITISH RAINFALL.

28 JAN 1915

REGISTER OF RAINFALL IN 1914.

Kept at Bexhill-on-Sea W. M. G.

in the County of Sussex 5

by Kenneth G. McDegan meteorologist

I read at diff times

Lat. 50° 50' N. Long. 0° 30' E.

Time of Observations 9 am. 6 PM. & 9 PM.

Nearest Railway Station L B & S C Ry. Bexhill

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 27 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	~~01~~	0.01	0.02			0.26	Nil	0.05		-		0.77	1
2			0.01				0.07	0.02			0.12	0.18	2
3		Trace		0.01			0.30				0.02		3
4			0.23	0.11	0.18						0.05	0.09	4
5	0.15		0.08	0.22				0.25			0.29	0.52	5
6			0.06	0.22		0.03	0.09						6
7	0.04	0.02	0.03	0.12		0.05		0.07				0.56	7
8	0.18	0.14	0.16		0.05	0.63	0.14					0.11	8
9	0.14	0.19	0.56		0.08	0.10		0.05	0.07			0.45	9
10	0.02	0.20	0.10	0.09	0.10							0.35	10
11				0.10					0.25		0.06	0.37	11
12		0.14	0.38	0.05			0.04		0.09		0.05	0.18	12
13	0.04	0.06	0.16			0.06			0.36	0.10	0.20	0.42	13
14		0.35	0.27			0.10			0.21	0.27		0.65	14
15		0.14	0.26			0.02	0.04	0.08		0.09	0.22	0.27	15
16		0.19					0.04		0.07	0.09	0.61	0.12	16
17		0.15					0.04		0.21			0.07	17
18		0.33	0.17						-			0.24	18
19		0.13	0.38				0.24			0.04	0.22	0.84	19
20		0.05	0.44				0.08			0.06	0.02	0.03	20
21		0.47	0.16			0.05	0.03		0.02	0.06		0.12	21
22		0.29					0.53			0.04		0.10	22
23			0.18		0.10		0.13					0.09	23
24			0.68		0.02	0.36	0.05	0.05		0.02	0.11		24
25	0.15		0.22		0.01					0.03			25
26	0.03		0.07		0.05		0.04	0.18		0.26	0.01	0.21	26
27	0.02							0.07		0.09	0.19	0.23	27
28	0.02						0.05	0.03		0.09	0.55	0.12	28
29	0.09				0.05					0.37	0.06	0.18	29
30	0.01	X	0.08	0.06						0.61	0.37		30
31	0.01	X		X		X			X	0.02	X	0.18	31
Total	0.90	2.86	~~4.62~~ 4.78	0.98	0.64	1.66	1.91	0.85	1.28	2.24	3.15	~~6.97~~ 7.75	YEAR'S TOTAL ~~28.76~~ 77
Rain Days.	~~8~~ 13	~~7~~ 16	22	9	9	10	16	10	8	16	17	26	~~168~~
MO	.90	3.12	4.91	.97	.59	1.26	1.81	.80	1.26	2.33	2.93		28.92 172

W 8,000. X. 14.

~~X~~ Total and 26 vi.16

620

FORM A.
BRITISH RAINFALL.
18. APR. 1916

REGISTER OF RAINFALL IN 1915.

Kept at Bexhill-on-Sea

in the County of Sussex

by 3 Observers during 1915.

Lat. 50° 50' N. Long. 0° 30' E.

Time of Observation 9 a.m.

Nearest Railway Station L. B. & S. C. Rly.

Diameter of Funnel of Rain Gauge 8 – in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level – 27 – ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 0.22

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.35	–	0.05	–	–	–	–	0.03	0.52	–	0.53	0.27	1
2	0.62	–	–	0.27	–	–	–	–	0.05	–	0.12	0.21	2
3	0.21	0.18	0.20	0.17	–	–	–	0.01	0.03	0.01	–	0.19	3
4	0.21	–	0.02	0.07	0.18	–	–	0.05	0.04	–	–	0.46	4
5	0.07	–	–	0.12	–	–	–	–	–	–	0.03	0.29	5
6	0.12	–	–	0.04	–	–	0.04	0.02	–	–	0.02	0.49	6
7	0.36	0.12	–	0.12	–	–	0.51	0.02	–	–	–	0.18	7
8	0.33	–	0.17	0.43	–	–	0.02	–	–	–	–	0.28	8
9	–	0.24	–	0.04	–	0.05	–	–	–	–	0.06	0.02	9
10	0.11	0.04	0.02	–	–	0.29	–	–	–	–	0.61	0.85	10
11	–	–	–	–		–	–	–	–	–	–	0.73	11
12	–	–	0.01	–	0.05	–	–	–	–	–	0.78	0.02	12
13	0.03	0.41	–	0.28	1.16	–	–	–	–	0.05	0.38	–	13
14	0.21	0.13	–	0.05	0.48	–	0.73	–	0.08	–	–	–	14
15	0.06	0.58	–	–	–	–	–	0.65	0.04	–	–	0.35	15
16	0.21	–	–	–	0.11	–	0.99	0.15	–	–	0.26	0.18	16
17	–	0.89	–	–	0.38	–	–	–	–	–	–	–	17
18	–	0.12	–	–	0.98	–	–	0.01	–	–	–	0.16	18
19	–	0.06	–	–	0.11	–	–	–	–	–	–	0.05	19
20	–	–	–	0.05	0.07	–	–	–	–	–	–	–	20
21	0.13	–	–	0.04	0.03	–	0.27	–	–	–	–	0.18	21
22	0.05	–	–	0.01	–	–	0.39	–	–		–	0.05	22
23	–	–	0.06	0.01	–	0.02	–	–	–	0.02	–	0.20	23
24	–	–	–	–	–	–	–	–		–	–	0.78	24
25	–	–	–	0.09	–	–	0.15	–	0.29	1.39	–	0.27	25
26	–	–	–	–	–	0.08	0.07	–	–	0.04	–	0.25	26
27	0.09	–	0.05	–	–	0.18	–	–	–	–	–	0.59	27
28	–	0.03	–	–	–	0.16	–	–	–	0.30	–	0.02	28
29	–	X	–	–	–	0.04	–	–	0.95	0.47	–	–	29
30	–	X	–	–	0.06	–	–	–	–	–	0.25	0.02	30
31	0.09	X	–	X	–	X	–	–	X	0.13	X	–	31
Total	3.25	2.80	0.58	1.79	3.61	0.82	3.17	0.94	2.00	2.41	3.04	7.09	YEAR'S TOTAL 31.50 ins. 31.50
Rain Days.	17	11	8	15	11	7	9	8	8	8	10	25	137

W. 8,000. X. 15.

Cd/ per WD

Exd by

REGISTER OF RAINFALL IN 1916.

FORM A. BRITISH RAINFALL.
16. JAN 1917

Kept at Bexhill-on-Sea
in the County of Sussex
by A. R. Harnden.
(for Borough of Bexhill.)

Lat. 50° 50' N. Long. 0° 30' E.
Time of Observation 9 a.m.
Nearest Railway Station Bexhill, L. B. & S. C.
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 27 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. trace.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.22	.	0.60	.	.	.	.	.	.	.	0.40	.	1
2	0.06	0.01	.	.	0.17	trace.	.	.	0.01	0.02	0.78	.	2
3	0.27	0.02	0.52	.	0.26	.	.	.	.	0.74	0.02	.	3
4	trace.	0.16	0.17	.	.	.	0.30	.	0.02	0.18	0.35	.	4
5	0.16	0.10	.	.	trace.	0.25	.	.	0.27	0.07	0.26	.	5
6	0.10	0.01	.	trace.	0.18	0.26	.	.	.	0.06	0.36	.	6
7	0.01	0.06	0.03	0.48	.	0.11	0.02	.	.	0.05	0.21	.	7
8	0.01	0.01	0.55	.	0.03	0.05	.	.	.	0.07	0.36	0.04	8
9	trace.	0.03	0.02	.	0.29	.	.	.	.	.	.	0.25	9
10	trace	.	.	.	0.24	.	.	.	.	.	.	0.24	10
11	.	0.29	trace	0.08	.	0.41	0.04	.	.	.	.	0.33	11
12	0.01	0.20	0.01	0.15	.	0.09	.	.	.	.	.	0.23	12
13	0.07	0.05	0.22	0.06	0.30	0.12	0.10	0.02	.	0.04	trace.	0.07	13
14	.	0.15	0.21	0.03	0.27	0.08	0.03	0.04	.	.	.	0.11	14
15	.	0.40	.	.	0.19	.	.	0.47	.	0.06	0.01	0.54	15
16	.	0.30	0.06	.	.	.	.	.	.	.	.	.	16
17	0.01	0.04	0.08	0.22	.	.	0.11	.	.	.	.	.	17
18	0.21	0.15	.	0.01	.	.	0.06	.	0.33	0.48	trace.	.	18
19	0.07	0.09	0.05	trace.	.	.	.	0.15	0.18	0.20	1.15	.	19
20	0.21	trace.	0.02	0.28	.	.	.	.	0.05	.	1.51	.	20
21	0.09	trace.	trace	0.07	.	0.03	.	.	.	.	0.21	.	21
22	0.03	.	0.57	0.24	.	.	.	.	.	.	0.04	0.51	22
23	trace.	0.15	0.05	trace.	.	0.03	.	.	.	.	0.01	0.63	23
24	0.01	0.13	0.22	.	.	0.13	0.02	0.06	.	.	0.02	0.02	24
25	trace.	0.03	0.01	.	.	.	.	.	.	0.27	0.18	0.37	25
26	.	0.71	0.02	.	trace.	0.01	.	0.21	.	0.15	0.07	.	26
27	trace.	0.51	trace	.	.	0.08	.	.	0.01	0.07	0.02	0.15	27
28	0.01	0.18	0.63	.	.	0.34	.	0.79	0.08	0.60	.	.	28
29	.	0.60	0.03	.	.	0.18	.	0.15	0.28	0.44	.	0.25	29
30	trace	×	.	.	.	0.27	.	0.62	0.17	0.65	.	0.55	30
31	.	×	.	×	.	×	.	0.06	×	0.24	×	.	31
Total	~~1.55~~ 1.33	~~4.38~~ .60 4.98	~~4.17~~ 3.57	1.62	1.93	2.44	0.68	2.57	1.40	~~4.39~~ .40 4.79	~~5.95~~ 5.55	4.29	YEAR'S TOTAL ~~35.37~~ 35.15
Rain Days.	~~17~~ 16	~~24~~ 25	~~20~~ 19	10	9	16	8	10	10	~~18~~ 19	~~18~~ 17	15	17~~5~~4

W. 8,000, VIII. 16

B made

506

FORM A NOTE
BRITISH RAINFALL

REGISTER

BILLINGSHURST
{DUNCANS FARM}
SUSSEX
1919-20

Kept at Duncans Farm Bi loned for W
7th July 8 a.m.
Billingshurst 1920

in the County of Sussex

by (Miss) Edit

Gauge 5 in.

e Ground 1 ft. – in.

Sea Level ft.

IMPORTANT NOTE.—Rain … the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. 10"

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0	0	0	2	25	0	5	3	0	0	2	28	1
2	37	0	0	0	1	0	17	0	0	4	7	62	2
3	16	0	5	0	15	0	5	0	17	7	0	50	3
4	28	0	45	0	3	0	54	0	5	0	5	21	4
5	27	0	46	0	0	5	25	10	2	0	7	15	5
6	0	37	76	0	0	0	0	0	0	0	6	28	6
7	36	0	7	0	3	0	0	0	0	0	2	7	7
8	6	0	37	0	0	0	0	0	0	0	0	0	8
9	25	0	9	0	0	0	0	0	0	0	2	0	9
10	39	0	5	24	5	0	0	0	0	0	12	0	10
11	42	0	7	5	0	0	0	0	0	0	0	22	11
12	34	0	11	26	8	0	19	0	0	0	0	13	12
13	6	0	3	3	0	0	26	0	0	5	0	0	13
14	5	0	0	40	0	0	0	0	0	0	4	0	14
15	45	0	0	32	0	0	7	0	50	0	0	10	15
16	22	10	11	8	0	0	0	0	0	0	0	91	16
17	10	65	0	0	0	0	0	0	0	0	6	9	17
18	0	28	0	0	0	0	0	0	0	0	8	0	18
19	0	6	15	0	0	0	0	7	4	0	4	0	19
20	6	30	64	0	0	15	70	9	3	0	7	0	20
21	41	5	7	0	0	55	5	25	0	0	0	0	21
22	9	46	0	0	0	2	2	0	0	0	0	10	22
23	0	2	0	0	0	0	17	0	38	0	0	17	23
24	0	0	0	0	0	3	0	0	15	0	7	4	24
25	0	2	0	16	0	7	4	2	0	19	15	8	25
26	0	4	0	0	0	0	0	35	0	0	0	6	26
27	5	15	3	15	0	0	4	0	10	0	9	30	27
28	34	0	12	12	0	0	0	35	0	0	14	5	28
29	0	0	2	0	0	0	0	78	0	0	33	40	29
30	12	X	7	3	0	4	0	46	0	19	6	11	30
31	0	X	8	X	0	X	0	67	X	0	X	75	31
	-	-	.02	.25	-	.05	.03	-	-	.02	.28	.10	YEAR'S TOTAL
Total	4.85	2.50	~~3.80~~ 3.52	~~1.86~~ 2.09	~~.60~~ .35	~~.91~~ .96	~~2.60~~ 2.58	~~3.17~~ 3.14	1.44	~~.54~~ .56	~~1.56~~ 1.82	~~5.62~~ 5.44	~~29.45~~ 29.55 ✓
Rain Days.	21	12	21 ~~20~~	12	6 ~~7~~	8 ~~7~~	14	10 ~~11~~	9	6 ~~5~~	19	22	~~159~~ 160 ✓

W. 8 000, IX. 17.

B made

506

FORM A NOTE
BRITISH RAINFALL

REGISTER OF RAINFALL IN 19

Kept at Duncans Farm Billingshurst
in the County of Sussex
by (Miss) Edith Beck

Lat. ...... Long. ......
Time of Observation ~~9 a.m.~~ after 7th July 8 a.m.
Nearest Railway Station Billingshurst
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level ...... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. 10"

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0	0	0	2	25	0	5	3	0	0	2	28	1
2	37	0	0	0	1	0	17	0	0	4	7	62	2
3	16	0	5	0	15	0	5	0	17	7	0	50	3
4	28	0	45	0	3	0	54	0	5	0	5	21	4
5	27	0	46	0	0	5	25	10	2	0	7	15	5
6	0	37	76	0	0	0	0	0	0	0	6	28	6
7	36	0	7	0	3	0	0	0	0	0	2	7	7
8	6	0	37	0	0	0	0	0	0	0	0	0	8
9	25	0	9	0	0	0	0	0	0	0	2	0	9
10	39	0	5	24	5	0	0	0	0	0	12	0	10
11	42	0	7	5	0	0	0	0	0	0	0	22	11
12	34	0	11	26	8	0	19	0	0	0	0	13	12
13	6	0	3	3	0	0	26	0	0	5	0	0	13
14	5	0	0	40	0	0	0	0	0	0	4	0	14
15	45	0	0	32	0	0	7	0	50	0	0	10	15
16	22	10	11	8	0	0	0	0	0	0	0	91	16
17	10	65	0	0	0	0	0	0	0	0	6	9	17
18	0	28	0	0	0	0	0	0	0	0	8	0	18
19	0	6	15	0	0	0	0	7	4	0	4	0	19
20	6	30	64	0	0	15	70	9	3	0	7	0	20
21	41	5	7	0	0	55	5	25	0	0	0	0	21
22	9	46	0	0	0	2	2	0	0	0	0	10	22
23	0	2	0	0	0	0	17	0	38	0	0	17	23
24	0	0	0	0	0	3	0	0	15	0	7	4	24
25	0	2	0	16	0	7	4	2	0	19	15	8	25
26	0	4	0	0	0	0	0	35	0	0	0	6	26
27	5	15	3	15	0	0	4	0	10	0	9	30	27
28	34	0	12	12	0	0	0	35	0	0	14	5	28
29	0	0	2	0	0	0	0	78	0	0	33	40	29
30	12	×	7	3	0	4	0	46	0	19	6	11	30
31	0	×	8	×	0	×	0	67	×	0	×	75	31
	–	–	·02	·25	–	·05	·03	–	–	·02	·28	·10	YEAR'S TOTAL
Total	4.85	2.50	~~3.80~~ 3.82	~~1.86~~ 2.09	~~·60~~ ·35	~~·91~~ ·96	~~2.60~~ 2.58	~~3.17~~ 3.14	1.44	~~·54~~ ·56	~~1.56~~ 1.82	~~5.62~~ 5.44	~~19.45~~ 29.55 ✓
Rain Days.	21	12	21 ~~20~~	12	6 ~~7~~	8 ~~7~~	14	10 ~~11~~	9	6 ~~5~~	19	22	~~159~~ 160 ✓

W. 8,000, IX. 17.

Les Flandres ravagées par les Allemands.

Collection de Mr J. Massart, Professeur à l'Université de Bruxelles.

9. I. 1920.

To The Superintenden.

Dear Sir.

I find that after July 7th the rain was measured at 8 a.m instead of 9 a.m. I only just found this out, that was owing to the change of the man who was previously registering it. I hope this will not much impair it's value.

Yours faithfully
Earl Beck

ASILES DES SOLDATS INVALIDES BELGES

WD

478

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Duncans Farm

in the County of Sussex

by Arthur Hampshire
for Mrs Edith Beck

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·35

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.10	8	–	·13	–	–	4	–	–	21	1·39	22	1
2	.5	–	–	10	11	–	36	–	–	17	6	31	2
3	0	–	6	2	4	–	2	17	11	9	–	12	3
4	.14	–	–	–	2	–	0	–	–	29	–	13	4
5	–	9	–	6	–	–	1·21	19	–	36	–	3	5
6	–	–	16	–	–	–	51	7	–	3	–	–	6
+21 7	–	–	× 20	–	20	–	32	–	–	–	–	3	7
8	.6	–	–	12	–	–	10	–	–	–	+2	–	+2 8
9	–	–	–	3	6	–	31	–	–	–	–	–	9
10	.16	–	–	6	15	–	8	–	–	–	–	–	10
11	.76	11	10	13	–	11	26	–	–	–	–	–	11
12	.37	2	9	26	–	3	36	–	–	–	–	–	12
13	.4	5	3	30	–	55	–	–	–	–	2	–	13
14	.14	4	20	3	–	–	–	–	–	–	5	–	14
15	–	6	50	45	–	3	–	–	13	7	49	20	15
16	.2	2	–	25	–	26	–	–	79	38	15	–	16
17	+	2	4	25	–	–	–	–	65	–	–	–	17
18	–	–	–	–	16	–	3	–	1·21	–	–	7	18
19	.5	–	2	–	9	–	–	75	20	–	–	7	19
20	.5	–	–	35	–	3	–	–	10	–	–	5	20
21	.10	10	–	21	–	63	–	2	4	–	–	3	21
22	~~0~~	–	–	4	–	–	94	–	30	–	–	22	22
23	.4	–	–	32	–	–	–	–	4	–	–	33	23
24	–	–	–	–	–	–	51	20	–	–	–	39	24
25	–	3	12	5	–	–	–	–	–	–	–	12	25
26	–	–	3	–	2	–	22	–	1	–	–	–	26
27	.6	–	14	3	–	–	–	–	–	–	–	9	27
28	.65	2	–	9	–	7	7	–	–	–	89	26	28
29	.40	–	15	4	18	–	10	–	–	–	4	2	29
30	.76	✕	8	17	–	–	–	–	–	–	19	22	30
31	5	✕	·13	✕	–	✕ ·01	5	–	✕ 21	1.39	✕ ·22	15 ·35	31 31.48
Total	~~4.00~~ 3.90	·64	~~1.93~~ 2.06	~~3.49~~ 3.36	1·03	~~1.74~~ 1.75	~~5.49~~ 5.45	1·40	~~3.58~~ 3.79	~~1.60~~ 2.78	~~3.30~~ 2.13	~~3.06~~ 3.19	Year's Total ~~31.23~~
Days with ·01 in. or more	18 19	12	16 15	22 23	10	9 8	17 18	6	12 11	8	10	20	160
Days with ·04 in. or more	17 18	7	13 12	18 19	8	6 5	15 16	5	11 10	7	8	16	131

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

The Rainfall at Duncans Farm

measured on the morning of January 1st, 1921

was 35

Signed Edith Beck

This form should be folded so as to bring the printed address outside and returned to the Superintendent. The communication should contain nothing of the nature of a letter.

Nov + Dec from Ev

REG

BILLINGHURST

FIVE OAKS

SUSSEX

1913 - 14

FORM A.
BRITISH RAINFALL.

22 JAN 1914

94

Kept at Five Oaks,

in the County of Sussex

by S. C. Russell

in.

Ground ft. in.

Sea Level ft.

IMPORTANT NOT … he result entered to the previous day. If an Ob … rsal rule, he is earnestly requested to add the read … in the space provided for it at the end of this … ent of rain, the selection and placing … British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1									·30		·20	·11	1
2									·03		·05	·01	2
3									·01			·23	3
4									1·05		·09	·01	4
5									·39		·25	·01	5
6											·07	·22	6
7											·20	·01	7
8								·05				·02	8
9									·15		·03		9
10								·02			·39		10
11											·12		11
12									·02		·43	·01	12
13									·19		·29		13
14									·07		·08		14
15									·09				15
16									·27				16
17											·02		17
18											·04		18
19									·23				19
20											·01		20
21											·75		21
22									·14			·01	22
23								·22				·77	23
24								·03			·03		24
25									·01		·01		25
26								·06				·17	26
27													27
28													28
29								·11	·01				29
30								·61	·01				30
31								1·08					31
Total								2·15	2·97		3·06	1·58	YEAR'S TOTAL
Rain Days.								8	16		18	12	

W. 7,500, XI. 12

Nov + Dec from

REG

FORM A.
BRITISH RAINFALL.

22 JAN 1914

Kept at Five Oaks, Billingshurst

in the County of Sussex

by S. C. Russell

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1									·30		·20	·11	1
2									·03		·05	·01	2
3									·01			·23	3
4									1·05		·09	·01	4
5									·39		·25	·01	5
6											·07	·22	6
7											·20	·01	7
8								·05				·02	8
9									·15		·03		9
10								·02			·39		10
11											·12		11
12									·02		·43	·01	12
13									·19		·29		13
14									·07		·08		14
15									·09				15
16									·27				16
17											·02		17
18											·04		18
19									·23				19
20											·01		20
21											·75		21
22									·14			·01	22
23								·22				·77	23
24								·03			·03		24
25									·01		·01		25
26								·06				·17	26
27													27
28													28
29								·11	·01				29
30								·61	·01				30
31								1·08					31
Total								2·18	2·97		3·06	1·58	YEAR'S TOTAL
Rain Days.								8	16		18	12	

W. 7,500, XI. 12

88 78

FORM A. BRITISH RAINFALL.

28 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Five Oaks, Billingshurst

in the County of Sussex

by S. C. Russell.

Lat. ………… Long. …………

Time of Observation …………

Nearest Railway Station …………

Diameter of Rain Gauge ………… in.

Height of top of Gauge above Ground ………… ft. ………… in.

" " " " Sea Level ………… ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ……

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·02	·02									1
2	·02												2
3			·05	·03									3
4			·01	·28									4
5	·09	·01	·05	·39									5
6		·21	·01	·15									6
7		·78	·11	·18									7
8	·05	·69	·28	·08									8
9	·16		1·16	·29									9
10	·03	·15	·03	·11									10
11		·57	·41	·01									11
12	·01	·19	·08										12
13		·49	·17										13
14		·31	·22										14
15		·05	·16										15
16	·02	·01											16
17		·29	·13										17
18		·05	·22										18
19		·09	·65										19
20		·29	·25										20
21		·67	·06										21
22		·03	·03										22
23		·05	·17										23
24	·02		·07										24
25	·02		·20										25
26			·03										26
27	·04												27
28	·02	·02	·01										28
29	·07		·04										29
30	·02		·13	·04									30
31	·02												31
Total	·59	4·95	4·75	1·58	✓								YEAR'S TOTAL
Rain Days.	14	19	27	11									

W.7,000, XI. 13

520

BIRCH GROVE

SUSSEX

1915–20

…FALL IN 1915

Lat. 51° 3′ Long. 0° 0

Time of Observation 9 AM

Nearest Railway Station Horsted Keynes 2 miles

Diameter of Rain Gauge ______ in.

Height of top of Gauge above Ground ______ ft. ______ in.

" " " " Sea Level 400 ft.

FORM A. BRITISH RAINFALL. 6 - JAN 1916

…red daily at 9 a.m. and the result entered to the …orm to this almost universal rule, he is earnestly …ary of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent pöst-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·62	·28	·04	–	–	–	–	·05	·15	·02	·22	·27	1
2	·44	·17	·24	·18	–	–	=	·17	–	·07	–	·14	2
3	·23	–	·05	·19	–	–	–	·1	·09	–	–	–	3
4	·04	–	–	·01	·10	–	–	·11	–	·02	–	1.12	4
5	·03	·59	–	–	–	–	–	·22	–	·01	·02	·44	5
6	·57	·23	·08	·63	–	–	·5	·05	–	–	–	·14	6
7	·27	·43	·06	·02	–	–	·03	·01	–	–	–	·53	7
8	nil	·57	·01	·08	–	–	–	·03	–	–	·07	–	8
9	·01	·13	–	·16	–	–	·2	·05	–	–	·54	·87	9
10	·37	–	·01	–	–	–	–		–	–	–	·6	10
	·01	–	·02	–	–	–	–	–	–	–	·61	·1	11
12	·07	·15	–	·23	·32	–	–	·01	–	·02	·63	·02	12
13	·01	·74	–	·01	1.95	–	–	–	·05	–	–	–	13
14	·03	·02	–	–		–	·11	·06	·05	–	–	·53	14
15	·19	–	–	–	·09	–	·04	·18	–	–	·21	·28	15
16	nil	·62	–	·02	·05	–	1.14	·12	–	–	·01	·12	16
17	nil	·43	–	–	1.09	–	–	·05	–	–	–	·03	17
18	nil	·15	·02	–	·19	–	–	–	–	–	–	–	18
19	nil	·09	–	–	·05	–	–	–	–	·01	–	·22	19
20	·28	–	–	·06	·02	–	–	–	–	–	·06	–	20
21	·18	–	–	–	–	–	·04	–	–	·09	–	·05	21
22	·25	·03	·05	–	–	·02	1.16	–	–	·03	–	·12	22
23	·03	·11	·12	–	–	–	·06	–	·15	·29	–	·58	23
24	–	–	·04	·03	–	–	·16	–	·26	·5	–	·68	24
25	–	–	–	·02	–	·02	·2	–	–	·03	–	·27	25
26	·02	·09	–	–	–	·01	~~·16~~	–	–	–	–	·62	26
27	–	·06	·01	–	–	–	·16	–	–	·61	–	·08	27
28	–	·06	·01	–	–	·09	–	–	1.47	–	·01	·01	28
29	–	X	–	–	–	·1	·47	·32	·01	·29	·45	·01	29
30	·18	X	–	–	–	·01	·01	–		·22	·32	·03	30
31	–	X	–	X	–	X	–	·35	X	·75	X	·25	31
Total	3·83	4·95	·76	1.64	3.86	·25	4·28	1.88	2.23	2·96	3·15	8.11	YEAR'S TOTAL 37·9
Rain Days.	20	19	14	13	9	6	14	16	8	15	12	26	172

W. 8,000. X. 14.

2914

ALL IN 1915

FORM A.
BRITISH RAINFALL.
6 - JAN 1916

Kept at Birch Groves

in the County of Sussex

by G. C. Price (Miss)

Lat. 51° 3' Long. 0° 0

Time of Observation 9 AM.

Nearest Railway Station Horsted Keynes 2¾ miles

Diameter of Rain Gauge ______ in.

Height of top of Gauge above Ground ______ ft. ______ in.

" " " " Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ______

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·62	·28	·04	-	-	-	-	·05	·15	·02	·22	·27	1
2	·44	·17	·24	·18	-	-	-	·17	-	·07	-	·14	2
3	·23	-	·05	·19	-	-	-	·1	·09	-	-	-	3
4	·04	-	-	·01	·10	-	-	·11	-	·02	-	1.12	4
5	·03	·59	-	-	-	-	-	·22	-	·01	·02	·44	5
6	·57	·23	·08	·63	-	-	·5	·05	-	-	-	·14	6
7	·27	·43	·06	·02	-	-	·03	·01	-	-	-	·53	7
8	nil	·57	·01	·08	-	-	-	·03	-	-	·07	-	8
9	·01	·13	-	·16	-	-	·2	·05	-	-	·54	·87	9
10	·37	-	·01	-	-	-	-		-	-	-	·6	10
11	·01	-	·02	-	-	-	-	-	-	-	·61	·1	11
12	·07	·15	-	·23	·32	-	-	·01	-	·02	·63	·02	12
13	·01	·74	-	·01	1.95	-	-	-	·05	-	-	-	13
14	·03	·02	-	-		-	·11	·06	·05	-	-	·53	14
15	·19	-	-	-	·09	-	·04	·18	-	-	·21	·28	15
16	nil	·62	-	·02	·05	-	1.14	·12	-	-	·01	·12	16
17	nil	·43	-	-	1.09	-	-	·05	-	-	-	·03	17
18	nil	·15	·02	-	·19	-	-	-	-	-	-	-	18
19	nil	·09	-	-	·05	-	-	-	-	·01	-	·22	19
20	·28	-	-	·06	·02	-	-	-	-	-	·06	-	20
21	·18	-	-	-	-	-	·04	-	-	·09	-	·65	21
22	·25	·03	·05	-	-	·02	1.16	-	-	·03	-	·12	22
23	·03	·11	·12	-	-	-	·06	-	·15	·29	-	·58	23
24	-	-	·04	·03	-	-	·16	-	·26	·5	-	·68	24
25	-	-	-	·02	-	·02	·2	-	-	·03	-	·27	25
26	·02	·09	-	-	-	·01	·1	-	-	-	-	·62	26
27	-	·06	·01	-	-	-	·16	-	-	·61	-	·08	27
28	-	·06	·01	-	-	·09	-	-	1.47	-	·01	·01	28
29	-	X	-	-	-	·1	·47	·32	·01	·29	·45	·01	29
30	·18	X	-	-	-	·01	·01	-		·22	·32	·03	30
31	-	X	-	X	-	X	-	·35	X	·75	X	·25	31
Total	3·83	4·95	·76	1.64	3.86	·25	4·28	1.88	2.23	2.96	3·15	8.11	YEAR'S TOTAL 37.9
Rain Days.	20	19	14	13	9	6	14	16	8	15	12	26	172

W. 8,000. X. 14.

2914

DL cnd per author

RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
15. JAN. 1917

Lat. 51° 3' Long. 0° 0'
Time of Observation 9 AM.
Nearest Railway Station Horsted Keynes 2 miles
Diameter of Funnel of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level 400 ft.

daily at 9 a.m. and the result entered to the
n to this almost universal rule, he is earnestly
y of the following year in the space provided
ons for the measurement of rain,
ulars as to the British Rainfall
rs," sent post-free on application to

Jan. 1, following.

Jan 12. 17

Dr H. R. Mill

Dear Sir,

I was seriously ill in Nov. & rather on the sick list before then & was not able to get rain-gauge records regularly kept. I am afraid they will not be much use to you. The total amounts per month I believe to be correct. 5/- p.o. enclosed

Yours truly

G. C. Price

								Aug.	Sept.	Oct.	Nov.	Dec.	Date.
									·05		·29		1
									·28	·5			2
									·15	·54	·71	·01	3
									·21				4
										·13	1.1		5
										·06			6
										·07	1.32	·03	7
												·65	8
												·06	9
										·01		·18	10
													11
										·17		·02	12
								·07	·06				13
14	-	·44	·08	·02		·05		·05		·07			14
15	-	·11	·14		·2							·21	15
16	·02	—	·2	·21				·09		1.13			16
17	·28	·17	·14	·07			·11	·1		·36			17
18	·01	·09							·56	·3			18
19	·25	—	[illegible]	·26		·09		·27					19
20	·11	—	·03	·1								1.25	20
21	·04	-	·65				·41				1.51		21
22	-	·01	·03							·03	·01	·16	22
23	·01	-	·04			·13		·01			·08	·01	23
24	=	·24	-	~~·08~~	·08			·01		·351	·07	·34	24
25	-	·73	·03					1.15		·13	·04		25
26	·04	·32	·18			·25		·04	·02	·27		·01	26
27	·03	·18	·80			·05		·04	·13	·43			27
28	-	·43	·12			·01		·05	·14	·08		·23	28
29	-	·18	·01					·59		·24			29
30	-	X		~~·22~~	·22			·08	·2	·21		·38	30
31	-	X		X		X		·05	X	·07	X		31
Total	1.98	4.68	4.38	1.45	2.37	2.24	1.56	2.60	1.80	4·85 4.95	5·13	3.54	YEAR'S TOTAL 36·58
Rain Days.	18	22	26	12 13	11	13 14	8	14	10 11	21			

W. 8,000. X. 15.

FORM A.
BRITISH RAINFALL.
15. JAN. 1917

REGISTER OF RAINFALL IN 1916

Kept at Birch Grove
in the County of Sussex
by J. C. Price

Lat. 51° 3' Long. 0° 0'
Time of Observation 9 AM.
Nearest Railway Station Horsted Keynes [illegible] miles
Diameter of Funnel of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·17	·01	–			·03	·28		·05		·29		1
2	·57	·11	·03		·66				·28	·5			2
3	·02	·54	·29				·06		·15	·54	·71	·01	3
4	·28	·07	·31	[illegible]					·21				4
5	·03	·04	·01	·07	·13	·8				·13	1.1		5
6	·02	·11	·11	·23	·09	·34	·35			·06			6
7	·03	·01	·71		·27					·07	1.32	·03	7
8	-	-	·01		·25	·06						·65	8
9	-	-	·01		·32		·17					·06	9
10	-	·31	·11 ?	·09	·01	·7				·01		·18	10
11	·04	·19	·01	·22		·06							11
12	·03	·12	·13	·07	·14	·2	·17			·17		·02	12
13	-	·27	·19	·06			·01	·07	·06				13
14	-	·44	·08	·02		·05		·05		·07			14
15	-	·11	·14		·2							·21	15
16	·02	–	·2	·21				·09		1.13			16
17	·28	·17	·14	·07			·11	·1		·36			17
18	·01	·09							·56	·3			18
19	·25	–		·26		·09		·27					19
20	·11	–	·03	·1								1.25	20
21	·04	–	·65				·41				1.51		21
22	-	·01	·03							·03	·01	·16	22
23	·01	-	·04			·13		·01			·08	·01	23
24	-	·24	-	~~·08~~	·08			·01		·351	·07	·34	24
25	-	·73	·03					1.15		·13	·04		25
26	·04	·32	·18			·25		·04	·02	·27		·01	26
27	·03	·18	·80			·05		·04	·13	·43			27
28	–	·43	·12			·01		·05	·14	·08		·23	28
29	–	·18	·01					·59		·24			29
30	-	╳		~~·22~~	·22			·08	·2	·21		·38	30
31	-	╳		╳		╳		·05	╳	·07	╳		31
Total	1.98	4.68	4.38	1.45	2.37	2.24	1.56	2.60	1·80	4·85 4·95	5·13	3.54	YEAR'S TOTAL 36·58
Rain Days.	18	22	26	12 13	11	13 14	8	14	10 11	21			

W. 8,000. X. 15.

565

FORM A.
BRITISH RAINFALL.

MAY 1918

REGISTER OF RAINFALL IN 1917

Kept at Birch Grove, East Grinstead
in the County of Sussex
by Miss G. C. Price

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01		-	·15				1.37	·15		·09	·01	1
2			-	·17				·15		·01	·09		2
3			-	·09			·20	·33		·19			3
4		·17	·17	-			·27	·44		·42			4
5	·28		·09	·24			·01	-	·41				5
6	·01		·14	·02		·33	-	·01	·4	·01	·09		6
7	·31		-	-			·03	-	·01	·32	·22		7
8	·07		-	·09			·35	·5	-	·35	·35		8
9			·05	·03			·28	·01	-	·01		·52	9
10	·23		·17	·07			·01	·21	-	-	·03		10
11	·16	·03	-	·42		·03	-	·23	-	·62	·02		11
12	·03	-	·04	·01	·01			·30	·03	·24	·01		12
13	·02	-	·18	-	·08			·03	·03	·20	·01	·01	13
14	-	-	·02	·14	·01			·07	·01	-		·09	14
15	·03	-		-	·01			·09	·02	·26			15
16	·05	·17		·21	·08			·01	-	·57		·86	16
17	-	·03		·14	·24		·51	·04	·36	·17			17
18	·04	·05		·08	·05			-	·27	·05			18
19	·07	·18	·17		·03	·05		·41	·21				19
20	·01	·16	·05		·54	·01		·01	·06		·02		20
21	—	—			·01	·01		-		·02			21
22		·01			-	·27	·01	·13		·18			22
23		·20			·28	·01		-		-			23
24		·10			-		·08	·03		·21	·07		24
25		·09	·1		·01	·08	·01	-		·02			25
26		-	·05		-	~~·08~~		·50			·85		26
27		-	·01		·03	·13		1.26	·05				27
28		·01	·06			·55		·50					28
29		✕	·01			·01	·26	·03		·76	·01	·35	29
30	·01	✕	·39			·02	·66	·38		·05		·05	30
31	·07	✕	·07	✕		✕	·26	·04	✕	·01	✕	·15	31
Total	1.40	1.20	1.77	1.86	1.38	1.50	2.94	7.68 7.08	2.01	4.07	1.86	2.04	YEAR'S TOTAL 29·71
Rain Days.	16	12	17	14	13	12	24	[illegible]	13	14	13	7	158

W. 8,000, VIII. 16

87

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1918

Kept at Birch Grove
in the County of Sussex
by Miss G. C. Price

Lat. 51° 3′ Long. 0° 0′
Time of Observation 9 A.M.
Nearest Railway Station Horsted Keynes
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 9 in.
" " " " Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-		·01	·04	-	-	·01	-	·01	·21	·08	1
2	-	·06		·06	-	-	-	·20	-	·01	·31	·30	2
3	-	-	·14	·60	·64	-	-	·01	-	·03	·27	·11	3
4	-	·14		·03	·02	-	-	·05	·11	-	·73	·02	4
5	-	·02		-	·03	-	-	·15	·01	·10	·01	·02	5
6	-	·25		·21	·21	-	-	·14	·04	·04	-	·05	6
7	·20	·15		·14	·07	·02	-	·13	·15	·05	·13	·02	7
8	·19			·01	·01	-	-	-	·27		-	·13	8
9	-	-		·08	-	·06	·05	-	·50	·30	·12	·37	9
10	-	-		·06	-	·09	·32	-	·47		·01	·26	10
11	-	-		-	-		·10	-	·14	·43	·07	·13	11
12	-	·10		-	·15	-		-	·07		-	nil	12
13	-	·03		-	·12	-	·39	-	·14		-	·02	13
14	·24	·		·01	-	·09	·16	-	·28	·06	-	·10	14
15	1.33	-		·34	·01	·18	·60	·02	·01	~~·30~~		·17	15
16	·33	-		·08	-		·03		·16	·30		-	16
17	-	-		·12	-	·50	·73	·03	·01	·02		·24	17
18	-	-		·01	-	·30	·05	-	-	-		·11	18
19	·11	-	·10	·03	-	·10	·06	-	-	·05		·02	19
20	·09	·17		1.02	-	·03	·43	·02		·06		-	20
21	·23	·01		·87	-	-	·21		·64	·11		·02	21
22	·15			·01	·25	-	·30		·63	·01		·18	22
23	·01			-	·05	-	·67	·04	·06	-		·03	23
24	-			·05	-	·05	·09	·	·35	-	·02	-	24
25	-	·14		·02	-	·02	·17	·24	-	·04	·05	-	25
26	-	·09		·02	-		1.15	·01	·04	·02	·13	·18	26
27	-		·02	·12	-		·16	·23	·06	-	·13	·07	27
28	-		·26	·01	-			·02	·01	-	·18	·01	28
29	-		·02	·03	-			-	·60	·03	·02	·02	29
30	-	X	1.50		·03				·08	·13	-	·09	30
31	-	X		X	-	X			X	·08	X	·46	31
Total	2.88	1.16	1.04	3.44	1.63	1.44	5.67	1.3	4.83	1.88	2.39	3.11	YEAR'S TOTAL 30.77
Rain Days.	10	11	6	24	13	11	19	15	25	22	15	26	197

W. 8,000, IX. 17.

527

FORM A.
BRITISH RAINFALL.
12 JAN 20

REGISTER OF RAINFALL IN 1919

~~W~~

Kept at Birch Grove
in the County of Sussex
by Mrs G. Price Davies

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Funnel of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.
·06

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·18	·05	·03	·01	·06	–	·07	–	–	·15	·03	·76	1
2	·41	–	·05	·01	·28	–	·02	·01	–	–	·01	·21	2
3	·24	·01	·41	–	·03	·02	·21	–	·28	·10	·02	·32	3
4	·01	·05	·53	–	–	–	·15	·03	·08	·01	·04	·08	4
5	·01	·28	·84	–	–	–	·02	·02	·04		·12	·53	5
6	·10	–	·09	–	–	–	·02	–		·01	–	·08	6
7	·11	–	·51	–	–	–	–	–	–		·02	·04	7
8	·39	–	·11	–	–	–	–	–	–		·08	–	8
9	·65	–	·11	·07	·09	–	–	–	–		·15	–	9
10	·38	–	·06	·05	·01	–	–	–	–		·05	·24	10
11	·15	–	·36	·34	·07	–	·27	–	–		–	·10	11
12	·22	–	·03	·02	·01	–	·13	–	–	·07	–	·01	12
13	·04	–	–	·35	–	–	·01	–	–		–	·08	13
14	·59	–	–	·44	–	–	·09	–	·03		–	·10	14
15	·24	·02	·05	·63	–	–	~~·07~~	–			–	·60	15
16	·21	·40	–	–	–	–	–	–			·05	·02	16
17	·01	·30	·04	–	–	–	–				·21	·09	17
18	–	·08	·06	–	–	–	–	·07			·10	·05	18
19	·03	·33	·63	–	–	·07	·23	·14			–	·01	19
20	·33	·08	·09	–	–	·73	·15	·23			–	·03	20
21	·10	·02	·04	–	–	·04	·04	·01			·04	·04	21
22	·01	·01	·03	–	–		·15	–	·50		·04	·19	22
23	–	–	–	–	–		·02	–	·25		–	·04	23
24	–	·03	–	·15	–	·01	·02	–	·01	·02	·14	·06	24
25	·04	–	–	·01	·02			·33	–		·14	·04	25
26	·85	·16	·11	·08	–			·06			·08	·44	26
27		·02	–	·67	–			·21			·12	·05	27
28	–	–	·25	·64	–			·72			–	·38	28
29	·06	×	·01	·02	–	·02		·42	·06	·15	–	·10	29
30	·01	×	·02	·21	–	·03		·67		·04	·46	·75	30
31	·12	×	·03	×	–	×			×	·02	×	·04	31
Total	5.49 ✓	1.84 ✓	4.49 ✓	2.50 ✓	·57 ✓	·92 ✓	1.60 ✓	~~8~~2.92 ✓	1.25 ✓	·56 ✓	1.90	5.45	YEAR'S TOTAL 29·49
Rain Days.	27 ✓	15 ✓	24 ✓	16 ✓	8 ✓	7 ✓	16 ✓	13 ✓	8 ✓	8 ✓	19 ✓	29	190

W. 8,000, IX. 17.

max daily fall 0.76 in on Dec 1

495

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920

Kept at Birch Grove

in the County of Sussex

by Miss G. Price-Davies

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft 9 in.

" " " " Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·06	·01	·01	–	·08	–	·35	–	–	·35		·35	1
2	·01	–	·15	·11	·02	–	–	·30	·08	·35			2
3	·01	–	–	–	–	–	·39	–	·02	·10		·05	3
4	–	·08	–	·15	–	–	·55	·18	·02	–		–	4
5	–	·01	·08	·02	·19	–	·54	·03	·03	·08		·03	5
6	–	–	·12	–		–		–	–	·01			6
7	~~·06~~	–	–	·10		–	~~·55~~	–	–	–			7
8	·06	–	–	·05	·08	–	·55	–	–	–			8
9	·25	·04	–	·03		–		–	–	–			9
10	·84	–	·13	·04	× ·06	–		–	–	–			10
11	·28	·17	–	·18	·02	–		–	–	–			11
12	·08	·05	·09	·25	–	·30		–	–	–	·01	–	12
13	·30	·04	·24	·02	–	–		–	–	–	·12	–	13
14	·01	·03	·47	·45	–	–			·11	·20	53	·08	14
15	·05	·02	·08	·24	–	·02		–	·97	·23		–	15
16	·01	–	·05	·02	–	–		–	·16	~~·25~~		–	16
17	·02	–	·01	·03	·29	·15	·54	–	1·89	~~·15~~		·17	17
18	·07	–		–	·08	~~·02~~	·29	·97	·50			·12	18
19	·14	–		–	–	·02		–	·06	~~·02~~	·02	·07	19
20	·10	·09		·57	–	·60		–				·05	20
21	–	–		·01	–	–	·65	–	1·46			–	21
22	·03	–		·31	–	–	–	–	·04			·57	22
23	·01	–		·61	–	–	·38	–	·01			·46	23
24	·02	–	·08	–	–	–	–	·01	·02			·14	24
25	–	–	·02	–	–	–	·23	–	–			·01	25
26	·04	–	·13	·04	–	·04	–	–	–	~~·01~~	·01	·07	26
27	[illegible]	·04	·02	·10	–	–	·05	–	–	~~·53~~	·53	·03	27
28	·56	–	·17	–	·13	–	·19	–	–		·10	·30	28
29	·75	[illegible]	·10	·05	·01	–	·01	–	–		·18	·30	29
30	·05	×	–	·01	–	·02	·10	–	·22		·45	·25	30
31	·03	×	·17	×	·01	×	–	–	×	·46	×	·47	31
Total	4·21	·60	2.12	2·79	1·04	1·15	4·82	1.49	4·09	1·78	1·95	3.52	Year's Total 29·56
Days with ·01 in. or more	[illegible]	12	18	22	13	7	15	5	~~15~~ 16	8 ~~10~~	9	19	169
	16	7	14	14	8	4	14	3	11	7	6	16	123

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

BISHOPSTONE

{POVERTY BOTTOM P.S.}

1911-20

FORM A2.
BRITISH RAINFALL.
9 - JAN 1912

REGI 19 11

Kept at Poverty Bottom ...
Bishop...

in the County of Sussex

by F. W. Laughlin –

top ... in.

above Ground ... ft.

Sea Level ... ft.

as before

...tion { Name

Distance ... Direction ...

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0·04	—	—	0·66	—	—	—	0·06	—	—	0·12	—	1
2	0·01	—	—	0·04	0·20	—	—	—	—	—	0·16	0·25	2
3	0·03	—	—	—	0·24	—	—	—	—	—	0·06	0·30	3
4	0·19	0·02	0·03	0·18	—	—	—	—	—	0·39	0·21	0·14	4
5	—	—	—	0·12	—	—	—	—	—	0·70	0·03	0·11	5
6	0·23	—	0·03	—	—	—	—	—	—	0·03	—	0·50	6
7	0·02	—	0·05	—	—	—	—	—	—	0·48	0·92	0·26	7
8	0·09	—	0·13	—	—	—	—	—	—	—	0·87	0·27	8
9	0·20	—	—	0·04	—	—	—	—	—	—	0·27	0·08	9
10	—	0·10	0·04	0·08	—	—	—	—	—	—	0·01	0·08	10
11	0·62	—	0·01	—	—	—	—	—	—	—	1·30	0·26	11
12	—	—	1·09	—	—	—	—	—	—	—	0·08	0·01	12
13	—	—	0·05	—	0·16	—	—	—	0·23	0·31	—	0·21	13
14	—	0·10	—	—	0·32	—	—	—	—	—	—	0·42	14
15	—	0·02	0·17	—	—	—	—	—	—	—	0·06	0·14	15
16	—	—	—	—	—	0·46	—	—	—	—	0·44	0·11	16
17	—	—	—	—	—	—	—	—	—	—	0·35	0·11	17
18	—	0·11	0·08	—	—	—	—	—	—	—	0·85	0·25	18
19	—	—	—	—	—	0·05	—	—	0·06	0·27	0·02	0·05	19
20	0·01	—	0·01	—	—	—	—	0·46	0·13	0·02	—	0·60	20
21	0·03	0·20	—	—	—	—	—	—	—	0·62	—	0·41	21
22	0·05	—	0·25	0·04	—	—	—	1·06	—	0·31	—	0·50	22
23	0·07	0·19	0·03	—	—	1·08	—	—	0·46	0·73	0·02	0·12	23
24	—	0·29	—	—	—	0·01	0·06	—	—	0·15	—	0·42	24
25	—	0·05	0·28	0·08	—	0·10	—	0·40	0·07	0·02	—	0·01	25
26	—	—	0·19	0·29	—	0·05	—	—	—	0·27	—	0·30	26
27	—	0·38	0·23	0·04	—	—	—	—	0·04	0·82	0·04	0·17	27
28	—	0·20	—	0·26	—	—	—	—	—	—	0·02	—	28
29	—	X	—	—	—	0·13	0·31	—	0·36	0·40	—	0·01	29
30	—	X	—	0·04	—	0·13	—	—	0·01	0·18	—	—	30
31	—	X	—	X	—	X	—	—	X	—	X	—	31
Total	1·59	1·66	2·67	1·87	0·92	2·01	0·37	1·98	1·36	5·70	5·83	6·09	TOTAL for year 32·03
No. of Rain Days.	13	11	16	12	4	8	2	4	8	16	19	27	140

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.
9 - JAN 1912

Kept at Poverty Bottom Waterworks
Bishopstone   4
in the County of Sussex
by F. W. Laughlin —

RAIN GAUGE
Pattern
Diameter of top .... in.
Height of top above Ground .... ft.
" " Sea Level .... ft.
Time of Observation
Nearest Railway Station
Name
Distance .... Direction

As before

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·04	—	—	0·66	—	—	—	0·06	—	—	0·12	—	1
2	0·01	—	—	0·04	0·20	—	—	—	—	—	0·16	0·25	2
3	0·03	—	—	—	0·24	—	—	—	—	—	0·06	0·30	3
4	0·19	0·02	0·03	0·18	—	—	—	—	—	0·39	0·21	0·14	4
5	—	—	—	0·12	—	—	—	—	—	0·70	0·03	0·11	5
6	0·23	—	0·03	—	—	—	—	—	—	0·03	—	0·50	6
7	0·02	—	0·05	—	—	—	—	—	—	0·48	0·92	0·26	7
8	0·09	—	0·13	—	—	—	—	—	—	—	0·87	0·27	8
9	0·20	—	—	0·04	—	—	—	—	—	—	0·27	0·08	9
10	—	0·10	0·04	0·08	—	—	—	—	—	—	0·01	0·08	10
11	0·62	—	0·01	—	—	—	—	—	—	—	1·30	0·26	11
12	—	—	1·09	—	—	—	—	—	—	—	0·08	0·01	12
13	—	—	0·05	—	0·16	—	—	—	0·23	0·31	—	0·21	13
14	—	0·10	—	—	0·32	—	—	—	—	—	—	0·42	14
15	—	0·02	0·17	—	—	—	—	—	—	—	0·06	0·14	15
16	—	—	—	—	—	0·46	—	—	—	—	0·44	0·11	16
17	—	—	—	—	—	—	—	—	—	—	0·35	0·11	17
18	—	0·11	0·08	—	—	—	—	—	—	—	0·85	0·25	18
19	—	—	—	—	—	0·05	—	—	0·06	0·27	0·02	0·05	19
20	0·01	—	0·01	—	—	—	—	0·46	0·13	0·02	—	0·60	20
21	0·03	0·20	—	—	—	—	—	—	—	0·62	—	0·41	21
22	0·05	—	0·25	0·04	—	—	—	1·06	—	0·31	—	0·50	22
23	0·07	0·19	0·03	—	—	1·08	—	—	0·46	0·73	0·02	0·12	23
24	—	0·29	—	—	—	0·01	0·06	—	—	0·15	—	0·42	24
25	—	0·05	0·28	0·08	—	0·10	—	0·40	0·07	0·02	—	0·01	25
26	—	—	0·19	0·29	—	0·05	—	—	—	0·27	—	0·30	26
27	—	0·38	0·23	0·04	—	—	—	—	0·04	0·82	0·04	0·17	27
28	—	0·20	—	0·26	—	—	—	—	—	—	0·02	—	28
29	—	X	—	—	—	0·13	0·31	—	0·36	0·40	—	0·01	29
30	—	X	—	0·04	—	0·13	—	—	0·01	0·18	—	—	30
31	—	X	—	X	—	X	—	—	X	—	X	—	31
Total	1·59	1·66	2·67	1·87	0·92	2·01	0·37	1·98	1·36	5·70	5·83	6·09	TOTAL for year 32·05
No. of Rain Days.	13	11	16	12	4	8	2	4	8	16	19	27	140

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1912

82 cod by own stats 5.11.13

FORM A. BRITISH RAINFALL.

7 JAN 1913

Kept at Noverty Bottom Waterworks
in the County of Sussex 4
by Newhaven & Seaford Water Company

Lat. ……… Long. ………
Time of Observation ………
Nearest Railway Station ………
Diameter of Rain Gauge ………
Height of top of Gauge above Ground ……… ft. ……… in.
" " " " Sea Level ……… ft.

no alteration in situation or pattern of gauge

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	–	0·01	0·03	–	0·10	0·06	–	0·04	0·71	–	0·21	1
2	–	0·07	0·14	–	–	0·03	0·16	–	–	–	–	–	2
3	0·02	–	0·04	–	–	0·13	0·02	0·06	0·02	–	0·02	–	3
4	0·22	–	0·51	–	–	0·32	–	0·09	–	–	0·15	–	4
5	0·26	0·24	0·07	–	–	0·52	–	0·08	–	–	0·11	–	5
6	0·62	0·10	–	–	0·04	–	–	0·57	–	–	–	0·02	6
7	–	–	–	–	0·31	0·59	–	0·15	–	–	–	0·04	7
8	0·71	0·20	0·15	–	–	–	0·02	0·37	–	–	–	0·04	8
9	–	0·07	0·02	0·02	–	–	0·12	0·21	–	–	–	0·04	9
10	–	0·02	0·03	–	–	–	–	0·19	–	–	0·04	0·42	10
11	0·04	0·35	–	–	–	0·05	–	0·14	–	–	–	0·20	11
12	–	0·13	–	–	–	0·05	–	0·69	–	–	–	–	12
13	–	0·01	0·02	–	–	–	0·13	0·05	–	–	0·06	0·24	13
14	–	–	–	–	0·05	–	–	0·05	–	0·07	–	0·02	14
15	–	0·11	0·07	–	0·17	0·65	–	0·03	–	–	–	0·28	15
16	0·10	0·01	0·23	–	0·03	0·11	–	0·25	–	0·09	0·02	–	16
17	0·25	–	0·24	–	–	0·15	–	0·08	–	–	0·02	0·10	17
18	0·06	–	0·43	–	–	–	0·01	0·21	–	0·03	–	0·26	18
19	0·04	0·17	0·34	–	–	0·02	0·03	0·46	–	–	0·01	–	19
20	0·01	0·02	0·43	–	–	–	0·02	0·03	–	1·06	0·05	–	20
21	–	0·14	0·14	–	0·03	–	0·02	0·37	–	0·41	0·07	–	21
22	0·06	0·38	0·03	–	–	–	–	0·32	–	0·05	–	0·02	22
23	0·28	0·22	0·33	–	–	–	–	0·40	–	0·15	0·16	0·04	23
24	0·01	0·04	–	–	–	–	–	0·20	–	0·03	–	0·22	24
25	0·28	–	–	–	–	0·32	–	0·92	–	0·11	0·39	0·50	25
26	–	0·06	–	–	–	–	0·02	0·05	–	0·24	0·12	0·30	26
27	–	–	–	–	–	–	–	–	–	0·24	0·16	0·55	27
28	–	0·09	–	–	–	–	0·15	0·14	0·07	0·54	0·32	0·14	28
29	–	0·01	–	0·01	–	0·01	0·10	0·06	1·20	0·10	0·07	–	29
30	–	X	0·02	–	0·62	0·24	–	0·08	1·15	0·30	–	–	30
31	–	X	–	X	–	X	0·17	0·33	X	–	X	–	31
Total	2·96	2·44	3·25	0·06	1·25	3·29	1·03	6·58	2·48	4·13	1·77	3·64	YEAR'S TOTAL 32·88
Rain Days.	15	20	19	3	7	16	14	28	5	15	16	19	176

W. 7,500, XI. '12

REGISTER OF RAINFALL IN 1913.

FORM A.
BRITISH RAINFALL.
17 JAN 1914

4 BL

4

Kept at Poverty Bottom Waterworks

in the County of Sussex

by Newhaven & Seaford Water Company

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station The same as before

Diameter of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·03	0·54	0·07	0·13	—	0·01	—	—	—	0·04	0·08	0·20	1
2	0·11	0·11	—	—	—	—	0·08	—	0·01	0·10	0·31	0·03	2
3	—	—	0·04	0·26	0·07	—	—	—	—	—	—	0·28	3
4	0·17	—	0·10	—	0·01	—	0·05	—	0·46	0·22	0·17	—	4
5	0·05	—	0·02	—	—	0·23	0·09	—	0·11	0·13	0·20	—	5
6	—	0·01	0·14	0·01	0·04	0·16	0·17	—	—	0·46	0·36	0·18	6
7	—	0·22	0·11	—	0·03	0·02	0·07	—	—	0·26	0·10	—	7
8	—	0·08	0·01	—	0·14	0·03	—	0·70	—	0·45	0·02	0·02	8
9	—	0·10	—	—	0·18	—	0·08	—	0·13	—	—	0·01	9
10	—	—	—	0·03	—	0·03	0·41	—	—	—	0·81	—	10
11	0·86	—	—	0·65	—	—	—	—	—	0·67	—	—	11
12	—	—	—	—	0·44	—	—	—	—	—	0·75	0·01	12
13	0·63	—	0·02	—	—	—	—	—	0·02	—	0·14	—	13
14	0·24	—	0·10	0·05	—	—	0·42	0·04	0·42	0·04	0·15	—	14
15	0·21	—	0·40	0·40	—	—	0·32	—	0·07	—	—	0·01	15
16	0·21	—	0·75	0·14	—	—	—	—	0·16	—	0·01	—	16
17	0·10	0·05	0·04	0·09	—	—	0·17	—	—	—	0·02	0·05	17
18	—	—	0·04	0·11	—	—	0·03	—	0·01	—	0·10	—	18
19	0·22	—	0·08	—	0·17	—	0·12	—	0·36	—	—	—	19
20	0·29	—	0·03	0·10	—	0·21	—	—	—	0·47	—	—	20
21	—	—	0·01	0·30	—	—	—	—	—	0·65	0·67	—	21
22	0·36	—	0·22	—	—	—	—	—	0·06	—	0·01	—	22
23	—	—	0·01	—	—	—	0·01	0·04	—	—	—	0·90	23
24	0·10	—	—	0·02	—	—	—	—	—	—	0·05	—	24
25	—	—	—	0·17	—	—	—	—	—	—	—	—	25
26	—	0·01	0·09	—	—	—	—	0·15	—	1·09	0·01	0·26	26
27	—	—	0·16	—	—	—	—	—	—	0·06	—	—	27
28	0·10	—	0·21	0·12	—	—	—	0·30	—	0·16	—	—	28
29	0·14	×	0·05	0·31	0·07	—	—	0·07	—	0·02	0·01	—	29
30	0·57	×	—	0·24	—	—	—	0·35	—	0·08	—	—	30
31	—	×	0·07	×	—	×	—	1·46	×	0·09	×	—	31
Total	4·39	1·12	2·77	3·13	1·15	0·69	2·02	3·11	1·81	4·99	3·97	1·95	YEAR'S TOTAL 31·10
Rain Days.	17	8	23	17	9	7	13	8	11	17	19	11	160

W.7,000, XI. 13

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
25 JAN 19

Kept at Poverty Bottom Waterworks, Nr Lewes
in the County of Sussex 4
by The Newhaven & Seaford Water Coy.

Lat. 50°. 48′-1″ Long. 0°. 4′. 55″
Time of Observation 9 AM
Nearest Railway Station Newhaven Town 6170 feet
Diameter of Rain Gauge eight inches
Height of top of Gauge above Ground ~~One~~ ft. ~~One~~ in. 1.12 feet
" " " " Sea Level 51·04 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	—	0·04	—	—	0·17	—	—	—	0·11	0·05	1
2	0·01	—	—	—	—	0·04	0·25	—	—	—	0·07	0·28	2
3	—	—	0·16	—	0·22	—	0·02	—	—	—	—	0·03	3
4	—	—	—	0·28	—	—	—	0·06	—	—	0·28	0·33	4
5	0·11	—	0·18	0·34	—	—	0·21	—	—	—	—	—	5
6	—	0·04	—	0·08	—	0·07	—	0·03	—	—	—	0·44	6
7	0·07	0·34	0·17	0·03	0·04	0·26	0·16	—	—	—	—	0·31	7
8	0·10	0·30	0·36	—	0·03	0·07	0·12	0·01	—	—	—	0·12	8
9	0·11	—	0·46	0·04	—	—	—	—	0·11	—	—	1·20	9
10	0·06	0·07	—	0·11	0·16	—	—	—	0·08	—	—	0·08	10
11	—	0·29	0·41	0·05	—	—	—	—	0·23	—	0·05	0·36	11
12	—	0·02	0·14	—	—	0·04	0·38	—	0·37	—	—	0·68	12
13	—	0·40	0·21	—	—	0·10	—	—	0·22	0·02	0·10	0·36	13
14	0·01	0·12	0·18	—	—	—	—	0·01	0·01	0·50	0·22	0·51	14
15	—	0·06	0·32	—	—	—	—	0·18	0·15	0·01	0·46	—	15
16	—	0·42	—	—	—	—	0·06	—	0·13	—	—	—	16
17	—	0·46	0·12	—	—	—	—	—	0·10	—	—	0·16	17
18	—	0·04	0·19	—	—	—	—	—	—	0·01	0·33	0·48	18
19	—	0·23	1·06	—	—	—	0·23	—	—	0·02	—	0·32	19
20	—	0·11	0·09	—	—	0·04	—	—	—	0·01	—	0·32	20
21	—	0·59	0·04	—	—	—	—	—	—	0·04	—	0·08	21
22	—	0·06	0·03	—	0·07	1·08	0·12	0·01	—	0·48	—	—	22
23	—	—	0·45	—	—	0·15	0·12	—	—	0·01	—	—	23
24	—	—	0·09	0·01	0·01	—	—	—	—	0·04	0·15	—	24
25	0·11	—	0·01	—	—	—	—	0·13	—	0·29	0·02	—	25
26	—	—	0·02	—	—	—	—	0·22	—	0·11	0·14	0·52	26
27	—	—	—	—	—	—	—	—	—	—	0·08	0·45	27
28	0·05	0·01	—	—	0·01	—	0·21	—	—	0·54	0·68	0·42	28
29	0·16	×	0·02	—	—	—	—	—	—	0·54	0·07	0·01	29
30	—	×	0·10	0·04	—	—	—	—	—	0·10	1·58	0·23	30
31	0·02	×	—	×	0·20	×		—	×	—	×	0·13	31
Total	0·81	3·56	4·81	1·02	0·74	1·85	2·05	0·65	1·40	2·72	4·34	7·87	YEAR'S TOTAL 31·82
Rain Days.	11	17	22	10	8	9	12	8	9	15	15	24	160

W. 8,000. X. 14.

CK MK

582

FORM A.
BRITISH RAINFALL.

19 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Poverty Bottom Waterworks

in the County of Sussex 4

by Newhaven & Seaford Water Co.

Lat. 50° 48'1" Long. 0° 4'55"

Time of Observation 9 a.m.

Nearest Railway Station Newhaven Town

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1.12 ft. in.

" " " " Sea Level 51.04 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.48	0.25	0.05	—	—	—	—	—	0.64	—	0.25	0.26	1
2	0.65	0.15	0.27	0.15	0.02	—	—	0.02	—	0.13	—	0.20	2
3	0.16	—	0.06	0.31	0.18	—	—	0.02	0.03	—	—	0.46	3
4	0.04	—	0.01	0.05	—	—	—	0.01	—	—	—	0.30	4
5	0.11	0.39	—	0.05	—	0.01	—	—	—	—	—	0.48	5
6	0.81	0.29	0.05	0.41	—	—	0.24	0.18	—	—	—	0.08	6
7	0.41	0.30	0.03	0.02	—	—	0.01	—	—	—	—	0.31	7
8	0.04	0.25	0.03	—	—	0.0	0.39	—		—	0.06	0.06	8
9	0.04	0.10	—	0.27	—	0.18	—	0.01	—	—	0.58	0.92	9
10	0.35	—	—	—	—	—	—	—	—	—	—	0.68	10
11	—	0.03	0.03	—	—	—	—	—	—	—	0.87	0.05	11
12	0.04	0.22	—	0.35	0.33	—	—	—	—	—	1.11	—	12
13	0.01	0.85	—	—	1.59	—	—	—	—	0.02	—	—	13
14	0.07	—	—	—	—	—	0.50	0.19	0.11	—	—	0.52	14
15	0.19	—	—	—	0.11	—	0.14	0.12	—	—	0.20	0.34	15
16	—	0.53	—	0.04	0.11	—	1.17	0.07	—	—	—	—	16
17	—	0.35	—	—	1.13	—	0.04	—	—	—	—	0.20	17
18	—	0.13	—	—	0.16	—	—	—	—	—	0.05	0.02	18
19	—	0.05	—	—	—	—	—	—	—	—	—	—	19
20	0.28	0.01	—	0.01	0.43	—	—	—	—	—	—	0.10	20
21	0.12	0.05	—	—	—	—	—	—	—	0.70	—	0.03	21
22	0.05	—	0.05	0.01	—	—	0.98	—		—	—	0.20	22
23	0.02	0.07	0.13	—	—	—	—	—	0.02	0.15	—	1.11	23
24	—	—	—	—	—	—	—	—	0.30	1.03	—	0.25	24
25	—	—	0.03	0.03	—	—	0.29	—	—		—	0.26	25
26	0.01	0.06	—	—	—	0.05	—	—	—	—	—	0.65	26
27	—	0.01	—	—	—	0.40	0.08	—	—	0.42	—	0.03	27
28	—	0.05	—	—	—	0.18	—	—	0.90	0.43	0.02	—	28
29	—	X	—	—	0.08	0.03	—	0.16	—	0.15	0.41	0.03	29
30	0.32	X	—	—	—	—	—	—	—	—	0.11	0.04	30
31	0.02	X	—	X	—	X	—	0.05	X	0.58	X	0.32	31
Total	4.22	4.14	0.74	1.70	4.14	0.85	3.84	0.83	2.00	3.61	3.66	7.90	YEAR'S TOTAL 37.63
Rain Days.	21	20	11	12	10	~~7~~ 6	10	10	6	9	10	26	~~152~~ 151

W. 8,000. X. 15.

FORM A.
BRITISH RAINFALL.

9 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Poverty Bottom Pumping Station (Denton)

in the County of Sussex

by Mr. F. W. Laughlin

Lat. Long.

Time of Observation The same as before

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·03	0·01	—	—	0·09	0·05	—	—	0·04	0·03	0·54	—	1
2	0·35	0·04	0·40	—	0·34	—	—	—	—	0·76	0·02	—	2
3	—	0·17	0·16	—	—	—	—	—	0·04	0·32	0·52	—	3
4	0·15	0·21	0·01	—	—	0·36	—	—	0·22	0·05	0·42	—	4
5	0·03	—	—	0·03	0·11	0·11	—	—	—	0·04	0·39	—	5
6	—	0·06	0·07	0·15	0·04	0·06	0·44	—	—	0·11	0·31	—	6
7	—	0·01	0·61	—	0·28	—	—	—	—	0·13	0·14	0·03	7
8	0·01	—	—	—	0·31	—	—	—	—	—	—	0·43	8
9	—	—	—	—	0·21	—	—	—	—	—	—	0·14	9
10	—	0·53	—	0·06	0·01	0·20	0·06	—	—	—	0·01	0·35	10
11	0·03	0·22	0·04	0·20	—	0·20	—	—	—	—	—	0·26	11
12	0·07	0·06	0·29	0·07	0·08	0·14	0·09	—	—	0·13	—	—	12
13	—	0·15	0·09	0·01	0·03	0·03	—	0·17	0·06	0·01	0·01	0·08	13
14	—	0·45	0·17	—	0·21	—	—	0·12	—	0·02	—	0·24	14
15	—	0·42	0·06	—	—	—	—	—	—	—	—	—	15
16	—	0·02	0·23	0·31	—	—	0·09	0·12	—	—	—	—	16
17	0·46	0·17	—	0·07	—	—	0·01	0·04	0·41	0·68	0·01	—	17
18	0·03	0·07	—	0·01	—	—	—	0·14	0·19	0·21	0·77	0·11	18
19	0·16	—	0·10	0·27	—	—	—	0·05	0·04	—	0·70	0·15	19
20	0·07	—	0·15	0·04	—	0·04	—	—	—	—	0·14	0·51	20
21	0·05	—	0·25	0·02	—	—	0·12	—	—	—	0·11	0·40	21
22	—	0·08	0·08	—	—	0·02	—	—	—	0·03	0·01	0·56	22
23	0·02	0·20	0·05	—	—	0·09	0·02	0·05	—	0·29	0·05	0·01	23
24	—	—	0·04	—	—	—	—	—	—	0·35	0·13	0·41	24
25	—	0·65	0·06	—	0·10	0·01	—	0·97	—	0·11	0·11	—	25
26	0·01	1·00	—	—	—	0·07	—	—	0·04	0·16	—	0·11	26
27	—	0·08	0·74	—	—	0·06	—	0·08	0·08	0·53	—	—	27
28	—	0·62	0·07	—	—	·25 [illegible]	—	0·13	0·28	0·46	—	0·33	28
29	—	0·20	-	—	0·01	0·43	—	0·37	0·07	0·48	—	0·48	29
30	—	X	-	—	—	—	—	0·07	—	0·24	—	—	30
31	—	X	-	X	—	X	—	—	X	0·28	X	0·01	31
Total	1·47	5·42	3·67	1·24	1·82	2·12	0·83	2·31	1·47	5·42	4·39	4·61	YEAR'S TOTAL 34·77
Rain Days.	14	22	20	12	13	16	7	12	11	22	18	18	185

W. 8,000, VIII. 16

✓ 5243

REGISTER OF RAINFALL IN 1917

BRITISH RAINFALL
JAN 191

Kept at Poverty Bottom Waterwork, Bishopstone
in the County of Sussex
by Mr F. W. Laughlin

Lat. 50° 48' 1" Long. 0° 4' 55"
Time of Observation 9 a.m
Nearest Railway Station Newhaven Town
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 12 in.
" " " " Sea Level 51·04 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	–	–	0·13	–	–	–	2·04	0·11	–	0·14	0·01	1
2	–	–	–	0·08	–	–	–	0·08	–	–	0·15	–	2
3	–	–	–	0·06	–	–	0·75	0·12	–	0·08	0·02	–	3
4	–	0·11	0·31	–	–	–	0·03	0·57	–	0·21	–	–	4
5	0·45	–	0·02	–	–	0·04	–	–	0·17	0·26	0·03	–	5
6	–	–	0·28	0·28	–	1·22	–	–	0·07	–	0·13	0·02	6
7	0·41	–	–	–	–	–	0·17	–	–	0·31	–	0·09	7
8	0·06	–	–	0·09	–	0·03	0·11	0·03	–	0·33	0·30	0·28	8
9	0·02	–	0·13	–	–	–	0·02	–	–	0·02	0·02	0·73	9
10	0·14	–	0·04	0·02	–	0·79	–	0·11	–	–	–	–	10
11	0·18	–	0·16	0·06	–	–	–	0·05	–	0·40	–	–	11
12	0·01	–	0·02	0·04	–	–	–	0·15	–	0·34	–	–	12
13	0·02	–	0·20	–	0·02	–	–	0·03	0·03	0·35	–	0·01	13
14	–	–	–	0·31	–	–	–	0·12	–	0·04	–	–	14
15	–	–	–	–	–	–	–	0·02	–	0·10	–	–	15
16	0·04	0·16	–	0·07	0·22	–	–	–	–	0·07	–	1·39	16
17	–	–	–	0·13	0·06	–	0·30	–	0·31	0·27	–	–	17
18	0·02	0·03	–	0·06	0·08	–	0·23	0·06	0·19	–	–	–	18
19	–	0·28	0·08	–	–	0·20	–	–	0·12	–	–	–	19
20	–	0·17	0·03	–	0·36	0·01	–	–	–	–	–	–	20
21	–	0·01	0·02	–	0·01	–	0·08	–	–	–	0·01	0·06	21
22	0·02	–	0·08	–	–	0·33	–	0·09	–	0·37	–	–	22
23	–	0·24	–	–	0·26	–	–	0·07	–	–	–	0·04	23
24	–	–	–	–	–	–	0·20	0·03	–	0·25	0·02	0·03	24
25	–	0·21	–	–	–	0·04	0·02	–	–	–	–	–	25
26	–	–	0·06	–	–	–	–	1·16	0·07	–	0·85	–	26
27	–	–	–	–	0·04	0·07	–	0·90	–	–	–	–	27
28	–	–	0·06	–	–	1·58	0·10	0·47	–	–	–	0·04	28
29	–	~~[illegible]~~	·06 ~~[illegible]~~	–	–	–	0·05	0·06	–	0·40	–	0·11	29
30	0·01	X	0·13	–	–	–	0·53	0·35	–	0·18	–	0·03	30
31	–	X	0·03	X	–	X	0·30	–	X	0·04	X	0·08	31
Total	1·38	1·21 ~~2·42~~	1·61	1.33	1·05 ~~[illegible]~~	4·31	2·89	6·51	1·07	4·07	1·67	2·92	YEAR'S TOTAL 30·02
Rain Days	12	8	17	12	8	10	14	20	8	18	10	14 ~~15~~	~~152~~ 151

W. 8,000, IX. 17.

3·22

Exd. E.F.E.

68

FORM A. BRITISH RAINFALL.

10 I. 19

REGISTER OF RAINFALL IN 1918.

Kept at Poverty Bottom Waterworks
in the County of Sussex
by F. W. Laughlen.

Lat. 50° 48′ 1″ Long. 0° 4′ 55″
Time of Observation 9. A. M.
Nearest Railway Station Newhaven Town
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1.12 ft. in.
" " " " Sea Level 51.04 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1	—	—	0·01	—	—	—	—	0·08	—	—	0·07	0·14	1
2	—	0·01	—	—	—	—	—	0·34	—	—	0·61	0·22	2
3	—	—	0·09	·03	0·55	—	—	0·01	—	—	0·22	0·03	3
4	—	0·04	0·02	0·01	—	—	—	0·06	0·03	—	0·57	—	4
5	—	0·19	—	—	0·04	—	—	0·09	—	0·02	—	0·30	5
6	0·30	·14	—	0·15	0·36	—	—	0·54	—	—	0·02	0·05	6
7	—	0·06	—	0·05	0·10	—	—	0·04	0·34	0·06	0·05	—	7
8	—	—	—	—	—	—	—	—	0·13	—	0·12	0·16	8
9	0·02	—	—	0·06	—	0·14	—	—	0·48	0·28	—	0·18	9
10	—	—	—	0·03	—	0·06	0·15	—	0·39	0·11	—	0·20	10
11	—	0·01	—	0·01	—	—	0·01	—	0·22	0·76	0·09	0·10	11
12	—	0·10	—	—	0·20	—	—	—	0·15	0·03	—	—	12
13	0·21	—	—	—	0·07	—	0·24	—	0·30	—	—	0·01	13
14	0·11	—	0·09	—	—	0·06	0·16	—	0·50	0·27	—	0·08	14
15	1·12	—	—	0·09	—	—	—	—	—	—	—	0·21	15
16	0·33	—	—	0·11	—	—	0·01	—	0·03	—	—	—	16
17	0·29	—	—	0·09	—	0·04	0·95	—	—	—	—	0·26	17
18	0·20	—	—	—	—	0·27	—	—	0·22	0·16	—	0·05	18
19	0·05	—	0·18	0·02	—	0·08	—	—	—	0·08	—	—	19
20	0·01	0·13	—	1·02	—	0·09	1·00	—	0·23	0·23	—	—	20
21	0·17	—	—	0·80	—	—	—	—	0·32	0·11	—	0.03	21
22	0·13	—	—	—	0·10	—	0·78	—	0·49	—	—	0·22	22
23	0·08	—	—	—	—	—	0·46	0·04	0·02	—	—	—	23
24	—	0·22	—	—	—	—	0·01	—	0·27	—	0·05	0.02	24
25	—	—	—	—	—	—	—	0·33	—	0·02	—	—	25
26	0·01	—	—	0·06	—	—	0·08	—	07	0·01	0·13	0·19	26
27	—	0·05	—	0·05	—	—	0·16	0·20	0·35	—	0·10	0·08	27
28	—	0·01	0·36	0·03	0·06	—	—	—	—	0·02	0·20	0·02	28
29	—	X	—	—	—	—	—	—	1·06	—	0·03	—	29
30	0·01	X	0·54	—	—	—	—	—	0·02	0·18	—	0·18	30
31	—	X	—	X	—	X	—	—	X	0·10	X	—	31
Total	3.04	0.96	1.29	2.61	1.48	0.77	4.01	1.73	5.62	2.44	2.26	2.73	YEAR'S TOTAL 28.94
Rain Days	~~15~~	~~11~~	~~7~~	~~16~~	~~8~~	~~9~~	~~12~~	~~10~~	~~20~~	~~16~~	~~13~~	~~21~~	~~157~~

W. 6,500, VII. 18. W W C

570

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

14 JAN 20

Kept at Poverty Bottom Waterworks

in the County of Sussex

by Newhaven & Seaford Water Company

Lat. 50° 48' 1" Long. 0° 6' 55"

Time of Observation 9 a.m.

Nearest Railway Station Newhaven Town

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1.12 ft. — in.

" " " " Sea Level 50.06 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·08	0·02			0·02					0·10	0·02	0·77	1
2	0·21		0·02				0·07		0·01	0·01	0·14	0·15	2
3	0·42		0.55		0·09				0·33		0·03	0·27	3
4	0·38	0·07	0·34			0·01	0·05	0·12	0·01		0·06	0·07	4
5		0·41	0·78								0·09	0·48	5
6	0·18		0·05									0·05	6
7	0·12		0·40										7
8	0·21		0·10										8
9	0·39		0·09		0·16						0·29		9
10	0·71		0·13	0·03								0·18	10
11	0·48		0·13	0·58	0·08		0·05					0·20	11
12	0·09		0·01				0·07			0·17	0·04		12
13				0·20								0·04	13
14	0·44			0·29			0·05		·15			0·18	14
15	0·17	0·01		0·04								0·54	15
16	0·23	0·62									0·12		16
17		0·25	0·04	0·02							0·15	0·05	17
18			0·03					0·03	0·01		0·11	0·02	18
19	0·05	0·39	0·90			0·06	0·50	0·22			0·17	0·01	19
20	0·50	0·05	0·18			0·35	0·13	0·13				0·02	20
21	0·12	0·46	0·01				0·06				0·02	0·06	21
22	[illegible]	0·03					0·20		0·45		0·02	0·32	22
23							0·01		0·44		0·03	0·01	23
24		0·09		0·17			0·01	0·03	0·02	0·10	0·31	0·15	24
25	0·08							0·13			0·25	0·03	25
26	0·05	0·23	0·13	0·01					0·04			0·43	26
27	0·60		0·01	0·75				0·39			0·70	0·02	27
28			0·35	0·05				1·03			0·59	0·52	28
29	0·04	✕						0·54		0·10	0·11	0·17	29
30		✕						0·40		0·04	0·18	0·40	30
31	0·10	✕		✕		✕			✕	0·09	✕	0·07	31
Total	5·65 ~~[illegible]~~	2·63	4·25	2·14	0·35	0·42	1·20	3·02	1·46	0·61	3·43	5·21	Year's Total 30·37
Days with ·01 in. or more	22	12	19	10	4	3	11	10	9	7	20	26	153

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

482

8 JAN 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Poverty Pumping Works.
in the County of Sussex.
by F. W. Laughlin

Lat. 50° 48′ 1″ Long. 0° 4′ 55″
Time of Observation 9 A.M.
Nearest Railway Station Newhaven Town
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1·12 ft. ~~in.~~
" " " " Sea Level 51·04 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·14			0·04	0·08		0·14			0·77		0·30	1
2			0·25	0·04	0·04			0·62	0·13	0·11		0·06	2
3										0·03		0·05	3
4		0·11		0·08			1·88	0·07				0·05	4
5			0·02				0·30	0·22	0·05			0·03	5
6			0·31	0·01	0·31		0·33						6
7	0·05			0·11	0·02		0·06			0·06			7
8				0·16	0·04		0·39				0·01		8
9	27 ~~away~~	0·01				0·02							9
10	1·02	0·13	0·08	0·18		0·10	0·13					0·07	10
11	0·38	0·01	0·15	0·23	0·05		0·20						11
12	0·08		0·03	0·13		0·47							12
13	0·30	0·08	0·27						0·01		0·08		13
14			0·41	0·40		0·01			0·01	0·11	0·33		14
15	0·13		0·02						1·00	0·26	0·20		15
16	0·01		0·07	0·01		0·01			0·47			0·03	16
17	0·09			0·02	0·30				1·15			0·04	17
18	0·06				0·04			0·83	0·14			0·07	18
19	0·05			0·13					0·02			0·08	19
20	0·12	0·11		0·10		0·90			0·30				20
21				0·03			0·32		0·19			0·55	21
22				0·45								0·41	22
23							0·41	0·07				0·64	23
24			0·06									0·12	24
25					0·02		0·15						25
26	0·07		0·18	0·10			0·01				0·02		26
27	0·29			0·18	0·01	0·14	0·05				0·33	0·30	27
28	0·23		0·20	0·11	0·42		0·14				0·14	0·06	28
29	0·49	0·02	0·02	0·13							0·28	0·10	29
30	0·02		0·02				0·05		0·43		0·26	0·28	30
31			0·08							0·59		0·29	31
TOTAL	3·80	0·47	2·17	2·60	1·33	1·65	4·56	1·81	3·90	1·93	1·65	3·53	YEAR'S TOTAL 29·40
Days with ·01 in. or more	~~2~~ 18	~~3~~ 7	~~5~~	~~4~~ 19	~~3~~ 11	~~3~~ 7	~~1~~ 15	5	~~3~~ 12	~~1~~ 7	~~2~~ 9	~~2~~ 19	[illegible]
Days with ·04 in. or more	16	4	11	15	8	4	14	5	9	6	7	17	116.

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

R

BODIAM

STH PARK

SUSSEX

1911- 12

FORM A2.
BRITISH RAINFALL.
2 - JAN 1912

Kept at South Pa

in the County of Su

by L. M. Jack

…/2 in.

Ground 1 ft. 1 in.

Sea Level 208 ft.

M. 5.9.30

Name Bodiam

Distance 2 Direction East

IMPORTANT NO … the result entered to the previous day. If an O … ersal rule, he is earnestly requested to add the re… ear in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.10			.81				.15			.08	.01	1
2			.04	.03	.33						.16	.27	2
3	.10	.02			.13						.09	.30	3
4	.20	.02	.03	.20		.20				.20	.29	.16	4
5	.08	.02		.06						.41	.03	.07	5
6	.22									.15		.48	6
7	.05									.87	.70	.33	7
8	.05		.09							.01	.81	.13	8
9	.13		.07	.03							.40	.06	9
10		.13	.05	.13	.82					.02	.03	.46	10
11	.59		.02								1.08		11
12	.05		.82							.02	.06		12
13			.03						.65	.09	.01	.20	13
14		.09		~~.05~~	.05							.37	14
15		.02	.26							.01	.15	.05	15
16						.40				.01	.47	.12	16
17										.01	.31	.15	17
18		.15	.06								.82	.38	18
19						.02			.07	.22	.12	.10	19
20	.02							.90	.11	.10		.59	20
21	.03	.12						.05		.57		.20	21
22	.03	.06	.43			.09		.26		.55		.56	22
23		.21				1.			.24	.43	.07	.10	23
24		.10				.12	.06	.02		.41		.46	24
25		.03	.36	.08		.08		.07	.07	.04			25
26			.28	.25	.01	.08				.26	.20	.21	26
27		.24	.11	.10					.06	.45	.03	.05	27
28		.33	.1	.20						.01			28
29				.01		.13	.37	.06	.21	.42		.01	29
30				.04		.02		.73	.02	.34	.02		30
31										.01		.01	31
Total	1.65	1.54	2.66	1.94 1.96	.54	2.14	.43	2.24	1.43	5.61	5.93	5.83	31.94 TOTAL for year 31.96
No. of Rain Days.	13	14	15	12	5	10	2	8	8	24	21	26	158

W. 8,000, X. '11.

/

R

FORM A2.
BRITISH RAINFALL.

2 - JAN 1912

Kept at South Park Bodiam

in the County of Sussex 6

by L. M. Jackson Esq

RAIN GAUGE
Pattern
Diameter of top 5½ in.
Height of top above Ground 1 ft. 1 in.
" " " Sea Level 208 ft.

Time of Observation 9 a.m. to 9.30

Nearest Railway Station
Name Bodiam
Distance 2 Direction East

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.10			.81				.15			.08	.01	1
2			.04	.03	.33						.16	.27	2
3	.10	.02			.13						.09	.30	3
4	.20	.02	.03	.20		.20				.20	.29	.16	4
5	.08	.02		.06						.41	.03	.07	5
6	.22									.15		.48	6
7	.05									.87	.70	.33	7
8	.05		.09							.01	.81	.13	8
9	.13		.07	.03							.40	.06	9
10		.13	.05	.13	.82					.02	.03	.46	10
11	.59		.02								1.08		11
12	.05		.82							.02	.06		12
13			.03						.65	.09	.01	.20	13
14		.09		~~.05~~	.05							.37	14
15		.02	.26							.01	.15	.05	15
16						.40				.01	.47	.12	16
17										.01	.31	.15	17
18		.15	.06								.82	.38	18
19						.02			.07	.22	.12	.10	19
20	.02							.90	.11	.10		.59	20
21	.03	.12						.05		.57		.20	21
22	.03	.06	.43			.09		.26		.55		.56	22
23		.21				1.			.24	.43	.07	.10	23
24		.10				.12	.06	.02		.41		.46	24
25		.03	.36	.08		.08		.07	.07	.04			25
26			.28	.25	.01	.08				.26	.20	.21	26
27		.24	.11	.10					.06	.45	.03	.05	27
28		.33	.1	.20						.01			28
29				.01		.13	.37	.06	.21	.42		:01	29
30				.04		.02		.73	.02	.34	.02		30
31										.01		.01	31
Total	1.65	1.54	2.66	1·94 1.94	.54	2.14	.43	2.24	1.43	5.61	5.93	5.83	31.94 TOTAL for year 31.94
No. of Rain Days.	13	14	15	12	5	10	2	8	8	24	21	26	158

W. 8,000, X. '11.

W DL cor^d for arith 6.11.13

FORM A2.
BRITISH RAINFALL.

4 - JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at South Park Bodiam

in the County of Sussex 6

by [illegible] Jackson

RAIN GAUGE
Pattern
Diameter of top 5½ in.
Height of top above Ground 1 ft. 1 in.
" " " Sea Level 208 ft.

Time of Observation 9.30

Nearest Railway Station
Name ~~Lt. Jackson~~ Bodiam
Distance 2 miles Direction S.E.

9.30

IMPORTANT NOTE.—Rain should be measured daily at 9 ~~a.m.,~~ and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.01		.08	.01		.22	.34		.09	.62		.26	1
2		.17	.15	.01		.03	.13		.02	.01			2
3	.06		.03			.37	.12	.24	.02		.03	.02	3
4	.35	.02	.75		.02	.59		.20			.26		4
5	.18	.14	.16			.83	.19	.24			.11	.01	5
6	.41	.12	.01			.02	.04	1.41			.01	.04	6
7					.18	.85		.37				.19	7
8	.37	.26	.27			.08	.04	.22			.02	.61	8
9	.14	.03		.06		.07	.09	.17			.01	.11	9
10		.06	.02			~~.02~~		.31	.02		.08	.36	10
11	.03	.27				.02			.04	.02		.24	11
12		.25	.03			.04		.67			.02	.07	12
13		.03	.04				.03	.01			.26	.09	13
14			.03					.06		.03	.02	.03	14
15		.01	.11		.18	.63		.02			.02	.27	15
16	.10		.22		.12	.03		.13		.06	.01	.61	16
17	.34		.44			.03		.05			.05	.17	17
18	.05		.34					.48		.06		.42	18
19	.04	.23	.28				.18	.31		.01		.01	19
20	.04	.02	.75					.16		1.02	.06	.01	20
21	.02	.09	.20		.03			.17		.44	.11		21
22	.05	.56	.17		.06		.05	.16		.02		.01	22
23	.53	.06	.30					.37	.02	.19	.17	.04	23
24	.04	.20						.12		.01	.01	.61 }	24
25	.15		.01					.77		.01	.38		25
26	.01							.23		.30	.59	.45	26
27		.07					.25	~~.10~~		.22		.40	27
28		.05					.12	.10		.61	.41	.25	28
29		.01		.02			.08	.27	.85	.25	.05	.01	29
30					.07		.01	.23	1.48	.36	.01	.01	30
31			.02		.02		.26	.13				.01	31
Total	2.92 2.92	2.65 2.65	4.75 4.41	.10	.68	3.31	1.93	7.47	2.57	4.24	2.69 2.69	4.11	TOTAL for year 37.05 37.05
No. of Rain Days.	19	20	22	4	8	14	15	27	8	18	22	28	203

W. 8,000, X. '11.

BOGNOR
{"DALKEITH"}
SUSSEX
1912-20

Snowden

FORM A2.
BRITISH RAINFALL.

6 - JAN 1913

REGIS 912

Snowden

Kept at Dalkeith op 8 in.

above Ground 1 ft. 0 in.

in the County of Sussex „ Sea Level 21 ft.

9. a. m. ent. to previous day

by H. L. F. Guerma on { Name Bognor

Distance 1/2 mile Direction N. W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	·025	—	·020	·265	·298	·011	·009	·718	—	·218	1
2	—	—	·375	·005	—	·012	·232	—	—	—	·010	—	2
3	·013	·015	·058	—	—	·118	—	·456	·027	—	·009	·005	3
4	·186	·085	·670	—	—	·122	—	·066	—	—	·199	—	4
5	·308	·050	·090	—	—	—	—	·282	—	—	·081	·013	5
6	·445	·010	—	—	·150	·017	—	·323	—	—	·004	·021	6
7	·001	·001	·001	—	·300	·521	—	·138	—	·003	—	·031	7
8	·612	·315	·130	—	—	·013	—	·306	—	—	—	—	8
9	·136	·085	·115	—	—	—	·025	·133	—	—	—	·123	9
10	·001	·058	·003	·016	—	—	—	·365	—	·004	·129	·291	10
11	·061	·415	·175	—	·036	·030	—	·023	—	·004	—	·196	11
12	·011	·066	·050	—	·185	·126	·136	·321	—	·005	·001	—	12
13	—	·041	·015	—	—	—	·219	·079	—	—	·019	·108	13
14	·003	—	·003	—	·040	·012	—	·162	—	·016	—	·015	14
15	·001	·057	·075	—	·110	·458	—	·016	—	—	·011	·200	15
16	·190	·010	·151	—	·155	—	—	·101	—	·054	·141	—	16
17	·710	—	·228	—	·016	·053	—	·140	—	·002	·048	·120	17
18	·123	·005	·175	—	—	—	—	·111	—	·019	·011	·085	18
19	·072	·027	·225	—	—	·003	·025	·484	—	—	·010	—	19
20	·009	·002	·485	—	—	—	—	·010	—	·404	·015	—	20
21	·010	·090	·198	—	·125	—	·012	·131	—	·109	·006	—	21
22	·126	·395	·050	—	—	—	·003	·255	—	·009	·001	·053	22
23	·422	·153	·285	—	·001	—	—	·420	—	·024	·158	·015	23
24	·031	·055	—	—	—	—	—	·185	—	·012	—	·185	24
25	·156	·010	—	—	—	·140	—	·850	—	·072	·275	·465	25
26	—	·035	—	—	—	—	·015	·100	—	·385	·590	·261	26
27	·001	·026	·003	—	—	·113	·058	—	—	·231	·015	·456	27
28	—	·060	—	—	—	·018	·102	·079	·060	·778	·320	·206	28
29	—	·035	—	—	—	—	·062	·251	1·668	·014	·021	—	29
30	—	|	·002	—	·248	—	—	·041	·969	·171	—	·021	30
31	—	|	·030	|	·018	|	·162	·135	|	·011	|	·002	31
Total	3·628	2·101	3·617	·021	1·404	2·021	1·349	5·974	2·733	3·045	2·074	3·090	TOTAL for year 31·057
No. of Rain Days. above ·001	18 23	23 25	20 25	2 2	12 13	15 16	12 13	29 29	5 5	17 21	19 22	21 22	193 216
above ·01	19	22	21	1	12	15	12	29	4	15	17	20	187

W. 3,000, X. '11.

made

REGIS 912

FORM A2.
BRITISH RAINFALL.

6 JAN 1913

Kept at Dalkeith Bognor

in the County of Sussex

by H. L. F. Guermonprez

RAIN GAUGE
Pattern Snowden
Diameter of top 8 in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level 21 ft.

Time of Observation 9 a.m. ent. to previous day

Nearest Railway Station
Name Bognor
Distance 1/2 mile Direction N. W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	·025	—	·020	·265	·298	·011	·009	·718	—	·218	1
2	—	—	·375	·005	—	·012	·232	—	—	—	·010	—	2
3	·013	·015	·058	—	—	·118	—	·456	·027	—	·009	·005	3
4	·186	·085	·670	—	—	·122	—	·066	—	—	·199	—	4
5	·308	·050	·090	—	—	—	—	·282	—	—	·081	·013	5
6	·445	·010	—	—	·150	·017	—	·323	—	—	·004	·021	6
7	·001	·001	·001	—	·300	·521	—	·138	—	·003	—	·031	7
8	·612	·315	·130	—	—	·013	—	·306	—	—	—	—	8
9	·136	·085	·115	—	—	—	·025	·133	—	—	—	·123	9
10	·001	·058	·003	·016	—	—	—	·365	—	·004	·129	·291	10
11	·061	·415	·175	—	·036	·030	—	·023	—	·004	—	·196	11
12	·011	·066	·050	—	·185	·126	·136	·321	—	·005	·001	—	12
13	—	·041	·015	—	—	—	·219	·079	—	—	·019	·108	13
14	·003	—	·003	—	·040	·012	—	·162	—	·016	—	·015	14
15	·001	·057	·075	—	·110	·458	—	·016	—	—	·011	·200	15
16	·190	·010	·151	—	·155	—	—	·101	—	·054	·141	—	16
17	·710	—	·228	—	·016	·053	—	·140	—	·002	·048	·120	17
18	·123	·005	·175	—	—	—	—	·111	—	·019	·011	·085	18
19	·072	·027	·225	—	—	·003	·025	·484	—	—	·010	—	19
20	·009	·002	·485	—	—	—	—	·010	—	·404	·015	—	20
21	·010	·090	·198	—	·125	—	·012	·131	—	·109	·006	—	21
22	·126	·395	·050	—	—	—	·003	·255	—	·009	·001	·053	22
23	·422	·153	·285	—	·001	—	—	·420	—	·024	·158	·015	23
24	·031	·055	—	—	—	—	—	·185	—	·012	—	·185	24
25	·156	·010	—	—	—	·140	—	·850	—	·072	·275	·465	25
26	—	·035	—	—	—	—	·015	·100	—	·385	·590	·261	26
27	·001	·026	·003	—	—	·113	·058	—	—	·231	·015	·456	27
28	—	·060	—	—	—	·018	·102	·079	·060	·778	·320	·206	28
29	—	·035	—	—	—	—	·062	·251	1·668	·014	·021	—	29
30	—		·002	—	·248	—	—	·041	·969	·171	—	·021	30
31	—		·030		·018		·162	·135		·011		·002	31
Total	3·628	2·101	3·617	·021	1·404	2·021	1·349	5·974	2·733	3·045	2·074	3·090	TOTAL for year 31·057
No. of Rain Days. above ·001	18 23	23 26	20 25	2 2	12 13	15 16	12 13	29 29	5 5	17 21	19 22	21 22	193 216
above ·01	19	22	21	1	12	15	12	29	4	15	17	20	187

W. 8,000, X. '11.

S. made

cor.d for arith 10.11.14

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
19 JAN 1914

Kept at Dalkeith Bognor

in the County of Sussex

by H. L. F. Guermonprez

Lat. 50°47′N. Long. 0°40′30″W

Time of Observation 9. a. m

Nearest Railway Station Bognor

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 21 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03	·40	·13	·04	—	·19	—	—	·39	·01	·48	·11	1
2	·04	·10	—	·05	—	—	·06	—	·01	—	·16	·02	2
3	·01	—	·05	·12	·15	—	—	—	—	—	—	·19	3
4	·26	—	·12	—	·26	—	·03	—	1·00	·34	·11	·02	4
5	·12	·06	·02	—	—	·26	·05	—	·50	·03	·31	·04	5
6	—	·04	·09	—	·07	·12	·12	—	—	1·34	·26	·32	6
7	—	·22	·11	—	·17	·02	·06	—	—	·37	·14	—	7
8	—	·14	—	—	·23	·03	—	·05	—	·31	—	·05	8
9	—	·06	—	—	·06	·01	·02	—	·14	—	·05	·01	9
10	·02	—	—	—	—	·02	·12	—	—	·04	·26	—	10
11	·86	—	—	·38	·03	—	—	—	—	·54	·08	—	11
12	—	—	—	—	·55	—	—	—	—	—	·90	—	12
13	·22	—	·04	—	—	—	—	·02	·09	—	·14	—	13
14	·21	—	·11	·01	—	—	·31	·03	·02	·03	·14	·01	14
15	·16	·18	·35	·30	—	—	·26	—	·14	—	—	—	15
16	·19	—	·48	·09	—	—	—	—	·01	—	—	—	16
17	·27	·03	·01	·10	—	—	·07	—	—	—	·04	—	17
18	—	—	·13	·11	—	—	·04	—	—	—	·07	—	18
19	·22	—	·04	—	·01	·07	·06	—	·40	—	—	—	19
20	·30	—	·05	·07	—	·10	—	—	—	·37	—	[illegible]	20
21	·01	—	·14	·06	—	—	—	—	—	·76	·46	—	21
22	·40	—	·36	—	—	—	—	·07	·23	·19	—	·04	22
23	—	—	·19	—	—	·03	—	·13	—	—	—	·89	23
24	·11	—	—	·11	—	—	—	·19	—	·01	—	·01	24
25	—	—	—	·11	—	—	—	—	—	·07	—	—	25
26	—	—	·09	·02	—	—	—	·17	—	·67	—	·20	26
27	—	—	·25	·01	—	—	—	—	—	·03	—	—	27
28	·16	—	·19	·11	—	—	—	—	—	·08	—	—	28
29	·14	|	·06	·36	·53	—	—	·15	—	·08	·02	—	29
30	·35	|	—	·09	—	—	—	1·20	—	·07	—	—	30
31	·01	|	·12	|	—	|	—	1·34	|	·17	|	—	31
Total	4·09	1·23	3·13	2·14	2·06	·85	1·20	3·35 3·36	2·93	5·45	3·62 3·72	1·91	YEAR'S TOTAL 32·97
Rain Days.	21	9	22	18	10	10	12	10	11	20	16	13	172

31·96

W.7,000, XI. 13

Ex M.B

REGISTER OF RAINFALL IN 1914

1914

FORM A.
BRITISH RAINFALL.
14 JAN 1915

Kept at Dalkeith, Bognor

in the County of Sussex

by H. L. F. Guermonprez

Lat. Long.

Time of Observation 9. a. m

Nearest Railway Station Bognor

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 21 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	—	·04	—	—	·01	·15	—	—	·09	·08	1
2	—	—	—	—	—	—	·18	—	—	—	·01	·12	2
3	—	—	·03	·06	·29	—	—	·02	—	—	—	·05	3
4	·02	—	·01	·14	—	—	·02	·02	—	—	·35	·45	4
5	·11	—	·14	·26	·04	·02	·13	—	—	—	·02	—	5
6	—	·15	·01	·16	·09	·05	—	—	—	—	—	·53	6
7	·03	·26	·21	·28	·01	—	·12	—	—	—	—	·30	7
8	·03	·53	·27	·01	·05	·33	—	·08	—	—	—	·11	8
9	·06	—	·41	·11	—	—	—	·01	·08	—	—	1·27	9
10	·05	·12	·01	·14	·18	—	—	—	·31	—	·02	—	10
11	—	·30	·58	—	·08	·05	—	—	·17	—	·08	·67	11
12	—	·17	·20	—	—	—	·66	—	·45	·06	—	·40	12
13	—	·29	·11	—	—	—	—	—	·22	·05	·12	·83	13
14	—	·14	·22	—	—	—	·02	·15	—	·60	·20	·58	14
15	—	·06	·18	—	—	—	—	·44	—	·03	·75	·01	15
16	—	·09	—	—	—	—	·07	—	·11	—	—	—	16
17	—	·49	·11	—	—	—	—	—	·03	—	—	·20	17
18	—	·02	·33	—	—	—	—	—	—	—	—	·24	18
19	—	·13	·69	—	—	—	·49	—	—	—	·16	·10	19
20	—	·10	·05	—	—	·07	—	—	·06	·02	—	·47	20
21	—	·47	·13	—	—	·01	—	—	—	·09	—	·01	21
22	—	·03	·06	—	·09	·04	·13	·05	—	·27	—	·01	22
23	—	—	·23	—	—	·73	—	—	—	·03	—	—	23
24	—	—	·03	—	—	—	·01	—	—	—	·21	·01	24
25	·01	—	·26	—	—	—	—	·16	—	·23	·01	·09	25
26	—	—	·01	—	—	—	·01	·12	—	·12	·12	·48	26
27	·03	·01	—	—	—	—	—	—	—	—	·12	·36	27
28	·02	·03	·01	—	·05	—	—	—	—	·49	·31	·39	28
29	·15	X	·11	·01	—	—	—	—	—	·36	·15	·03	29
30	·01	X	·06	·47	—	—	—	—	—	·14	·77	·49	30
31	·02	X	—	X	·09	X	·04	—	X	·03	X	·02	31
Total	·54	3·49	4·46	1·68	·97	1·30	1·89	1·20	1·43	2·52	3·49	8·30	YEAR'S TOTAL 31·26
Rain Days.	12	18	26	11	10	8	13	10	8	14	17	27	174

W. 8,000. X. 14.

Exd LeN

503

FORM A.
BRITISH RAINFALL.

18 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Dalkeith Bogner

in the County of Sussex

by H. L. F. Guermonprez

Lat. 50·47 Long. W. 0·40·38

Time of Observation 9. a m

Nearest Railway Station Bognor

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 21 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·80	·18	·02	—	·	—	—	·04	·10	·07	·04	·48	1
2	·47	·12	·16	·17	·02	·02	—	·04	·12	·07	—	·32	2
3	·69	—	—	·11	·10	·01	—	·01	·01	—	—	·61	3
4	·05	—	—	·03	·02	—	—	·02	—	—	—	·46	4
5	·03	·27	—	·02	—	—	—	·19	—	—	—	·58	5
6	·79	·11	·01	·42	—	—	·53	·02	—	—	—	·45	6
7	·21	·37	—	·05	—	—	·12	—	—	—	—	·21	7
8	·02	·47	—	—	—	—	·04	·05	—	—	·06	·04	8
9	·03	·08	—	·15	—	·04	—	·05	—	—	·48	·77	9
10	·25	—	·05	—	—	—	—	—	—	·02	—	·47	10
11	—	—	—	—	—	—	—	—	—	·01	·80	·04	11
12	·08	·39	—	·22	·52	—	—	—	—	—	·50	—	12
13	·05	·55	—	—	1·75	—	—	—	·14	—	—	·01	13
14	·03	·01	—	—	—	—	·12	·03	·06	—	·01	·51	14
15	·11	—	—	—	·10	—	—	·31	—	—	·12	·23	15
16	—	·44	—	—	·17	—	·64	·08	—	—	—	·21	16
17	—	·18	—	—	1·03	—	·02	—	—	—	·03	·01	17
18	—	·17	—	—	·04	—	—	·07	—	—	·01	—	18
19	—	·03	—	—	·07	—	·01	—	—	·01	—	—	19
20	·24	—	—	·05	·04	—	·02	—	—	·26	—	·09	20
21	·02	—	—	—	—	—	—	—	—	—	—	·14	21
22	·88	·06	·10	·05	—	—	·98	—	—	·33	—	·17	22
23	—	·03	·21	·03	—	·02	—	—	·04	1·08	—	·83	23
24	—	—	—	—	—	—	·03	—	·51	—	—	·58	24
25	—	—	·03	·02	—	·02	·13	—	—	—	—	·12	25
26	·01	·06	—	—	—	·05	·20	—	—	—	—	·73	26
27	—	·02	—	—	—	·06	—	—	·02	·26	—	·01	27
28	—	·19	—	—	—	·23	·02	—	·57	·18	·02	—	28
29	—		—	—	—	·08	—	·11	—	·08	·40	·06	29
30	·28		—	—	—	·02	—	—	—	·44	·84	·02	30
31	·01		—		—		—	·73		1·01		·23	31
Total	5·05	3·73	·58	1·32	3·86	·55	2·86	1·75	1·57	3·82	3·31	8·38	YEAR'S TOTAL 36·78
Rain Days.	20	19	7	12	11	10	13	14	9	13	12	27	167

W. 8,000. X. 15.

REGISTER OF RAINFALL IN 19~~16~~ 16

420

FORM A.
BRITISH RAINFALL

8 JAN 1917

Kept at *Dalkeith Bognor*

in the County of *Sussex*

by *H. L. F. Guermonprez*

N Lat. 50·47 W Long. 0·40·30"
Time of Observation 9 a. m
Nearest Railway Station Bognor
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 21 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·05	·03	—	—	·17	·02	—	—	·06	·14	·41	—	1
2	·20	·02	·16	—	·22	—	—	—	—	·59	·01	—	2
3	·02	·22	·13	—	·01	—	·04	—	·01	·49	·73	—	3
4	·12	·17	—	—	·01	·46	—	—	·30	·02	·48	—	4
5	·07	·03	—	—	·16	·03	—	—	—	·07	·21	—	5
6	·01	·06	·03	·08	~~·04~~	·03	·23	—	—	·06	·22	·04	6
7	—	·01	·48	—	·20	·08	—	—	—	·06	·35	—	7
8	—	—	—	—	·25	—	—	—	—	—	—	·39	8
9	—	·59	—	—	·10	—	—	—	—	—	—	·08	9
10	—	—	·04	·04	·02	·35	·05	—	—	—	—	·21	10
11	·02	·05	·01	·19	·01	·28	—	—	—	—	—	·25	11
12	·02	·07	—	·08	·05	·03	·08	·02	—	·01	·01	—	12
13	—	·19	·06	·03	—	·03	—	—	—	—	·01	·02	13
14	—	·95	·05	·03	·04	—	—	—	—	—	—	·04	14
15	—	·28	·27	·01	—	—	—	—	—	—	—	—	15
16	·08	·01	·32	·13	—	—	·10	·03	—		—	—	16
17	·15	·23	—	·12	—	—	—	·01	·35	·48	—		17
18	·01	·05	·04	·08	—	—	—	·09	·07	·21	·42	·49	18
19	·14	—	·16	·09	—	·21	—	—	·07	—	·51	—	19
20	·11	·02	·37	·01	—	—	—	—	—	—	·10	·70	20
21	·01	—	·25	·02	—	—	—		—	—	—	·47	21
22	—	·01	—	—	—	·02	—		—	·02	·01	·62	22
23	·01	·06	·02	—	—	·06	—	·04	—	·28	·01	·01	23
24	—	·01	—	—	·07	·03	—	·03	—	·18	·05	·42	24
25	—	·49	·21	—	—	—	—	·34	·91	·11	—	—	25
26	·04	·38	·01	—	—	·14	—	—	·24	·41	—	—	26
27	—	·01	·90	—	—	—	—	·03	·10	1·08	—	·11	27
28	—	·56	·04	—	—	—	—	·25	·23	·31	—	·26	28
29	—	·28	—	—	—	·27	—	·42	·11	·30	—	·46	29
30	—	✕	—	—	·04		—	—		·66	—	—	30
31	—	✕	—	✕	—	✕	—	·03	✕	·03	✕	·02	31
Total	1·06	4·78	3·55	~~·97~~ ·91	1·36	2·04	·50	1·29	2·45	5·51	3·53	4·26	YEAR'S TOTAL 31·25 31·24
Rain Days.	16	25	19	13	15	15	5	11	11	20	15	17	182

W. 8,000, VIII. 16

W 81 469

FORM A.
BRITISH RAINFALL
2 JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Dalkeith Bognor Sussex
in the County of Sussex
by H. L. F. Guermonprez

Lat. 50·47 Long. 0° 40′ 30″
Time of Observation 9 a.m
Nearest Railway Station Bognor
Diameter of Funnel of Rain Gauge 8″ in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 21 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	~~0~~	—	·08	·10	—	—	—	1·40	·03	—	·09	·02	1
2	—	—	·01	·18	—	—	—	—	·02	—	·08	—	2
3	·01	—	—	·84	—	—	·30	·20	—	·03	·21	—	3
4	—	·16	·30	—	—	—	·01	·26	—	·14	—	—	4
5	·29	—	·05	·13	—	·04	—	—	12	·36	·03	—	5
6	—	—	·17	·	—	·19	—	—	·05	·06	·18	—	6
7	·22	—	—	—	—	—	·02	—	—	·13	—	·05	7
8	·20	—	—	·11	—	—	·21	·13	—	·28	·21	·30	8
9	—	—	·20	—	·04	—	·02	—	—	·14	—	·19	9
10	·18	—	·20	·12	—	·08	—	·09	—	—	—	—	10
11	·10	—	·28	·29	—	—	—	·02	—	·36	—	—	11
12	·06	—	—	·07	—	—	—	·05	—	·26	·01	—	12
13	·02	—	·23	—	—	—	—	·06	·01	·32	—	—	13
14	—	—	—	·08	—	—	—	·02	—	—	—	—	14
15	—	~~·30~~	—	—	—	—	—	·06	—	·23	·01	·13	15
16	·01	·30	—	·09	·02	—	—	—	·41	·32	—	·70	16
17	—	·02	—	·13	·04	—	·38	22	·16	·10	—	—	17
18	—	·04	—	—	·02	·02	·14	·04	·15	—	—	—	18
19	—	·25	·12	—	—	—	—	—	—	—	—	—	19
20	—	—	·01	—	·81	·02	—	—	—	—	·01	—	20
21	·01	·07	—	—	—	—	—	—	—	—	—	—	21
22	·03	—	·03	—	—	·05	—	·14	—	23	—	—	22
23	—	·29	—	—	·18	—	—	·19	—	·03	—	·03	23
24	—	·10	—	—	—	·14	·25	—	—	·19	·01	—	24
25	—	·14	·06	—	—	—	—	—	—	·03	—	—	25
26	—	—	·03	—	—	·03	—	·72	—	·01	·39	—	26
27	—	—	—	—	·55	·04	—	·62	·10	—	—		27
28	—	—	·06	—	—	2·09	—	·25	—	—	—		28
29	—	—	·16	—	·19	·01	·14	·03	—	·28	—	·11	29
30	—	╳	·34	—		·01	·22	·22	—	·02	—	·03	30
31	—	╳	·01	╳		╳	·20	·03	╳	(·04)	╳	·04	31
Total	1·13	1·37	2·34	2·14	1·85	2·71	1·89	4·75	1·05	3·57	1·23	1·60	YEAR'S TOTAL 25·63
Rain Days.	11	9	18	11	8	12	11	20	9	21	11	10	151

2.42

4

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.
6. 1. 19

Kept at Dalkeith Bognor ~~Sus~~
in the County of Sussex
by H. L. F. Guermonprez

Lat. 50·47 N. Long. 0·40'·30" W.
Time of Observation 9. a. m
Nearest Railway Station Bognor ½ m.
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 21 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	·01	·02	—	~~6~~	·02	—	—	·53	—	—	·28	·07	1
2	—	·06	—	·06	—	—	—	·38	—	—	·37	·25	2
3	—	·01	·04	—	·48	—	—	·07	—	—	·20	·01	3
4	—	·02	·03	·04	—	—	—	·05	·16	—	·38	·02	4
5	—	·03	—	—	·07	—	—	·13	—	·07	—	·02	5
6	·17	·22	—	·16	·29	—	—	·43	·05	—	—	·03	6
7	—	·13	—	·08	·21	—	—	·03	·14	·02	·12	·02	7
8	—	—	—	—	·01	—	—	—	·10	·06	·06	·03	8
9	·02	—	—	—	—	·13	·31	—	·28	·04	·02	·17	9
10	—	—	—	—	—	·02	·27	—	·23	·04	—	·27	10
11	·04	—	—	·09	—	—	·11	—	·05	·27	·05	·11	11
12	—	·07	—	—	·20	—	—	—	·09	—	—	·02	12
13	·32	—	—	—	—	—	·13	—	·13	—	—	·02	13
14	·14	—	·05	—	·02	·06	·08	—	·29	·16	—	·03	14
15	1·35	—	—	·09	—	—	·14	—	—	—	—	·10	15
16	·40	—	·02	·04	—	—	·01	—	·29	—	—	—	16
17	·10	—	—	·15	—	—	·11	·02	·01	—	—	·26	17
18	·30	—	—	—	—	·40	·01	—	·48	·01	—	—	18
19	·06	—	·30	—	—	·18	·05	·01	—	—	—	·13	19
20	·01	·12	—	·35	—	—	·32	—	·17	·06	—	—	20
21	·10	—	—	·20	—	·04	—	—	·43	·07	—	·10	21
22	·12	—	—	—	·09	—	·73	—	·30	—	—	·26	22
23	·06	·19	—	—	—	—	·11	·06	·01	—	·02	·09	23
24	—	—	—	—	—	—	—	—	·20	—	·10	—	24
25	—	—	—	·11	—	—	—	·11	—	·04	—	·01	25
26	—	—	—	—	—	—	·22	—	·02	·02	·06	·11	26
27	·01	·09	·04	·03	—	—	·05	·10	·41	·02	·09	·03	27
28	—	—	·15	—	—	·07	—	—	—	·01	·09	—	28
29	—	X	·02	·27	—	—	—	—	1·08	—	—	·01	29
30	—	X	·44	—	—	—	—	—	·02	·06	·04	·02	30
31	—	X	—	X	—	X	—	—	X	·08	X	—	31
Total	3·30 ✓	·96 ✓	1·09 ✓	1·67 ✓	1·39 ✓	·90 ✓	2·65 ✓	1·92 ✓	4·96 ✓	1·03 ✓	1·88 ✓	2·19 ✓	YEAR'S TOTAL 23·94
Rain Days.	16 ✓	11 ✓	9 ✓	13 ✓	9 ✓	7 ✓	15 ✓	12 ✓	22 ✓	16 ✓	14 ✓	25 ✓	169 ✓

W. 8,000, IX. 17.

W DL 444

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

Kept at Dalkeith, Bognor
in the County of Sussex
by H. L. F. Guermonprez

Lat. 50·47 N Long. 0·40′·30″ W
Time of Observation 9 a.m
Nearest Railway Station Bognor
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. in.
,, ,, ,, mean Sea Level 21 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·50	·02	—	—	·03	—	·08	—	—	·04	—	·43	1
2	·10	—	·02	—	·02	—	·19	—	·08	—	·04	·09	2
3	·18	—	·85	—	·07	—	·04	—	·01	—	—	·30	3
4	·29	·07	·30	—	—	·02	·10	·09	·02	—	·26	·06	4
5	—	·34	·83	—	—	—	·11	—	·01	—	·22	·30	5
6	·21	—	·16	—	—	—	—	—	—	—	·01	·15	6
7	·08	—	·35	—	—	—	—	—	—	—	—	—	7
8	·17	—	·18	—	—	—	—	—	—	—	—	—	8
9	·70	—	·08	·07	·27	—	—	—	—	—	·18	—	9
10	·63	—	·02	—	—	—	—	—	—	—	—	·08	10
11	·44	—	·03	·28	·09	—	·03	—	—	—	—	·01	11
12	·07	—	·01	—	—	—	—	—	—	·06	·02	—	12
13	·01	·01	·05	·16	—	—	—	—	—	—	—	·01	13
14	·35	—	—	·16	—	—	·16	—	·27	—	—	·17	14
15	·26	·06	·02	·04	—	—	—	—	—	·01	—	·73	15
16	·23	·48	—	—	—	—	—	—	—	—	·11	—	16
17	—	·32	—	—	—	—	—	—	—	—	·10	·03	17
18	—	·04	·18	—	—	—	—	·02	—	—	·12	·01	18
19	·13	·41	·97	—	—	·09	·24	·23	—	—	·07	—	19
20	·28	·01	·09	—	—	·46	—	·21	—	—	—	—	20
21	·03	·37	—	—	—	—	·01	—	—	—	·02	·03	21
22	—	·01	—	—	—	—	—	—	·56	—	—	·18	22
23	—	—	—	—	—	—	—	—	—	·01	·02	·06	23
24	—	·05	—	·08	—	·04	·17	·08	—	·22	·14	·19	24
25	·10	·01	—	·03	—	·05	—	·52	—	—	—	·24	25
26	·01	·12	·08	·12	—	—	—	·04	·06	—	·36	·29	26
27	·35	—	—	·42	—	—	—	·63	—	—	·38	·05	27
28	·01	—	·60	—	—	—	—	·30	—	—	·31	·46	28
29	—	✕	—	·10	—	—	—	·36	—	·11	·02	·10	29
30	—	✕	—	·19	—	·045	—	·50	—	—	·34	·47	30
31	·05	✕	·02	✕	—	✕	—	—	✕	—	✕	·12	31
Total	5·18	2·32	4·84	1·65	·48	·70	1·13	2·98	1·01	·45	2·72	4·56	Year's Total 28·03
Days with ·01 in. or more	23	15	19	11	5	6	10	11	7	6	18	24	155

(44,283). Wt.21,958—218. 7500. 10/19. **Gp.132.** A.&E.W.

Ex 9nL

420

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

8 JAN 1921

Kept at Dalkeith Bognor
in the County of Sussex
by H. L. F. Guermonprez

Lat. N. 50·47 Long. W. 0·40'30"
Time of Observation 9 a.m
Nearest Railway Station Bognor
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 17 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·178	—	·030	·002	·125	—	·208	—	—	·431	·087	·300	1
2	·011	—	·066	·037	·078	—	—	·161	·100	·021	—	·115	2
3	·010	—	·026	·030	—	—	—	—	—	·205	—	·023	3
4	—	·186	·005	·111	—	—	1·118	·088	·001	·423	—	·005	4
5	—	·008	·187	·060	·011	—	·860	·130	—	·080	—	·008	5
6	—	·002	·268	—	·347	—	·231	—	—	·010	—	—	6
7	—	—	—	·193	·021	—	·051	—	—	·001	—	—	7
8	·033	—	—	·030	·062	—	·360	·001	—	·003	·001	—	8
9	·311	·017	·022	·081	·003	·070	·005	—	—	—	·001	—	9
10	·865	·168	·116	·150	—	·125	·210	—	—	—	—	—	10
11	·325	·018	·092	·317	—	·025	·260	—	—	—	—	·579	11
12	·072	·040	·055	·205	—	·650	·005	—	—	·003	·001	—	12
13	·275	·050	·232	·016	—	—	—	—	—	—	—	—	13
14	·020	·050	·552	·315	—	·003	—	—	·215	·355	·471	·001	14
15	·140	·050	·055	·154	·082	—	—	—	·815	·835	·048	—	15
16	—	~~·00~~	·002	·016	—	—	·021	—	·270	·010	—	—	16
17	·018	—	—	·028	·120	—	—	—	·440	—	—	·055	17
18	·058	—	—	·003	·188	—	—	·680	·351	—	—	·038	18
19	·070	—	—	·328	—	·047	·001	—	·050	—	—	·020	19
20	·095	·086	—	·126	—	·700	—	—	·030	—	—	·010	20
21	—	—	—	·011	—	—	·865	·033	·220	—	—	·210	21
22	·015	—	—	·012	—	—	·003	·085	·003	—	—	·265	22
23	·005	—	—	·242	—	—	·398	—	—	—	—	·440	23
24	·010	·015	·085	·021	—	—	—	—	—	—	·005	·090	24
25	·001	·005	·007	—	·110	—	·155	—	—	—	—	—	25
26	·020	—	·092	·057	—	·100	—	—	·005	—	·015	·106	26
27	·250	·003	·003	·157	—	·075	·026	—	—	—	·195	·245	27
28	·330	·020	·148	—	·148	·003	·130	—	·008	—	·045	·085	28
29	·492	—	·066	·022	·005	—	—	—	·005	—	·153	·185	29
30	·048	╳	—	—	—	·040	·041	—	·180	—	·205	·160	30
31	·011	╳	·240	╳	·003	╳	—	—	╳	·470	╳	·198	31
TOTAL	3·663	·718	2·349	2·724	1·303	1·838	4·948	1·178	2·693	2·847	1·227	3·138	YEAR'S TOTAL 28·626
Days with ·01 in. or more	24	13 11	19 17	24	12 11	9	16 15	6	12 10	10	8	20 18	173 ~~163~~
Days with ·04 in. or more	14 15	7	14	14	9	8	12	13 5	9	7	7	14	121 ~~122~~

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

5 inside

504

BOGNOR

SUSSEX

1915

FORM A.
BRITISH RAINFALL.
17 APR 1916

RE 15

Kept at [illegible] R. O. Aly.
[illegible] Bognor

in the County of [illegible]

by F. J. [illegible]

n Gauge 8 in.

ove Ground 1 ft. 4 in.

Sea Level ft.

IMPORTANT N the result entered to the previous day. If an versal rule, he is earnestly requested to add the r ar in the space provided for it at the end of t ment of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·73	–	·01	–	–	–	–	·02	·19	·05	·03	·26	1
2	·43	·10	·15	·09	·01	·01	–	·02	·14	·10	–	·37	2
3	·65	–	·11	·18	·09	–	–	–	–	–	–	·64	3
4	·07	–	–	·02	·02	–	–	·01	–	–	–	·45	4
5	·03	·24	–	–	–	–	–	·17	–	–	–	·61	5
6	·78	·06	–	·39	–	–	·53	·01	–	–	–	·46	6
7	·22	·41	–	·15	–	–	·09	–	–	–	–	·20	7
8	·02	·47	–	–	–	–	·04	·03	–	–	·05	·03	8
9	·02	·09	–	·12	–	·02	–	·03	–	–	·41	·73	9
10	·22	–	·02	–	–	–	–	–	–	·01	–	·46	10
11	–	–	·06	–	–	–	–	–	–	·01	·74	·03	11
12	·08	·20	–	·20	·45	–	–	–	–	–	·53	–	12
13	·04	·55	–	–	1·72	–	–	–	–	–	–	–	13
14	·02	–	–	–	–	–	·11	·04	·14	–	–	·50	14
15	·08	–	–	–	·09	–	–	·66	·06	–	·09	·25	15
16	–	·48	–	–	·17	–	·78	·01	–	–	–	·10	16
17	–	·23	–	–	·86	–	–	·12	–	–	–	–	17
18	–	·14	–	–	·04	–	–	–	–	–	·02	·01	18
19	–	·02	–	–	·04	–	–	–	–	–	–	–	19
20	·22	–	–	·03	·03	–	–	–	–	–	–	·09	20
21	·02	–	–	·01	–	–	·01	–	–	·29	–	·12	21
22	·89	·04	·16	–	–	–	·93	–	–	–	–	·16	22
23	–	·01	·12	–	–	·01	~~·28~~	–	·02	·33	–	·83	23
24	–	–	·02	–	–	–	·01	–	·47	1·09	–	·52	24
25	–	–	–	·02	–	–	·13	–	–	–	–	·23	25
26	·03	·05	–	–	–	·03	·18	–	–	–	–	·73	26
27	–	·01	–	–	–	·04	–	–	–	·24	–	–	27
28	–	·09	–	–	–	·24	·06	–	·74	·17	–	–	28
29	–	╳	–	–	–	·02	–	·11	–	·10	·39	·05	29
30	·23	╳	–	–	–	·06	–	–	–	·31	·70	·02	30
31	–	╳	–	╳	–	╳	–	·47	╳	·71	╳	·31	31
Total	4·78	3·19	·65	1·21	3·52	·43	2·87	1·70	1·76	3·41	2·96	8·16	YEAR'S TOTAL 34·64
Rain Days.	19	17	8	10	11	8	11	13	7	12	9	25	150

W. 8,000. X. 15.

504

FORM A.
BRITISH RAINFALL.

27 APR 1916

5 made

RE 15

Kept at Outerwyke Felpham
in the County of Sussex
by F. J. Neale

Lat. Long.
Time of Observation 9.0 a.m.
Nearest Railway Station Bognor
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 4 in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·73	–	·01	–	–	–	–	·02	·19	·05	·03	·26	1
2	·43	·10	·15	·09	·01	·01	–	·02	·14	·10	–	·57	2
3	·65	–	·11	·18	·09	–	–	–	–	–	–	·64	3
4	·07	–	–	·02	·02	–	–	·01	–	–	–	·45	4
5	·03	·24	–	–	–	–	–	·17	–	–	–	·61	5
6	·78	·06	–	·39	–	–	·53	·01	–	–	–	·46	6
7	·22	·41	–	·15	–	–	·09	–	–	–	–	·20	7
8	·02	·47	–	–	–	–	·04	·03	–	–	·05	·03	8
9	·02	·09	–	·12	–	·02	–	·03	–	–	·41	·75	9
10	·22	–	·02	–	–	–	–	–	–	·01	–	·46	10
11	–	–	·06	–	–	–	–	–	–	·01	·74	·03	11
12	·08	·20	–	·20	·45	–	–	–	–	–	·53	–	12
13	·04	·55	–	–	1·72	–	–	–	–	–	–	–	13
14	·02	–	–	–	–	–	·11	·04	·14	–	–	·50	14
15	·08	–	–	–	·09	–	–	·66	·06	–	·09	·25	15
16	–	·48	–	–	·17	–	·78	·01	–	–	–	·10	16
17	–	·23	–	–	·86	–	–	·12	–	–	–	–	17
18	–	·14	–	–	·04	–	–	–	–	–	·02	·01	18
19	–	·02	–	–	·04	–	–	–	–	–	–	–	19
20	·22	–	–	·03	·03	–	–	–	–	–	–	·09	20
21	·02	–	–	·01	–	–	·01	–	–	·29	–	·12	21
22	·89	·04	·16	–	–	–	·93	–	–	–	–	·16	22
23	–	·01	·12	–	–	·01	~~·28~~	–	·02	·33	–	·83	23
24	–	–	·02	–	–	–	·01	–	·47	1·09	–	·52	24
25	–	–	–	·02	–	–	·13	–	–	–	–	·23	25
26	·03	·05	–	–	–	·03	·18	–	–	–	–	·73	26
27	–	·01	–	–	–	·04	–	–	–	·24	–	–	27
28	–	·09	–	–	–	·24	·06	–	·74	·17	–	–	28
29	–	✕	–	–	–	·02	–	·11	–	·10	·39	·05	29
30	·23	✕	–	–	–	·06	–	–	–	·31	·70	·02	30
31	–	✕	–	✕	–	✕	–	·47	✕	·71	✕	·31	31
Total	4·78	3·19	·65	1·21	3·52	·43	2·87	1·70	1·76	3·41	2·96	8·16	YEAR'S TOTAL 34·64
Rain Days.	19	17	8	10	11	8	11	13	7	12	9	25	150

BOGNOR
{M.O}
SUSSEX
1912-20

FORM A.
BRITISH RAINFALL.
9 - JAN 1913

REGISTER

(Leap year.)

Kept at Bognor

in the County of Sussex

by Dr. Morris & A. G. Thom

W 0°·40'·30"

a.m.

Bognor

8 in.

ove Ground 1 ft. — in.

Sea Level 21 ft.

IMPORTANT NOTE.—Rain d the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	—	—	0·02	—	0·02	0·27	0·41	·01	Trace	0·68	—	0·21	1
2	—	—	·41	—	—	Trace	·24	Trace	—	Trace	—	—	2
3	0·02	* 0·03	·03	—	—	·13	—	·42	0·02	—	Trace	—	3
4	·19	* ·09	·71	—	—	·13	—	·07	—	—	0·20	—	4
5	·34	·02	·09	—	—	—	—	·26	—	—	·08	·01	5
6	·47	·01	—	—	·15	·01	—	·46	—	—	—	·03	6
7	·01	·02	—	—	·30	·50	—	·02	—	[illegible]	—	·03	7
8	·69	·37	·12	—	—	·01	—	·32	—	—	—	·01	8
9	·14	·09	·12	0·01	—	—	·01	·14	—	—	—	·13	9
10	—	·06	·01	—	—	—	—	·37	—	Trace	·14	·30	10
11	·06	·37	·20	—	·03	·04	—	·01	—	·01	—	·15	11
12	·01	·07	·05	—	·19	·13	·14	·26	Trace	·01	—	—	12
13	—	·04	·01	—	—	—	·21	·06	—	—	Trace	·09	13
14	—	—	—	—	·03	·01	—	·14	—	·01	—	·01	14
15	—	·05	·07	—	·11	·46	—	·01	—	Trace	·01	·20	15
16	·14	·01	·14	—	·16	—	—	·10	—	·05	18	—	16
17	·64	—	·29	—	·01	·05	—	·15	—	·01	Trace	·09	17
18	·14	·01	·26	—	—	—	—	·12	—	·01	·02	·08	18
19	·06	·02	·21	—	—	—	·01	·57	—	—	—	—	19
20	·01	—	·32	—	—	—	—	Trace	—	·42	·01	—	20
21	—	·09	·21	—	·13	—	—	·12	—	·10	Trace	Trace	21
22	·15	·40	·05	—	—	—	—	·24	—	Trace	—	·05	22
23	·41	·17	·30	—	—	—	—	·53	Trace	·02	·14	·01	23
24	·03	·04	—	—	—	—	—	·21	—	·01	—	·17	24
25	·14	—	—	—	—	·17	—	·87	—	·10	·25	·50	25
26	—	·03	—	—	—	—	—	·09	—	·36	·55	·22	26
27	—	·02	—	—	—	·11	·05	—	—	·22	—	·48	27
28	—	·06	—	—	—	·01	·09	·11	·06	·81	·34	·21	28
29	—	·03	—	—	—	—	·06	·28	1·65	Trace	·01	—	29
30	—	×	—	—	·25	—	—	Trace	·97	·16	—	·02	30
31	—	×	·07	×	·01	×	·22	·15	×	Trace	×	—	31
Total	3·65	2·10	3·89	0·01	1·39	2·03	1·44	6·09	2·70	2·98	1·93	3·00	YEAR'S TOTAL 31·21
Rain Days.	17	23	21	1	12	13	10	26	4	13	12	21	175

00, XI. 12

REGISTER

(Leap year.)

BRITISH RAINFALL FORM A.

9- JAN 1913

Kept at Bognor

in the County of Sussex

by Dr. Morris & A. C. Thompson.

Lat. N 50°·47′ Long. W 0°·40′·30″

Time of Observation 9 a.m.

Nearest Railway Station Bognor

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 21 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	—	—	0·02	—	0·02	0·27	0·41	·01	Trace	0·68	—	0·21	1
2	—	—	·41	—	—	Trace	·24	Trace	—	Trace	—	—	2
3	0·02	* 0·03	·03	—	—	·13	—	·42	0·02	—	Trace	—	3
4	·19	* ·09	·71	—	—	·13	—	·07	—	—	0·20	—	4
5	·34+	·02	·09	—	—	—	—	·26	—	—	·08	·01	5
6	·47	·01	—	—	·15	·01	—	·46	—	—	—	·03	6
7	·01	·02	—	—	·30	·50	—	·02	—	[illegible]	—	·03	7
8	·69	·37	·12	—	—	·01	—	·32	—	—	—	·01	8
9	·14	·09	·12	0·01	—	—	·01	·14	—	—	—	·13	9
10	—	·06	·01	—	—	—	—	·37	—	Trace &	·14	·30	10
11	·06	·37	·20	—	·03	·04	—	·01	—	·01	—	·15	11
12	·01	·07	·05	—	·19	·13	·14	·26	Trace	·01	—	—	12
13	—	·04	·01	—	—	—	·21	·06	—	—	Trace	·09	13
14	—	—	—	—	·03-	·01	—	·14	—	·01	—	·01	14
15	—	·05	·07	—	·11	·46	—	·01	—	Trace	·01-	·20	15
16	·14	·01	·14	—	·16	—	—	·10	—	·05	18	—	16
17	·64	—	·29	—	·01	·05	—	·15	—	·01	Trace	·09	17
18	·14	·01	·26	—	—	—	—	·12	—	·01	·02	·08	18
19	·06	·02	·21	—	—	—	·01	·57	—	—	—	—	19
20	·01-	—	·32	—	—	—	—	Trace	—	·42	·01	—	20
21	—	·09	·21	—	·13	—	—	·12	—	·10	Trace	Trace	21
22	·15	·40	·05	—	—	—	—	·24	—	Trace	—	·05	22
23	·41	·17	·30	—	—	—	—	·53	Trace	·02	·14	·01	23
24	·03	·04	—	—	—	—	—	·21	—	·01	—	·17	24
25	·14	—	—	—	—	·17	—	·87	—	·10	·25	·50	25
26	—	·03	—	—	—	—	—	·09	—	·36	·55	·22	26
27	—	·02	—	—	—	·11	·05	—	—	·22	—	·48	27
28	—	·06	—	—	—	·01	·09	·11	·06	·81	·34	·21	28
29	—	·03	—	—	—	—	·06	·28	1·65	Trace	·01	—	29
30	—	×	—	—	·25	—	—	Trace	·97	·16	—	·02	30
31	—	×	·07	×	·01	×	·22	·15	×	Trace	×	—	31
Total	3·65	2·10	3·89	0·01	1·39	2·03	1·44	6·09	2·70	2·98	1·93	3·00	YEAR'S TOTAL 31·21
Rain Days.	17	23	21	1	12	13	10	26	4	15	12	21	175

00, XI. 12

FORM A.
BRITISH RAINFALL.

7 - JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Bognor

in the County of Sussex

by Dr. Morris & A. G. Thompson.

N. Lat. 50·47 W. Long. 0°·40′·30″

Time of Observation 9 a.m.

Nearest Railway Station

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 21 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0·04	0·41	0·14	0·03	—	0·17	—	—	0·39	0·01	0·45	0·11	1
2	·04	·09	—	·05	—	—	0·05	—	·01	—	·15	·02	2
3	·01	—	·04	·09	0·15	—	—	—	—	—	—	·17	3
4	·26	—	·12	—	·27	—	·03	—	1·00	·34	·09	·02	4
5	·11	·06	·02	—	—	·23	—	—	·50	·03	·32	·04	5
6	e Trace	·03	·09	—	·07	·10	·17	—	Trace	1·25	·26	·33	6
7	—	·20	·10	—	·15	·03	·05	—	—	·43	·15	—	7
8	—	·16	—	—	·19	·01	—	0·03	—	·35	—	·04	8
9	—	·04	—	—	Trace	·01	01	—	·14	—	·05	Trace	9
10	·01	Trace	—	—	—	·01	·09	—	—	·08	·28	·01	10
11	·67	·01	—	·40	·03	—	—	—	—	·55	·07	Trace	11
12	—	—	{Trace	—	·42	—	—	—	—	·01	·95	·01	12
13	·19	—	·03	—	—	—	—	·01	·09	—	·15	—	13
14	·21	—	·12	·05	—	—	·28	·03	·02	·03	·15	·01	14
15	·16	·17	·37	·33	—	—	·26	—	·14	—	—	—	15
16	·15	—	·47	·06	—	—	—	—	·01	—	—	—	16
17	·25	·02	·01	·10	—	—	·09	—	—	—	·06	—	17
18	·01	—	·13	·10	—	—	·02	—	—	—	·07	—	18
19	·24	—	·02	—	Trace	·10	·05	—	·40	—	—	—	19
20	·32	—	·05	·05	—	·05	—	—	—	·39	Trace	—	20
21	Trace	—	·15	·04	—	—	—	—	—	·70	·47	01	21
22	·41	—	·41	—	—	—	—	·09	·23	·25	—	·05	22
23	—	—	·23	—	—	·02	—	·11	—	—	—	·88	23
24	·11	—	—	·08	—	—	—	·13	—	·01	—	—	24
25	—	Trace	—	·10	—	—	—	—	—	·01	·01	·02	25
26	—	"	·08	·01	—	—	—	·17	—	·69	—	·16	26
27	—	—	·27	—	—	—	—	—	—	·03	—	—	27
28	·14	—	·16	·11	—	—	—	Trace	—	·08	—	—	28
29	·14	×	·06	·36	·52	—	—	·15	—	·08	—	·01	29
30	·37	×	—	08	—	—	—	1·20	Trace	·06	·01	—	30
31	Trace	×	·11	×	—	×	—	1·34	×	·13	×	—	31
Total	3·84	1·19	3·18	2·04	1·80	0·73	1.10	3·26	2·93	5·51	3·69	1·89 ~~1·885~~	YEAR'S TOTAL ~~31·150~~
	20	10	22	17	8	10	11 10	10	11	21	17	16 15	173

, XI. 13

31·11

REGISTER OF RAINFALL IN 1914

FORM A2. BRITISH RAINFALL.
4 JAN 1915

Ex M

Kept at Bognor

in the County of Sussex

by Dr. Morris & A.G. Thompson

RAIN GAUGE: Pattern Glaisher
Diameter of top 8 in.
Height of top above Ground 1 ft. — in.
" " " Mean Sea Level 21 ft.

Time of Observation 9 a.m.

Nearest Railway Station: Name Bognor
Distance ½ m. Direction N.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	—	0·04	—	—	01	0·15	—	—	0·05	0·07	1
2	—	0·01	—	·02	—	—	·18	—	—	—	·03	·10	2
3	—	—	0·03	·07	·31	—	[illegible]	·01	—	[illegible]	·01	·03	3
4	—	—	Trace	·15	—	—	·02	·02	—	—	34	·39	4
5	0·14	01	·16	·29	·05	0·01	·13	Trace	—	—	·02	—	5
6	—	·16	—	·16	·10.	·04	—	—	—	—	·01	·54	6
7	·03	·32	·21	·18	01	·01	·12	—	—	—	·01	·27	7
8	·02	·57	·26	·01	·05	Tr ·23	—	·08	—	—	01	·12	8
9	·05	Trace	·45	·12	—	—	—	·01	0·06	—	—	1·19	9
10	05	·14	·01	·14	·17	—	—	—	·21	01	·01	·01	10
11	—	·30	·58	Trace.	·37	·04	—	—	18	—	·09	·51	11
12	—	·19	·20	—	—	—	Tr 0·66	—	·41	·04	·01	·42	12
13	—	·31	·11	—	—	—	—	—	·23	·03	·13	·74	13
14	—	·11	·20	—	—	Tr 01	·02	Tr 0·15	—	·61	·18	·57	14
15	—	·07	·18	—	—	—	—	·44	—	·03	·75	01	15
16	—	·10	—	—	—	—	·07	—	·10	—	—	—	16
17	—	·52	·11	—	—	—	—	—	·05	—	[illegible]	·19	17
18	—	Trace	·35	—	—	—	—	—	—	—	01	·25	18
19	—	·13	·66	—	—	—	Tr ·49	—	—	—	·14	·09	19
20	—	·20	·06	—	—	·06	—	—	·05	·01	—	·49	20
21	—	·48	·10	—	—	—	—	—	—	·10	—	·01	21
22	—	·07	·06	—	0·07	·04	·13	0·04	—	·26	—	—	22
23	—	—	29	—	—	·78	—	—	—	·02	—	—	23
24	Trace	—	·01	—	—	—	·01	—	—	[illegible]	·20 (in 2 days)	[illegible]	24
25	01	·01	·26	—	—	—	—	·22	—	·26	·01	·08	25
26	—	—	·01	—	—	—	·01	·10	—	·10	·15	·53	26
27	·04	·01	—	—	—	—	—	—	—	—	·10	·40	27
28	·01	·02	01	—	0·04	—	—	—	—	·44	·25	·37	28
29	·15		·10	01	—	—	—	—	—	·35	·12	·04	29
30	Trace		·06	·42	—	—	—	—	—	·12	·72	·60	30
31	·02		—		0·08		·03	—		·08		·01	31
Total	0.52	3.67	4.47	1.61	~~1·245~~ 1.25	~~1·215~~ 1.22	1·88	1·22	1·29	2·46	3·345	8·03	TOTAL for year 30·97
No. of Rain Days	~~8~~ 10	~~20~~ 19	~~21~~	~~11~~ 12	~~10~~	~~9~~							

Tr A 2¼ a 15

Fine before 9 on 26th

9,000, IX. '10.

ackd 23.11.16

502

FORM A.
BRITISH RAINFALL

REGISTER OF RAINFALL IN 1915

Kept at Bognor

in the County of Sussex

by Dr. H. C. L. Morris & A. G. Thompson

Lat. 50° 47' N. Long. 0° 40' 30" W.

Time of Observation 9 a.m.

Nearest Railway Station Bognor ½ mile

Diameter of Rain Gauge 8 ins.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 21 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0·84	0·21	0·02	—	0·01	—	—	09	0·09	08	0·02	0·28	1
2	·41	·11	·15	0·08	—	—	—	04	10	05	·01	·47	2
3	·67	—	·12	·16	·08	01	—	—	—	—	·01	·57	3
4	·09	—	—	·02	—	—	—	·02	—	—	—	48	4
5	·03	·30	—	·02	—	Trace	—	19	—	—	—	64	5
6	·80	·12	—	·40	—	—	0·60	·01	—	—	01	·49	6
7	·17	·40	—	·08	—	—	·12	—	—	—	—	24	7
8	·03	·50	—	—	—	—	·04	04	—	—	07	·02	8
9	·02	·08	—	·14	—	0·04	—	·04	—	—	·41	·73	9
10	·26	·01	·04	—	—	—	—	—	—	01	—	47	10
11	—	—	·05	—	—	—	—	—	—	01	529 89	6·39 04	11
12	·06	·31	—	·20	·47	—	—	—	—	—	54	—	12
13	·05	·34	—	—	1·71	—	—	—	·15	—	—	—	13
14	·03	—	—	—	01	—	0·13	02	·05	—	—	·5~~6~~7	14
15	·10	—	—	—	·08	—	—	32	—	—	11	18	15
16	—	·51	—	·01	·15	—	·71	06	—	—	—	28	16
17	—	·15	—	—	·93	—	·01	·07	—	—	—	—	17
18	—	·17	—	—	·04	—	—	—	—	—	·03	—	18
19	—	·02	—	—	·08	—	·01	—	—	01	—	—	19
20	·25	—	—	·04	·04	—	—	—	—	—	—	10	20
21	·02	—	—	—	—	—	·01	—	—	24	—	12	21
22	* ·76	·06	0·08	·06	—	—	·95	—	—	—	—	16	22
23	·05	·03	·17	·01	—	0·02	—	—	·06	·28	—	87	23
24	—	—	—	—	—	—	·03	—	49	1·10	—	41	24
25	—	—	·03	01	—	·01	·12	—	—	—	—	24	25
26	0·01	·05	—	—	—	·04	·20	—	—	—	—	·71	26
27	—	·02	—	—	—	·05	—	—	—	·28 *	—	—	27
28	—	·17	—	—	—	·23	·01	—	·54	·16	02	—	28
29	—	╳	—	—	—	·10	—	10	—	10	43	06	29
30	·28	╳	—	—	—	—	—	—	—	34	84	·01	30
Rd 31	—	╳	—	╳	—	╳	—	72	╳	84	╳	·21	31
Total	4·93 = 125·2 mm	3·56 = 90·4 mm	0·66 = 16·8	1·23 = [illegible]	3·60 = 91·4 mm	0·50 = 12·6 mm	2·94 = 74·6 mm	1·72 ~~1·718~~ = 43·6 mm	1·48 = 38·1 mm	3·50 ~~3·494~~ = 88·9 mm	3·39 ~~3·384~~ = 85·9 mm	8·35	YEAR'S TOTAL 35·86
Rain Days.	20	19	8	13	10	9	13	14	7	10 3	10 3	24	157 163

W. 8,000. X. 14.

8·35 35·86

√ 24 Leap year # 4W and for another 419 420 2312

REGISTER OF RAINFALL IN 1916 in Millimetres

BRITISH RAINFALL FORM A.
5 JAN 19

Kept at Bognor
in the County of Sussex.
by Dr. H. C. L. Morris & A. G. Thompson

Lat. 50° 47′ N. Long. 0° 40′ 30″ W.
Time of Observation 9 a.m.
Nearest Railway Station Bognor ½ mile
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 21 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	Mm:	Mm:	Mm:	Mm:	Mm:	Mm:	Mm:	Mm:	Mm:	Mm:	mm	mm	
1	1·2	0·7	—	—	4·1	0·3	—	—	1·4	3·0	10·6	—	1
2	5·9	0·6	⊛* 3·5	—	5·5	—	0·1	—	0·1	14·8	0·2	—	2
3	0·5	7·5	⊛* 2·2	—	—	—	1·0	—	0·4	13·2	19·5	—	3
4	4·0	2·0	—	—	0·3	9·0	—	—	7·7	0·5	9·4	—	4
5	2·0	0·8	*° 0·1	—	3·5	0·9	—	—	—	1·9	5·1	0·1	5
6	0·2	1·3	* 1·0	2·0	—	2·3	6·3	—	—	1·5	6·7	—	6
7	—	0·1	* 12·0	—	5·5	—	—	—	0·1	1·6	10·6	1·1	7
8	—	1·0	0·9	—	6·8	—	—	—	—	—	—	10·0	8
9	0·1	—	—	—	2·3	—	—	—	—	—	—	2·1	9
10	—	16·4	0·8	1·0	0·2	9·3	1·6	—	—	—	0·2	5·3	10
11	0·5	0·8	0·3	4·9	0·1	8·5	—	—	—	—	—	5·2	11
12	0·3	1·8	—	2·6	1·3	1·4	1·5 ✓	—	—	0·1	0·2	—	12
13	—	5·2	1·5	0·8	—	0·7	—	—	—	—	0·2	0·4	13
14	—	22·3	0·8	0·5	0·9	—	—	—	—	—	—	0·3	14
15	—	8·4	6·9	0·1	—	—	— ✓	—	—	—	—	—	15
16	3·0	—	7·2	3·1	—	—	× 1·0	0·5	—	—	—	0·1	16
17	3·9	5·5	—	2·5	—	—	—	0·2	9·5	13·0	—	—	17
18	0·3	1·1	0·7	1·6	—	—	—	1·5	2·0	5·3	*Y⊛ 10·5	4·0	18
19	3·4	—	4·7	2·0	—	4·8	—	—	1·6	—	12·8	0·5	19
20	2·5	4·5	8·6	0·3	—	—	—	—	—	—	2·6	15·3	20
21	0·2	0·2 *°	5·0	—	—	—	—	—	—	—	—	12·5	21
22	0·2	0·5 *°	0·2	0·1	—	0·2	—	—	—	0·3	0·2	14·0	22
23	0·4	0·8 ~~2·0~~ *	0·3	—	—	1·2	—	0·7	—	6·1	0·1	0·4	23
24	—	—	—	—	1·6	0·5	—	0·5	—	5·6	1·7	8·1	24
25	—	14·0 *	4·7	—	—	—	—	8·6	23·4	2·7	0·1	0·1	25
26	1·0	9·7 ⊛*	—	—	—	3·3	—	—	6·4	8·6	—	2·2	26
27	0·1	0·2	20·0	—	—	0·2	—	0·7 ✓	2·5	27·4	—	0·5 ≡	27
28	0·1	13·4	0·6	—	—	—	—	5·0	4·9	8·3	—	7·3	28
29	—	6·9	—	—	—	7·0	—	9·1	2·4	8·1	—	12·3	29
30	—	╳	—	—	—	—	—	0·2	—	17·3	—	0·1	30
31	—	╳	—	╳	—	╳	—	0·6	╳	0·4	╳	0·6	31
Total	29·8 ~~1·174 ins~~	121·7 ~~4·80~~	82·0 ~~3·23~~	21·5 ~~0·85~~	32·1 ~~1·26~~	49·6 ~~1·95~~	11·5 ~~0·414~~	27·6 ~~1·087~~	62·4 ~~2·456~~	139·7 ~~5·500~~	90·7 ~~3·571~~	102·5 ~~4·04~~	YEAR'S TOTAL 771·1 30·38 ins
Rain Days. of 0·1 and over	14	~~20~~	21	13	12	12	4	11	11	19	10	23	170
of ·04 or more	9	16	12	8	8	9	4	11	10	16	10	13	119

W. 8,000. X. 15.

468

REGISTER OF RAINFALL IN 1917 *in Millimetres*

FORM A.
BRITISH RAINFALL.
7. JAN 1918

Kept at *Bognor*
in the County of *Sussex*
by *Dr. H. C. L. Morris & A. G. Thompson*

Lat. *50° 47' N.* Long. *0° 40' 30" W.*
Time of Observation *9 a.m.*
Nearest Railway Station *Bognor ½ mile.*
Diameter of Funnel of Rain Gauge *8* in.
Height of top of Gauge above Ground *1* ft. *—* in.
" " " " Sea Level *21* ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	Mm:	Mm:	Mm:	Mm:	Mm:	Mm:	Mm:	Mm:	Mm:	Mm:	Mm:	Mm:	
1	—	0·3 ~~Trace~~ *	1·9	⊗* 3·5	—	—	—	34·2	0·6	0·1	2·1	0·6	1
2	—	—	·3	⊗*△ 21·6	—	—	—	—	·4	—	1·9	—	2
3	0·2	—	—	⊗* 3·5	—	—	7·0	4·3	—	·2	5·1	—	3
4	—	* 3·6	6·3	—	—	—	—	3·9	—	3·5	—	—	4
5	8·0	—	1·2	2·8	—	0·7	—	—	3·1	8·4	·6	—	5
6	·2	—	3·6	—	—	3·6	—	—	·9	·2	4·0	—	6
7	6·1	—	—	·3	—	—	0·4	—	—	3·4	—	1·1	7
8	5·4	—	—	2·3	—	—	4·9	2·9	—	7·0	5·0	6·0	8
9	—	—	*⊗ 4·1	—	0·8	—	·5	—	—	3·2	—	4·0	9
10	4·9	—	4·7	⊗* 3·0	—	1·5	—	2·6	—	—	—	—	10
11	2·0	—	6·5	⊗* 7·3	—	—	—	·2	—	9·5	—	—	11
12	1·5	—	—	⊗* 1·5	—	—	—	1·2	—	6·0	·3	·1	12
13	·4	—	5·3	—	—	—	—	1·1	0·3	8·2	—	·1	13
14	—	—	—	3·2	—	—	—	·4	—	—	·2	—	14
15	—	—	—	—	—	—	—	·5	—	5·5	—	3·0	15
16	—	7·0	—	3·0	1·6	—	—	—	—	6·7	·2	⊗* 17·0	16
17	—	≡ ·8	—	3·0	1·2	—	10·2	5·4	10·0	2·2	—	—	17
18	—	≡ ·9	—	—	·4	0·5	2·6	·4	3·8	—	—	—	18
19	Trace.	≡ 6·1	2·4	—	—	·1	—	—	3·4	—	—	—	19
20	—	≡ 1·6	·4	—	21·0	·3	—	—	—	—	·3	—	20
21	Trace *	≡ ·1	—	—	·1	—	—	—	—	—	—	—	21
22	Thaw ~ 0·6	—	·3 *	—	—	1·3	—	2·1	—	6·1	—	—	22
23	—	7·5	—	—	4·6	—	—	4·2	—	·3	—	0·9	23
24	—	2·2	—	—	—	3·0	5·7	—	—	4·9	·3	—	24
25	—	3·6	1·5	—	—	—	—	—	—	·6	—	—	25
26	—	·1	⊗* ·5	—	—	·4	—	17·7	2·2	—	10·8	*° —	26
27	—	—	—	—	14·5	·6	—	19·7	—	·3	—	—	27
28	—	—	1·8	—	—	55·0	—	5·8	—	—	—	* 0·4	28
29	—	✕	3·1	—	5·1	·3	4·5	·1	·1	7·8	—	1·5	29
30	— *°	✕	9·0	—	—	·1	4·3	5·9	·1	·5	·2	·5	30
31	— *°	✕	—	✕	—	✕	4·5	·4	✕	1·1	✕	·5	31
Total	29·3 ~~= 1·15 in~~	33·8 ~~= 1·33 in~~	52·9 ~~= 2·08 in~~	55·0 ~~= 2·17 in~~	49·3 ~~= 1·94 in~~	67·4 ~~= 2·66 ins~~	44·6 ~~= 1·76 in~~	113·0 ~~= 4·45 ins~~	24·9 ~~= 0·98~~	85·7 ~~= 3·37 ins~~	31·0 ~~= 1·22 in~~	35·7 ~~= 1·41 ins~~	YEAR'S TOTAL 622·6 mm ~~24·52 ins~~
Rain Days. of 1 mm: or more	10 6	10 7	17 13	12 11	8 6	11 5	10 8	16 14	9 5	21 15	13 6	11 6	151

5·57

W. 8,000, VIII. 16

3

REGISTER OF RAINFALL IN 1918. In Millimetres

FORM A.

BRITISH RAINFALL 6 · 1 · 19

Kept at Bognor

in the County of Sussex.

by Dr. H. C. L. Morris

Lat. 50° 47' N. Long. 0° 40' 30" W.

Time of Observation 9 a.m.

Nearest Railway Station Bognor ½ mile.

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 21 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	Mm:	Mm:	Mm:	Mm:	Mm:	Mm:	Mm.	Mm:	Mm:	Mm:	Mm:	Mm:	
1	—	0·4	—	—	—	—	—	13·4	—	—	5·6	2·2	1
2	—	1·1	—	1·1	—	—	—	8·5	—	—	8·9	7·2	2
3	—	·6	0·5	·9	11·6	—	—	1·7	—	—	5·1	·3	3
4	—	·8	·5	—	—	—	—	1·1	3·6	—	11·1	·4	4
5	—	·6	·3	—	1·5	—	—	3·1	·2	1·7	—	·3	5
6	5·5	4·8	—	3·9	4·2	—	—	10·6	1·4	·1	—	·8	6
7	—	3·2	—	2·8	8·1	—	—	·9	3·8	·4	3·0	·6	7
8	—	·7	—	2·2	·1	—	0·1	—	2·0	1·7	·9	·9	8
9	·5*	—	—	4·6	—	3·1	7·3	—	8·6	1·8	·4	5·8	9
10	—	—	—	1·6	—	1·0	6·4	—	4·6	·9	—	7·0	10
11	·5	—	—	·5	—	—	2·2	—	1·3	6·8	1·3	2·4	11
12	—	1·6	0·1	—	5·1	—	—	—	2·4	—	—	1·3	12
13	5·6*	—	0·1	—	·8	—	3·4	—	3·6	—	—	·5	13
14	4·6	—	1·2	—	·3	1·5	2·2	—	7·1	4·1	—	1·0	14
15	~~13·4~~ 33·4	—	—	1·9	—	·5	3·0	—	·2	—	—	2·6	15
16	9·4	—	·5	·7	—	—	·2	—	6·6	—	—	—	16
17	2·2	—	—	2·4	—	—	2·5	0·5	—	—	—	5·8	17
18	7·3	—	·1	—	—	9·8	—	—	12·0	—	—	2·3	18
19	·9	—	7·6	—	—	3·8	1·5	·1	—	—	—	1·0	19
20	·8	2·8	= ·1	8·8	—	·5	7·3	—	3·2	·9	—	·3	20
21	4·8	—	—	4·6	—	·4	—	—	11·8	1·7	—	2·2	21
22	3·1	—	= ·1	—	2·0	—	19·4	—	6·6	·12	—	6·6	22
23	1·5	—	—	—	—	—	2·5	1·6	·2	—	—	2·2	23
24	—	4·7	—	—	—	·2	—	—	5·4	—	2·6	—	24
25	·2	—	—	1·8	—	—	—	3·1	—	·7	—	—	25
26	·2	—	—	—	—	—	4·5	—	·7	·2	1·8	3·0	26
27	·3	1·7	·7	·6	—	—	·7	2·3	10·2	·6	2·0	·8	27
28	·3	—	3·6	·5	—	1·2	—	—	—	·3	2·5	—	28
29	·3	X	·6	—	—	—	—	—	29·5	—	—	·5	29
30	—	X	11·2	—	—	—	—	—	·5	1·3	1·2	·5	30
31	·1	X	—	X	—	X	—	0·1	X	2·0	X	·1	31
Total	81·5	23·0	27·2	38·9	33·7	22·0	63·2	47·0	125·5	25·3	46·4	58·3	YEAR'S TOTAL 592·0
Or incl. Rain Days. mm:	11 10	12 7	10 4	15 11	8 6	7 10 6	11 12	11 11	23 18	15 8	13 11	27 15	~~169~~ ~~117~~ 172

19 16 7 13 20 14 26

mo 23.3 1·171

W. 8,000, IX. 17.

FORM A. 2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Bognor [M.O.]

in the County of Sussex

by The Bognor Climatological Society

Lat. 50° 47′ Long. 0° 41′ W

Time of Observation 9h. G.M.T.

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 20 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	11·3	0·2	-	-	0·9	-	2·2	-	-	1·0	-	13·2	1
2	2·7	-	0·4	-	0·7	-	2·0	-	1·6	-	0·3	1·3	2
3	4·8	-	21·8	-	1·6	-	0·5	-	0·3	-	-	8·1	3
4	6·5	1·2	7·5	-	0·2	0·4	2·0	2·3	0·5	-	4·0	1·3	4
5	-	8·5	19·2	-	-	-	0·2	-	0·4	-	4·6	7·7	5
6	7·6	-	4·1	-	-	-	-	-	-	-	0·3	3·6	6
7	2·1	-	8·5	-	-	-	-	-	-	-	-	-	7
8	4·2	-	4·2	-	-	-	-	-	-	-	-	-	8
9	16·2	-	2·5	1·5	5·5	-	-	-	-	-	3·8	-	9
10	15·1	-	0·6	0·2	-	-	-	-	-	-	-	2·8	10
11	12·5	-	0·9	7·0	2·2	-	0·6	-	-	-	-	0·2	11
12	2·0	-	-	-	0·3	-	1·9	-	-	1·4	0·2	0·5	12
13	0·4	0·2	1·0	6·1	-	-	-	-	-	-	-	0·5	13
14	9·6	-	-	3·9	-	-	1·5	-	5·8	-	-	1·8	14
15	5·9	1·0	0·7	1·0	0·2	-	-	-	-	-	-	22·0	15
16	3·2	14·6	-	-	-	-	-	-	-	-	2·5	0·2	16
17	0·4	4·9	-	-	-	-	-	-	-	-	2·9	0·5	17
18	-	0·5	4·8	-	-	-	-	0·5	-	-	4·1	-	18
19	4·4	9·7	28·7	-	-	2·0	5·9	5·4	-	0·1	1·0	0·2	19
20	8·6	0·8	1·4	-	-	12·5	-	5·1	-	0·1	-	-	20
21	0·8	11·1	-	-	-	-	-	-	-	-	0·4	0·7	21
22	-	-	-	-	-	-	4·1	-	16·2	-	-	5·0	22
23	-	0·4	-	-	-	-	-	-	-	-	0·7	1·0	23
24	-	0·9	-	1·5	-	0·7	-	2·0	-	4·6	2·7	4·4	24
25	2·4	0·2	-	0·5	-	0·6	-	15·9	-	-	-	6·0	25
26	0·5	2·4	2·0	2·5	-	-	-	0·9	1·9	-	9·5	9·5	26
27	8·2	-	-	10·0	-	-	-	18·1	-	-	8·4	1·3	27
28	-	-	12·0	-	-	-	-	8·2	-	-	8·5	13·6	28
29	0·2		0·2	1·6	-	-	-	9·2	-	2·4	-	2·5	29
30	-		-	4·8	-	0·5	-	13·0	-	-	10·8	14·4	30
31	1·2		0·5		-		-	-		-		2·1	31
TOTAL	130·8 ✓	56·6 ✓	121·0 ✓	40·6 ✓	11·6 ✓	16·7 ✓	20·9 ✓	80·6 ✓	26·7 ✓	9·6 ✓	64·7 ✓	124·4 ✓	YEAR'S TOTAL 704·2 ~~704·2~~ ✓
Days with 0·2 mm. or more	24 ✓	15 ✓	19 ✓	12 ✓	8	6 ✓	10 ✓	11	7	4	17	26	159 ✓

(44,284). Wt.21,958—218. 500. 10/19. Gp.132. A.&E.W.

Copied from M.O. Form 3203

443

REGISTER OF RAINFALL IN 1919

FORM A.
BRITISH RAINFALL
10 JAN 20

Kept at Bognor

in the County of Sussex.

by Dr. H. C. L. Morris & A. G. Thompson.

N. Lat. 50° 47′ W. Long. 0° 40′ 30″

Time of Observation 9 a.m.

Nearest Railway Station Bognor ½ mile

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 21 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	Mm:	Mm:	Mm:	Mm:	Mm:	Mm:	Mm:	Mm:	Mm:	Mm:	Mm:	Mm:	
1	11·3	* 0·2	Trace	—	0·9	—	2·2	—	—	1·0	—	13·2	1
2	2·7	—	0·4	—	·7	—	2·0	—	1·6	—	0·3	1·3	2
3	4·8	—	21·8	—	1·6	—	0·5	—	·3	—	Trace	8·1	3
4	6·5	1·2	7·5	—	·2	0·4	2·0	2·3	·5	—	4·0	1·3	4
5	—	8·5	19·2	—	—	—	·2	—	·4	—	4·6	7·7	5
6	7·6	—	4·1	—	—	—	—	—	—	—	·3	3·6	6
7	2·1	—	8·5	—	—	—	—	—	—	—	—	—	7
8	4·2	—	4·2	—	—	—	—	—	—	—	—	—	8
9	16·2	—	2·5	1·5	5·5	—	—	—	—	—	3·8	—	9
10	15·1	—	·6	·2	—	—	—	—	—	—	—	2·8	10
11	12·5	—	·9	7·0	2·2	—	0·6	—	—	—	—	·2	11
12	2·0	—	—	—	·3	—	1·9	—	—	1·4	* ·2	·5	12
13	·4	Thaw 0·2	1·0	6·1	—	—	—	—	—	—	—	·5	13
14	9·6	—	—	3·9	—	—	1·5	—	5·8	—	—	1·8	14
15	5·9	1·0	·7	1·0	0·2	—	—	—	—	—	—	22·0	15
16	3·2	14·6	—	—	—	—	—	—	—	—	2·5	·2≡	16
17	·4	4·9	—	—	—	—	—	—	—	—	2·9	·5	17
18	—	·5	4·8	—	—	—	—	0·5	—	—	4·1	—	18
19	4·4	9·7	28·7	—	—	2·0	5·9	5·4	—	0·1	1·0	·2≡	19
20	8·6	·8	1·4	—	—	12·5	—	5·1	—	·1	—	—	20
21	·8	11·1	—	—	—	—	—	—	—	—	·4	·7	21
22	—	—	—	—	—	—	4·1	—	16·2	—	—	5·0	22
23	—	·4	—	—	—	—	—	—	—	—	·7	1·0	23
24	—	·9	—	1·5	—	0·7	—	2·0	—	4·6	2·7	4·4	24
25	2·4	·2	—	·5	—	0·6	—	15·9	—	—	—	6·0	25
26	·5	2·4	2·0	2·5	—	—	—	0·9	1·9	—	9·5	9·5	26
27	8·2	—	—	10·0	—	—	—	18·1	—	—	8·4	1·3	27
28	—	—	* 12·0	—	—	—	—	8·2	—	—	8·5	13·6	28
29	·2	X	·2	1·6	—	—	—	9·2	—	2·4	—	2·5	29
30	—	X	—	4·8	—	0·5	—	13·0	—	—	10·8	14·4	30
31	1·2	X	▲ ·5	X	—	X	—	—	X	—	X	2·1	31
Total	130·8	56·6	121·0	40·6	11·6	16·7	20·9	80·6	26·7	9·6	64·7	124·4	YEAR'S TOTAL 704·2
Rain Days.	24	15	19	12	8	6	10	11	7	4	17	26	159

W. 6,500, VII. 18. W W C

FORM A. 2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Bognor (MO)
in the County of Sussex
by A. G. Thompson for the Bognor Climatological Soc.

Lat. 50° 47' N Long. 0° 41' W
Time of Observation 9 h GMT
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 20 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	4.2	-	1.3	0.6	2.9	-	6.1	-	-	10.5	1.6	8.7	1
2	0.5	-	0.8	0.6	1.8	-	-	8.4	2.1	-	0.1	2.7	2
3	0.4	-	0.2	0.8	-	-	-	-	-	5.5	-	1.5	3
4	-	4.2	-	4.3	-	-	24.4	2.9	-	8.6	-	0.2	4
5	-	-	4.6	1.1	0.3	-	21.2	3.8	-	1.4	-	0.2	5
6	-	0.2	6.6	-	9.2	-	5.6	-	-	-	-	0.6	6
7	0.8	0.1	-	3.6	0.6	-	1.4	-	-	-	-	0.2	7
8	-	0.3	-	1.3	1.4	-	9.7	-	-	0.1	-	-	8
9	9.0	0.2	0.6	1.7	-	1.7	-	-	-	-	-	-	9
10	25.2	4.9	2.6	2.4	-	3.1	4.6	-	-	-	-	-	10
11	6.8	0.5	2.7	8.8	0.3	0.6	6.6	-	-	-	-	14.9	11
12	1.7	1.2	0.7	5.4	-	16.8	0.2	-	-	-	-	-	12
13	7.0	0.2	5.9	0.4	-	-	-	-	-	-	1.3	-	13
14	-	0.5	15.2	8.6	-	-	-	-	5.0	9.4	11.6	-	14
15	4.1	0.2	1.1	3.3	1.7	-	-	-	20.0	23.2	1.4	-	15
16	0.2	-	-	0.4	+-	-	-	-	4.7	0.4	0.2	-	16
17	0.5	-	-	0.6	3.0	-	0.4	-	9.7	-	-	1.1	17
18	0.7	-	-	0.1	4.5	0.6	-	16.1	9.2	-	-	1.2	18
19	2.1	-	-	9.7	-	0.6	-	-	1.6	-	-	0.8	19
20	2.3	1.6	-	2.7	-	19.1	-	-	0.3	-	-	0.4	20
21	-	-	-	0.1	-	-	26.7	-	5.1	-	-	5.9	21
22	0.4	-	-	6.7	-	-	-	0.4	-	-	-	7.0	22
23	-	-	-	-	-	-	9.9	1.6	-	-	-	13.2	23
24	0.3	0.3	2.0	0.4	-	-	-	-	-	-	0.3	2.6	24
25	-	0.2	0.1	-	3.0	-	3.8	-	-	-	0.2	-	25
26	0.7	-	2.0	1.4	-	2.5	-	-	0.2	-	0.3	2.9	26
27	8.5	-	0.1	2.8	-	1.8	1.4	-	0.1	-	5.6	7.8	27
28	8.0	0.5	4.8	-	3.0	-	3.1	-	0.2	-	1.0	1.6	28
29	13.6	-	1.3	0.4	0.1	-	-	-	0.1	-	5.8	5.0	29
30	1.3		0.3	-	-	0.6	1.1	-	6.1	-	6.3	6.5	30
31	0.4		5.4		0.2		-	-		13.1		3.6	31
TOTAL	98.7	15.1	58.3	68.2	32.0	47.4 ~~1.87~~	126.2	33.2	64.4	72.2	35.7	88.6	YEAR'S TOTAL ~~711.3~~ 740.0
Days with 0·2 mm. or more	23	14	18	23	13	10	6	6	12	8	12	22	177
		14	13	15	9	6	14	5	9	7	8	16	119

(44,284). Wt.21,958—218. 500. 10/19. Gp.182. A.&E.W.

Copied file 101 3203

419

8 JAN 1921

FORM A. 2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Leap Year

Kept at Bognor

in the County of Sussex.

by Dr. H. C. L. Morris & A. G. Thompson.

Lat. 50°-47′ N. Long. 0°-40′-30 W.

Time of Observation 9h.

Nearest Railway Station Bognor ½ mile.

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. — in.

„ „ „ „ Sea Level 21 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	4·2	—	1·3	0·6	2·9	—	6·1	—	—	10·5	1·6	8·7	1
2	·5	—	·8	·6	1·8	—	—	8·4	2·1	— ρ°	·1	2·7	2
3	·4	—	≡ ·2	·8	—	—	—	—	—	6·5	—	1·5	3
4	—	4·2	—	4·3	—	—	R 24·4	2·9	—	8·6	—	·2	4
5	—	—	4·6	1·1	0·3	—	21·2	3·8	—	1·4	—	·2	5
6	—	ρ° ·2	6·6	—	9·2	—	5·6	—	—	—	—	·6	6
7	0·8	ρ° ·1	—	3·6	0·6	—	1·4	—	—	—	—	ρ° ·2	7
8	—	·3	—	1·3	1·4	—	9·7	—	—	ρ° 0·1	—	—	8
9	9·0	·2	0·6	1·7	—	1·7	—	—	—	—	—	—	9
10	25·2	4·9	2·6	2·4	—	3·1.	4·6	—	—	—	—	—	10
11	6·8	·5	2·7	8·8	0·3	·6	R 6·6	—	—	—	—	* 14·9	11
12	1·7	1·2	·7	5·4	—	16·8	0·2	—	—	—	Trace ·05	—	12
13	7·0.	·2	5·9	0·4	—	—	—	—	ρ° —	—	1·3	—	13
14	—	·5	15·2	8·6	—	—	—	—	5·0	9·4	11·6	—	14
15	4·1	·2	1·1	3·3	1·7	—	—	—	20·0	23·2	1·4	—	15
16	≡ ·2	—	—	·4	—	—	—	—	4·7	0·4	·2	—	16
17	·5	—	—	·6	3·0	—	0·4	—	9·7	—	—	1·1	17
18	·7	—	—	·1	4·5	0·6	—	16·1	9·2	—	—	1·2	18
19	2·1	—	—	9·7	—	0·6	—	—	1·6	—	—	0·8	19
20	2·3	1·6	—	2·7	—	19·1	—	—	0·3	—	—	·4	20
21	—	—	—	·1	—	—	26·7	—	5·1	—	—	5·9	21
22	·4	—	—	6·7	—	—	—	0·4	—	—	—	7·0	22
23	—	—	—	—	—	—	9·9	1·6	—	—	—	13·2	23
24	·3	0·3	2·0	0·4	—	—	—	—	—	—	0·3	2·6	24
25	—	·2	0·1	—	3·0	—	3·8	—	—	—	·2	—	25
26	·7	—	2·0	1·4	—	2·5	—	—	≡ 0·2	—	·3	2·9.	26
27	8·5	—	·1	2·8	—	1·8	1·4	—	≡ 0·1	—	5·6	7·8	27
28	8·0	·5	4·8	—	3·0.	—	3·1	—	ρ° 0·2	—	1·0.	1·6	28
29	13·6	—	1·3	0·4	·1	—	—	—	ρ° 0·1	—	5·8	5·0.	29
30	1·3	×	0·3	—	—	0·6	1·1	—	6·1	—	6·3	6·5	30
31	·4	×	5·4	×	·2	×	—	—	×	13·1	×	3·6	31
TOTAL	98·7	15·1	58·3	68·2	32·0	47·4	126·2	33·2	64·4	72·2	35·7	88·6	YEAR'S TOTAL 740·0
Days with 0·2 mm. or more	23	14	18	23	13	10	16	6	12	8	12	22	177
	13	4	13	15	9	6	14	5	9	7	8	12	119

(44,284). Wt.21,958—218. 500. 10/19. Gp.132, A.&E.W.

FORM A2.
BRITISH RAINFALL.

27 APR 1912

R

BOGNOR

WATERLOO SQUARE

SUSSEX

1911

Kept at Bognor,

in the County of Sus

by Drs Morris & A.

... or M.O. by N&Z

8 in. Glass, Camden

Ground 1 ft. — in.

Sea Level 21 ft.

a.m.

Name Bognor

Distance 500 yds. Direction N.

IMPORTANT NO ... d the result entered to the previous day. If an ... versal rule, he is earnestly requested to add the r... ear in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
A few drops of rain only.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	—	0·49	—	—	—	0·08	—	—	0·08	0·005 }	1
2	0·02	—	—	·09	0·26	—	—	—	—	—	·24	·19 }	2
3	—	—	—	—	·16	—	—	·10	—	—	·14	·16	3
4	—	—	0·02	·02	—	—	—	—	—	0·05	·20	·19	4
5	—	—	—	·05	—	—	—	—	—	·62	·12	—	5
6	·30	—	·04	·01	—	—	—	—	—	—	·14	·43	6
7	·07	—	—	—	—	—	—	—	—	·40	1·13	·06	7
8	·03	—	·15	—	—	—	—	—	—	—	·66	·45	8
9	·07	—	—	—	—	—	—	—	—	—	·33	·20	9
10	—	0·12	·12	·01	—	—	—	—	—	—	·006 }	·28	10
11	·22	—	·06	—	·01	—	—	—	—	—	·92 }	·01	11
12	—	—	·81	—	—	—	—	—	0·04	·01	·13	·03	12
13	—	·01	·05	—	·10	—	—	—	·04	·07	—	·27	13
14	—	·06	—	—	·06	—	—	—	—	—	—	·39	14
15	—	·01	·02	—		—	—	—	—	—	·09	·02	15
16	—	—	—	—		0·84	—	—	—	—	·70	·10	16
17	—	—	—	—		—	—	—	—	—	1·30	·12	17
18	—	·11	·03	—		—	—	—	—	·04	·52	·29	18
19	—	·05	—	—		·03	—	·04	·15	·18	·02	·15	19
20	—	—	·01	—		—	—	·27	·15	—	—	·75	20
21	·01	·15	·01	—		—	—	·04	·28	·35	—	·23	21
22	·31	·01	·03	—		·09	—	—	—	·39	—	·46	22
23	·01	·14	—	—		·50	—	—	·24	·38	·05	·15	23
24	·01	·12	—	—		·10	a few drops 0·0025	—	—	·58	—	·34	24
25	—	·01	—	·09	·55	·02	0·85	—	·06	·04	—	·04	25
26	—	—	—	·34	—	—	·01	—	—	·16	—	·32	26
27	—	·38	·18	·05	—	—	·08	—	·05	·53	·01	·19	27
28	—	·15	—	·21	—	—	—	·10	—	—	·01	Drops only	28
29	—		—	·04	—	·13	·08	—	·21	·26	·01	—	29
30	—		—	—	—	·06	—	·23	—	·31	—	·02	30
31	—		—		—		—	—		—		·01	31
Total	1·05	1·32	1·53	1·40	1·14	1·77	1·02	0·86	1·22	4·37	6·80	5·85	TOTAL for year 28·33
No. of Rain Days	10	13	13	11	6	8	4	7	9	16	21 Including 10th ·006	28 Including 1st ·005	146

9,000, IX. '10.

FORM A2.
BRITISH RAINFALL.
27 APR. 1912

R

Kept at Bognor, Waterloo Square

in the County of Sussex

by Dr. Morris & A. G. Thompson

Rain Gauge	Pattern common or M.O. by N&Z. Glass, Camden
	Diameter of top 8 in.
	Height of top above Ground 1 ft. — in.
	„ „ Mean Sea Level 21 ft.

Time of Observation 9 a.m.

Nearest Railway Station: Name Bognor
Distance 500 yds. Direction N.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
A few drops of dew only.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	—	0·49	—	—	—	0·08	—	—	0·08	0·005	1
2	0·02	—	—	·09	0·26	—	—	—	—	—	·24	·19	2
3	—	—	—	—	·16	—	—	·10	—	—	·14	·16	3
4	—	—	0·02	·02	—	—	—	—	—	0·05	·20	·19	4
5	—	—	—	·05	—	—	—	—	—	·62	·12	—	5
6	·30	—	·04	·01	—	—	—	—	—	—	·14	·43	6
7	·07	—	—	—	—	—	—	—	—	·40	1·13	·06	7
8	·03	—	·15	—	—	—	—	—	—	—	·66	·45	8
9	·07	—	—	—	—	—	—	—	—	—	·33	·20	9
10	—	0·12	·12	·01	—	—	—	—	—	—	·006	·28	10
11	·22	—	·06	—	·01	—	—	—	—	—	·92	·01	11
12	—	—	·81	—	—	—	—	—	0·04	·01	·13	·03	12
13	—	·01	·05	—	·10	—	—	—	·04	·07	—	·27	13
14	—	·06	—	—	·06	—	—	—	—	—	—	·39	14
15	—	·01	·02	—		—	—	—	—	—	·09	·02	15
16	—	—	—	—		0·84	—	—	—	—	·70	·10	16
17	—	—	—	—		—	—	—	—	—	1·30	·12	17
18	—	·11	·03	—		—	—	—	—	·04	·52	·29	18
19	—	·05	—	—		·03	—	·04	·15	·18	·02	·15	19
20	—	—	·01	—		—	—	·27	·15	—	—	·75	20
21	·01	·15	·01	—		—	—	·04	·28	·35	—	·23	21
22	·31	·01	·03	—		·09	—	—	—	·39	—	·46	22
23	·01	·14	—	—		·50	—	—	·24	·38	·05	·15	23
24	·01	·12	—	—		·10	a few drops 0·0025	—	—	·58	—	·34	24
25	—	·01	—	·09	·55	·02	0·85	—	·06	·04	—	·04	25
26	—	—	—	·34	—	—	·01	—	—	·16	—	·32	26
27	—	·38	·18	·05	—	—	·08	—	·05	·53	·01	·19	27
28	—	·15	—	·21	—	—	—	·10	—	—	·01	Drops only	28
29	—		—	·04	—	·13	·08	—	·21	·26	·01	—	29
30	—		—	—	—	·06	—	·23	—	·31	—	·02	30
31	—		—		—		—	—		—		·01	31
Total	1·05	1·32	1·53	1·40	1·14	1·77	1·02	0·86	1·22	4·37	6·80	5·85	TOTAL for year 28·33
No. of Rain Days	10	13	13	11	6	8	4	7	9	16	21 Including 10th ·006	28 Including 1st ·005	146

9,000, IX. '10.

DL/ ✓

911

Form A2.
British Rainfall.

23 JAN 1912

BOLNEY VICARAGE

SUSSEX

1911

Kept at Boln

in the County of E

by Rev. T. A.

op .... in.

bove Ground .... ft. .... in.

„ Sea Level .... ft.

n { Name ....
Distance .... Direction ....

IMPORTANT and the result entered to the previous day. If a niversal rule, he is earnestly requested to add the year in the space provided for it at the end o paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04			·52				·05			·15		1
2	·03			·08	·34						·23	·27	2
3					·19			·02			·11	·21	3
4	·11			·03					·02	·24	·34	·22	4
5		·01		·47						·66	·04	·02	5
6	·35		·03									·74	6
7	·04									·12	·67	·37	7
8	·08		·19								·66	·27	8
9	·21		·02	·02							·25	·15	9
10		·11	·13	·05								·40	10
11	·44	—	·07		·23						1·14		11
12	·01		·87						·03		·08	·02	12
13			·09		·14				·45	·06		·25	13
14		·11	·02		·24							·65	14
15		·04	·17								·12	·18	15
16						·46					·50	·22	16
17			·02			·08					1·39	·13	17
18		·12	·03	·01		·02					1·03	·30	18
19		·01				·11		·01	·20	·36	·07	·12	19
20	·02		·02					·13	·11	·04		·86	20
21	·03	·18						·12	·10	·81		·18	21
22	·05	·09	·18			·19	—	·30		·33	·04	·47	22
23		·20				·84			·34	·31		·25	23
24		·17	·01			·15	·03		·06	·51		·34	24
25		·02	·13	·07		·12	·07	·01		·01		·09	25
26			·10	·02		·08	·03	·02		·24	·02	·32	26
27		·45	·34	·20			·02		·08	·37	·19	·21	27
28		·20		·12				·08					28
29				·20		·17	·52		·17	·50			29
30				·10		·05		·05	·02	·31		·02	30
31													31
Total	1·41	1·71	2·42	1·89	1·14	2·27	·67	·79	1·58	4·87	7·03	7·26	TOTAL for year 33·04
No. of Rain Days	12	13	17	13	5	11	5	10	11	15	18	26	156

9,000, IX. '10.

D^a ✓

FORM A2.
BRITISH RAINFALL.

23 JAN 1912

55

RAINFALL IN 1911

Kept at Bolney Vicarage

in the County of E. Sussex 3

by Rev. T. A. Holcroft J. Hodgson

Rain Gauge
Pattern
Diameter of top in.
Height of top above Ground ft. in.
" " " Sea Level ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04			·52				·05	—		·15		1
2	·03			·08	·34			—		—	·23	·27	2
3					·19			·02			·11	·21	3
4	·11			·03					·02	·24	·34	·22	4
5		·01		·47						·66	·04	·02	5
6	·35		·03									·74	6
7	·04									·12	·67	·37	7
8	·08		·19								·66	·27	8
9	·21		·02	·02							·25	·15	9
10		·11	·13	·05								·40	10
11	·44	—	·07		·23						1·14		11
12	·01		·87						·03		·08	·02	12
13			·09		·14				·45	·06		·25	13
14		·11	·02		·24							·65	14
15		·04	·17								·12	·18	15
16						·46					·50	·22	16
17			·02			·08					1·39	·13	17
18		·12	·03	·01		·02					1·03	·30	18
19		·01				·11		·01	·20	·36	·07	·12	19
20	·02		·02					·13	·11	·04		·86	20
21	·03	·18						·12	·10	·81		·18	21
22	·05	·09	·18			·19		·30		·33	·04	·47	22
23		·20				·84			·34	·31		·25	23
24		·17	·01			·15	·03		·06	·51		·34	24
25		·02	·13	·07		·12	·07	·01		·01		·09	25
26			·10	·02		·08	·03	·02		·24	·02	·32	26
27		·45	·34	·20			·02		·08	·37	·19	·21	27
28		·20		·12				·08					28
29				·20		·17	·52		·17	·50			29
30				·10		·05		·05	·02	·31		·02	30
31													31
Total	1·41	1·71	2·42	1·59	1·14	2·27	·67	·79	1·58	4·87	7·03	7·26	TOTAL for year 33·04
No. of Rain Days	12	13	17	13	5	11	5	10	11	15	18	26	156

9,000, IX. '10.

BORDEN WOOD

SUSSEX

1911 - 1920

R

Kept at Borden

in the County of Su

by Edmund

on, Negretti + Zambra

7 in.

Ground 1 ft. - in.

Sea Level 260 ft.

m.

Name Liphook

Distance 5 m. Direction N

FORM A2.
BRITISH RAINFALL.
-6 FEB 1912

IMPORTANT NOT … the result entered to the previous day. If an Ob … rsal rule, he is earnestly requested to add the rea … ear in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01	none	none	·18	none	none	none	·10	none	none	·04	·08	1
2	·08	none	none	·08	·45	none	none	none	none	none	·17	·28	2
3	none	·01	none	none	·26	none	none	·08	none	·03	·29	·04	3
4	none	·01	·05	·11	none	none	none	none	none	·04	·32	·64	4
5	none	none	none	·10	none	none	none	none	none	·19	·05	·02	5
6	·45	none	·08	·01	none	none	none	none	none	none	·03	1·46	6
7	·02	none	none	·01	none	none	none	none	none	·32	·52	·12	7
8	·07	none	·23	none	none	none	none	none	none	none	·19	·58	8
9	·14	none	none	·01	none	none	none	none	none	none	·03	·73	9
10	none	·13	·28	·01	none	none	none	none	none	none	·01	·93	10
11	·60	none	·02	none	·03	none	none	none	none	none	1·34	none	11
12	none	none	·63	none	none	none	none	none	·07	none	·26	·13	12
13	none	none	·02	none	·20	none	none	none	·59	·03	none	·45	13
14	none	·06	·01	none	·10	none	none	none	none	none	none	·70	14
15	none	·12	·06	none	none	none	none	none	none	none	·04	·04	15
16	·01	none	none	none	none	·61	none	none	none	none	·72	·20	16
17	none	none	none	none	none	·16	none	none	none	none	·50	·59	17
18	none	·06	·04	·04	none	·15	none	·01	none	·02	·36	·88	18
19	none	·14	none	·02	none	·09	none	none	·50	·29	·05	·20	19
20	·05	·03	·04	none	none	none	none	none	·04	·02	none	·95	20
21	·03	·35	none	none	none	none	none	none	none	·63	none	·18	21
22	·11	·01	·20	none	none	·40	none	none	none	·40	·01	·61	22
23	none	·28	·03	none	none	·37	none	none	·08	·22	·05	·46	23
24	none	·23	none	none	none	·15	none	·06	none	2·35	none	·43	24
25	·02	·13	none	·15	1·49	·08	·98	·06	·04	·05	none	·12	25
26	none	·01	·07	·35	·10	·02	·05	none	none	·28	·04	·38	26
27	none	·46	·42	·26	none	none	·09	none	·06	·17	·04	·18	27
28	none	·44	·01	·38	none	none	none	·16	none	none	·02	·01	28
29	none		none	·47	none	·14	·11	none	·19	·42	none	none	29
30	none		none	·08	none	·02	none	·62	·02	·64	none	none	30
31	none		none		none		none	none		·01		·02	31
Total	1·59	2·47	2·19	2·26	2·63	2·19	1·23	1·09	1·59	6·11	5·08	11·41	TOTAL for year 39·84
No. of Rain Days.	12	16	16	16	7	11	4	7	9	18	22	28	166

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
-6 FEB 1912

REGISTER OF RAINFALL IN 1911

Kept at Borden Wood

in the County of Sussex 2

by Edmund Lamb

RAIN GAUGE
Pattern Snowdon, Negretti + Zambra
Diameter of top 8 in.
Height of top above Ground 1 ft. - in.
" " " Sea Level 260 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Liphook
Distance 5 m. Direction N

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01	none	none	·18	none	none	none	·10	none	none	·04	·08	1
2	·08	none	none	·08	·45	none	none	none	none	none	·17	·28	2
3	none	·01	none	none	·26	none	none	·08	none	·03	·29	·04	3
4	none	·01	·05	·11	none	none	none	none	none	·04	·32	·64	4
5	none	none	none	·10	none	none	none	none	none	·19	·05	·02	5
6	·45	none	·08	·01	none	none	none	none	none	none	·03	1·46	6
7	·02	none	none	·01	none	none	none	none	none	·32	·52	·12	7
8	·07	none	·23	none	none	none	none	none	none	none	·19	·58	8
9	·14	none	none	·01	none	none	none	none	none	none	·03	·73	9
10	none	·13	·28	·01	none	none	none	none	none	none	·01	·93	10
11	·60	none	·02	none	·03	none	none	none	none	none	1·34	none	11
12	none	none	·63	none	none	none	none	none	·07	none	·26	·13	12
13	none	none	·02	none	·20	none	none	none	·59	·03	none	·45	13
14	none	·06	·01	none	·10	none	none	none	none	none	none	·70	14
15	none	·12	·06	none	none	none	none	none	none	none	·04	·04	15
16	·01	none	none	none	none	·61	none	none	none	none	·72	·20	16
17	none	none	none	none	none	·16	none	none	none	none	·50	·59	17
18	none	·06	·04	·04	none	·15	none	·01	none	·02	·36	·88	18
19	none	·14	none	·02	none	·09	none	none	·50	·29	·05	·20	19
20	·05	·03	·04	none	none	none	none	none	·04	·02	none	·95	20
21	·03	·35	none	none	none	none	none	none	none	·63	none	·18	21
22	·11	·01	·20	none	none	·40	none	none	none	·40	·01	·61	22
23	none	·28	·03	none	none	·37	none	none	·08	·22	·05	·46	23
24	none	·23	none	none	none	·15	none	·06	none	2·35	none	·43	24
25	·02	·13	none	·15	1·49	·08	·98	·06	·04	·05	none	·12	25
26	none	·01	·07	·35	·10	·02	·05	none	none	·28	·04	·38	26
27	none	·46	·42	·26	none	none	·09	none	·06	·17	·04	·18	27
28	none	·44	·01	·38	none	none	none	·16	none	none	·02	·01	28
29	none		none	·47	none	·14	·11	none	·19	·42	none	none	29
30	none		none	·08	none	·02	none	·62	·02	·64	none	none	30
31	none		none		none		none	none		·01		·02	31
Total	1·59	2·47	2·19	2·26	2·63	2·19	1·23	1·09	1·59	6·11	5·08	11·41	TOTAL for year 39·84
No. of Rain Days.	12	16	16	16	7	11	4	7	9	18	22	28	166

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.
4 - JAN 1918

Kept at Borden Wood
in the County of Sussex 2
by Edmund G. Lamb

Lat. N. 51°1'50" Long. W. 0°48'40"
Time of Observation 9 a.m.
Nearest Railway Station Rogate, 3 miles, SSW.
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 260 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	none	none	·27	none	·04	·35	·21	none	none	·73	none	·37	1
2	none	·02	·49	none	none	·04	·29	none	none	none	none	none	2
3	·04	·02	·04	none	none	·24	none	·49	·02	none	·01	·02	3
4	·14	·02	·97	none	·02	·21	none	·03	none	none	·15	none	4
5	·24	·06	·21	none	none	none	none	·66	none	none	·05	·04	5
6	·64	·14	none	none	·08	·01	·01	·37	none	none	none	·13	6
7	none	none	·04	none	·17	·66	none	·20	none	none	none	·21	7
8	·47	·53	·43	·02	none	·06	none	·05	none	none	none	·02	8
9	none	·27	·21	·06	none	·10	·03	·09	none	none	none	·27	9
10	none	·13	·06	none	none	none	none	·10	none	none	·12	·36	10
11	·08	·22	1·43	none	none	none	none	·01	none	none	none	·35	11
12	·02	·30	·12	none	·06	·18	·14	·20	none	none	·02	none	12
13	none	·04	·07	none	none	none	·22	·06	none	none	·13	·09	13
14	·02	none	·03	none	none	none	none	·02	none	·03	none	·04	14
15	none	·05	·05	none	·09	·54	none	none	none	none	·01	·42	15
16	·12	none	·34	none	·17	none	none	·27	none	·09	·06	none	16
17	·61	none	·21	none	none	·04	none	·25	none	none	none	·27	17
18	·13	none	·26	none	none	none	none	·25	none	·05	none	·04	18
19	·11	·07	·11	none	none	·02	·10	·62	none	none	·02	·01	19
20	·04	·01	·50	none	none	·02	none	·09	none	·42	·03	none	20
21	·01	·03	·26	none	·35	none	none	·17	none	·20	none	none	21
22	·09	·71	·05	none	none	none	none	·18	none	none	none	·05	22
23	·52	·29	·32	none	none	·03	none	·53	none	·06	·19	·13	23
24	·31	none	·01	none	none	·25	none	·18	none	none	none	·38	24
25	·13	·06	·01	none	none	none	none	·76	none	·03	·33	·73	25
26	·01	none	none	none	none	·54	·01	·15	none	·52	·54	·35	26
27	none	·04	none	none	none	·11	·06	none	none	·49	none	·62	27
28	none	·04	none	none	none	none	·34	·24	·16	·98	·48	·32	28
29	none	·18	none	none	none	·04	·75	·35	2·48	·86	·10	none	29
30	none		none	none	·23	·02	·08	·13	1·68	·34	none	none	30
31	none		·08		none		·35	~~1~~·13		·01		·03	31
Total	3·73	3·23	6·57	·08	1·21	3·46	2·59	6·58	4·34	4·81	2·24	5·25	YEAR'S TOTAL 44·09
Rain Days.	19	21	25	2	9	19	13	27	4	14	15	23	191

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

8 - JAN 1914

Kept at Borden Wood
in the County of Sussex
by Edmund Lamb

Lat. 51° 1′ 30″ W. Long. 0° 49′ N.
Time of Observation 9 a.m.
Nearest Railway Station ~~Liph~~ Rogate
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 260 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·04	·33	·16	·01	·07	·20	none	none	·57	·02	·25	·19	1
2	·05	·18	·02	·07	none	none	·10	none	·04	·25	·15	·02	2
3	·24	none	·04	·07	·72	none	none	none	none	·09	none	·37	3
4	·62	none	·15	·01	·32	none	none	none	1·30	·22	·10	·04	4
5	·57	·04	·02	none	none	·07	·01	none	·19	none	·19	·02	5
6	·04	·07	·11	none	·02	·20	·76	none	none	·57	·07	·26	6
7	none	·53	·05	none	·27	·10	·28	none	none	·44	·16	none	7
8	none	·10	none	none	·23	·02	none	·25	none	·17	none	·05	8
9	none	·05	none	·01	·06	·02	·03	none	·12	none	·09	·01	9
10	·04	none	none	·01	none	none	·23	·02	none	none	·42	none	10
11	·99	none	none	·45	·01	none	none	none	none	·77	·37	·01	11
12	none	none	none	none	·48	none	none	none	·02	none	·48	none	12
13	·26	none	·10	none	none	none	none	·03	·14	none	·11	none	13
14	·36	·09	·24	·03	none	none	·44	·10	none	·03	·30	·02	14
15	·46	none	·25	·57	none	none	·22	none	·05	none	·04	none	15
16	·20	none	·54	·32	none	none	·01	none	·25	none	·01	none	16
17	·05	none	·13	·08	none	none	·10	none	none	none	·04	·02	17
18	none	none	·44	·20	none	none	·03	none	none	none	·08	none	18
19	·54	none	·07	none	none	none	·09	none	·14	none	none	none	19
20	·12	none	·33	·10	none	·04	none	none	none	1·08	·06	none	20
21	·01	none	·33	·20	none	none	none	·01	none	·27	·74	none	21
22	·32	none	·34	none	·01	none	none	·10	·18	none	none	none	22
23	·02	none	·08	none	none	none	none	·10	none	none	none	·85	23
24	·03	none	none	·10	none	none	none	none	none	none	·06	none	24
25	none	·03	none	·21	none	·01	none	none	none	none	none	·02	25
26	none	none	·06	·13	none	none	none	·13	none	·59	none	·31	26
27	none	none	·32	·16	·01	none	none	none	none	·09	none	none	27
28	·13	none	·11	·11	none	none	none	none	none	·31	·01	none	28
29	·06		·16	·54	·45	none	none	·17	none	·17	none	·04	29
30	·83		none	·07	none	none	none	·29	none	·30	none	none	30
31	·03		·09		none		none	·62		·09		none	31
Total	6·01	1·42	4·14	3·45	2·65	·66	2·30	1·82	3·00	5·46	3·73	2·23	YEAR'S TOTAL 36·87
Rain Days.	23	9	23	21	12	8	12	11	11	17	20	15	182

W.7,000, XI. 13

REGISTER OF RAINFALL IN 1914

Ex. M.G.

FORM A.
BRITISH RAINFALL.
4 JAN 1915

Kept at Border Wood

in the County of Sussex 2

by Edmund Lamb

Lat. 51° 1′ 30″ N. Long. 0° 49′ W.

Time of Observation 9 a.m.

Nearest Railway Station Rogate

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 260 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	none	none	none	none	none	none	none	·20	none	none	·13	·03	1
2	·03	none	none	none	none	·02	none	·04	none	none	·09	·24	2
3	·01	none	·14	·02	·42	none	·09	·03	none	none	·02	·03	3
4	none	none	·03	·35	·03	none	·08	·24	none	none	·33	·29	4
5	·03	none	·09	·51	·25	·06	·03	·14	none	none	·03	none	5
6	none	·20	·04	·15	·07	·07	·28	·02	none	none	none	·62	6
7	none	1·23	·18	·09	·04	·05	none	none	none	none	none	·34	7
8	·06	·94	·54	·02	·03	·07	·23	·36	none	none	none	·06	8
9	·05	·02	1·26	·25	·02	·04	·02	·02	·16	none	none	2·22	9
10	·03	·37	·02	·11	·16	none	none	none	·26	none	none	none	10
11	none	·71	·58	none	·01	·02	·46	none	·18	none	·14	·72	11
12	none	·27	·12	none	none	none	·87	none	·34	·09	·01	·75	12
13	none	·77	·31	none	none	·04	none	none	·20	·08	·15	·87	13
14	none	·66	·35	none	none	·25	·06	·01	none	·43	·40	·39	14
15	none	·06	·26	none	none	none	·16	·33	·02	·02	·54	·01	15
16	none	none	none	none	none	none	·06	none	·18	none	·02	none	16
17	none	·71	·18	none	none	none	none	none	·23	none	·01	·69	17
18	none	·01	·32	none	none	none	none	none	none	none	none	·62	18
19	none	·12	·39	none	none	none	·82	none	none	none	·18	·35	19
20	none	·60	·19	none	none	none	none	none	·05	none	none	·43	20
21	none	·73	·19	none	none	none	none	none	none	·23	none	·09	21
22	none	·02	none	none	·03	·04	·06	·04	none	·26	none	none	22
23	none	·10	·21	none	·07	none	none	none	none	·02	none	none	23
24	none	none	·07	none	none	none	none	none	none	none	·26	none	24
25	·05	none	·10	none	none	none	none	·14	none	·35	·02	·17	25
26	none	none	·01	none	none	none	none	·17	none	·09	·26	·77	26
27	·05	none	none	none	none	none	none	none	none	·01	·20	·47	27
28	none	none	none	none	·26	none	·26	none	none	·09	·55	·65	28
29	·28		·14	none	none	none	none	none	none	·31	·27	none	29
30	·03		·19	·10	none	none	none	none	none	·18	1·01	·69	30
31	·05		none		·04		none	none		·13		·04	31
Total	·67	7·52	5·91	1·60	1·43	·66	3·48	1·74	1·62	2·29	4·62	11·54	YEAR'S TOTAL 43·08
Rain Days.	11	17	24	9	13	10	14	13	~~9~~8	14	20	24	17~~7~~8

W. 8,000. X. 14.

537

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1915

Kept at Borden Wood

in the County of Sussex

2

by Edmund Lamb

Lat. 51°1'30" Long. 0°49'W

Time of Observation 9 a.m.

Nearest Railway Station Rogate

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 260 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·75	·18	·08	none	·03	none	none	·09	·10	·10	·11	·23	1
2	·31	·40	·19	·11	none	·02	none	·20	·23	·09	none	·27	2
3	·47	none	·10	·14	·08	none	none	·01	·02	none	none	·43	3
4	·08	none	none	none	none	none	none	·02	none	none	none	·58	4
5	·05	·88	none	·05	none	none	none	·07	none	none	none	·59	5
6	·61	·15	·01	·86	none	none	·85	·04	none	none	none	·38	6
7	·34	·54	·02	·02	·16	none	·68	none	none	none	none	·41	7
8	·04	1·05	none	·61	none	none	·14	·04	none	none	none	·02	8
9	·07	·08	none	·15	none	·18	none	none	none	none	·52	·83	9
10	·32	·10	·32	none	none	none	none	·13	none	none	none	·16	10
11	·07	·01	none	none	none	none	none	none	none	·02	·77	·01	11
12	·08	·40	·06	·29	·49	none	none	·01	none	·02	·53	·01	12
13	·07	·68	none	none	1·53	none	none	none	·04	none	none	none	13
14	·05	·01	none	none	none	none	·12	·30	·05	none	none	1·06	14
15	·10	none	none	none	·07	none	·08	·26	·01	none	·06	·62	15
16	none	1·17	none	none	·29	none	1·15	·01	none	none	none	·05	16
17	none	·81	none	none	1·07	none	none	·26	none	none	none	none	17
18	none	·20	none	none	·14	none	·01	none	none	none	·04	none	18
19	none	·19	·01	none	·07	none	·08	none	none	none	none	none	19
20	·39	none	none	·02	·06	none	none	none	none	·01	none	·11	20
21	none	·03	none	none	none	none	·03	none	none	·25	none	·09	21
22	1·30	·26	·10	·03	none	none	1·05	none	none	·01	none	·34	22
23	·02	·13	·07	none	none	·03	·17	none	·43	·29	none	·36	23
24	none	none	·01	none	none	none	·06	none	·61	·37	none	·46	24
25	none	none	·02	·05	none	·07	·08	none	none	none	none	·14	25
26	none	·09	none	none	none	·15	·15	none	none	none	none	1·08	26
27	·01	·03	none	none	none	·06	none	none	·05	·59	none	·05	27
28	none	·12	none	none	none	·25	none	none	·66	·11	·52	none	28
29	none	–	none	none	none	·21	·09	·05	none	none	·71	·06	29
30	·14	✕	none	none	none	·20	none	none	·10	·45	·64	·06	30
31	·02	✕	none	✕	none	✕	none	·28	✕	1·04	✕	·65	31
Total	5·29	7·51	·99	1·73	3·99	1·17	4·74	1·77	2·30	3·35	3·90	9·05	YEAR'S TOTAL 45·79
Rain Days.	21	22	12	11	11	9	15	15	11	13	9	26	175

W. 8,000. X. 15.

Exd. F.W.

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
5 JAN 1917

Kept at Borden Wood
in the County of Sussex
by Edmund Lamb

Lat. 51° 1' 30" N. Long. 0° 49' W.
Time of Observation 9 a.m.
Nearest Railway Station Rogate
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 260 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·65	·05	·02	none	·17	·03	none	none	·38	·10	·38	·01	1
2	·15	·12	·07	none	·46	none	none	none	·02	1·07	·01	none	2
3	·42	·94	·17	none	·01	none	·02	none	·26	·72	·73	none	3
4	·04	·12	·01	none	none	·54	none	none	·13	·02	·41	none	4
5	·25	·12	none	none	·20	·12	none	none	none	·15	1·06	none	5
6	·04	·13	·03	·04	·03	·09	·43	none	none	·25	none	none	6
7	·02	·02	·46	none	·07	·13	none	none	none	·05	·79	·04	7
8	·01	·01	·01	none	·44	none	none	none	none	none	none	·33	8
9	none	·01	·02	none	·38	·04	none	none	none	·02	none	·13	9
10	none	·52	·05	·06	none	·28	·10	none	·02	none	·03	·10	10
11	none	·05	·03	·16	·01	·06	·13	none	·02	none	none	·03	11
12	·06	·09	none	·04	·05	·07	none	·02	none	·04	none	none	12
13	·05	·35	·08	·01	none	·06	·01	·02	·01	·05	none	none	13
14	none	·57	·04	·04	·05	none	none	·21	none	·06	none	·01	14
15	none	·11	·40	·01	none	none	none	·27	none	none	none	none	15
16	none	·08	·29	·16	none	none	·12	·38	none	none	none	·01	16
17	·01	·22	none	·08	none	none	none	·11	·38	·92	none	none	17
18	·33	·13	·03	·10	none	none	none	·02	·10	·04	·43	·07	18
19	·03	none	·13	·13	none	·04	none	·02	·18	none	·49	·12	19
20	·32	none	·62	·07	none	none	none	none	none	none	·02	·87	20
21	·16	none	·23	none	none	none	·03	none	none	none	none	·17	21
22	·01	none	·03	none	none	·02	none	none	none	·11	none	·71	22
23	·01	·21	·02	none	none	·24	none	none	none	·07	·14	·06	23
24	·04	·01	none	none	·16	·01	none	·07	none	·49	·17	·35	24
25	none	·89	·14	none	none	none	none	·51	·43	·04	·07	none	25
26	none	·30	·06	none	none	·05	none	·20	·19	·60	none	none	26
27	·02	·05	·81	·03	none	none	none	·13	·05	·53	none	none	27
28	none	·39	none	none	none	·01	none	·07	·15	·26	·04	·36	28
29	none	none	·03	none	none	·47	none	·78	·17	·42	none	·31	29
30	none		none	none	·04	none	none	·02	none	·50	none	none	30
31	none		none		none		none	·05		·30		·04	31
Total	2·62	5·49	3·78	·93	2·07	2·26	·84	2·88	2·49	6·81	4·77	3·72	YEAR'S TOTA 38·66
Rain Days.	19	24	24	13	13	17	7	16	15	23	14	18	208

W. 8,000, VIII. 16

FORM A. BRITISH RAINFALL.

8 JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Borden Wood

in the County of Sussex

by Edmund Lamb

Lat. 51°1'30" Long. 0°49' W

Time of Observation 9 a.m.

Nearest Railway Station Rogate

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 260 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01	none	·15	none	none	none	none	1·24	·41	none	none	none	1
2	none	none	·01	·37	none	none	none	·07	none	none	·10	none	2
3	none	none	none	·17	none	none	none	·30	none	·18	none	none	3
4	none	·18	·15	·01	none	none	·90	·35	none	·35	none	none	4
5	·36	none	·09	·38	none	none	·01	·02	·15	·27	·21	none	5
6	·01	none	·21	·04	none	·02	none	none	·06	·05	·19	none	6
7	·30	none	none	none	none	none	none	none	none	·34	none	·11	7
8	·29	none	none	·09	none	none	·11	·25	none	·29	·25	·34	8
9	none	none	·12	·02	·02	none	·46	·02	none	none	·11	·20	9
10	·13	none	·34	·26	·01	·01	·04	·19	none	·05	none	none	10
11	·15	none	·24	·20	none	none	none	·23	·01	·45	none	none	11
12	·03	·01	none	none	none	none	none	·02	none	·50	none	none	12
13	·09	none	·16	·11	none	none	none	·08	·02	·11	none	none	13
14	none	none	none	·10	none	none	none	·36	none	none	none	none	14
15	none	none	none	·01	·38	none	·64	·08	none	·16	none	·11	15
16	·01	·16	none	·11	·08	none	·21	·02	none	1·41	none	·61	16
17	none	·01	none	·12	·21	none	·30	·16	·56	·13	none	none	17
18	·04	·02	none	·01	·01	·01	·29	·02	·46	none	none	none	18
19	none	·23	·06	none	none	none	none	·07	·25	none	none	none	19
20	none	·08	·04	none	·73	none	none	none	·01	none	none	none	20
21	none	none	·04	none	none	none	none	none	none	none	none	none	21
22	·02	none	·01	none	none	none	none	·24	none	·15	none	none	22
23	none	·23	none	none	·09	·01	none	·22	none	none	none	none	23
24	none	·10	·01	none	none	·11	·08	·01	none	·25	none	none	24
25	none	·04	·04	none	none	none	none	none	none	·06	none	none	25
26	none	none	·02	none	none	none	none	·46	·09	none	·45	none	26
27	none	none	·01	none	·17	·05	·02	1·97	none	none	none	none	27
28	none	none	·02	none	none	2·08	none	·33	none	none	none	none	28
29	none	X	·02	none	1·80	·10	·33	·03	none	·51	none	·19	29
30	·01	X	·34	none	none	none	·81	·17	none	none	none	none	30
31	·02	X	·04	X	none	X	·16	·08	X	·04	X	none	31
Total	1·47	1·06	2·12	2·00	3·50	2·39	3·76	6·99	2·02	5·30	1·31	1·56	YEAR'S TOTAL 33·48
Rain Days.	14	10	21	15	10	8	14	26	10	18	6	6	158

2·91

W. 8,000, IX. 17.

Ans 10-viii-17

1917

504

BORDEN WOOD,
LIPHOOK,
HANTS.

TELEGRAMS, ROGATE.
PARCELS, LIPHOOK.

Aug. 7. 1917.

Dear Sir,

M^r^ Lamb will be much obliged if you will be so kind as to advise him on the following point, arising out of his rainfall observations.

From Jan. 14th to Feb. 15th inclusive this year, only ·29 inches of rain were measured, and there was therefore technically a partial drought of 33 days. As a matter of fact however there was a considerable amount of snow during this period, including one heavy fall, when snow to the depth of 3½ inches lay on the ground. M^r^ Lamb does not know

Ex 81 37

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.
3.2.19

Kept at Borden Wood
in the County of Sussex
by Edmund Lamb

Lat. 51°1′30″N. Long. 0°49′W.
Time of Observation 9 a.m.
Nearest Railway Station Rogate
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 260 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	none	none	none	none	none	none	none	·06	none	none	·91	·14	1
2	none	·08	none	·14	none	none	none	·60	none	none	·40	·30	2
3	none	none	·02	none	·51	none	none	·13	none	·04	·21	none	3
4	none	·26	·07	none	none	none	none	·04	·10	none	1·10	none	4
5	none	none	·13	none	·09	none	none	·16	none	·17	none	·07	5
6	·19	·25	none	·45	none	none	none	·05	none	none	none	none	6
7	none	·15	none	none	·30	none	none	·02	·25	·11	·32	·09	7
8	none	·25	none	none	none	none	none	none	·05	none	·15	·04	8
9	·10	none	none	·16	none	·07	·38	none	·72	·24	none	·48	9
10	none	none	none	·10	none	none	·28	none	·59	·03	none	·47	10
11	none	none	none	none	none	none	·38	none	·01	·33	none	·09	11
12	none	none	none	none	none	none	·57	none	none	none	none	·05	12
13	·59	none	none	none	·34	none	·23	none	·18	none	none	none	13
14	none	none	·14	none	none	·10	·08	none	·51	·16	none	·26	14
15	1·40	none	none	·48	none	·08	·35	none	none	none	none	·32	15
16	·18	none	none	·08	none	·08	none	none	·63	none	none	none	16
17	·68	none	none	·15	none	none	·22	none	none	none	none	·35	17
18	·77	none	none	none	none	·44	none	none	·67	none	none	·20	18
19	·13	none	·13	none	none	·26	·30	none	none	none	none	none	19
20	·05	·40	none	·50	none	none	none	none	·23	·15	none	none	20
21	·28	·13	none	·12	none	·02	·28	none	·38	·09	none	·25	21
22	·14	none	none	none	·21	none	·43	none	·20	none	none	·15	22
23	·12	none	none	none	·09	none	·47	·03	none	none	none	none	23
24	none	·34	none	none	none	·01	none	none	·19	none	none	none	24
25	none	none	none	·44	none	none	·30	·29	none	none	none	none	25
26	none	none	none	none	none	none	·54	none	·08	none	·35	·23	26
27	none	·32	none	·02	none	none	none	none	·10	none	·14	none	27
28	none	none	·52	none	none	none	none	·18	none	none	·14	·04	28
29	none	×	none	none	none	none	none	none	·85	none	none	none	29
30	none	×	·48	none	none	none	none	none	·02	none	none	·07	30
31	none	×	·08	×	none	×	none	none	×	none	×	none	31
Total	4·63	2·18	1·57	2·64	1·54	1·06	4·81	1·56	5·76	1·32	3·72	3·60	YEAR'S TOTAL 34·39
Rain Days.	12	9	8	11	6	8	14	10	18	9	9	18	~~132~~

W, 6,500. VII. 18. w w c

Sox - Hob

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

19 JAN 20

Kept at Borden Wood
in the County of Sussex
by Edmund Lamb

Lat. 51° 1′ 30″ N Long. 0° 49′ W.
Time of Observation 9 a.m.
Nearest Railway Station Rogate
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 260 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·52	none	none	none	·11	none	·16	none	none	none	none	1·15	1
2	·25	none	·13	none	·08	none	none	none	·05	none	·07	·13	2
3	·33	none	·86	none	·03	none	·04	none	·07	none	·02	·31	3
4	·34	·09	·30	none	none	none	·12	·06	·08	none	·09	·11	4
5	none	·31	1·23	none	none	none	·06	none	·35	none	·20	·34	5
6	·35	none	·11	none	·25	none	none	none	none	none	none	·14	6
7	·13	none	·72	none	none	none	none	none	none	none	none	none	7
8	·38	none	·22	none	none	none	none	none	none	none	none	none	8
9	·21	none	·02	none	·08	none	none	none	none	none	·07	none	9
10	1·20	none	·16	·14	none	none	none	none	none	none	none	·45	10
11	·19	none	·22	·28	·15	none	·15	none	none	none	none	·07	11
12	none	none	none	·06	none	none	·06	none	none	·08	·05	none	12
13	·06	none	·06	·73	none	none	none	none	none	none	none	none	13
14	·75	none	none	·65	none	none	·25	none	·29	none	none	·15	14
15	·24	none	·05	·04	none	none	none	none	none	none	·01	1·02	15
16	·07	·77	none	none	none	none	none	none	none	none	·11	·02	16
17	none	none	none	none	none	none	none	none	none	none	·15	none	17
18	none	·31	·29	none	none	none	none	·13	none	none	·12	none	18
19	·20	·32	1·00	none	none	·14	·35	·23	none	none	·08	none	19
20	·48	·11	·11	none	none	·40	·03	·19	none	none	none	none	20
21	none	·62	none	none	none	none	·06	none	none	none	none	·09	21
22	none	·03	·03	none	none	none	·16	none	·43	none	·03	·25	22
23	none	none	·02	none	none	none	none	none	none	·06	·06	·04	23
24	none	none	none	none	none	none	none	·05	none	·22	·11	·06	24
25	none	none	none	none	none	·07	none	·26	none	none	none	·10	25
26	none	·32	none	·13	none	none	none	·02	·15	none	·04	·61	26
27	·60	none	·18	·55	none	none	none	·64	none	none	none	·06	27
28	none	none	·41	none	none	none	none	1·03	none	none	·43	·43	28
29	none		none	·63	none	none	none	·32	none	·13	none	·14	29
30	none		none	·20	none	none	none	·41	none	none	·58	1·12	30
31	none		none		none		none	none		none		·14	31
TOTAL	6·30	2·88	6·12	2·81	·70	·61	1·44	3·34	1·42	·49	2·22	6·93	YEAR'S TOTAL 35·26
Days with ·01 in. or more	17	9	19	10	6	3	11	11	7	4	17	22	136

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

451

26 JAN

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Borden Wood
in the County of West Sussex
by Edmund Lamb

Lat. 51° 1' 30" N. Long. 0° 49' W
Time of Observation 9 a.m. G.T.
Nearest Railway Station Rogate
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 260 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	none	none	none	·07	·25	none	·50	none	none	·57	·06	·46	1
2	·09	none	·11	·07	·08	none	none	·25	·09	·07	none	·36	2
3	·17	·06	none	none	·25	none	·12	none	none	·56	none	·07	3
4	none	·10	none	·15	none	none	·98	none	none	·35	none	·09	4
5	none	none	·32	·09	none	none	·10	·32	none	·10	none	·04	5
6	none	none	·27	none	·31	none	·39	none	none	·01	none	none	6
7	·10	none	none	·25	none	none	·17	none	none	none	none	none	7
8	none	none	none	·06	·10	none	·33	none	none	none	none	none	8
9	·26	none	none	·09	·04	·07	·15	none	none	none	none	none	9
10	1·10	·30	·10	none	none	·20	·28	none	none	none	none	none	10
11	·35	none	·07	·53	none	none	·23	none	none	none	none	·30	11
12	·05	·12	none	·35	none	·46	none	none	none	none	·07	none	12
13	·15	none	·24	·04	none	none	none	none	none	none	·04	none	13
14	none	·06	·45	·60	none	none	none	none	·14	·36	·80	none	14
15	none	none	·03	·20	none	none	none	none	·91	·15	·06	none	15
16	none	none	none	·20	none	none	none	none	·29	none	none	none	16
17	none	none	none	none	·30	none	none	none	·92	none	none	none	17
18	·19	none	none	none	·11	none	none	·80	·13	none	none	none	18
19	·08	none	none	·28	none	none	none	none	·04	none	none	·10	19
20	·08	·12	none	·26	none	·90	none	none	none	none	none	·22	20
21	none	none	none	none	none	none	·88	none	·13	none	none	·15	21
22	·04	none	none	·25	none	none	none	none	none	none	none	·41	22
23	none	none	none	none	none	none	·49	·11	none	none	none	·44	23
24	none	none	·27	none	none	none	none	none	none	none	·05	·25	24
25	none	none	none	none	none	none	·55	none	none	none	none	none	25
26	·12	none	·85	none	none	none	none	none	none	none	none	·15	26
27	1·03	none	·07	·30	none	·12	none	none	none	none	·42	·25	27
28	·45	none	·12	none	none	none	·10	none	none	none	none	·05	28
29	·83	none	·12	none	none	none	none	none	none	none	·32	·56	29
30	·11		none	none	none	none	·15	none	·23	none	·36	·30	30
31	·16		·30		none		·10	none		1·08		·43	31
TOTAL	5·36	·76	3·32	3·79	1·44	1·75	5·52	1·48	2·88	3·25	2·18	4·63	YEAR'S TOTAL 36·36
Days with ·01 in. or more	18	6	14	17	8	5	16	4	9	9	9	18	~~133~~
Days with ·04 in. or more	18	6	13	17	8	5	16	4	9	8	9	18	131

489

BURLETTS BRAMBER

SUSSEX

1913 - 20

L IN 1913

FORM A. BRITISH RAINFALL.

7 - JAN 1914

6

50°47′N Long. 0° 20′W

Keps a

e of Observation 9 AM

in the

rest Railway Station Bramber LB

neter of Rain Gauge 5 in.

by H

ght of top of Gauge above Ground 5 ft. 6 in.

„ „ „ Sea Level 75 ft.

Il ily at 9 a.m. and the result entered to the previo o this almost universal rule, he is earnestly reques the following year in the space provided for it for the measurement of rain, the se ars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	0·05	0·58	0·20	0·09	~~0·00~~	0·00	0·00	0·00	0·03	0·00	0·20	0·08	1
2	0·02	0·17	0·01	0·01	~~0·00~~	0·00	0·00	0·00	0·02	0·67	0·14	0·04	2
3	0·01	0·00	0·08	0·32	0·15	0·10	0·00	0·00	0·00	0·01	0·00	0·22	3
4	0·55	0·00	0·12	0·01	0·01	0·00	0·07	0·00	1·28	0·10	0·13.	0·02	4
5	0·11	0·11	0·02	0·00	0·35	0·00	0·00	0·00	0·46	0·03	0·28	0·02	5
6	0·00	0·03	0·08	0·07	0·11	0·00	0·00	0·00	0·02	0·38	0·16	0·31	6
7	0·00	0·00	0·08	0·00	0·08	0·21	0·05	0·00	0·01	0·44	0·18	0·02	7
8	0·02	0·10	0·03	0·00	0·04	0·23	0·10	0·01	0·00	0·36	0·04	0·05	8
9	0·00	0·09	0·00	0·01	0·00	0·05	0·05	0·03	0·16	0·01	0·09	0·01	9
10	0·02	0·00	0·00	0·03	0·15	0·06	0·00	0·00	0·00	0·20	0·59	0·00	10
11	0·00	0·00	0·00	0·00	0·21	0·02	0·09	0·00	0·00	0·49	0·26	0·02	11
12	0·02	0·01	0·03	0·43	0·00	0·03	0·70	0·00	0·00	0·01	1·30	0·01	12
13	0·98	0·00	0·00	0·00	0·01	0·00	0·01	0·00	0·05	0·00	0·18	0·00	13
14	0·00	0·00	0·12	0·14	0·63	0·00	0·00	0·00	0·12	0·02	0·20	0·00	14
15	0·32	0·15	0·34	0·40	0·00	0·00	0·00	0·00	0·15	0·00	0·02	0·00	15
16	0·42	0·01	0·56	0·32	0·00	0·00	1·92	0·00	0·05	0·00	0·00	0·00	16
17	0·11	0·00	0·00	0·12	0·00	0·00	0·25	0·00	0·00	0·00	0·04	0·01	17
18	0·16	0·00	0·11	0·27	0·00	0·00	0·01	0·00	0·04	0·00	0·10	0·00	18
19	0·07	0·00	0·10	0·00	0·00	0·00	0·23	0·00	0·61	0·00	0·01	0·00	19
20	0·03	0·00	0·13	0·24	0·00	0·00	0·05	0·00	0·00	0·59	0·01	0·00	20
21	0·32	0·00	0·24	0·28	0·01	0·05	0·10	0·00	0·00	0·70	0·98	0·00	21
22	0·33	0·00	0·44	0·00	0·03	0·50	0·00	0·09	0·15	0·13	0·00	0·01	22
23	0·01	0·00	0·25	0·00	0·01	0·06	0·00	0·09	0·07	0·01	0·01	0·87	23
24	0·30	0·00	0·00	0·05	0·00	0·00	0·03	0·15	0·00	0·00	0·05	0·00	24
25	0·01	0·05	0·00	0·31	0·00	0·00	0·00	0·00	0·00	0·00	0·01	0·01	25
26	0·16	0·00	0·13	0·00	0·00	0·00	0·00	0·09	0·00	0·71	0·00	0·23	26
27	0·00	0·03	0·11	0·12	0·00	0·00	0·00	0·00	0·00	0·04	0·00	0·00	27
28	0·07	0·00	0·30	0·05	0·00	0·00	0·00	0·00	0·00	0·07	0·00	0·00	28
29	0·12		0·06	0·50	0·00	0·00	0·00	0·10	0·00	0·19	0·00	0·00	29
30	0·74		0·00	0·00	0·00	0·00	0·00	0·62	0·01	0·18	0·01	0·00	30
31	0·03		0·09		0·61		0·00	1·03		0·30		0·00	31
Total	4·98	1·33	3·63	3·71	2·40	1·31	3·66	2·21	3·17	5·64	4·99	1·93	YEAR'S TOTAL 38·96
Rain Days.	25	11	23	20	14	10	14	9	16	22	23	16	203

W. 7,500, XI. '12

L IN 1913

FORM A.
BRITISH RAINFALL.

7- JAN 1914

6

50° 47′ N Long. 0° 20′ W

Kept at Burletts Bramber

in the County of Sussex

by Hatton . G . Sugden

Time of Observation 9 A M

Nearest Railway Station Bramber LB+S

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 5 ft. 6 in.

" " " " Sea Level 75 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1	0·05	0·58	0·20	0·09	~~0·00~~	0·00	0·00	0·00	0·03	0·00	0·20	0·08	1
2	0·02	0·17	0·01	0·01	~~0·00~~	0·00	0·00	0·00	0·02	0·67	0·14	0·04	2
3	0·01	0·00	0·08	0·32	0·15	0·10	0·00	0·00	0·00	0·01	0·00	0·22	3
4	0·55	0·00	0·12	0·01	0·01	0·00	0·07	0·00	1·28	0·10	0·13.	0·02	4
5	0·11	0·11	0·02	0·00	0·35	0·00	0·00	0·00	0·46	0·03	0·28	0·02	5
6	0·00	0·03	0·08	0·07	0·11	0·00	0·00	0·00	0·02	0·38	0·16	0·31	6
7	0·00	0·00	0·08	0·00	0·08	0·21	0·05	0·00	0·01	0·44	0·18	0·02	7
8	0·02	0·10	0·03	0·00	0·04	0·23	0·10	0·01	0·00	0·36	0·04	0·05	8
9	0·00	0·09	0·00	0·01	0·00	0·05	0·05	0·03	0·16	0·01	0·09	0·01	9
10	0·02	0·00	0·00	0·03	0·15	0·06	0·00	0·00	0·00	0·20	0·59	0·00	10
11	0·00	0·00	0·00	0·00	0·21	0·02	0·09	0·00	0·00	0·49	0·26	0·02	11
12	0·02	0·01	0·03	0·43	0·00	0·03	0·70	0·00	0·00	0·01	0·30	0·01	12
13	0·98	0·00	0·00	0·00	0·01	0·00	0·01	0·00	0·05	0·00	0·18	0·00	13
14	0·00	0·00	0·12	0·14	0·63	0·00	0·00	0·00	0·12	0·02	0·20	0·00	14
15	0·32	0·15	0·34	0·40	0·00	0·00	0·00	0·00	0·15	0·00	0·02	0·00	15
16	0·42	0·01	0·56	0·32	0·00	0·00	1·92	0·00	0·05	0·00	0·00	0·00	16
17	0·11	0·00	0·00	0·12	0·00	0·00	0·25	0·00	0·00	0·00	0·04	0·01	17
18	0·16	0·00	0·11	0·27	0·00	0·00	0·01	0·00	0·04	0·00	0·10	0·00	18
19	0·07	0·00	0·10	0·00	0·00	0·00	0·23	0·00	0·61	0·00	0·01	0·00	19
20	0·03	0·00	0·13	0·24	0·00	0·00	0·05	0·00	0·00	0·59	0·01	0·00	20
21	0·32	0·00	0·24	0·28	0·01	0·05	0·10	0·00	0·00	0·70	0·98	0·00	21
22	0·33	0·00	0·44	0·00	0·03	0·50	0·00	0·09	0·15	0·13	0·00	0·01	22
23	0·01	0·00	0·25	0·00	0·01	0·06	0·00	0·09	0·07	0·01	0·01	0·87	23
24	0·30	0·00	0·00	0·05	0·00	0·00	0·03	0·15	0·00	0·00	0·05	0·00	24
25	0·01	0·05	0·00	0·31	0·00	0·00	0·00	0·00	0·00	0·00	0·01	0·01	25
26	0·16	0·00	0·13	0·00	0·00	0·00	0·00	0·09	0·00	0·71	0·00	0·23	26
27	0·00	0·03	0·11	0·12	0·00	0·00	0·00	0·00	0·00	0·04	0·00	0·00	27
28	0·07	0·00	0·30	0·05	0·00	0·00	0·00	0·00	0·00	0·07	0·00	0·00	28
29	0·12		0·06	0·50	0·00	0·00	0·00	0·10	0·00	0·19	0·00	0·00	29
30	0·74		0·00	0·00	0·00	0·00	0·00	0·62	0·01	0·18	0·01	0·00	30
31	0·03		0·09		0·61		0·00	1·03		0·30		0·00	31
Total	4·98	1·33	3·63	3·71	2·40	1·31	3·66	2·21	3·17	5·64	4·99	1·93	YEAR'S TOTAL 38·96
Rain Days.	25	11	23	20	14	10	14	9	16	22	23	16	203

W. 7,500, XI. ·12

Slip made 2/3/15

FORM A. BRITISH RAINFALL. 4 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Burletts, Bramber

in the County of Sussex 34 PR

by Hatton G Sugden

Lat. Long.

Time of Observation 8 - 30 AM

Nearest Railway Station Bramber

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 3 ft. 6 in.

" " " " Sea Level 75 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.00	0.00	0.00	0.11	0.00	0.00	0.00	0.17	0.00	0.00	0.07	0.12	1
2	0.00	0.00	0.00	0.02	0.00	0.00	0.02	0.00	0.00	0.00	0.19	0.10	2
3	0.02	0.00	0.11	0.03	0.42	0.00	0.03	0.07	0.00	0.00	0.00	0.02	3
4	0.00	0.00	0.03	0.47	0.02	0.00	0.02	0.11	0.00	0.00	0.29	0.35	4
5	0.15	0.00	0.08	0.46	0.08	0.05	0.24	0.16	0.00	0.00	0.00	0.00	5
6	0.00	0.13	0.00	0.20	0.13	0.04	0.08	0.09	0.00	0.00	0.00	0.54	6
7	0.02	0.39	0.29	0.25	0.05	0.03	0.11	0.15	0.00	0.00	0.00	0.28	7
8	0.03	0.66	0.42	0.16	0.02	0.09	0.09	0.00	0.00	0.00	0.00	0.13	8
9	0.06	0.02	0.85	0.15	0.00	0.02	0.00	0.02	0.19	0.00	0.00	1.42	9
10	0.05	0.08	0.02	0.22	0.29	0.00	0.00	0.00	0.02	0.00	0.03	0.03	10
11	0.00	0.75	0.74	0.03	0.04	0.04	0.00	0.00	0.35	0.00	0.09	0.55	11
12	0.00	0.11	0.12	0.00	0.00	0.00	0.64	0.00	0.82	0.00	0.10	0.53	12
13	0.00	0.61	0.22	0.00	0.00	0.00	0.00	0.00	0.26	0.07	0.08	0.45	13
14	0.00	0.12	0.18	0.00	0.00	0.00	0.03	0.00	0.04	0.40	0.13	0.56	14
15	0.00	0.15	0.35	0.00	0.00	0.00	0.02	0.28	0.00	0.03	1.12	0.00	15
16	0.00	0.12	0.02	0.00	0.00	0.00	0.03	0.00	0.26	0.00	0.00	0.00	16
17	0.00	0.74	0.21	0.00	0.00	0.00	0.03	0.00	0.25	0.00	0.00	0.16	17
18	0.00	0.10	0.38	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.38	18
19	0.00	0.27	0.94	0.00	0.00	0.00	0.32	0.00	0.00	0.03	0.19	0.21	19
20	0.00	0.22	0.28	0.00	0.00	0.08	0.00	0.00	0.03	0.00	0.06	0.33	20
21	0.00	0.53	0.11	0.00	0.00	0.02	0.00	0.00	0.00	0.13	0.00	0.02	21
22	0.00	0.09	0.17	0.00	0.02	0.03	0.06	0.00	0.00	0.30	0.00	0.00	22
23	0.00	0.00	0.35	0.00	0.00	1.19	0.00	0.00	0.00	0.02	0.00	0.00	23
24	0.00	0.00	0.16	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.21	0.00	24
25	0.06	0.00	0.33	0.00	0.00	0.00	0.03	0.14	0.00	0.48	0.03	0.00	25
26	0.00	0.00	0.15	0.00	0.00	0.00	0.00	0.29	0.00	0.08	0.08	0.66	26
27	0.00	0.00	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.14	0.42	27
28	0.03	0.09	0.00	0.00	0.04	0.00	0.00	0.00	0.00	0.32	0.28	0.44	28
29	0.17	✕	0.08	0.00	0.00	0.00	0.00	0.00	0.00	0.50	0.08	0.03	29
30	0.05	✕	0.24	0.16	0.00	0.00	0.00	0.00	0.00	0.12	1.05	0.30	30
31	0.04	✕	0.00	✕	0.17	✕	0.03	0.00	✕	0.02	✕	0.07	31
Total	0.68 ✓	5.18 ✓	6.85 ✓	2.26 ✓	1.28 ✓	1.59 ✓	1.78 ✓	1.48 ✓	2.22 ✓	2.50 ✓	4.16 ✓	8.10 ✓	YEAR'S TOTAL 38.08 ✓
Rain Days.	11	18	26	12	11	10	16	10	9	13	17	24	177 ✓

W. 8,000. X. 14.

565

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

3 - JAN 1916

Kept at Burletts Bramber

in the County of Sussex 3

by Hatton G Sugden

Lat. .... Long. ....

Time of Observation 9 AM

Nearest Railway Station Bramber L B & S C R

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 3 ft. 6 in.

" " " " Sea Level 75 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·58	0·26	0·00	0·00	0·00	0·00	0·09	0·00	0·07	0·06	0·08	0·30	1
2	0·26	0·16	0·32	0·10	0·00	0·00	0·00	0·07	0·02	0·26	0·00	0·19	2
3	0·35	0·00	0·16	0·22	0·00	0·00	0·00	0·04	0·00	0·00	0·00	0·58	3
4	0·13	0·00	0·00	0·00	0·00	0·00	0·00	0·02	0·00	0·00	0·00	0·46	4
5	0·12	0·32	0·00	0·03	0·22	0·22	0·00	0·25	0·00	0·00	0·00	0·48	5
6	0·77	0·27	0·02	0·56	0·00	0·00	0·52	0·00	0·00	0·00	0·00	0·30	6
7	0·44	0·38	0·05	0·06	0·03	0·06	0·10	0·00	0·00	0·00	0·00	0·32	7
8	0·05	0·46	0·00	0·00	0·00	0·06	0·25	0·06	0·00	0·00	0·05	0·03	8
9	0·05	0·13	0·00	0·13	0·00	0·13	0·00	0·00	0·00	0·00	0·44	0·93	9
10	0·34	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·57	10
11	0·03	0·00	0·06	0·00	0·00	0·00	0·00	0·00	0·00	0·08	0·96	0·04	11
12	0·05	0·12	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·65	0·00	12
13	0·04	0·60	0·00	0·00	0·00	0·00	0·00	0·00	0·06	0·00	0·02	0·00	13
14	0·08	0·03	0·00	0·28	0·30	0·00	0·09	0·04	0·08	0·00	0·00	0·64	14
15	0·14	0·02	0·00	0·00	2·02	0·00	0·45	0·47	0·00	0·00	0·08	0·32	15
16	0·03	0·60	0·00	0·00	0·06	0·00	1·20	0·05	0·00	0·00	0·00	0·04	16
17	0·00	0·32	0·00	0·00	0·08	0·00	0·00	0·14	0·00	0·00	0·00	0·00	17
18	0·00	0·04	0·00	0·00	0·07	0·00	0·00	0·00	0·00	0·06	0·13	0·02	18
19	0·00	0·06	0·00	0·00	1·30	0·00	0·00	0·00	0·00	0·02	0·00	0·00	19
20	0·24	0·00	0·00	0·04	0·23	0·00	0·00	0·00	0·00	0·00	0·00	0·10	20
21	0·12	0·00	0·00	0·00	0·04	0·00	0·00	0·00	0·00	0·25	0·00	0·05	21
22	0·28	0·04	0·10	0·02	0·14	0·00	0·98	0·00	0·00	0·14	0·00	0·16	22
23	0·14	0·05	0·19	0·00	0·00	0·00	0·02	0·00	0·00	0·22	0·00	0·88	23
24	0·03	0·00	0·03	0·00	0·00	0·00	0·00	0·00	0·24	0·53	0·00	0·40	24
25	0·00	0·00	0·05	0·03	0·00	0·00	0·30	0·00	0·00	0·02	0·00	0·30	25
26	0·02	0·14	0·00	0·00	0·00	0·05	0·00	0·00	0·00	0·00	0·00	0·90	26
27	0·00	0·05	0·00	0·00	0·00	0·07	0·32	0·00	0·00	0·50	0·00	0·04	27
28	0·00	0·10	0·00	0·00	0·00	0·18	0·02	0·00	1·12	0·26	0·00	0·00	28
29	0·00	X	0·00	0·00	0·00	0·03	0·00	0·21	0·00	0·00	0·46	0·03	29
30	0·25	X	0·00	0·00	0·00	0·00	0·00	0·00	0·03	0·28	0·38	0·04	30
31	0·03	X	0·00	X	0·00	X	0·00	0·13	X	0·83	X	0·09	31
Total	4·57	4·15	0·98	1·47	4·43	0·74	4·34	1·48	1·62	3·45	3·25	8·31	YEAR'S TOTAL 38·79
Rain Days.	24	20	9	10	10	7	12	11	7	13	10	26	159

W. 8,000. X. 15.

✓ Ex. J.L. 554

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL. 3 JAN

Kept at Burletts Bramber

in the County of Sussex

by Hatton G Sugden

Lat. ________ Long. ________

Time of Observation 8·30 AM

Nearest Railway Station Bramber L B & S C R

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 3 ft. 6 in.

" " " " Sea Level 75 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·07	0·06	0·02	0·00	0·33	0·03	0·00	0·00	0·12	0·05	0·48	0·00	1
2	0·48	0·07	0·32	0·00	0·21	0·02	0·06	0·00	0·03	0·84	0·02	0·00	2
3	0·03	0·29	0·18	0·00	0·02	0·00	0·08	0·00	0·16	0·69	0·72	0·00	3
4	0·16	0·07	0·00	0·00	0·03	0·60	0·00	0·00	0·17	0·11	0·33	0·00	4
5	0·03	0·02	0·00	0·00	0·12	0·19	0·00	0·00	0·00	0·10	0·58	0·00	5
6	0·02	0·06	0·00	0·02	0·03	0·05	0·36	0·00	0·00	0·05	0·49	0·00	6
7	0·00	0·08	0·64	0·00	0·28	0·16	0·00	0·00	0·00	0·09	0·64	0·05	7
8	0·00	0·00	0·15	0·00	0·30	0·00	0·00	0·00	0·00	0·00	0·06	0·65	8
9	0·00	0·00	0·00	0·05	0·33	0·00	0·00	0·00	0·00	0·02	0·00	0·14	9
10	0·00	0·52	0·03	0·00	0·00	0·25	0·16	0·00	0·00	0·04	0·02	0·40	10
11	0·03	0·19	0·00	0·12	0·02	0·23	0·00	0·00	0·00	0·00	0·00	0·12	11
12	0·04	0·13	0·04	0·08	0·05	0·19	0·17	0·00	0·00	0·03	0·00	0·00	12
13	0·00	0·26	0·23	0·04	0·03	0·07	0·02	0·02	0·02	0·02	0·00	0·03	13
14	0·00	0·38	0·19	0·07	0·12	0·00	0·00	0·04	0·00	0·04	0·00	0·07	14
15	0·00	0·14	0·15	0·04	0·00	0·00	0·00	0·12	0·00	0·00	0·00	0·00	15
16	0·03	0·06	0·23	0·19	0·00	0·00	0·04	0·08	0·00	0·00	0·00	0·00	16
17	0·25	0·23	0·00	0·18	0·00	0·00	0·00	0·00	0·32	0·04	0·00	0·00	17
18	0·02	0·06	0·03	0·05	0·00	0·00	0·00	0·17	0·22	0·10	0·66	0·18	18
19	0·15	0·00	0·16	0·15	0·00	0·02	0·00	0·05	0·08	0·00	0·81	0·16	19
20	0·12	0·00	0·13	0·06	0·00	0·12	0·00	0·00	0·00	0·00	0·12	0·56	20
21	0·03	0·00	0·28	0·00	0·00	0·00	0·06	0·00	0·00	0·00	0·00	0·59	21
22	0·04	0·00	0·03	0·00	0·00	0·03	0·00	0·00	0·00	0·02	0·14	0·74	22
23	0·02	0·00	0·02	0·00	0·00	0·05	0·00	0·02	0·00	0·09	0·03	0·03	23
24	0·04	0·00	0·00	0·00	0·10	0·07	0·00	0·03	0·00	0·35	0·07	0·43	24
25	0·04	0·00	0·22	0·00	0·00	0·00	0·00	0·83	0·02	0·08	0·06	0·00	25
26	0·00	0·13	0·00	0·00	0·00	0·57	0·00	0·13	0·31	0·25	0·00	0·09	26
27	0·00	1·20	0·85	0·00	0·00	0·04	0·00	0·10	0·22	0·45	0·00	0·00	27
28	0·00	0·47	0·06	0·00	0·00	0·18	0·00	0·06	0·18	0·26	0·00	0·59	28
29	0·00	0·33	0·02	0·00	0·00	0·54	0·00	0·96	0·26	0·43	0·00	0·68	29
30	0·00	X	0·00	0·00	0·21	0·03	0·00	0·03	0·00	0·56	0·00	0·02	30
31	0·00	X	0·00	X	0·00	X	0·00	0·02	X	0·03	X	0·00	31 ✓
Total	1·60	4·75	3·98	1·05	2·18	3·44	0·95	2·66	2·11	4·74	5·23	5·53	YEAR'S TOTAL 38·22
Rain Days.	18	20	21	12	15	20	8	15	13	24	16	18	200 ✓

W. 8,000, VIII. 16

REGISTER OF RAINFALL IN 1917

FORM A. BRITISH RAINFALL.

8 JAN 1918

Kept at Burletts Bramber

in the County of Sussex

by Hatton G Sugden

Lat. Long.

Time of Observation 8.30 a.m.

Nearest Railway Station Bramber

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 3 ft. 6 in.

" " " " Sea Level 75 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.00	0.00	0.03	0.00	0.00	0.02	0.00	1.40	0.09	0.08	0.07	0.06	1
2	0.00	0.00	0.02	0.60	0.00	0.00	0.00	0.04	0.00	0.03	0.10	0.00	2
3	0.00	0.00	0.00	0.64	0.00	0.00	0.79	0.20	0.00	0.06	0.03	0.00	3
4	0.02	0.00	0.16	0.00	0.00	0.00	0.06	0.25	0.00	0.18	0.00	0.00	4
5	0.46	0.00	0.03	0.22	0.00	0.02	0.00	0.03	0.29	0.20	0.02	0.00	5
6	0.00	0.00	0.22	0.06	0.00	0.19	0.00	0.00	0.15	0.02	0.19	0.00	6
7	0.49	0.00	0.00	0.00	0.00	0.00	0.15	0.00	0.07	0.60	0.00	0.15	7
8	0.14	0.00	0.00	0.16	0.00	0.00	0.25	0.07	0.00	0.48	0.31	0.29	8
9	0.00	0.00	0.00	0.03	0.00	0.00	0.05	0.04	0.02	0.02	0.13	0.30	9
10	0.22	0.00	0.21	0.02	0.00	0.18	0.00	0.16	0.00	0.00	0.03	0.02	10
11	0.25	0.00	0.16	0.58	0.00	0.00	0.00	0.08	0.03	0.65	0.00	0.06	11
12	0.05	0.00	0.02	0.06	0.00	0.00	0.00	0.11	0.00	0.43	0.00	0.00	12
13	0.03	0.00	0.27	0.00	0.06	0.00	0.00	0.05	0.06	0.31	0.00	0.00	13
14	0.00	0.00	0.00	0.12	0.00	0.00	0.00	0.24	0.00	0.00	0.00	0.00	14
15	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.06	0.00	0.38	0.00	0.10	15
16	0.00	0.59	0.00	0.14	0.05	0.00	0.00	0.00	0.00	0.64	0.00	0.78	16
17	0.00	0.03	0.00	0.21	0.21	0.00	0.36	0.00	0.54	0.21	0.00	0.00	17
18	0.03	0.03	0.00	0.09	0.22	0.00	0.33	0.12	0.46	0.00	0.00	0.00	18
19	0.02	0.31	0.12	0.00	0.02	0.03	0.02	0.00	0.26	0.00	0.00	0.00	19
20	0.00	0.18	0.03	0.00	0.44	0.02	0.00	0.00	0.02	0.00	0.00	0.00	20
21	0.00	0.02	0.00	0.00	0.02	0.03	0.00	0.00	0.00	0.00	0.05	0.00	21
22	0.00	0.00	0.00	0.00	0.01	0.09	0.00	0.20	0.00	0.38	0.00	0.00	22
23	0.00	0.40	0.00	0.00	0.17	0.00	0.00	0.28	0.00	0.00	0.00	0.05	23
24	0.00	0.11	0.00	0.00	0.01	0.07	0.18	0.03	0.00	0.35	0.09	0.00	24
25	0.00	0.16	0.09	0.00	0.00	0.08	0.20	0.00	0.00	0.04	0.00	0.00	25
26	0.00	0.00	0.00	0.00	0.00	0.04	0.00	0.38	0.11	0.00	0.91	0.00	26
27	0.00	0.00	0.00	0.00	0.05	0.00	0.00	1.18	0.00	0.00	0.00	0.00	27
28	0.00	0.02	0.16	0.00	0.00	3.03	0.00	0.44	0.00	0.00	0.00	0.11	28
29	0.00	0.00	0.02	0.00	0.06	0.02	0.05	0.09	0.00	0.59	0.00	0.09	29
30	0.00	✕	0.57	0.00	0.00	0.00	0.27	0.43	0.00	0.10	0.00	0.02	30
31	0.00	✕	0.02	✕	0.02	✕	0.11	0.03	✕	0.04	✕	0.03	31
Total	1.71	1.85	2.13	2.30	1.34	3.82	2.82	5.91	2.19	5.71	1.93	2.00	YEAR'S TOTAL 33.62
Rain Days.	10	10	16	13	13	13	13	23	12	20	11	12	165

W. 8,000, IX. 17.

Burletts

56

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL.

Kept at Bramber

in the County of Sussex

by Hatton G Sugden

Lat. Long.

Time of Observation 8·30

Nearest Railway Station Bramber LB&SC

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 3 ft. 6 in.

" " " " Sea Level 75 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	000	000	000	000	000	000	000	002	000	000	022	011	1
2	000	004	000	006	000	000	000	049	000	000	033	038	2
3	000	000	006	003	031	000	000	004	000	002	038	003	3
4	000	010	002	002	000	000	000	006	011	000	074	009	4
5	000	003	007	000	006	000	000	018	000	004	000	003	5
6	019	048	000	019	016	000	000	000	000	005	000	006	6
7	000	014	000	022	039	000	000	005	022	005	009	002	7
8	000	003	000	000	000	000	000	000	030	003	013	009	8
9	004	000	000	010	000	014	003	000	066	026	003	053	9
10	002	000	000	006	000	000	025	000	053	021	000	031	10
11	005	000	000	000	000	000	004	000	016	016	006	008	11
12	000	016	000	000	020	000	002	000	004	002	000	004	12
13	026	000	000	000	019	000	014	000	025	000	000	005	13
14	032	000	009	000	004	010	018	000	072	045	000	011	14
15	1·82	000	000	016	000	008	074	000	002	000	000	020	15
16	025	000	003	005	000	002	005	000	023	000	000	000	16
17	048	000	000	018	000	068	058	002	000	000	000	030	17
18	049	000	000	000	000	042	000	000	062	000	000	008	18
19	007	000	016	005	000	015	007	003	000	003	000	000	19
20	008	036	000	078	000	005	034	000	021	004	000	000	20
21	025	003	000	085	000	000	014	000	041	034	000	004	21
22	018	002	000	000	009	000	040	000	1·05	000	000	019	22
23	019	000	000	003	000	000	064	005	000	000	000	007	23
24	000	026	000	000	000	000	005	000	044	000	008	000	24
25	002	000	000	026	000	000	000	020	000	004	000	000	25
26	000	000	000	000	000	000	028	000	020	002	016	019	26
27	000	009	006	003	000	000	009	021	021	000	011	012	27
28	000	007	019	005	000	011	000	000	000	004	015	006	28
29	000	000	000	000	000	000	000	000	1·18	000	000	002	29
30	000	X	073	000	000	000	000	003	006	021	000	006	30
31	000	X	000	X	000	X	000	000	X	008	X	000	31
Total	4·71	1·81	1·41	3·12	1·44	1·75	404	1·38	7·62	2·09	2·48	3·26	YEAR'S TOTAL 35·11
Rain Days.	16	13	9	17	8	9	17	12	20	18	12	25	176

W, 6,500, VII. 18. W W C

3 JAN 20

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

Kept at Burletts Bramber

in the County of Sussex

by Hatton G Sugden

Lat. Long.

Time of Observation 8·0 AM

Nearest Railway Station Bramber

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 3 ft 6 in.

" " " " Sea Level 75 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·74	0·00	0·02	0·03	0·04	0·00	0·12	0·00	0·00	0·08	0·03	0·64	1
2	0·13	0·00	0·04	0·00	0·02	0·00	0·02	0·00	0·07	0·00	0·00	0·33	2
3	0·36	0·00	0·64	0·00	0·05	0·00	0·03	0·00	0·06	0·00	0·02	0·42	3
4	0·23	0·00	0·46	0·00	0·00	0·02	0·11	0·10	0·06	0·00	0·10	0·09	4
5	0·00	0·46	1·25	0·00	0·00	0·00	0·10	0·00	0·03	0·00	0·24	0·42	5
6	0·24	0·00	0·11	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·08	6
7	0·12	0·00	0·63	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·00	7
8	0·22	0·00	0·13	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·00	8
9	0·43	0·00	0·14	0·00	0·10	0·00	0·00	0·00	0·00	0·00	0·18	0·00	9
10	0·50	0·00	0·10	0·07	0·00	0·00	0·00	0·00	0·00	0·00	0·06	0·24	10
11	0·30	0·00	0·25	0·08	0·14	0·00	0·00	0·00	0·00	0·00	0·00	0·22	11
12	0·34	0·00	0·02	0·43	0·03	0·00	0·10	0·00	0·00	0·07	0·00	0·00	12
13	0·06	0·00	0·00	0·02	0·00	0·00	0·00	0·00	0·00	0·02	0·00	0·04	13
14	0·83	0·00	0·00	0·26	0·00	0·00	0·09	0·00	0·40	0·00	0·00	0·26	14
15	0·22	0·06	0·11	0·50	0·00	0·00	0·59	0·00	0·00	0·03	0·00	0·42	15
16	0·20	0·50	0·00	0·06	0·00	0·00	0·00	0·00	0·00	0·00	0·14	0·09	16
17	0·00	0·32	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·13	0·11	17
18	0·00	0·07	0·10	0·00	0·00	0·00	0·00	0·09	0·03	0·00	0·11	0·06	18
19	0·04	0·62	1·31	0·00	0·00	0·03	0·00	0·45	0·02	0·00	0·26	0·02	19
20	0·94	0·11	0·05	0·00	0·00	0·70	0·06	0·36	0·00	0·00	0·00	0·05	20
21	0·06	0·53	0·00	0·00	0·00	0·00	0·04	0·00	0·0·0	0·00	0·00	0·03	21
22	0·00	0·03	0·00	0·00	0·00	0·00	0·18	0·00	0·80	0·00	0·04	0·19	22
23	0·00	0·00	0·00	0·00	0·00	000	0·02	0·00	0·23	0·00	0·00	0·02	23
24	0·00	0·04	0·00	0·18	0·00	0·03	0·03	0·02	0·00	0·18	0·18	0·15	24
25	0·07	0·00	0·00	0·00	0·00	0·00	0·00	0·50	0·00	0·00	0·00	0·03	25
26	0·00	0·12	0·05	0·05	0·00	0·00	0·03	0·06	0·11	0·00	0·35	0·72	26
27	0·72	0·00	0·11	0·56	0·00	0·00	0·04	0·48	0·00	0·00	0·13	0·04	27
28	0·30	0·00	0·00	0·00	0·00	0·00	0·00	0·82	0·00	0·00	0·69	0·54	28
29	0,00		0·00	0·08	0·00	0·02	0·00	0·53	0·00	0·17	0·15	0·15	29
30	0·00		0·32	021	0·00	0·03	0·00	0·54	0·00	0·03	0·34	0·75	30
31	0·00		0·19		0·00		0·00	0·00		0·02		0·19	31
Total	7·05	2·86	6·03	2·53	0·38	0·83	1·56	3·95	1·81	0·60	3·09	6·30	Year's Total 36·99
Days with ·01 in. or more	21	11	20	13	6	6	15	11	10	8	16	27	164

471

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

Kept at Burletts Bramber

in the County of Sussex

by Hatton G Sugden

Lat. — Long.

Time of Observation 8·30 A.M.

Nearest Railway Station Bramber ¼ mile

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 3 ft. 6 in.

" " " " Sea Level 75 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.05	0.00	0.00	0.04	0.12	0.00	0.53	0.00	0.00	0.44	0.08	0.21	1
2	0.00	0.00	0.00	0.00	0.07	0.00	0.00	0.28	0.09	0.06	0.00	0.11	2
3	0.10	0.00	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.12	0.00	0.06	3
4	0.00	0.14	0.00	0.06	0.00	0.00	1.48	0.00	0.00	0.40	0.00	0.01	4
5	0.00	0.00	0.08	0.00	0.00	0.00	0.49	0.06	0.00	0.02	0.00	0.00	5
6	0.14	0.00	0.12	0.00	0.33	0.00	0.29	0.00	0.00	0.00	0.00	0.03	6
7	0.00	0.00	0.00	0.18	0.00	0.00	0.10	0.00	0.00	0.00	0.00	0.00	7
8	0.02	0.00	0.00	0.07	0.06	0.00	0.42	0.00	0.00	0.00	0.00	0.00	8
9	0.38	0.04	0.00	0.05	0.11	0.08	0.02	0.00	0.00	0.00	0.00	0.00	9
10	1.04	0.35	0.17	0.03	0.00	0.10	0.58	0.00	0.00	0.00	0.02	0.00	10
11	0.44	0.00	0.13	0.21	0.00	0.06	0.16	0.00	0.00	0.00	0.00	0.00	11
12	0.09	0.09	0.00	0.40	0.02	0.44	0.00	0.00	0.00	0.00	0.00	0.00	12
13	0.28	0.05	0.36	0.03	0.00	0.00	0.00	0.00	0.00	0.00	0.18	0.00	13
14	0.00	0.02	0.64	0.29	0.00	0.00	0.00	0.00	0.06	0.42	0.88	0.00	14
15	0.11	0.02	0.00	0.22	0.00	0.04	0.00	0.00	1.08	0.34	0.16	0.00	15
16	0.02	0.00	0.14	0.10	0.00	0.00	0.00	0.00	0.48	0.00	0.00	0.00	16
17	0.03	0.00	0.00	0.02	0.21	0.00	0.00	0.00	0.25	0.00	0.00	0.13	17
18	0.04	0.00	0.00	0.00	0.19	0.00	0.00	0.72	0.80	0.00	0.00	0.09	18
19	0.04	0.00	0.00	0.38	0.00	0.00	0.00	0.00	0.06	0.00	0.00	0.04	19
20	0.10	0.20	0.00	0.14	0.00	0.68	0.00	0.00	0.04	0.00	0.00	0.02	20
21	0.00	0.00	0.00	0.02	0.00	0.00	0.82	0.00	0.32	0.00	0.00	0.24	21
22	0.04	0.00	0.00	0.43	0.00	0.00	0.00	0.00	0.11	0.00	0.00	0.53	22
23	0.00	0.00	0.00	0.00	0.00	0.00	0.45	0.21	0.00	0.00	0.00	0.86	23
24	0.03	0.00	0.11	0.00	0.00	0.00	0.00	0.00	0.03	0.00	0.00	0.54	24
25	0.02	0.00	0.03	0.03	0.01	0.00	0.30	0.00	0.00	0.00	0.00	0.00	25
26	0.05	0.00	0.14	0.05	0.00	0.00	0.07	0.00	0.00	0.00	0.05	0.09	26
27	0.54	0.00	0.02	0.27	0.00	0.11	0.02	0.00	0.00	0.00	0.74	0.40	27
28	0.53	0.04	0.05	0.03	0.21	0.00	0.00	0.00	0.00	0.00	0.06	0.06	28
29	0.78	0.00	0.06	0.10	0.05	0.02	0.00	0.00	0.00	0.00	0.32	0.29	29
30	0.05		0.00	0.00	0.00	0.00	0.03	0.00	0.25	0.00	0.44	0.28	30
31	0.06		0.11		0.00		0.00	0.00		1.05		0.61	31
TOTAL	4.98	0.95	2.21	3.15	1.38	1.53	5.76	1.27	3.57	2.85	2.93	4.60	YEAR'S TOTAL 35.18
Days with ·01 in. or more	24	9	15	22	11	8	15	4	12	8	10	19	157
Days with ·04 in. or more	19	6	13	16	9	7	12	4	11	7	9	15	128

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

BRI~~GH~~TON
DITCHLING RD
SUSSEX
1911 – 16

RE… 11

FORM A2.
BRITISH RAINFALL.
5 - JAN 1912

Kept at Ditchl… …ndon … 5 in.
…e Ground 1 ft. 0 in.
in the County of S…
Sea Level 302 ft.
by G Berry … 7am
Name Preston Park
Distance 1 mile Direction W.S.W.

The little red figures in the top left hand corner is the rainfall measured at 9pm & put back into the gauge again, then measured again in the morning at 7am which makes the days total in black figures

IMPORTANT NOT… the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·04 ·04	– –	– –	·44 ·76	– –	– –	·01 ·01	– –	– –	– –	– ·03	·02 ·02	1
2	·01 ·04	– –	– –	·06 ·07	·19 ·20	– –	– –	– –	– –	– –	·30 ·31	– ·33	2
3	– ·01	– –	– –	·01 ·01	·10 ·22	– –	– –	– –	– –	– –	– ·09	·03 ·15	3
4	·07 ·12	·01 ·01	·01 ·01	·04 ·11	– –	– –	– –	– –	Trace Trace	– ·17	·03 ·19	·13 ·15	4
5	·01 ·02	– ·01	– –	·19 ·19	– –	– –	– –	– –	– –	·46 ·68	– ·01	·33 ·34	5
6	·30 ·31	– –	– ·04	·01 ·01	– –	– –	– –	·01 ·01	– –	·08 ·08	– –	·02 ·23	6
7	– ·03	– –	·01 ·01	– –	– –	– –	– –	– –	– –	·30 ·30	·55 ·90	·57 ·57	7
8	·04 ·06	– –	– ·10	– –	– –	– –	– –	– –	– –	– –	·33 ·61	·05 ·14	8
9	·24 ·24	– –	·12 ·12	– ·02	– –	– –	– –	– –	– –	– –	·33 ·64	·06 ·07	9
10	– –	– ·10	– ·07	·05 ·07	– –	– –	– –	– –	– –	– –	·09 ·09	·42 ·43	10
11	·11 ·53	– –	·02 ·03	– –	– –	– –	– –	– –	– –	– –	·63 1·36	Trace Trace	11
12	·05 ·05	– –	RX Snow ·19 ·09	– –	– –	– –	– –	– –	– –	– –	·04 ·04	·04 ·04	12
13	– –	– –	·06 ·06	– –	– ·05	– –	– –	– –	·40 ·41	·04 ·04	– –	·04 ·23	13
14	– –	– ·09	·02 ·02	– –	·29 ·29	– –	– –	– –	– –	– –	– –	·01 ·47	14
15	– –	– ·03	– ·16	– –	– –	– –	– –	– –	– –	– –	– ·08	·02 ·05	15
16	– –	– ·01	– –	– –	– –	– ·51	– –	– –	– –	– –	·12 ·86	·01 ·16	16
17	– –	– –	– –	– –	– –	·02 ·04	– –	– –	– –	– –	·05 ·53	·14 ·15	17
18	– –	– ·11	·04 ·07	– ·01	– –	– –	– Trace	– –	– –	– –	1·04 1·04	·22 ·37	18
19	– –	·04 ·05	– –	·02 ·02	– –	·04 ·04	– –	– –	– ·19	·03 ·03	·02 ·03	·06 ·10	19
20	·01 ·03	– –	– ·01	– –	– –	– –	– –	– ·13	·21 ·42	·24 ·24	– –	·54 ·76	20
21	·02 ·04	·11 ·20	– –	– –	– –	– –	– –	·18 ·18	·01 ·01	·63 ·87	– –	·37 ·37	21
22	·01 ·14	·01 ·02	– ·16	– ·02	– –	·02 ·07	– –	·07 ·07	– –	·76 ·76	– ·01	·53 ·54	22
23	·13 ·13	·14 ·15	– ·04	– –	– –	·20 1·02	– –	– –	·07 ·40	·04 ·65	·03 ·03	– ·20	23
24	– ·01	– ·30	·01 ·01	– –	– Trace	·11 ·11	– ·02	·01 ·01	– –	·58 ·59	– –	·11 ·32	24
25	– ·01	·02 ·04	·04 ·26	·03 ·10	– –	– ·12	– –	·03 ·03	– ·05	·01 ·01	– –	·02 ·02	25
26	– –	– –	·04 ·14	– ·32	– Trace	·06 ·06	– –	– Trace	– –	·28 ·28	– ·21	·33 ·33	26
27	– –	·42 ·51	·22 ·36	·05 ·10	– –	– –	– –	– –	– ·04	·44 ·44	·03 ·03	·06 ·22	27
28	– –	·16 ·17	– –	·01 ·13	– –	– –	– –	·01 ·01	– –	– –	·01 ·01	– ·02	28
29	– –		– –	·02 ·02	– –	– ·15	·45 ·46	– –	– ·38	·06 ·46	– Trace	– Trace	29
30	– –		– –	– ·02	– –	·19 ·19	– –	– –	·02 ·03	·17 ·18	– –	– ·02	30
31	– –		– –		– –		– –	– –		– Trace		– ·01	31
Total	1·81	1·80	2·75	1·98	0·76	2·31	·49 0·48	0·44	1·93	6·78	7·00	6·81	TOTAL for year 33·86 33·80
E. Average	–1·11	–1·54	–1·04	–0·92	–2·16	–2·20	–4·22	–6·72	–7·84	–6·66	–3·11	+0·43	Avge 33·42
No. of Rain Days.	17	15	19	17	4	10	3	7	9	16	21	29	

W. 8,000, X. '11.

The little red figures in the top left hand corner is the rainfall measured at 9 pm & put back into the gauge again, then measured again in the morning at 7 am which makes the days total in black figures

RE

11

FORM A2.
BRITISH RAINFALL.
5 - JAN 1912

Kept at Ditchling Road, Brighton

in the County of Sussex

3

by G Henry Hamlin

RAIN GAUGE
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level 302 ft.

Time of Observation 7 am

Nearest Railway Station
Name Preston Park
Distance 1 mile Direction W.S.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·04 ·04	— —	— —	·44 ·76	— —	— —	·01 ·01	— —	— —	— —	— ·03	·02 ·02	1
2	·01 Snow ·04	— —	— —	·06 ·07	·19 ·20	— —	— —	— —	— —	— —	·30 ·31	— ·33	2
3	— ·01	— —	— —	·01 Snow ·01	·10 ·22	— —	— —	— —	— —	— —	— ·09	·03 ·15	3
4	·07 ·12	·01 ·01	·01 ·01	·04 Snow ·11	— —	— —	— —	— —	Trace Trace	— ·17	·03 ·19	·13 ·15	4
5	·01 ·02	— ·01	— —	·19 Snow ·19	— —	— —	— —	— —	— —	·46 ·68	— ·01	·33 ·34	5
6	·30 ·31	— —	— ·04	·01 ·01	— —	— —	— —	·01 ·01	— —	·08 ·08	— —	·02 ·23	6
7	— ·03	— —	·01 ·01	— —	— —	— —	— —	— —	— —	·30 ·30	·55 ·90	·57 ·57	7
8	·04 ·06	— —	— ·10	— —	— —	— —	— —	— —	— —	— —	·33 ·61	·05 ·14	8
9	·24 ·24	— —	·12 ·12	— ·02	— —	— —	— —	— —	— —	— —	·93 ·64	·06 ·07	9
10	— —	— ·10	— ·07	·05 ·07	— —	— —	— —	— —	— —	— —	·09 ·09	·42 ·43	10
11	·11 ·53	— —	·02 ·03	— —	— —	— —	— —	— —	— —	— —	·63 1·36	Trace Trace	11
12	·05 Snow ·05	— —	19 R & Snow ·09	— —	— —	— —	— —	— —	— —	— —	·04 ·04	·04 ·04	12
13	— —	— —	·06 ·06	— —	— ·05	— —	— —	— —	·40 ·41	·04 ·04	— —	·04 ·23	13
14	— —	— ·09	·02 ·02	— —	·29 ·29	— —	— —	— —	— —	— —	— —	·01 ·47	14
15	— —	— ·03	— ·16	— —	— —	— —	— —	— —	— —	— —	— ·08	·02 ·05	15
16	— —	— ·01	— —	— —	— —	— ·51	— —	— —	— —	— —	·12 ·86	·01 ·16	16
17	— —	— —	— —	— —	— —	·02 ·04	— —	— —	— —	— —	·05 ·53	·14 ·15	17
18	— —	— ·11	·04 ·07	— ·01	— —	— —	— Trace	— —	— —	— —	1·04 1·04	·22 ·37	18
19	— —	·04 ·05	— —	·02 ·02	— —	·04 ·04	— —	— —	— ·19	·03 ·03	·02 ·03	·06 ·10	19
20	·01 ·03	— —	— ·01	— —	— —	— —	— —	— ·13	·21 ·42	·24 ·24	— —	·54 ·76	20
21	·02 ·04	·11 ·20	— —	— —	— —	— —	— —	·18 ·18	·01 ·01	·63 ·87	— —	·37 ·37	21
22	·01 ·14	·01 ·02	— ·16	— ·02	— —	·02 ·07	— —	·07 ·07	— —	·76 ·76	— ·01	·53 ·54	22
23	·13 ·13	·14 ·15	— ·04	— —	— —	·20 1·02	— —	— —	·07 ·40	·04 ·65	·03 ·03	— ·20	23
24	— ·01	— ·30	·01 ·01	— —	— Trace	·11 ·11	— ·02	·01 ·01	— —	·58 ·59	— —	·11 ·32	24
25	— ·01	·02 ·04	·04 ·26	·03 ·10	— —	— ·12	— —	·03 ·03	— ·05	·01 ·01	— —	·02 ·02	25
26	— —	— —	·04 ·14	— ·32	— Trace	·06 ·06	— —	— Trace	— —	·28 ·28	— Snow ·21	·33 ·33	26
27	— —	·42 ·51	·22 ·36	·05 ·10	— —	— —	— —	— —	— ·04	·44 ·44	·03 ·03	·06 ·22	27
28	— —	·16 ·17	— —	·01 ·13	— —	— —	— —	·01 ·01	— —	— —	·01 ·01	— ·02	28
29	— —		— —	·02 ·02	— —	— ·15	·45 ·46	— —	— ·38	·06 ·46	— Trace	— Trace	29
30	— —		— —	— ·02	— —	·19 ·19	— —	— —	·02 ·03	·17 ·18	— —	— ·02	30
31	— —		— —		— —		— —	— —		— Trace		·01	31
Total	1·81	1·80	2·75	1·98	0·76	2·31	0·49	0·44	1·93	6·78	7·00	6·81	TOTAL for year 33·86 33·80
Dc. Average	−1·11	−1·34	−1·04	−0·92	−2·16	−2·20	−4·22	−6·72	−7·84	−6·80	−3·11	+0·43	Avge 33·42
No. of Rain Days.	17	15	19	17	4	10	3	7	9	16	21	29	

W. 8,000, X. '11.

167

No 1 Gauge

FORM A2.
BRITISH RAINFALL.

17 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at 283 Ditchling Rd, Brighton
in the County of Sussex 3
by G B Hamlin

Rain Gauge:
Pattern Snowdon Graduate gauge 2739
Diameter of top 5 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level 302 ft.

Time of Observation 7 am

Nearest Railway Station: Name Preston Park; Distance 1½ m; Direction W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	trace Trace	— —	·05 ·05		— ·04	·15 ·30	·05 ·06	— —	·21 ·21	·45 ·70	— —	·24 ·24	1
2	— —	·02 Snow ·02	·24 ·31		— —	·07 ·07	·16 ·21	— —	— —	·05 ·05	— —	— trace	2
3	— ·01	nil Snow ·01	·05 ·05		— —	·08 ·20	— trace	·02 ·48	trace ·03	— —	— trace	— trace	3
4	·04 ·23	·06 Snow ·06	·37 ·58		trace trace	·12 ·17	— —	trace ·10	— —	— —	— ·14	trace trace	4
5	·02 ·13	·05 Snow ·11	·08 ·10		— —	·26 ·26	— —	·16 ·39	— —	— —	·20 ·20	— ·04	5
6	·73 ·79	·11 ·12	— —		·04 ·04	— trace	— —	·29 ·66	·01 ·01	— —	— trace	·15 ·15	6
7	— —	— —	— —	BLANK MONTH NO RAIN	·32 ·33	·55 ·75	— —	·26 ·26	— —	— —	— trace	·02 ·05	7
8	·63 ·71	·24 ·36	·13 ·15		·01 ·01	·11 ·11	— ·07	·05 ·05	— —	— —	— —	·03 ·03	8
9	·03 ·03	·05 ·05	— ·05		— —	·24 ·24	— ·09	— ·11	— —	— —	— —	— ·08	9
10	trace trace	— ·06	·07 ·07		— —	— —	— —	·32 ·32	— —	— —	·01 ·17	·41 ·43	10
11	·02 ·02	— ·50	— —		— trace	trace trace	— —	— ·01	— —	— —	— —	trace ·13	11
12	— —	·09 ·09	— ·03		·01 ·03	·08 ·08	— —	·09 ·44	— —	— trace	— —	·08 ·08	12
13	trace trace	·02 ·02	·02 ·04		— —	— —	·02 ·02	— trace	— —	— trace	— ·05	·06 ·33	13
14	— —	— —	— —		— ·09	— —	— —	·05 ·05	— —	·09 ·09	— trace	·04 ·05	14
15	·01 ·01	trace ·15	·18 ·18		— ·11	·02 ·57	— —	·04 ·04	— —	— —	— trace	·16 ·30	15
16	·06 ·09	·01 ·01	·08 ·16		·12 ·12	·17 ·17	— —	·01 ·15	— —	·04 ·06	trace ·01	·01 ·01	16
17	·11 ·35	·01 ·01	·24 ·32		— —	·15 ·16	— —	·04 ·14	— —	— —	·09 ·09	— ·12	17
18	·06 ·07	— —	·32 ·47		·08 ·08	— —	·01 ·01	·11 ·12	— —	— ·04	·01 ·01	·70 ·72	18
19	·01 ·02	·08 ·08	·19 ·27		— —	— ·01	·07 ·08	·09 ·20	— —	— trace	·02 ·02	trace trace	19
20	·02 ·04	·03 ·03	·39 ·64		— —	— —	trace trace	·02 ·02	— —	·03 ·49	·03 ·03	— —	20
21	trace ·01	·04 ·17	·38 ·64		— ·01	— —	— —	·05 ·16	— —	·12 ·37	·03 ·05	— —	21
22	— ·08	·47 ·56	·07 ·07		·07 ·07	— —	·01 ·01	trace ·32	— —	·06 ·06	— —	— ·02	22
23	— ·41	·09 ·21	·22 ·36		— trace	— trace	— —	·14 ·29	— —	·10 ·10	— ·17	·06 ·14	23
24	·03 ·03	·02 ·09	— ·01		— —	— —	— —	·30 ·31	— —	·14 ·14	— —	·13 ·13	24
25	·02 ·04	·02 ·02	·01 ·01		— —	·23 ·32	— —	— ·87	— —	·04 ·04	·13 ·34	·33 ·42	25
26	— —	·07 ·08	— —		— —	— —	— —	·08 ·11	— —	·43 ·43	·32 ·40	·29 ·36	26
27	— —	— trace	— ·02		— —	— —	— —	— trace	— —	·03 ·16	·01 ·01	·38 ·61	27
28	— —	— ·09	— —		— —	·04 ·04	— ·04	— ·02	·08 ·14	·41 ·88	·12 ·71	·06 ·30	28
29	— —	·02 ·02	— —		— —	·01 ·01	·08 ·13	·25 ·26	·23 1·28	trace trace	·06 ·06	— —	29
30	— —		— —		— ·42	— trace	·02 ·02	·61 ·61	1·13 1·45	·25 ·28	·04 ·04	— —	30
31	— —		·01 ·04		— trace		·15 ·30	— ·11		— —		— —	31
Total	3·07	2·92	4·62	·00	1·35	3·46	1·04	6·60	3·12	3·89	2·50	4·74	TOTAL for year 37·31 ✓
No. of Rain Days	18	24	23	0	12	16	12	27	6	15	17	22	192 ✓

9,000, IX. '10. The red figures are the readings of the gauge at 9 pm, put back again & then read again in the morning at 7 am which makes the full days reading in pencil.

No 2 Gauge This gauge stands within 3ft of No1 Gauge

Weekly

FORM A.
BRITISH RAINFALL.

17 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at 283 Ditchling Rd, Brighton
in the County of Sussex 3
by G B Hamlin

Lat. N 50° 51' Long. W 0° 8'
Nearest Railway Station Preston Park
Time of Observation
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " Sea Level 302 ft.

Note.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2			·17			·30					—		2
3		snow ·02						·89					3
4					·04								4
5										·81			5
6	1·18			—			·25						6
7									·24			·48	7
8						1·52							8
9			·94								·34		9
10		·78						1·77					10
11					·37								11
12										—			12
13	·75			—			·15						13
14									—			1·09	14
15						·86							15
16			·48								·22		16
17		·73						·85					17
18					·44								18
19										·18			19
20	·62			—			·21						20
21									—			1·17	21
22						·31							22
23			2·77								·36		23
24		1·14						1·27					24
25					·09								25
26										1·61			26
27	·61			—			—						27
28									·14			1·95	28
29		·17				·35							29
30			·05	—		—			2·73		1·48		30
31	—		·03		·42		·48	1·98		1·28			31
Total	3·16	2·84	4·44		1·36	3·34	1·09	6·76	3·11	3·88	2·40	4·69	TOTAL for year 37·07
No. of Rain Days						WEEKLY GAUGE							

6,000, XI. '08.

EDWARD STANFORD, 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

FORM A.
BRITISH RAINFALL.
20 JAN 1914

REGISTER OF RAINFALL IN 1913

3

Kept at "Umbria" 283 Ditchling Rd Brighton

in the County of Sussex

by G Berry Hamlin

Lat. N 50°51' Long. W ~~0 8~~ 0 8

Time of Observation 9 am

Nearest Railway Station Preston Park

Diameter of Rain Gauge 5 in in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 302 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

The red figures at the top left hand corner is the reading of the gauge at 9 pm, then put back again & measured as a whole at 9 am

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·05 ·05	·32 ·42	– ·10	·26 ·26	– Trace	·11 ·11	– –	– –	·02 ·02	– ·03	·04 ·06	·04 ·13	1
2	·09 ·09	·10 ·10	– –	Trace Trace	– –	– –	·04 ·09	– –	– –	·06 ·21	·08 ·16	·04 ·05	2
3	– –	– –	·05 ·05	·07 ·29	·04 ·21	– –	– –	– –	– –	– –	– –	·04 ·12	3
4	·01 ·31	– –	·03 ·12	– –	·03 ·03	– ·01	·01 ·03	– –	– ·49	·02 ·06	·01 ·13	– –	4
5	·08 ·38	– ·04	– ·01	– –	– –	·10 ·17	– ·10	– –	·39 ·56	·07 ·07	·01 ·19	·01 ·01	5
6	– –	Trace ·04	·05 ·12	– ·02	·02 ·02	·03 ·10	·17 ·28	– –	– ·01	– ·17	·19 ·19	·24 ·26	6
7	– –	·25 ·25	·04 ·08	– –	·10 ·10	·09 ·09	·03 ·03	– –	– –	·24 ·24	– ·05	– –	7
8	– Trace	– –	·02 ·02	– –	·14 ·16	·06 ·06	– –	·43 ·43	– –	·50 ·50	·10 ·10	– ·05	8
9	– –	·26 ·26	– –	– ·01	·09 ·21	– –	·07 ·13	– –	·11 ·13	·01 ·01	·01 ·02	·03 ·03	9
10	– ·02	– –	– –	·06 ·06	– –	·04 ·04	1·96 1·96	– –	– –	– –	·06 ·68	– –	10
11	·98 1·03	– –	– –	·46 ·62	– –	– –	– –	– –	– –	·94 ·94	·55 ·68	– –	11
12	– –	– –	– –	– –	·59 ·74	– –	– –	– –	– –	– –	·49 ·91	·03 ·03	12
13	·47 ·65	– –	– ·02	– –	– –	– –	– –	·02 ·02	– ·16	– –	– ·04	– –	13
14	·13 ·32	– –	·09 ·11	·01 ·02	– –	– –	·21 1·06	– ·04	·01 ·02	– ·07	·36 ·38	– –	14
15	·05 ·21	Trace Trace	– ·34	– ·16	– –	– –	·45 ·46	– –	– ·04	– –	– ·01	– ·01	15
16	·14 ·16	– –	·26 ·58	·29 ·29	– –	– –	– ·03	– –	·06 ·06	– –	– ·02	Trace ·03	16
17	·03 ·09	·03 snow ·05	– –	·13 ·13	– –	– –	·01 ·10	– –	– –	– –	– ·03	– ·03	17
18	Trace ·02	– –	– ·01	·18 ·22	– –	– –	·19 ·19	– –	·01 ·01	– –	·16 ·16	– –	18
19	·13 ·13	– –	·12 ·12	– –	·05 ·07	·02 ·02	·11 ·12	– –	– ·50	– –	– –	– –	19
20	·86 ·90	– –	·02 ·04	– ·26	·05 ·05	·08 ·08	– –	– –	– –	·22 ·39	·01 ·01	– –	20
21	Trace ·01	– –	·14 ·14	·20 ·20	– –	– –	– –	– –	– –	·65 ·81	·86 ·93	– –	21
22	·19 ·33	– –	·10 ·12	– –	– –	– –	·02 ·02	– –	·11 ·11	·06 ·07	– –	– ·01	22
23	– –	– –	·12 ·12	– –	– –	·01 ·01	– –	·11 ·11	– –	– –	– –	·76 ·90	23
24	·02 ·13	– –	– –	– ·04	– –	– –	– –	·11 ·11	– –	– –	·01 ·06	– Trace	24
25	– –	– ·02	– –	·09 ·14	– –	– –	– –	– –	– –	– –	– ·01	– –	25
26	– –	– –	·03 ·10	– –	– –	– –	– Trace	·11 ·11	– –	·82 ·82	·01 ·01	Trace ·22	26
27	– –	– –	– ·06	– ·02	– –	– –	– –	– –	– –	– ·01	– Trace	Trace Trace	27
28	·04 ·09	– –	·37 ·37	·10 ·10	– –	– –	– –	– –	– –	·02 ·10	– –	– –	28
29	·03 ·17		·04 ·04	·34 ·34	– ·49	– –	– –	·15 ·15	– –	– ·04	·01 ·02	– –	29
30	·27 ·64		– –	·17 ·17	– –	– –	– –	·01 ·32	– –	·05 ·08	– –	– –	30
31	·01 ·01		·05		– –		– –	·85 1·31		·09 ·22		– –	31
Total	5·74	1·18	2·72	3·35	2·08	·69	4·60	2·60	2·11	4·84	4·85	1·88	YEAR'S TOTAL 36·64
Rain Days.	21	8	22	19	10	10	14	9	12	19	23	14	181

W. 7,500, XI. ·12 Standard Snowdon No. 2739 Graduate HRM 874

FORM A.
BRITISH RAINFALL
16 JAN 1915

REGISTER OF RAINFALL IN 19 14

"Umbria"

Kept at Ditchling Rd, Preston Brighton

in the County of Sussex 3

by G Berry Hamlin

Lat. N 50°51′ Long. W 0°8′

Time of Observation 7 am

Nearest Railway Station Preston Park

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 302 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	– –	– –	– –	– ·03	– –	– –	·06 ·07	·03 ·14	– –	– –	– ·10	·05 ·16	1
2	– ·01	– –	– –	·03 ·03	– –	– –	– ·02	– –	– –	– –	·20 ·21	– ·17	2
3	– –	– –	– ·09	– ·06	– ·30	– –	·02 ·02	– ·07	– –	– –	– ·01	·04 ·04	3
4	– –	– –	·01 ·02	·08 ·36	– trace	– –	– trace	·06 ·12	– –	– –	·11 ·31	·26 ·39	4
5	·16 ·16	– –	·06 ·11	·07 ·42	– ·02	– trace	– ·22	·03 ·04	– –	– –	·01 ·01	·01 ·01	5
6	– –	– ·08	– –	·03 ·14	– ·05	·04 ·08	– trace	·04 ·04	– –	– –	·02 ·02	·22 ·54	6
7	– ·04	·18 ·33	·05 ·25	·08 ·08	·05 ·05	·03 ·03	– ·06	– –	– –	– –	– –	·24 ·25	7
8	·04 ·09	·46 ·54	·19 ·35	·05 ·06	– ·02	·05 ·05	·22 ·22	·05 ·06	– –	– –	– trace	·20 ·25	8
9	·01 ·10	– –	·69 ·69	·07 ·07	– –	·02 ·02	– –	– ·01	·14 ·14	– –	– –	·63 1·59	9
10	·06 ·16	– ·01	– –	– ·14	·25 ·25	– –	– –	– trace	– –	– –	– ·02	·11 ·11	10
11	– –	·35 ·44	– ·45	·07 ·08	– ·05	– –	– –	– –	·34 ·34	– –	·06 ·06	·57 ·71	11
12	– –	·06 ·08	·02 ·13	– –	– –	– ·02	·56 ·56	– –	·46 ·68	– –	·01 ·01	·16 ·50	12
13	– trace	·10 ·45	·08 ·23	– –	– –	·14 ·14	– –	– –	– ·26	·03 ·03	·10 ·10	·24 ·57	13
14	– –	·02 ·14	·15 ·16	– –	– –	– –	– ·05	– trace	·02 ·02	·26 ·54	– ·05	·31 ·53	14
15	– –	·11 ·11	·15 ·32	– –	– –	– –	– trace	·19 ·19	·02 ·02	·05 ·05	·27 ·93	·04 ·04	15
16	– –	·10 ·10	– –	– –	– –	– –	·10 ·11	– –	·02 ·04	– –	– –	22 trace	16
17	– –	– ·43	·04 ·13	– –	– –	– –	·10 ·10	– –	·21 ·21	– –	– –	– ·10	17
18	– –	·15 ·15	– ·05	– –	– –	– –	– –	– –	– –	– –	– –	·34 ·40	18
19	– –	·24 ·26	1·02 1·22	– –	– –	– –	– ·32	– –	– –	– trace	·24 ·24	·24 ·25	19
20	– –	·03 ·10	·18 ·18	– –	– –	– ·10	– ·01	– –	– –	·02 ·02	– –	·02 ·39	20
21	– –	·27 ·53	·10 ·10	– –	– –	– –	– trace	– –	– –	– ·02	– –	– ·01	21
22	– –	·02 ·14	·08 ·08	– –	– ·09	– ·15	·10 ·10	– ·01	– –	·25 ·37	– –	– –	22
23	– –	– trace	·19 ·30	– –	– –	·57 ·57	·01 ·01	trace ·01	– –	·02 ·03	– –	– –	23
24	– –	– –	·03 ·03	– trace	– –	– –	– –	– –	– –	·03 ·03	– ·17	– –	24
25	– ·05	– –	·24 ·24	– –	– –	– ·01	– –	– ·04	– –	·36 ·40	– ·02	– –	25
26	·05 ·05	– –	·25 ·25	– –	– –	– –	– –	·30 ·30	– –	– ·01	·02 ·11	·19 ·54	26
27	– ·03	– –	– –	– –	– –	– –	– –	– –	– –	·12 ·12	·08 ·19	·22 ·57	27
28	– ·03	– ·04	– –	– –	·01 ·01	– –	·22 ·24	– –	– –	·05 ·39	·37 ·37	·47 ·48	28
29	·01 ·10		·06 ·06	– –	– –	– –	– –	– –	– –	·05 ·51	·01 ·09	– ·02	29
30	·07 ·07		·11 ·12	·09 ·09	– –	– –	– –	– –	– –	·10 12	·71 1·02	– ·15	30
31	– ·03		– – 3·70		·15 ·16		– –	– –		– trace		·17 4·73 ·19	31
Total	·40 0·92	2·09 3·93	~~2·80~~ 5·56	·57 1·56	·46 1·00	·85 1·17	1·39 2·11	·70 1·03	1·21 1·61	1·34 2·69	2·21 4·04	~~4·53~~ 8·90	YEAR'S TOTAL 34·52
Rain Days.	13	17	23	12	10	10	15	12	8	14	20	26	180

The red figures in the top left hand corner means that the gauge was read at 9 pm tipped back & then read as a whole at 7 am

W.7,000, XI. 13 Standard Snowdon No 2739 Graduate H.R.M. 874

560

REGISTER OF RAINFALL IN 19 15

Kept at Umbria 283 Ditchling Rd

in the County of Sussex 3 Brighton

by G B Hamlin

Lat. N 50° 51' Long. W 0° 8'
Time of Observation 7 am
Nearest Railway Station Preston Park
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 302 ft.

FORM A. BRITISH RAINFALL. 13 JAN 1916

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ☒

The red figures denote the rainfall at 9 am, which is put back again & is measured in the evening as the field total for the day

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.26 .46	trace .30	–	–	–	–	.05	.05	.75 .75	.01	.17 .17	.24 .24	1
2	.36 .46	.19 .19	.28	.08 .10	.02 .02	trace	–	.10 .14	.02 .02	.37 .40	trace	.09 .17	2
3	.18 .25	–	.05 .12	.32 .39	.06	.01	–	.04 .05	.07 .07	–	–	.32 .66	3
4	.16 .17	–	.01 .01	.02 .02	–	–	–	.16 .16	–	–	–	.39 .40	4
5	.17 .17	.43	–	.07 .07	–	.01	–	.01 .15	–	trace	.06 .08	.40 .64	5
6	.06 .67	.36 .38	.03 .06	.15 .48	–	–	.28	–	–	–	–	.05 .06	6
7	.58 .58	.16 .25	.01 .08	.06 .06	–	.02	.04 .14	.01 .01	–	–	–	.12 .34	7
8	.05 .07	.19 .27	trace	–	–	–	.53 .53	–	–	–	.01 .04	–	8
9	.04 .04	.17 .22	–	.15	–	.17 .20	–	.07 .07	–	–	.55 .55	1.05 1.17	9
10	.22 .29	trace trace	–	–	–	.02 .02	–	–	–	–	–	.03 .73	10
11	.01 .01	trace	.06 .06	–	–	–	–	–	–	.01	.35 .91	.04 .04	11
12	nil .04	.07	–	.27	.23	–	–	–	–	trace	.35 .83	–	12
13	.06 .06	.53 .72	–	–	1.39 2.06	–	–	–	.04	–	trace trace	–	13
14	.03 .09	.02 .02	–	–	–	–	.17 .26	.01	.15 .16	trace	–	.04 .52	14
15	.03 .13	.03 .03	–	–	.08	–	.51 .51	.71 .71	.01	trace	.04 .09	.34 .36	15
16	–	.46	–	.02 .03	.01	–	1.07 1.25	.19 .19	–	–	.04 .04	.03 .05	16
17	–	.49 .51	–	–	.16 1.04	–	.18 .18	.05 .06	–	–	–	.03 .04	17
18	trace	.14 .17	–	–	.31 .31	–	–	–	–	–	.03 .04	trace .01	18
19	–	.01 .02	–	–	trace	–	–	–	–	–	–	–	19
20	.02 .26	.02 .02	–	.04 .04	.11 .14	–	–	–	–	–	–	.11	20
21	.18 .18	–	–	–	–	–	–	–	–	.33 .42	–	.04 .06	21
22	.15 snow snow .13	.06	.07 .10	.11	–	–	.82 1.78	–	.02	.17 .17	–	.02 .19	22
23	.08 .08	snow .12	.05 .14	–	–	trace	.02 .06	–	.04	.04 .23	–	.69 1.16	23
24	–	–	.05 .06	–	–	–	–	–	.34 .35	.23 .65	–	.43 .98	24
25	–	–	.04 .04	.01 .02	–	–	.29	–	trace	–	–	.31 .34	25
26	–	.10	–	–	–	.03	–	–	.01	–	–	.10 .98	26
27	–	.07 .07	–	–	–	.02 .15	.13 .13	–	–	.29	–	.10 .10	27
28	–	.05	–	–	–	.18	–	–	.86 1.16	.47 .47	–	–	28
29	–	–	–	–	.05 .05	.14 .15	–	.24 .24	.01 .01	.03 .13	.24 .48	.05 .06	29
30	.23	╳	–	–	–	–	–	–	–	.18 .24	.36 .37	.04 .06	30
31	.03 .03	╳	–	╳	–	╳	–	.03	╳	.57 .87	╳	.20 .24	31
Total	4.42	4.46	.95	1.74	4.00	.77	4.86	1.87	2.64	3.89	3.60	9.71	YEAR'S TOTAL 42.91
Rain Days.	21	21	10	12	10	9	12	13	12	12	11	26	169 ✓

Exd CJE

549

FORM A.
BRITISH RAINFALL.

13 JUN 1917

"Umbria" REGISTER OF RAINFALL IN 1916

Kept at 283 Ditchling Rd Brighton

in the County of Sussex

by G B Hamlin

Lat. Long.

Time of Observation as before

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·06	·05	·07	—	·15	·08	—	—	·07	·04	·39	—	1
2	·48	·07	·47	—	·19	·03	·02	—	—	·40	·08	—	2
3	·03	·12	·12	—	—	·02	·03	—	·07	·41	·52	—	3
4	·21	·14	—	—	—	·46	—	—	·20	·05	·36	—	4
5	·04	·02	—	—	·27	·10	—	—	—	·04	·43	—	5
6	·03	·06	Snow ·04	·10	·12	·05	·37	—	—	·03	·23	—	6
7	·01	·02	Snow ·73	—	·15	·13	·02	—	—	·07	·26	·04	7
8	—	·01	·04	—	·34	—	—	—	—	·02	·03	·59	8
9	—	—	·02	—	·25	—	—	—	—	·01	—	·07	9
10	—	·47	·04	·07	—	·41	·07	—	—	—	·02	·44	10
11	·03	·26	—	·10	Trace	·23	—	—	—	—	Trace	·17	11
12	·06	·08	—	·14	·09	·16	·08	·03	—	·06	·02	—	12
13	—	·23	·20	·02	—	·04	—	—	·03	·02	—	·03	13
14	—	·66	·12	·03	·21	—	—	·05	—	·01	—	—	14
15	—	·09	·10	·02	—	—	—	—	—	—	—	·16	15
16	—	·21	·22	·34	—	—	·08	—	—	—	—	—	16
17	·52	·15	—	·10	—	—	·02	·03	·43	·74	—	·04	17
18	·02	·16	—	·02	—	—	—	·09	·26	·16	Snow ·78	—	18
19	·18	—	·12	·25	—	—	—	·03	·14	—	·92	·12	19
20	·11	·03	·09	·09	—	·09	—	—	—	·02	·61	·55	20
21	·05	—	·41	—	—	—	·18	—	—	—	·04	·82	21
22	·02	Snow ·02	·05	—	—	Trace	—	—	—	·05	·02	·61	22
23	·01	Snow ·19	·04	—	—	·14	·02	·03	—	·04	·04	—	23
24	·03	—	—	—	·27	—	—	·04	—	·39	·06	·41	24
25	—	Snow ·47	·11	—	—	—	—	·51	Trace	·15	·05	—	25
26	·06	Snow ·60	—	—	—	·51	—	·06	·37	·17	—	·08	26
27	·02	·13	·70	—	—	—	—	·01	·15	·29	—	—	27
28	·03	Snow ·91	·08	—	—	·31	—	·10	·40	30	—	·40	28
29	—	·20	—	—	—	·25	—	·61	·14	·58	—	·55	29
30	—	✕	—	—	·28	—	—	·06	—	·37	—	·02	30
31	—	✕	—	✕	—	✕	—	·02	✕	·05	✕	—	31
Total	2·00	5·35	3·77	1·28	2·32	3·01	·89	1·67	2·26	4·67	4·86	5·10	YEAR'S TOTAL 37·18
Rain Days.	20	25	20	12	11	16	10	14	11	25	18	17	199

W. 8,000, VIII. 16

P.T.O.

480 –

FORM A. 1. METEOROLOGIC ZATION.

REGIS

BRIGHTON – "HIGHCROFT"
DYKE ROAD

SUSSEX

1920

Kept at Highcroft, C ... N ... a.m. ... lon Park

in the County of Suss ... uge ~~3·9~~5 in.

by Robt. A. Pe ... ound 3 ft. 9 in.

a Level 250 ft. ?

IMPORTANT NOTE.—Rai ... d to the previous day.
If an Observer prefers not to co ... to add the reading at 9 a.m. on 1st Jan ... end of this paragraph. Full instructions ... gauges, and particulars as to the British ... servers," sent post-free on application to ... Camden Square, London, N.W. 1.

Jan. 1, following.

Record

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1					·07	—	·22	·01	—	·40	·02	·17	1
2					·05	—	·03	·29	·16	·14	—	·09	2
3					—	—	—	—	·01	·09	—	·08	3
4					—	—	1·06	·14	—	·08	—	·01	4
5					—	—	·42	·02	·07	—	—	·04	5
6					·36	—	·29	—	—	—	—	·01	6
7					·07	—	·11	—	—	—	—	—	7
8					·08	—	·48	—	—	·01	—	—	8
9					·02	·04	—	—	—	—	—	—	9
10					—	·09	·10	—	—	—	—	—	10
11					—	·05	·23	—	—	—	—	·04	11
12					·03	·70	·01	—	—	·01	·01	—	12
13					—	·01	—	—	—	—	·08	—	13
14					—	·01	·02	—	·02	·28	·43	—	14
15					—	·05	—	—	·67	·30	·13	·01	15
16					—	—	—	—	·24	·01	·01	—	16
17					·19	—	·01	—	·14	—	·01	·07	17
18					·10	·02	—	·76	·27	—	—	·08	18
19					—	—	—	·01	·04	—	—	·05	19
20					—	·90	—	—	·03	—	—	—	20
21					—	—	·65	—	·28	—	—	·26	21
22					—	—	·01	—	·01	—	—	·47	22
23					—	—	·40	·14	—	—	—	·59	23
24					—	—	·03	·01	—	—	—	·15	24
25					·02	—	·15	—	—	—	·01	—	25
26					—	—	·17	—	—	—	·02	·04	26
27					—	·18	·06	—	—	—	·86	·27	27
28					·18	—	·16	—	—	—	·12	·07	28
29					·01	·01	·01	—	—	—	·22	·12	29
30		X			—	—	·03	—	·32	—	·28	·11	30
31		X		X	—	X	—	—	X	·68	X	·37	31
TOTAL					1·18	2·06	4·65	1·38	2·26	2·0	2·20	3·10	YEAR'S TOTAL
Days with ·01 in. or more					12	11	22	8	13	10	13	21	
Days with ·04 in. or more					8	7	14	4	9	7	7	18	

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

+80

FORM A. 1. METEOROLOGIC~~AL OFFICE—BRITISH RAINFALL ORGAN~~IZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Highcroft, Dyke Rd, Brighton

in the County of Sussex

by Robt. A. Penney

Lat. 50·50N Long 0·7 W

Time of Observation 7·45 a.m.

Nearest Railway Station Preston Park

Diameter of Funnel of Rain Gauge ~~3~~5 in.

Height of top of Gauge above Ground 3 ft. 9 in.

" " " " Sea Level 250 ft. ?

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1					·07	—	·22	·01	—	·40	·02	·17	1
2					·05	—	·03	·29	·16	·14	—	·09	2
3					—	—	—	—	·01	·09	—	·08	3
4					—	—	1·06	·14	—	·08	—	·01	4
5					—	—	·42	·02	·07	—	—	·04	5
6					·36	—	·29	—	—	—	—	·01	6
7					·07	—	·11	—	—	—	—	—	7
8					·08	—	·48	—	—	·01	—	—	8
9					·02	·04	—	—	—	—	—	—	9
10					—	·09	·10	—	—	—	—	—	10
11					—	·05	·23	—	—	—	—	·04	11
12					·03	·70	·01	—	—	·01	·01	—	12
13					—	·01	—	—	—	—	·08	—	13
14					—	·01	·02	—	·02	·28	·43	—	14
15					—	·05	—	—	·67	·30	·13	·01	15
16					—	—	—	—	·24	·01	·01	—	16
17					·19	—	·01	—	·14	—	·01	·07	17
18					·10	·02	—	·76	·27	—	—	·08	18
19					—	—	—	·01	·04	—	—	·05	19
20					—	·90	—	—	·03	—	—	—	20
21					—	—	·65	—	·28	—	—	·26	21
22					—	—	·01	—	·01	—	—	·47	22
23					—	—	·40	·14	—	—	—	·59	23
24					—	—	·03	·01	—	—	—	·15	24
25					·02	—	·15	—	—	—	·01	—	25
26					—	—	·17	—	—	—	·02	·04	26
27					—	·18	·06	—	—	—	·86	·27	27
28					·18	—	·16	—	—	—	·12	·07	28
29					·01	·01	·01	—	—	—	·22	·12	29
30		X			—	—	·03	—	·32	—	·28	·11	30
31		X		X	—	X	—	—	X	·68	X	·37	31
TOTAL					1·18	2·06	4·65	1·38	2·26	2·0	2·20	3·10	YEAR'S TOTAL
Days with ·01 in. or more					12	11	22	8	13	10	13	21	
Days with ·04 in. or more					8	7	14	4	9	7	7	18	

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

BRIGHTON
{OLD STEINE}
SUSSEX
1911-20

FORM A2.
BRITISH RAINFALL.
18 JAN 1912

REGISTE 11

owdon

Kept at Old Steine, (5 in.

e Ground 1 ft. - in.

in the County of Sussex Sea Level 32 ft.

a.m.

by Corporation of B Name Brighton.

Distance 1 mile Direction N.N.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·95	-	-	·70	-	-	-	·01	-	-	·04	-	1
2	·02	-	-	·07	·18	-	-	-	-	-	·16	·19	2
3	-	-	-	-	·26	-	-	-	-	-	·08	·31	3
4	·09	-	·01	·23	-	-	-	-	-	·21	·15	·18	4
5	-	·01	-	·08	-	-	-	-	-	·63	·02	·05	5
6	·28	-	·04	-	-	-	-	-	-	-	·01	·47	6
7	·01	-	-	-	-	-	-	-	-	·25	·90	·19	7
8	·07	-	·17	-	-	-	-	-	-	-	·60	·16	8
9	·11	-	-	·01	-	-	-	-	-	-	·40	·06	9
10	-	·08	·07	·07	-	-	-	-	-	-	-	·30	10
11	·55	-	·02	-	-	-	-	-	-	-	1·26	·02	11
12	-	-	1·00	-	-	-	-	-	-	-	·06	-	12
13	-	-	·07	-	·13	-	-	-	·30	·03	-	·16	13
14	-	·04	-	-	·20	-	-	-	-	-	-	·41	14
15	-	·01	·15	-	-	-	-	-	-	-	·09	·07	15
16	-	-	-	-	-	·60	-	-	-	-	·55	·13	16
17	-	-	-	-	-	·01	-	-	-	-	·69	·11	17
18	-	·11	·07	-	-	-	-	-	-	-	·93	·34	18
19	-	·01	-	·01	-	·03	-	-	·21	·25	·02	·05	19
20	·01	-	-	-	-	-	-	·35	·36	·01	-	·70	20
21	·01	·17	-	-	-	-	-	·04	-	1·70	-	·27	21
22	·20	-	·13	·02	-	·05	-	·02	-	·39	·01	·50	22
23	-	·16	·08	-	-	1·12	-	-	·39	·92	·02	·15	23
24	-	·21	·02	-	-	·03	·03	·01	-	·20	-	·32	24
25	-	·03	·20	·08	-	·11	-	-	·06	·07	-	·01	25
26	-	-	·10	·31	-	·03	-	-	-	·30	·29	·27	26
27	-	·30	·29	·04	-	-	-	-	·09	·50	·02	·21	27
28	-	·14	-	·15	-	-	-	·01	-	-	·01	·01	28
29	-		-	-	-	·12	·55	-	·27	·36	-	-	29
30	-		-	·02	-	·09	-	-	-	·22	-	·01	30
31	-		-		-		-	-		-		-	31
Total	1·40	1·27	2·42	1·79	·77	2·19	·58	·44	1·68	6·04	6·31	5·65	TOTAL for year 30·54
No. of Rain Days.	11	12	15	13	4	10	2	6	7	15	21	27	143

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.
18 JAN 1912

Kept at Old Steine, Brighton.

in the County of Sussex. 3

by Corporation of Brighton.

RAIN GAUGE
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. - in.
" " " Sea Level 32 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Brighton.
Distance 1 mile Direction N.N.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·95	-	-	·70	-	-	-	·01	-	-	·04	-	1
2	·02	-	-	·07	·18	-	-	-	-	-	·16	·19	2
3	-	-	-	-	·26	-	-	-	-	-	·08	·31	3
4	·09	-	·01	·23	-	-	-	-	-	·21	·15	·18	4
5	-	·01	-	·08	-	-	-	-	-	·63	·02	·05	5
6	·28	-	·04	-	-	-	-	-	-	-	·01	·47	6
7	·01	-	-	-	-	-	-	-	-	·25	·90	·19	7
8	·07	-	·17	-	-	-	-	-	-	-	·60	·16	8
9	·11	-	-	·01	-	-	-	-	-	-	·40	·06	9
10	-	·08	·07	·07	-	-	-	-	-	-	-	·30	10
11	·55	-	·02	-	-	-	-	-	-	-	1·26	·02	11
12	-	-	1·00	-	-	-	-	-	-	-	·06	-	12
13	-	-	·07	-	·13	-	-	-	·30	·03	-	·16	13
14	-	·04	-	-	·20	-	-	-	-	-	-	·41	14
15	-	·01	·15	-	-	-	-	-	-	-	·09	·07	15
16	-	-	-	-	-	·60	-	-	-	-	·55	·13	16
17	-	-	-	-	-	·01	-	-	-	-	·69	·11	17
18	-	·11	·07	-	-	-	-	-	-	-	·93	·34	18
19	-	·01	-	·01	-	·03	-	-	·21	·25	·02	·05	19
20	·01	-	-	-	-	-	-	·35	·36	·01	-	·70	20
21	·01	·17	-	-	-	-	-	·04	-	1·70	-	·27	21
22	·20	-	·13	·02	-	·05	-	·02	-	·39	·01	·50	22
23	-	·16	·08	-	-	1·12	-	-	·39	·92	·02	·15	23
24	-	·21	·02	-	-	·03	·03	·01	-	·20	-	·32	24
25	-	·03	·20	·08	-	·11	-	-	·06	·07	-	·01	25
26	-	-	·10	·31	-	·03	-	-	-	·30	·29	·27	26
27	-	·30	·29	·04	-	-	-	-	·09	·50	·02	·21	27
28	-	·14	-	·15	-	-	-	·01	-	-	·01	·01	28
29	-		-	-	-	·12	·55	-	·27	·36	-	-	29
30	-		-	·02	-	·09	-	-	-	·22	-	·01	30
31	-		-		-		-	-		-		-	31
Total	1·40	1·27	2·42	1·79	·77	2·19	·58	·44	1·68	6·04	6·31	5·65	TOTAL for year 30·54
No. of Rain Days.	11	12	15	13	4	10	2	6	7	15	21	27	143

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.
3 - JAN 1913

Kept at Old Steine Brighton

in the County of Sussex 3

by Corporation of Brighton

Lat. 50°49'15" N Long. 0°8'10" W
Time of Observation 9 a.m.
Nearest Railway Station Central Brighton
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 32 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	-	-	-	·03	·17	·08	-	·02	·67	-	·35	1
2	-	(snow) ·02	·29	-	-	·02	·19	-	-	-	-	-	2
3	·01	(snow) ·02	·02	-	-	·12	-	·39	·01	-	-	-	3
4	·25	(snow) ·08	·64	-	-	·20	-	·17	-	-	·21	-	4
5	·31	(r + snow) ·12	·11	-	-	·21	-	·21	-	-	·10	·02	5
6	·51	·09	-	-	·02	·01	-	·62	·01	-	-	·01	6
7	-	-	-	-	·27	·61	-	·07	-	-	-	·03	7
8	·64	·30	·12	-	-	·01	·14	·14	·01	-	-	·01	8
9	-	·04	·04	·02	-	·14	·09	·09	-	-	-	·04	9
10	-	·04	·06	-	-	-	-	·23	-	-	·07	·41	10
11	·03	·41	-	-	-	-	-	·03	-	-	-	·18	11
12	-	·08	·03	-	·01	·08	-	·52	-	-	·01	·03	12
13	-	·01	-	-	-	-	·10	·01	-	-	·04	·24	13
14	-	-	-	-	·10	-	-	·03	-	·07	-	·01	14
15	-	·08	·09	-	·12	·54	-	-	-	-	-	·22	15
16	·16	-	·16	-	·16	·13	-	·15	-	·05	·01	-	16
17	·33	-	·28	-	·40	·10	-	·07	-	-	·05	·22	17
18	·05	-	·40	-	-	-	-	·15	-	·02	·01	·45	18
19	·02	·07	·25	-	-	·01	·05	·28	-	-	·03	-	19
20	·02	·01	·58	-	-	-	-	·17	-	·72	·02	-	20
21	-	·15	·38	-	·08	-	·01	·28	-	·40	·05	-	21
22	·08	·44	·03	-	-	-	·01	·30	-	·07	-	·03	22
23	·37	·12	·30	-	-	-	-	·29	-	·06	·13	·12	23
24	·03	·09	·01	-	-	-	-	·17	-	-	-	·15	24
25	·08	-	-	-	-	·19	-	·92	-	·03	·34	·45	25
26	-	·05	-	-	-	-	·01	·07	-	·30	·24	·24	26
27	-	-	-	-	-	·02	-	-	-	·21	·08	·59	27
28	-	·08	-	-	-	·01	·04	·04	·17	·73	·66	·27	28
29	-	·01	-	-	-	-	·04	·52	1·33	·18	(r + snow) ·02	-	29
30	-		·01	-	·38	-	-	·07	·99	·28	(snow) ·02	-	30
31	-		·06		-		·27	·27		-		-	31
Total	2·89	2·31	3·86	0·02	1·57	2·57	1·03	6·26	2·54	3·79	2·09	4·07	TOTAL for year 33·00
No. of Rain Days.	15	21	20	1	10	17	12	27	7	14	18	21	183

W. 8,000, X. '11.

✓

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

21 FEB 1914

Kept at Old Steine, Brighton
in the County of Sussex 3
by R. W. Grutchfield (for Corporation)

Lat. 50° 49' 15" N Long. 8' 10" W
Time of Observation 9 a.m.
Nearest Railway Station Brighton Central
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 32 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·03	·39	·07	·23	-	·08	-	-	-	·03	·06	·15	1
2	·05	·12	-	-	-	-	·07	-	-	·08	·14	·02	2
3	-	-	·06	·33	·14	-	-	-	-	-	-	·17	3
4	·29	-	·09	-	·01	-	·04	-	·64	·08	·09	-	4
5	·26	·01	·03	-	-	·19	·09	-	·14	·04	·17	-	5
6	-	·04	·08	·02	·05	·13	·70	-	-	·25	·13	·23	6
7	-	·25	·09	-	·05	·01	·02	-	-	·25	·10	·01	7
8	-	·12	-	-	·15	·04	-	·16	-	·30	·01	·02	8
9	-	·09	-	·01	·14	·01	·04	-	·10	-	·01	-	9
10	·01	-	-	·05	-	·02	·76	-	-	·10	1·05	-	10
11	·87	-	-	·55	-	-	-	-	-	·65	·25	-	11
12	-	-	-	-	·70	-	-	-	-	-	1·14	-	12
13	·65	-	·03	-	-	-	-	·02	·21	-	·18	-	13
14	·30	-	·10	·01	-	-	1·16	·02	·05	·03	·20	-	14
15	·09	-	·39	·26	-	-	·18	-	-	-	-	-	15
16	·14	-	·61	·17	-	-	-	-	·06	-	-	·02	16
17	·09	·06 (r + snow)	-	·09	-	-	·27	-	-	-	·02	·03	17
18	·01	-	·07	·17	-	-	·06	-	-	-	·09	-	18
19	·24	-	·06	-	·13	·02	·11	-	·45	-	-	-	19
20	·77	-	·03	·18	-	·12	-	-	-	·41	-	-	20
21	-	-	·18	·19	-	-	-	-	-	·91	·78	-	21
22	·31	-	·12	-	-	-	·01	·05	·08	·01	-	-	22
23	-	-	·04	-	-	·02	-	·04	-	-	-	·85	23
24	·11	-	-	·02	-	-	-	·07	-	-	·02	-	24
25	-	·02	-	·12	-	-	-	-	-	-	-	-	25
26	-	-	·09	-	-	-	-	·12	-	·87	-	·22	26
27	-	·01	·13	·04	-	-	-	-	-	·01	-	-	27
28	·10	-	·29	·07	-	-	-	·09	-	·08	-	-	28
29	·13		·03	·28	·26	-	-	·04	-	·03	·01	-	29
30	·50		-	·16	-	-	-	·37	-	·09	-	-	30
31	·01		·07		-		-	1·41		·10		-	31
Total	4·96	1·11	2·66	2·95	1·61	·64	3·51	2·39	1·73	4·32	4·45	1·72	YEAR'S TOTAL 32·05
Rain Days.	20	10	21	19	9	10	13	11	8	19	18	10	168

FORM A.
BRITISH RAINFALL.
2 JAN 1915

REGISTER OF RAINFALL IN 1914

W. 49

Kept at Old Steine, Brighton

in the County of Sussex

3

by A. McIntosh (for Corporation)

Lat. 50°49'15"N Long. 8'10"W

Time of Observation 9 A.M.

Nearest Railway Station Brighton Central

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 32 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	–	–	·02	–	–	·06	·10	–	–	·17	·06	1
2	·01	–	–	–	–	–	·03	–	–	–	·06	·21	2
3	–	–	·07	·05	·23	–	·01	·34	–	–	–	·03	3
4	–	–	–	·34	–	–	–	·03	–	–	·30	·49	4
5	·15	–	·11	·29	·01	–	·22	–	–	–	–	–	5
6	–	·06	·01	·19	·01	·12	–	·02	–	–	–	·57	6
7	·03	·31	·20	·06	·03	·03	·09	–	–	–	·01	·21	7
8	·07	·42	·33	·03	·03	·04	·11	·02	–	–	–	·21	8
9	·08	–	·48	·05	–	–	–	–	·15	–	–	1·51	9
10	·12	·07	–	·14	·17	–	–	–	·12	–	–	·02	10
11	–	·31	·43	·06	·01	–	–	–	·21	–	·04	·72	11
12	–	·11	·13	–	–	·01	·66	–	·54	·02	·01	·45	12
13	·01 (snow)	·36	·24	–	–	·09	–	–	·17	·01	·09	·34	13
14	–	·18	·15	–	–	·01	·03	–	–	·54	·21	·54	14
15	–	·02	·29	–	–	–	–	·22	·01	·01	·78	–	15
16	–	·09	–	–	–	–	·16	–	·12	–	–	–	16
17	–	·59	·10	–	–	–	·01	–	·06	–	–	·20	17
18	–	·04	·43	–	–	–	–	–	–	–	–	·53	18
19	–	·15	·50	–	–	–	·25	–	–	·01	·25	·17	19
20	–	·10	·02	–	–	·09	·01	–	–	–	–	·43	20
21	–	·49	·05	–	–	–	–	–	–	·08	–	·01	21
22	–	·11	·01	–	·10	·15	·10	–	–	·20	–	–	22
23	–	–	·31	·01	–	·76	·05	–	–	·03	–	–	23
24	–	–	·03	·01	–	–	–	–	–	·01	·13	–	24
25	·06	–	·20	–	–	–	–	·08	–	·32	·02	·01	25
26	–	–	·32	–	–	–	–	·16	–	·10	·13	·49	26
27	·02	–	–	–	–	–	–	–	–	–	·25	·39	27
28	·03	·02	–	–	·01	–	·15	–	–	·44 ·44	·40	·42	28
29	·13	×	·05	–	–	–	–	–	–	·58	·11	–	29
30	·01	×	·09	·13	–	–	–	–	–	·11	1·04	·33	30
31	·04	×	–	×	·13	×	–	–	×	–	×	·04	31
Total	0·76	3·43	4·55	1·38	0·73	1·30	1·94	0·97	1·38	2·46 ✓	4·00	8·38	YEAR'S TOTAL 31·28 ✓
Rain Days.	13	17	23	13	10	9	15	8	8	14	17	24	171

W. 8,000. X. 14.

6X 9n L

556

FORM A.
BRITISH RAINFALL.
3 JAN 1916

REGISTER OF RAINFALL IN 1915.

Kept at BRIGHTON

in the County of SUSSEX 3

by E. A. Newman (for Corporation)

Lat. 50° 49' Long. 0° 8'

Time of Observation 9 a.m.

Nearest Railway Station B'ton, Central

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level 32 feet ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·31	·21	–	–	–	–	·03	·03	·70	·15	·10	·29	1
2	·37	·14	·22	·16	·01	trace	–	·04	·01	·20	–	·20	2
3	·30	–	·06	·28	·06	–	–	·02	·07	–	–	·56	3
4	·06	–	·01	·02	–	–	–	·11	–	–	–	·45	4
5	·15	·40	–	·05	–	–	–	·20	–	–	·03	·63	5
6	·84	·36	·02	·40	–	–	·21	–	–	–	–	·20	6
7	·31	·27	·08	·04	–	–	·04	·01	–	–	–	·29	7
8	·04	·31	–	–	–	–	·38	–	–	–	·02	·02	8
9	·05	·12	–	·11	–	18	–	·07	–	–	·56	·95	9
10	·30	–	–	–	–	–	–	·01	–	–	–	·76	10
11	–	–	·07	–	–	–	–	–	–	–	·73	·04	11
12	·05	·16	–	18	·33	–	–	–	–	–	·87	–	12
13	·04	·64	–	–	1·67	–	–	–	·06	–	–	–	13
14	·03	–	–	–	–	–	·21	–	·07	–	–	·56	14
15	·14	–	–	–	·08	–	·19	·48	–	–	·10	·32	15
16	–	·53	–	·01	·08	–	·86	·17	–	–	–	·06	16
17	–	·40	–	–	1·16	–	·04	·01	–	–	–	·03	17
18	–	·22	–	–	·12	–	–	–	–	–	·04	–	18
19	–	·04	–	–	–	–	–	–	–	·01	–	–	19
20	·28	–	–	·01	·08	–	–	–	–	–	–	·11	20
21	·12	–	–	–	–	–	–	–	–	·52	–	·04	21
22	·20	·05	·07	·13	–	trace	·91	–	–	·07	–	·20	22
23	·01	snow ·09	·13	–	–	trace	·04	–	·03	·20	–	1·02	23
24	–	–	·01	–	–	–	–	–	·33	·71	–	·67	24
25	–	–	·05	·01	–	–	·34	–	–	·01	–	·21	25
26	–	·11	–	–	–	·04	–	–	–	–	–	·88	26
27	–	·02	–	–	–	·15	·12	–	–	·37	–	–	27
28	–	·08	–	–	–	·25	–	–	1·08	·21	–	–	28
29	–	X	–	–	·11	–	–	·18	–	·11	·44	·06	29
30	·24	X	–	–	–	–	–	–	–	·46	·41	·02	30
31	·02	X	–	X	–	X	–	·06	X	1·00	X	·20	31
Total	3·86	4·15	·72	1·40	3·70	·62	3·37	1·39	2·35	4·02	3·30	8·77	YEAR'S TOTAL 37·65
Rain Days.	20	~~17~~ 17 18	10	12	10	4	12	13	8	13	10	25	154

155

W. 8,000. X. 15.

538

J L   cnd for auth

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

2 JAN 1917

Kept at Brighton

in the County of Sussex

by F. W. Braybon

N Lat. 50° 49' 15" Long. 0° 8' 10" W

Time of Observation 9·0 A·M

Nearest Railway Station Brighton

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 32 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·8	·5	·4	—	1·3	·9	—	—	1·3	·9	11·5	—	1
2	8·4	·8	9·0	—	5·6	·2	—	—	—	21·9	4·2	—	2
3	·8	5·0	2·7	—	—	—	·2	—	1·5	7·7	11·9	—	3
4	4·3	1·2	—	—	·3	12·5	—	—	3·6	1·2	8·4	—	4
5	1·1	·2	—	·2	4·5	·6	—	—	—	1·1	9·5	—	5
6	—	·7	1·0	2·2	1·0	7·2	7·0	—	—	·6	4·3	—	6
7	—	·6	18·3	—	4·8	—	—	—	—	2·8	7·8	1·2	7
8	—	·9	·2	—	5·6	—	—	—	—	—	—	12·3	8
9	—	—	·1	—	4·1	—	·3	—	—	—	—	2·8	9
10	—	11·1	·5	1·4	—	8·5	·4	—	—	—	·2	12·2	10
11	·2	3·3	·2	3·9	—	9·3	—	—	—	—	—	3·9	11
12	1·5	1·6	1·0	1·3	2·1	3·0	2·1	—	—	1·3	—	—	12
13	—	4·7	3·7	·3	·3	—	—	1·3	—	—	—	·4	13
14	—	20·2	2·8	·5	5·1	—	—	·4	—	—	—	2·4	14
15	—	7·2	2·3	·6	—	—	—	—	—	—	—	—	15
16	·7	—	5·4	6·3	—	—	1·3	·7	—	—	—	—	16
17	7·6	5·6	—	1·8	—	—	·2	·3	9·0	19·6	—	—	17
18	·1	1·8	—	·3	—	—	—	·8	5·0	3·7	19·2	·7	18
19	4·0	·2	3·2	5·9	—	1·2	—	1·1	·6	—	22·3	3·3	19
20	2·7	—	1·9	—	—	—	—	—	—	—	16·1	13·3	20
21	·4	—	6·4	—	—	—	5·5	—	—	—	1·3	15·4	21
22	—	·4	·8	—	—	·1	—	—	—	·9	·2	15·2	22
23	—	4·9	1·0	—	—	3·3	·4	·3	—	1·3	·5	·6	23
24	—	—	—	—	1·2	—	—	·3	—	11·4	1·5	9·2	24
25	—	14·4	2·7	—	—	—	—	9·8	·9	3·8	·2	—	25
26	·4	18·1	—	—	—	12·7	—	—	7·3	3·7	—	2·1	26
27	·2	2·0	21·5	—	—	·4	—	1·5	2·0	8·9	—	—	27
28	·1	16·5	1·1	—	—	3·5	—	3·0	14·2	12·3	—	7·5	28
29	—	5·8	—	—	—	5·3	—	12·5	2·0	12·8	—	12·5	29
30	—	✕	—	—	1·7	—	—	1·5	—	11·8	—	—	30
31	—	✕	—	✕	—	✕	—	·8	✕	4·3	✕	—	31
Total	33·3	127·7	86·2 86·2	24·7	37·6	68·7	17·4	34·3 ~~34·2~~	47·4 ~~49·4~~	132·0	119·1	115·0	YEAR'S TOTAL 843·4
Rain Days.	~~16~~ 14	24	22	12	13	~~15~~ 14	9	14	11	20	16	17	33·~~7~~9 186

W. 8,000, VIII. 16

W. D. 51L

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

2 JAN 1918

Kept at Brighton

in the County of Sussex

by F. H. Braybon for Corporation

Lat. 50·4·N Long. ·8 W

Time of Observation 9 A.M

Nearest Railway Station Brighton

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 32 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
					MILLIMETRES								
1	—	—	·2	4·1	—	—	—	34·4	2·1	—	2·9	(1·0)	1
2	—	—	—	4·1	—	—	—	·3	·2	—	1·6	—	2
3	·4	—	—	·9	—	—	21·8	4·4	—	—	—	—	3
4	—	3·0	6·4	—	—	—	1·0	2·3	—	—	—	—	4
5	9·8	—	·4	2·0	—	·2	—	—	7·6	4·9	·7	—	5
6	—	—	7·0	1·2	—	7·2	—	—	3·1	6·0	3·6	—	6
7	8·3	—	—	—	—	—	5·7	—	—	9·6	—	(2·1)	7
8	2·2	—	—	1·5	—	·2	3·3	3·4	—	8·4	6·6	14·4	8
9	·2	—	4·0	·2	—	—	·9	—	—	1·0	1·6	13·2	9
10	4·1	—	3·0	4·5	—	11·0	—	2·2	—	—	—	—	10
11	3·1	—	4·8	5·7	—	—	—	—	·4	11·5	—	—	11
12	·3	—	·6	·4	·4	—	—	5·5	—	8·0	—	—	12
13	·5	—	4·9	—	9·9	—	—	1·0	·5	6·5	—	—	13
14	—	—	—	5·6	—	—	—	1·2	—	·2	—	—	14
15	—	—	—	—	—	4·0	—	—	—	4·0	—	1·1	15
16	·7	5·8	—	2·2	4·8	—	—	—	—	5·0	—	28·3	16
17	—	·7	—	3·4	2·5	—	9·3	—	7·7	4·3	—	—	17
18	—	·9	—	2·0	1·8	—	4·2	3·4	8·3	—	—	—	18
19	·5	8·9	2·1	—	—	5·5	—	—	3·7	—	—	—	19
20	—	4·1	—	—	7·8	·5	—	—	—	—	—	—	20
21	·3	—	·3	—	·3	·4	4·5	—	—	—	—	1·2	21
22	(·5)	—	·6	—	—	4·1	—	4·3	—	8·2	—	—	22
23	—	6·0	—	—	4·9	—	—	1·8	—	·2	—	—	23
24	—	2·7	—	—	—	·2	9·1	—	—	5·0	—	—	24
25	—	3·3	·8	—	—	—	·8	—	—	—	—	—	25
26	—	—	·7	—	—	—	—	13·2	1·9	—	23·2	1·2	26
27	—	—	—	—	1·4	—	—	17·6	—	—	—	—	27
28	—	·3	1·3	—	—	37·9	·6	11·7	—	—	—	1·2	28
29	—		1·2	—	·2	—	1·9	1·0	—	8·7	—	2·4	29
30	·2		6·4	—	—	—	7·5	9·9	—	2·7	—	·6	30
31	·9		·6		—		5·3	1·4		1·2		1·5	31
Total	1·2~~7~~6	1·4~~1~~2	1·7~~9~~8	1·~~5~~49	1·3~~5~~4	2·80	3·0~~1~~0	4·68	1·40	3·7~~4~~6	1·58	2·68	YEAR'S TOTAL 27·22 Ins
Rain Days.	15	10	18	14	10	11	14	18	10	18	7	13	158
	32·0	35·7	45·3	37·8	34·0	71·2	75·9	119·0	35·5	95·4	40·2	68·2	Millimetres 690.2

P.T.O

W. 8,000, IX. 17.

E X 4

47

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

2. 7. 19

Kept at Brighton

in the County of Sussex

by F. W. Braybon for Corporation

Please note. Mr Heasman has left this Office some years

Lat. 50·4 N Long. ·8 W

Time of Observation 9 0

Nearest Railway Station Brighton

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

„ „ Sea Level 32 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	·01	·01	·01	—	—	·13	—	—	·12	·11	1
2	—	·03	—	—	—	—	—	·26	—	—	·33	·22	2
3	—	·01	·10	—	·42	—	—	·02	—	·01	·28	·02	3
4	—	·01	·01	·01	—	—	—	·06	·31	—	·50	·02	4
5	—	·10	·04	—	·04	—	—	·12	·01	·03	—	·01	5
6	·22	·14	—	·14	·21	—	—	·33	·02	—	—	·04	6
7	·01	·04	—	·09	·13	·02	—	·03	·17	·06	·10	—	7
8	—	·01	—	—	—	—	—	—	·12	·02	·07	·07	8
9	·02	—	—	·07	—	·13	·06	—	·39	·16	—	·37	9
10	—	—	—	·06	—	·02	·28	—	·21	·26	·05	·26	10
11	·03	—	—	—	—	—	·20	—	·17	·31	·05	·08	11
12	—	·08	—	—	·23	—	·07	—	·09	·02	—	·03	12
13	·26	—	—	—	·04	—	·16	—	·28	—	—	·02	13
14	·13	—	·06	—	—	·08	·13	—	·41	·27	—	·05	14
15	1·41	—	—	·12	—	·03	·02	—	—	—	—	·18	15
16	·40	—	—	·07	—	—	·08	—	·23	—	—	—	16
17	·23	—	—	·09	—	·01	1·02	—	—	—	—	·27	17
18	·18	—	—	—	—	·36	—	—	·61	·07	—	·06	18
19	·06	—	·25	·01	—	·42	—	·02	—	·06	—	·01	19
20	·03	·17	—	·56	—	·09	·54	—	·19	·10	—	—	20
21	·18	—	·01	·64	·04	—	—	—	·32	·07	—	·04	21
22	·15	—	—	—	—	—	·67	—	·61	—	—	·17	22
23	·06	—	—	·01	—	—	·31	·10	—	—	—	·04	23
24	—	·22	—	—	—	·02	—	—	·23	—	·18	·01	24
25	—	—	—	02	—	—	—	·34	—	·04	—	—	25
26	—	—	—	—	—	—	·26	—	·04	·02	·09	·15	26
27	—	·05	·02	·05	—	—	·08	·16	·57	·01	·09	·07	27
28	—	·02	·19	·02	·01	·05	—	—	—	·02	·17	·01	28
29	—		·02	—	—	—	—	—	1·10	—	·02	·02	29
30	—	X	·51	—	—	—	—	—	·05	·15	—	·07	30
31	—	X		X		X	—	—	X	·07	X	—	31
Total	3·37	·88	1·22	1·97	1·13	1·23	3·88	1·57	6·13	1·75	2·05	2·40	YEAR'S TOTAL 27·58
Rain Days.	15	12	11	16	9	11	14	11	21	19	13	26	178

W. 8,000, IX. 17.

487

Form A. 2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Brighton [M.O.]
in the County of Sussex.
by The Medical Officer of Health

Lat. 50° 4' Long. 0° 8' W
Time of Observation 9h ~~4.17h~~ G.M.T.
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 32 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	11·8	0·9	0·3	-	0·8	-	2·7	-	-	4·5	0·7	15·8	1
2	3·6	-	0·3	-	-	-	1·1	-	0·3	0·9	1·5	3·0	2
3	6·8	-	16·0	-	2·0	-	0·2	-	4·1	-	1·2	6·1	3
4	5·0	2·7	9·4	-	0·3	0·6	1·9	4·0	-	-	2·2	1·5	4
5	-	9·6	27·6	-	-	-	-	-	2·0	-	3·2	9·9	5
6	5·2	-	1·7	-	-	-	-	-	-	-	-	1·2	6
7	4·2	-	11·7	-	-	-	-	-	-	-	-	-	7
8	5·4	-	2·9	-	-	-	-	-	-	-	-	-	8
9	13·1	-	2·5	0·8	1·3	-	-	-	-	-	5·4	-	9
10	18·2	-	2·2	0·9	-	-	-	-	-	-	0·4	2·8	10
11	3·7	-	4·1	12·7	1·8	-	0·8	-	-	-	-	2·2	11
12	2·3	-	0·3	-	-	-	1·3	-	-	3·2	0·3	-	12
13	0·5	0·3	0·8	5·6	-	-	-	-	-	-	-	-	13
14	8·8	-	-	13·1	-	-	1·2	-	3·8	0·5	-	7·2	14
15	4·4	0·6	4·5	1·3	-	-	-	-	-	-	-	19·8	15
16	4·4	10·2	-	-	-	-	-	-	-	-	2·0	0·5	16
17	-	7·1	0·3	-	-	-	-	-	-	-	2·8	0·8	17
18	-	0·7	1·7	-	-	-	-	0·7	-	-	2·4	0·5	18
19	0·9	12·0	17·8	-	-	1·8	19·8	8·0	0·5	-	3·8	0·4	19
20	12·2	1·0	1·5	-	-	9·5	0·7	2·7	-	-	-	0·6	20
21	1·5	10·1	-	-	-	-	0·4	-	-	-	0·8	0·8	21
22	-	0·5	0·3	-	-	-	5·0	-	17·4	-	0·2	4·8	22
23	-	-	-	-	-	-	0·8	-	9·7	-	0·8	0·8	23
24	-	1·1	-	3·3	-	1·3	2·0	2·4	-	4·2	4·3	2·7	24
25	0·8	-	-	-	-	-	-	7·2	-	-	-	0·5	25
26	0·5	6·3	1·7	2·4	-	-	-	0·9	0·9	-	15·0	9·3	26
27	19·4	-	2·1	14·8	-	-	-	11·8	-	-	13·0	1·2	27
28	-	-	10·6	-	-	-	-	14·7	-	-	14·8	11·4	28
29	1·7		-	0·5	-	-	-	13·8	-	4·7	2·0	2·0	29
30	0·2		-	6·8	-	0·5	-	20·3	-	0·7	4·1	18·3	30
31	2·1		1·0		-		-	-		0·2		4·0	31
Total	136·7	63·1	121·3	62·2	6·2	13·7	37·9	86·5	38·7	18·9	80·9	128·1	Year's Total 794·2
Days with 0·2 mm. or more	24	14	23	11	5	5	13	11	8	8	21	26	169

(44,284). Wt.21,958—218. 500. 10/19. Gp.132. A.&E.W.
Copied from M.O. Form 8203.

Ese 8h 487

FORM A. 2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Brighton
in the County of Sussex
by F. H. Braybon

Lat. 50° 4' N Long. 8' W
Time of Observation 9·0 and 14·0
Nearest Railway Station Brighton
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 32 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	11·8	·9	·3	-	·8	-	2·7	-	-	4·5	·7	15·8	1
2	3·6	-	·3	-	-	-	1·1	-	·3	·9	1·5	3·0	2
3	6·8	-	16·0	-	2·0	-	·2	-	4·1	-	1·2	6·1	3
4	5·0	2·7	9·4	-	·3	·6	1·9	4·0	-	-	2·2	1·5	4
5	-	9·6	27·6	-	-	-	-	-	2·0	-	3·2	9·9	5
6	5·2	-	1·7	-	-	-	-	-	-	-	-	1·2	6
7	4·2	-	11·7	-	-	-	-	-	-	-	-	-	7
8	5·4	-	2·9	-	-	-	-	-	-	-	-	-	8
9	13·1	-	2·5	·8	1·3	-	-	-	-	-	5·4	-	9
10	18·2	-	2·2	·9	-	-	-	-	-	-	·4	2·8	10
11	3·7	-	4·1	12·7	1·8	-	·8	-	-	-	-	2·2	11
12	2·3	-	·3	-	-	-	1·3	-	-	3·2	·3	-	12
13	·5	·3	·8	5·6	-	-	-	-	-	-	-	-	13
14	8·8	-	-	13·1	-	-	1·2	-	3·8	·5	-	7·2	14
15	4·4	·6	4·5	1·3	-	-	-	-	-	-	-	19·8	15
16	4·4	10·2	-	-	-	-	-	-	-	-	2·0	·5	16
17	-	7·1	·3	-	-	-	-	-	-	-	2·8	·8	17
18	-	·7	1·7	-	-	-	-	·7	-	-	2·4	·5	18
19	·9	12·0	17·8	-	-	1·8	19·8	8·0	·5	-	3·8	·4	19
20	12·2	1·0	1·5	-	-	9·5	·7	2·7	-	-	-	·6	20
21	1·5	10·1	-	-	-	-	·4	-	-	-	·8	·8	21
22	-	·5	·3	-	-	-	5·0	-	17·4	-	·2	4·8	22
23	-	-	-	-	-	-	·8	-	9·7	-	·8	·8	23
24	-	1·1	-	3·3	-	1·3	2·0	2·4	-	4·2	4·3	2·7	24
25	·8	-	-	-	-	-	-	7·2	-	-	-	·5	25
26	·5	6·3	1·7	2·4	-	-	-	·9	·9	-	15·0	9·3	26
27	19·4	-	2·1	14·8	-	-	-	11·8	-	-	13·0	1·2	27
28	-	-	10·6	-	-	-	-	14·7	-	-	14·8	11·4	28
29	1·7		-	·5	-	-	-	13·8	-	4·7	2·0	2·0	29
30	·2		-	6·8	-	·5	-	20·3	-	·7	4·1	18·3	30
31	2·1		1·0		-		-			·2		4·0	31
TOTAL	136·7	63·1	121·3	62·2	6·2	13·7	37·9	86·5	38·7	18·9	80·9	128·1	YEAR'S TOTAL 794·2
Days with 0·2 mm. or more	24	14	23	11	5	5	13	11	8	8	21	26	169

(44,284). Wt.21,958—218. 500. 10/19. Gp.132. A.&E.W.

461

Form A. 2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Brighton

in the County of Sussex

by F. H. Braybon

Lat. 50°4′N Long. 8′ W

Time of Observation 9 · 17

Nearest Railway Station Brighton

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 32 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	5·0	–	·5	·5	1·5	–	6·2	–	–	8·8	·5	6·2	1
2	–	–	5·6	·5	·8	–	–	7·2	4·1	1·8	–	1·8	2
3	·7	–	–	–	–	–	–	–	–	1·7	–	1·1	3
4	–	4·6	–	·4	–	–	35·7	2·7	1·6	1·4	–	·6	4
5	–	–	1·3	–	·3	–	10·4	1·8	·4	–	–	–	5
6	–	–	1·9	–	9·2	–	7·4	–	–	–	–	–	6
7	·9	–	–	3·5	·6	–	1·5	–	–	–	–	·5	7
8	·6	·2	–	3·1	1·1	–	11·2	–	–	–	–	–	8
9	6·5	·4	–	·2	·2	1·0	–	–	–	–	–	–	9
10	28·7	4·8	4·1	1·2	–	2·3	2·3	–	–	–	·2	–	10
11	6·0	–	3·8	5·0	1·1	·3	6·1	–	–	–	–	·4	11
12	2·3	·5	·6	5·7	–	17·1	·2	–	–	–	·3	·8	12
13	6·6	·9	6·6	·2	–	–	–	–	–	–	2·5	–	13
14	~~·5~~	·3	9·7	12·0	–	·7	·5	–	1·5	4·6	10·1	–	14
15	3·0	–	·5	4·0	–	–	–	–	15·9	9·0	2·0	·2	15
16	·2	–	2·2	·2	·7	–	–	–	3·4	–	·3	·2	16
17	1·1	–	–	1·2	5·5	–	·2	–	6·3	–	–	1·7	17
18	1·5	–	–	–	1·3	·9	–	17·5	5·1	–	–	3·3	18
19	2·5	–	–	2·8	–	·2	–	–	1·5	–	–	1·3	19
20	4·2	2·4	–	2·8	–	19·5	–	–	2·8	–	–	–	20
21	–	–	–	·9	–	–	13·3	–	5·8	–	–	7·9	21
22	–	–	–	9·7	–	–	–	–	–	–	–	13·4	22
23	–	–	–	–	–	–	8·0	5·3	–	–	–	13·8	23
24	·4	–	1·8	·6	–	–	–	–	–	–	–	3·5	24
25	–	–	·2	·3	·5	–	6·5	–	–	–	–	–	25
26	2·6	–	2·5	1·2	–	–	1·0	–	–	–	·6	·8	26
27	7·2	·8	–	2·4	–	3·0	1·0	–	–	–	22·7	6·1	27
28	8·8	·4	4·8	1·2	5·1	–	3·3	–	–	–	2·8	2·2	28
29	15·5	–	2·4	2·1	·2	·5	–	–	–	–	4·5	2·5	29
30	·7	╳	·2	–	–	–	·7	–	8·6	–	6·2	4·5	30
31	–	╳	1·6	╳	–	╳	–	–	╳	17·3	╳	7·1	31
Total	105·0	15·3	50·3	61·7	28·1	45·5	115·5	34·5	57·0	44·6	52·7	79·7	Year's Total 689·9
Days with 0·2 mm. or more	21	10	18	24	14	10	18	5	12	7	12	22	173
Days with 1·0 mm. or more	15	3	13	15	7	5	14	5	11	7	7	15	117

(44,284). 10/19. (52,639). Wt.10,000—359. 1000. 7/20. Gp.132. A.&E.W.

461

FORM A. 2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Brighton (MV)
in the County of Sussex
by The Medical Officer of Health

Lat. 50° 4' N Long. 0° 8' W
Time of Observation 9h & 17h G.M.T.
Nearest Railway Station
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 32 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	5·0	-	0·5	0·5	1·5	-	6·2	-	-	8·8	0·5	6·2	1
2	-	-	5·6	0·5	0·8	-	-	7·2	4·1	1·8	-	1·8	2
3	0·7	-	-	-	-	-	-	-	-	1·7	-	1·1	3
4	-	4·6	-	0·4	-	-	35·7 ~~25·7~~	2·7	1·6	1·4	-	0·6	4
5	-	-	1·3	-	0·3	-	10·4	1·8	0·4	-	-	-	5
6	-	-	1·9	-	9·2	-	7·4	-	-	-	-	-	6
7	0·9	-	-	3·5	0·6	-	1·5	-	-	-	-	0·5	7
8	0·6	0·2	-	3·1	1·1	-	11·2	-	-	-	-	-	8
9	6·5	0·4	-	0·2	0·2	1·0	-	-	-	-	-	-	9
10	28·7 ~~18·7~~	4·8	4·1	1·2	-	2·3	2·3	-	-	-	0·2	-	10
11	6·0	-	3·8	5·0	1·1	0·3	6·1	-	-	-	-	0·4	11
12	2·3	0·5	0·6	5·7	-	17·1	0·2	-	-	-	0·3	0·6	12
13	6·6	0·9	6·6	0·2	-	-	-	-	-	-	2·5	-	13
14	-	0·3	9·7	12·0	-	0·7	0·5	-	1·5	4·6	10·1	-	14
15	3·0	-	0·5	4·0	-	-	-	-	15·9	9·0	2·0	0·2	15
16	0·2	-	2·2	0·2	0·7	-	-	-	3·4	-	0·3	0·2	16
17	1·1	-	-	1·2	5·5	-	0·2	-	6·3	-	-	1·7	17
18	1·5	-	-	-	1·3	0·9	-	17·5	5·1	-	-	3·3	18
19	2·5	-	-	2·8	-	0·2	-	-	1·5	-	-	1·3	19
20	4·2	2·4	-	2·8	-	19·5	-	-	2·8	-	-	-	20
21	-	-	-	0·9	-	-	13·3	-	5·8	-	-	7·9	21
22	-	-	-	9·7	-	-	-	-	-	-	-	13·4	22
23	-	-	-	-	-	-	8·0	5·3	-	-	-	13·8	23
24	0·4	-	1·8	0·6	-	-	-	-	-	-	-	3·5	24
25	-	-	0·2	0·3	0·5	-	6·5	-	-	-	-	-	25
26	2·6	-	2·5	1·2	-	-	1·0	-	-	-	0·6	0·8	26
27	7·2	0·8	-	2·4	-	3·0	1·0	-	-	-	22·7	6·1	27
28	8·8	0·4	4·8	1·2	5·1	-	3·3	-	-	-	2·8	2·2	28
29	15·5	-	2·4	2·1	0·2	0·5	-	-	-	-	4·5	2·5	29
30	0·7		0·2	-	-	-	0·7	-	8·6	-	6·2	4·5	30
31	-		1·6		-		-	-		17·3		7·1	31
TOTAL	105·0 ✓	15·3 ✓	50·3 ✓	61·7 ✓	28·1 ✓	45·5 ✓	115·5 ✓	34·5 ✓	57·0 ✓	44·6 ~~30·2~~ ✓	52·7 ✓	79·7 ✓	YEAR'S TOTAL 689·9 ✓ ~~675·5~~
Days with 0·2 mm. or more	21 ✓	10 ✓	18 ✓	24 ✓	14 ✓	10 ✓	18 ✓	5 ✓	12 ✓	7 ✓	12 ✓	22 ✓	173 ✓
≥1	15	3	13	15	7	5	14	5	11	7	7	15	117

(44,384). W[illegible]958—2[illegible]. 500. 10/19. Gp. 135. A.&E.

Copied from [illegible] 3203

82

78 H

FORM A.
BRITISH RAINFALL.
28 JAN 1915

REGIS

BRIGHTON
PRESTON RD
SUSSEX
~~1916~~ 1914-17

Kept at Clifton Villa,
in the County of Sussex
by H. Rogers

in.
Ground ft. in.
Sea Level ft.

IMPORTANT NOTE.- he result entered to the previous day. If an Obser sal rule, he is earnestly requested to add the reading in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·04			·06	·15			·18	·30	1
2							·04				·10	·15	2
3			·09	·09	·30		·02	·03					3
4	·13		·01	·35			·02	·15			·32	·43	4
5	·03		·11	·41	·03		·23						5
6		·10	·02	·16	·06	·09		·03				·53	6
7	·04	·38	·24	·09	·04	·03	·16					·21	7
8	·07	·50	·41	·05		·16		·05				·23	8
9	·10		·54	·06		·02		·01	·18			1·64	9
10	·15	·10		·20	·25				·23		·02	·01	10
11		·31	·45	·04	·05				·12		·05	·72	11
12		·12	·12			·01	67		·62	·01	·02	·55	12
13		·42	·25			·17			·26	·02	·09	·40	13
14		·14	·14				·10		·01	·53	·26	·57	14
15		·17	·29					·22	·01	·02	·82		15
16		·10					·20		·13				16
17		·50	·10						·07			·21	17
18		·10	·41									·29	18
19		·25	·85				·29			·03	·26	·25	19
20		·11	·03			·08	·02					·42	20
21		·53	·09							·09			21
22		·14	·09		·14	·16	·08	·01		·40			22
23			·28			·70	·02			·05			23
24			·04								·15		24
25	·10		·22				·02	·14		·40	·03	·03	25
26			·13							·12	·11	·54	26
27											·20	·50	27
28	·18	·03					·17			·41	·37	·52	28
29			·05							·59	·12	·03	29
30			·11	·10						·12	·98	·36	30
31					·16		·01					·04	31
Total	·80	4·00	5·07	1·59	1·03	1·42	2·11	·79	1·63	2·79	4·08	8·93	YEAR'S TOTAL 34·24
Rain Days.	8	17	24	11	8	9	16	9	9	13	17	23	164

W.7,000, XI. 13

82 ✓

78

FORM A.
BRITISH RAINFALL.
28 JAN 1915

REGIS

Kept at Clifton Villa, Preston, Brighton
in the County of Sussex 3
by H. Rogers

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				·04			·06	·15			·18	·30	1
2							·04				·10	·15	2
3			·09	·09	·30		·02	·03					3
4	·13		·01	·35			·02	·15			·32	·43	4
5	·03		·11	·41	·03		·23						5
6		·10	·02	·16	·06	·09		·03				·53	6
7	·04	·38	·24	·09	·04	·03	·16					·21	7
8	·07	·50	·41	·05		·16		·05				·23	8
9	·10		·54	·06		·02		·01	·18			1·64	9
10	·15	·10		·20	·25				·23		·02	·01	10
11		·31	·45	·04	·05				·12		·05	·72	11
12		·12	·12			·01	67		·62	·01	·02	·55	12
13		·42	·25			·17			·26	·02	·09	·40	13
14		·14	·14				·10		·01	·53	·26	·57	14
15		·17	·29					·22	·01	·02	·82		15
16		·10					·20		·13				16
17		·50	·10						·07			·21	17
18		·10	·41									·29	18
19		·25	·85		—		·29			·03	·26	·25	19
20		·11	·03			·08	·02					·42	20
21		·53	·09							·09			21
22		·14	·09		·14	·16	·08	·01		·40			22
23			·28			·70	·02			·05			23
24			·04								·15		24
25	·10		·22				·02	·14		·40	·03	·03	25
26			·13							·12	·11	·54	26
27											·20	·50	27
28	·18	·03					·17			·41	·37	·52	28
29			·05		—					·59	·12	·03	29
30			·11	·10						·12	·98	·36	30
31					·16		·01					·04	31
Total	·80	4·00	5·07	1·59	1·03	1·42	2·11	·79	1·63	2·79	4·08	8·93	YEAR'S TOTAL 3424
Rain Days.	8	17	24	11	8	9	16	9	9	13	17	23	164

W.7,000, XI. 13

Dh.

558
66

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

Kept at Brighton, Clifton Villa, Preston Road
in the County of Sussex 3 See Dh.
by H. Rogers

Lat.
Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.47	26			—		.03		.37		.12	.22	1
2	.41	.14	29	.22	.01	01		12		.18		.21	2
3	.35		.08	.29	.08			.01	.03			.54	3
4	.08			.02				.17				.33	4
5	.18	.41		.04				.15			.05	.53	5
6	1.00	.34	.05	.44			.44					.08	6
7	.35	.35	07	.06		.01	17	01				.25	7
8	.05	.30					.43				.05	.04	8
9	.05	.23		.16		19		.09			.50	.87	9
10	.30	—	.01									.67	10
11		01	.07							.04	.70	04	11
12	.07	.20		.26	.45						.70	.01	12
13	.03	.57			1.86				.06				13
14	.07	.02					21	.01	.10			43	14
15	.12	.02			.08		.45	.60	.01		.11	.21	15
16		61		.02	.08		1.15	24			—	.07	16
17		.36			1.05		.13	.06				.03	17
18		.16			.20							.01	18
19		.03									.05		19
20	.30			.03	.12							.13	20
21	.12									.45		.03	21
22	.24	.05	.11	07			1.05			.06		.15	22
23		.10	.14				.02		.01	.25		1.14	23
24				.01					.30	.70		.86	24
25							27					.20	25
26		.12	.03			.07	09					.84	26
27		02				.04	.01			.53		.03	27
28		.06				.30			1.09	.15	.03		28
29					.01	.01		22		.14	.33	.04	29
30	.24	×						.01		.34	.39	.02	30
31	.03	×		×		×		.34	×	.70	×	.19	31
Total	4.46	4.36	.85	1.62	3.94	.63	4.45	2.03	1.97	3.54	3.03	8.17	YEAR'S TOTAL 39.05
Rain Days.	19	21	9	12	10	7	13	13	8	11	11	28	162

W. 8,000. X. 14.

8L ✓ Ex D L 547/65

FORM A. BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1916

Kept at Clifton Villa, 259 Preston Rd, Brighton

in the County of Sussex

by H. Rogers

Lat. ____ Long. ____

Time of Observation ____

Nearest Railway Station ____

Diameter of Funnel of Rain Gauge ____ in.

Height of top of Gauge above Ground ____ ft. ____ in.

" " " " Sea Level ____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ____

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	04	·04	·01		·14	·06			·01	·05	·48		1
2	·39	·05	·34		·19	·02				·98	·06		2
3	·03	·16	·10			·01	·04		·07	·38	·59		3
4	·14	·07			·02	·51		·01	·18	·06	·32		4
5	04				·22	·13				·04	·44		5
6	·01	·04	·04	·10	·03	·14	·36			·03	·22		6
7		·02	·70		·25					·06	·44	03	7
8			·01		·40						·02	·59	8
9			·01		·15							·08	9
10		·51	·03	·07		·42	·07			02	·02	·46	10
11	·02	·07		·19		·20						·19	11
12	·04	·05	·05	·04	·09	·16	·09						12
13		·17	·12	·01	·01			·03		·02		·02	13
14		·55	·12	·02	·21			·03				·16	14
15		·30	·11	·01									15
16	·04		·21	·30			·07	·03					16
17	44	·21		·10			·01	·02	·42	·75			17
18		·07		·02				·07	·29	·14	·68	·06	18
19	·12		·15	·25		·06		·04	·06		1·18	·12	19
20	·08	01	·12	·09		·02					·43	·55	20
21	·02		·39				·18				·01	·65	21
22	·01		·02			01				·05	·02	·61	22
23	·01	·21	·04			·12	·01	·01		·10	·02	·01	23
24					·11	·01		·05		·42	·05	·36	24
25		·64	·11					·45	·04	·16	·04		25
26	04	·80				·56		·04	·36	·20		·07	26
27	·02	·07	·69			·01		·02	·15	·29		·01	27
28		·60	·03			·30		·13	·40	·52		·39	28
29		·22				·26		·52	·15	·56		·52	29
30		X			·36			·04		·37			30
31		X		X		X		·06	X	·04	X		31
Total	1·49	4·86	3·40	1·20	2·18	3·00	·83	1·55	2·13	5·24	5·02	4·88	YEAR'S TOTAL 35·78
Rain Days.	17	21	21	12	13	18	8	16	11	21	17	18	193

W. 8,000. X. 15.

81 J for 81

523
~~61~~

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Clifton Villa, Preston, Brighton

in the County of Sussex

by F. S. Rogers

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1													1
2													2
3	·03												3
4		·16											4
5	·39												5
6													6
7	·33												7
8	·08												8
9													9
10	·18												10
11	·18												11
12	·03												12
13	·02												13
14													14
15													15
16	·01	·25											16
17	·03	·04											17
18	·02	·04											18
19	·02	·43											19
20		·15											20
21	·01												21
22													22
23	·03	·29											23
24		·16											24
25		·14											25
26													26
27													27
28													28
29													29
30		✕											30
31	·05	✕		✕		✕			✕		✕		31
Total	1·41	1·66											YEAR'S TOTAL
Rain Days.	15	9											

W. 8,000, VIII. 16

BRIGHTON W.W.
{RACE HILL RESERVOIR}
SUSSEX
1911-20

REGIS 911

FORM A2.
BRITISH RAINFALL.
4 - JAN 1912

Kept at Brighton Corpo
Race Hi

in the County of

by The Brighton Corpora

office Pattern
retti + Zambra's make
pp 8 in.
above Ground 1 ft. 0 in.
" Sea Level 466 ft.
9 am

on { Name Kemp Town
Distance 3/4 mile Direction S.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
·02

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	05			.71							.04	.01	1
2	Snow .03			.07	.30						.21	.27	2
3	.01				.27						.08	.36	3
4	.11		.01	Snow 12						.15	.19	.23	4
5	01			Snow 04						.92	.02	.07	5
6	28		.04								.01	.56	6
7	03									.31	1.07	.28	7
8	09		.19								.59	.17	8
9	14		.03	.02							.44	.08	9
10		.11	.07	.07								.44	10
11	.54	—	.02								1.45	.02	11
12	01		St Rain 74								.06	.02	12
13			do 09		.15				52	.04		.22	13
14		.09			.25							.45	14
15		.02	St Rain 15								11	.07	15
16						.54					65	.18	16
17		.01				.02	.01				61	.12	17
18		.11	.07								96	.43	18
19		.01		.01		.06			.24	.32	.05	.08	19
20	.02		.01					.34	.30	.02		.82	20
21	.04	.30						.03		1.56		.30	21
22	.19		.15	.02		.07		.06		.44		.53	22
23	.02	.16	.04			1.14			.55	.99	.04	.21	23
24	01	26	.01			.03	.05	.02		.41		.32	24
25		.04	Snow 10	.10		.18			.09	.06		.02	25
26			St Rain 15	.33		.05				.31	Snow 24	.32	26
27		.47	.33	.08					.07	.58	05	.21	27
28		.18		.17				.03			04	01	28
29						.22	62		.39	.45		01	29
30				.01		.18			.02	.21		03	30
31													31
Total	1.58	1.66	2.20	1.75	.87	2.49	.68	.48	2.18	6.77	6.91	6.84	TOTAL for year 34.41
No. of Rain Days	16	12	17	13	4	10	3	5	8	15	20	30	153

9,000, IX. '10.

FORM A2.
BRITISH RAINFALL.

4 - JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Brighton Corporation Waterworks Race Hill Reservoir
in the County of Sussex 3
by The Brighton Corporation Waterworks

RAIN GAUGE
Pattern Met. office Pattern Negretti + Zambra's make
Diameter of top 8 in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level 466 ft.

Time of Observation 9 am

Nearest Railway Station
Name Kemp Town
Distance 3/4 mile Direction S.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
·02

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	05			.71							.04	.01	1
2	Snow .03			.07	.20						.21	.27	2
3	.01				.27						.08	.36	3
4	.11		.01	Snow 12						.15	.19	.23	4
5	01			Snow 04						.92	.02	.07	5
6	28		.04								.01	.56	6
7	03									.31	1.07	.28	7
8	09		.19								.59	.17	8
9	.14		.03	.02							.44	.08	9
10		.11	.07	.07								.44	10
11	.54		.02								1.45	.02	11
12	01		S&Rain 74								.06	.02	12
13			do 09		.15				52	.04		.22	13
14		.09			.25							.45	14
15		.02	S&Rain 15								11	.07	15
16						.54					65	.18	16
17		.01				.02	.01				61	.12	17
18		.11	.07								96	.43	18
19		.01		.01		.06			.24	.32	.05	.08	19
20	.02		.01					.34	.30	.02		.82	20
21	.04	.20						.03		1.56		.30	21
22	.19		.15	.02		.07		.06		.44		.53	22
23	.02	.16	.04			1.14			.55	.99	.04	.21	23
24	01	26	.01			.03	.05	.02		.41		.32	24
25		.04	Snow 10	.10		.18			.09	.06		.02	25
26			S&Rain 15	.33		.05				.31	Snow 24	.32	26
27		.47	.33	.08					.07	.58	05	.21	27
28		.18		.17				.03			04	01	28
29						.22	62		.39	.45		01	29
30				.01		.18			.02	.21		03	30
31													31
Total	1.58	1.66	2.20	1.75	.87	2.49	.68	.48	2.18	6.77	6.91	6.84	Total for year 34.41
No. of Rain Days	16	12	17	13	4	10	3	5	8	15	20	30	153

FORM A.
BRITISH RAINFALL.

4 - JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Brighton Corporation Waterworks Race Hill Reservoir
in the County of Sussex 3
by

Lat. Long.
Time of Observation 9. am
Nearest Railway Station
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 466.00 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·06

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	02		·03		02	·36	·05		·10	·70		·30	1
2		·03	29			03	·20						2
3	01	02	03			19		·48	·03				3
4	28	05	70			19		·18			·23		4
5	30	07	09			19		·20			·11	·03	5
6	62	10			05	·04		78			·01	02	6
7					35	55		10				05	7
8	·72	37	·15			05	·12	07				03	8
9	02	06	05	·01			·10	11				06	9
10		06	05					19			·16	45	10
11	04	47			01	01		04				15	11
12		07	03		02	·08		51				06	12
13		02	02				·03				·05	29	13
14					·13			04		·08		03	14
15	01	·14	·14		·14	·71						26	15
16	20		·19		·10	·09		20		07	·01		16
17	35		·31		·15	·19		10			07	23	17
18	08	·01	·48		·01			16		·04	02	69	18
19	04	·10	·25			·02	06	39			03		19
20	03	02	·65					·16		·69	04		20
21	01	22	·35		·08		03	25		·50	04		21
22	07	52	03				01	35		·06		03	22
23	40	16	36					35		09	·17	10	23
24	06	12	02					27		08		16	24
25	11	01				·31		91		04	·40	54	25
26		09					·01	·09		·40	27	28	26
27		01	02			·03				23	·04	61	27
28		08				·01	05	·08	·17	·79	·65	28	28
29		03					·07	·70	1·98	·07	Train ·02		29
30					·43			·25	1·19	·21	Train ·03		30
31			05				35	·26					31
Total	3 37	2 83	4.29	·01	1 49	3.05	1.08	7 22	3.47	4.05	2.35	4.65	YEAR'S TOTAL 37.86
Rain Days.	19	24	22	1	12	17	12	26	5	15	18	21	192

W. 7,500, XI. 12

Ex 7 6

REGISTER OF RAINFALL IN 1913.

FORM A.
BRITISH RAINFALL.

8- JAN 1914

Kept at Brighton Corporation Waterworks (Race Hill Reservoir)
in the County of - Sussex - 3
by Mr James Johnston Waterworks Engineer

Lat. Long.
Time of Observation 9. am
Nearest Railway Station Lewes Road Brighton
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 466 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
nil

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.06	.46	.07	.25		.07				.04	08	.16	1
2	08	.09					.07			.16	14	08	2
3			05	.27	.21							15	3
4	32		.10		.02		03		.92	.11	.14	01	4
5	30	04	.04			18	10		.22	02	20	02	5
6		04	.09	.02	09	20	28			34	18	25	6
7		.28	.09		05	03	02			25	15		7
8		.15	.02		18	05		.24		28	01	03	8
9		.10		01	15	01	15		.13	01	03	01	9
10	02			.07		03	1.30			21	1.07		10
11	1.10			.66						72	.30	01	11
12					.79		–				1.32	02	12
13	.62		03					04	.10		.17		13
14	.35		.10	02			1.08	.04	.09	.04	.24		14
15	.13		.37	35			.24				.01	01	15
16	.15		.59	20			02		09			02	16
17	08	Snow .06		13			25				07	03	17
18	01		06	20			04				.11		18
19	24		09		.10	.03	11		52				19
20	98		03	.28		.05				.43			20
21			.18	.19						.90	.90		21
22	34		.13					.09	09	.01			22
23			.08			.02		.04				.86	23
24	.16			04				.10			.03		24
25		02		14									25
26			08				.01	.16		.86		23	26
27		01	13	03						.02	01		27
28	.11		37	09				07		.09			28
29	.17		04	33	.37			08		03	02		29
30	.66			18				44		11			30
31	.01		.09					1.44		17			31
Total	5.89	1.25	2.83	3.46	1.96	.67	3.70	2.74	2.16	4.80	5.08	1.84	YEAR'S TOTAL 36.38
Rain Days.	20	10	22	19	9	10	14	11	8	20	20	15	178

W.7,000, XI. 13

FORM A.
BRITISH RAINFALL.

7 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Brighton Corporation Waterworks Race Hill Reservoir

in the County of Sussex 3

by Wm. J. Johnston. Exc. MG

Lat. 50° 50′ Long. 0° 6′

Time of Observation 9 am

Nearest Railway Station Kemp Town

Diameter of Rain Gauge 8" in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 466 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·39

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·02			04	08			17	·10	1
2							10				14	30	2
3			.11	04	31		02	27			01	03	3
4	01		02	41			02	10			33	49	4
5	14		13	39	03		21				02		5
6		08	01	15	05	08		04			01	63	6
7	03	40	22	05	07	06	15					23	7
8	08	47	38	04	04	05	15	06				16	8
9	10		54	08		02		02	08			1.91	9
10	.17	07		14	22				09		02	.03	10
11		40	42	07	03				25		04	.70	11
12		11	13			02	70		58	.02	02	.55	12
13	01	49	27			.15			25	01	09	42	13
14		15	14			02	11	.01	02	52	.34	56	14
15		10	32					.18		02	68		15
16		10					16		14				16
17		56	.10				01		11			25	17
18		06	38									36	18
19		34	5 of Rain 1.09				40			02	26	21	19
20		14	.05			.18						41	20
21		55	.08							.11		02	21
22		10	.05		15	12	10	.02		.26			22
23			34	01		42	04	01		05			23
24			03							02	.14		24
25	08		24				.01	14		42	02		25
26			32					21		10	14	.58	26
27	03										25	.52	27
28	02	03			.01		.27			52	36	.47	28
29	14		.06	01						55	11	.01	29
30	02	X	.13	08						12	1.18	.29	30
31	03	X		X	15	X	01		X		X	.09	31
Total	.86	4.05	5.56	1.49	1.06	1.12	2.50	1.14	1.52	2.74	4.23	9.22	YEAR'S TOTAL 35.49
Rain Days.	13	17	24	13	10	10	17	12	8	14	30	24	182.

W. 8,000. X. 14.

Esd Lit

556

FORM A.
BRITISH RAINFALL.

8. JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Brighton Corporation Waterworks Race Hill Reservoir

in the County of Sussex B

by

Lat. Long.

Time of Observation 9 am

Nearest Railway Station Kemp Town

Diameter of Funnel of Rain Gauge 8" in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 466.00 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	38	32	.01				04	05	.87	.20	.10	.26	1
2	35	13	.28	.16	.03			05	.04	.20		.51	2
3	32		.08	33	.06			04	.11	—		.61	3
4	06			03				10				.42	4
5	18	.47		05				23			08	.76	5
6	90	38	05	46			56					.20	6
7	38	38	05	04			07	.01				.33	7
8	05	40					53				05	04	8
9	04	13		16		.21		07			52	1.11	9
10	30											.72	10
11	01	02	05								84	.04	11
12	06	18		20	40						.91		12
13	03	65			1.95				.06				13
14	07	03					27		.10			.60	14
15	.13	05			.08		.51	.58			Snow & Rain 12	35	15
16		.68		03	09		1.15	.16				07	16
17		.46			1.13		.16	.02				05	17
18		.22			.16						.04	01	18
19		06								.02			19
20	.35			03	16							12	20
21	Snow & R .16									48		03	21
22	Snow .15	07	.11	09			1.04			07		.24	22
23		07	.15				03		.06	26		1.11	23
24			01						.40	.80		.61	24
25			05	02			.27					.21	25
26		12				05	.01		.01			.92	26
27		03				22	.12			.52		.05	27
28		05				30			1.51	.53			28
29					.07			.21		.16	.62	.07	29
30	23	X								.48	.40	.03	30
31		X		X		X		14	X	.82	X	.23	31
Total	4.15	4.90	.84	1.60	4.13	.78	4.46	1.64	2.86	4.24	3.68	9.40	YEAR'S TOTAL 42.68
Rain Days.	19	21	10	12	10	4	13	12	9	12	10	27	159

W. 8,000. X. 15.

544

FORM A.
BRITISH RAINFALL.
9 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Race Hill Reservoir
in the County of Sussex.
by J. Johnston

Lat. Long.
Time of Observation 9. Am
Nearest Railway Station Kemp Town.
Diameter of Funnel of Rain Gauge 8" in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 466.00 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	06	02	01		.14	06			05	05	.41		1
2	42	05	40		.22	02				97	16		2
3	04	36	10			02	03		06	35	49		3
4	15	09			.01	60			18	06	36		4
5	04	01		02	21	08				04	53		5
6	02	04	5 04	10	04	11	43			03	25		6
7	01	03	5 07		25	07				12	29	.03	7
8		01			40						01	.65	8
9			5 02		30							.08	9
10		60	02	09		37	03			01	.01	.52	10
11	02	15	01	14	01	30						.13	11
12	06	06	05	07	08	17	10			04	.07		12
13		32	20	01	02		01			02			13
14		85	30	03	26			.09				12	14
15		30	10										15
16	02	02	26	32			11	05					16
17	43	31		10			14	06	.46	.87			17
18	02	08		02				08	22	.18	.66	.06	18
19	16		.14	25		.05		04	.06		85	17	19
20	11	02	.09	.10		.02					64	58	20
21	03		.40				09				10	73	21
22	02	5 02	.04							.04	02	65	22
23		5 09	5 .04			.15	02	02		04	03	02	23
24	01		01		.10			03		53	10	36	24
25		5 48	10					41	.03	09	04		25
26	03	5 55				50		06	.36	25		07	26
27	01	5 02	89			01		03	.10	36			27
28	02	5 R. 76	.04			25		09	.41	41		38	28
29		25				23		55	.14	62		55	29
30		X			.34			06		47			30
31		X		X		X		07	X	16	X		31
Total	1.68	5.19	3.83	1.25	2.18	2.91	.96	1.58	2.07	5.71	4.96	5.10	YEAR'S TOTAL 37.42
Rain Days.	20	25	22	12	14	17	9	14	11	22	18	16	200

W. 8,000, VIII. 16

522

21 JAN 1918

FORM A. BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1917

Kept at Brighton Corporation Waterworks Race Hill Reservoir

in the County of Sussex

by Jas. Johnston

Lat. .... Long. ....

Time of Observation 9 am

Nearest Railway Station Kemp Town.

Diameter of Funnel of Rain Gauge 8" in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 466·00 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			.01	S&R 15				1,35	15		.13		1
2				S&R .15				.05	01		.11		2
3	03			.04			.83	.16		05	01		3
4		S ·10	S&R .18				.06	.24		20			4
5	41		02	11		02			36	22	03		5
6			.25	05		29			16		.15		6
7	37						.18			39		.07	7
8	07			S&R 06			15	36		35	38	.48	8
9	01		·10 S	S&R 02			08			04	05	54	9
10	·15		.15	S&R 06		42		14			.01		10
11	30		20	S&R 25		02				.53			11
12	02		03	S&R 08				·26		38			12
13	02		22		.42			04	06	25			13
14			02	18				04					14
15						10		02		·15		02	15
16	S 03	25		10	12					24		S&R 73	16
17		01		26	16		50		36	·18			17
18	02	04		.10	06		22	·15	.36				18
19	02	38	10		02	16			16				19
20		20	S&R ·02		26	02							20
21	S 03		S&R .02		03	04	·70					05	21
22	01 S		S&R ·05			26		.13		.35			22
23		29			.21			10				04	23
24		15				03	·30	02		22	03		24
25		.13	·06			03	·11						25
26			S&R ·04			01		.56	.11		90	01	26
27					04	01		98					27
28			·10			1.27	03	58				S&R 03	28
29			11		.01		10	07		47	02	10	29
30	·01 S	X	23				36	.53		08		03	30
31	03 S	X	.04	X		X	21		X	07	X	Snow 04	31
Total	1.43	1.55	1.95	1.61	1.33	2.68	3.83	5.78	1.73	4.17	1.72	2.14	YEAR'S TOTAL. 29.92
Rain Days.	16	9	20	14	10	14	14	19	9	17	11	12	165

W. 8 000, IX. 17.

FORM A.
BRITISH RAINFALL
24.1.19

REGISTER OF RAINFALL IN 1918

Kept at Brighton Corporation Waterworks Race Hill Reservoir
in the County of Sussex
by Jas: Johnston

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Kemp Town
Diameter of Funnel of Rain Gauge ·8" in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 466·00 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Director, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
			5										
1			.01		03			02			.14	16	1
2		.05						35			.36	25	2
3		02	07	06	55			04		01	30	04	3
4		04	02	04				08	.19		60	03	4
5		12	04		05			11		03		03	5
6	.25	18		17	22			65				06	6
7	5 01	05		10	21	02		06	.25	07	10	07	7
8		02							15	04	06	17	8
9	5 .02			08		12	.06		58	25	02	48	9
10				.05		02	31		27	24		32	10
11	.03	02					22		10	29	09	11	11
12		10			24		10		09	04		05	12
13	5 20	.01	.01	.01	.11		18		31			03	13
14	16		.14		.02	11	31		57	.35		08	14
15	1.71			10			03		01			30	15
16	45			07			07		22				16
17	5+R. 32			11		08	98	02				28	17
18	.25					44			.61	09		06	18
19	.05		.24	07		30	02	03		05			19
20	04	.21		.65		08	53	.01	22	14			20
21	18			75					30	16		06	21
22	17		.01		.06		50		65			30	22
23	10			02			58	.11	01			05	23
24		.24				05	06		39		.14		24
25	01							31		.05			25
26	01						.15		09		17	19	26
27		07	02	08			14	.23	49	04	12	05	27
28		5 03	23	02	.02	03				03	30	05	28
29			01						1.19		04	02	29
30		╳	66						.07	30	.	09	30
31		╳		╳		╳			╳	08	╳		31
Total	3·86	1.16	1.46	2·32	1.51	1.25	4.14	2.02	6.76	2.16	2·34	3.07	YEAR'S TOTAL 33.05
Rain Days.	17	14	12	16	10	10	16	13	21	18	13	25	185

W. 6,500, VII. 18. w w c

493

8 JAN 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Brighton Corporation Waterworks Race Hill Reservoir
in the County of Sussex
by Jas. Johnston M. Inst. C. E.

Lat. .... Long. ....
Time of Observation 9. am
Nearest Railway Station Kemp Town
Diameter of Funnel of Rain Gauge ·8" in.
Height of top of Gauge above Ground 1 ft. — in.
" " " Sea Level 466·00 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.44	Snow .03	01		.05		.11			22	04	85	1
2	.14		06		.02		.10		.02	05	06	14	2
3	.44		.65		.11		.01		28		04	39	3
4	.25	12	.44		.02	.03	.10	.15	03		09	06	4
5		S&R .41	1.01						.09		.12	44	5
6	23		.05									10	6
7	10		.48										7
8	26		.13										8
9	45		.17	.03	.12						.18		9
10	74		.13	07							.02	.25	10
11	15		.20	.55	13		.04					.10	11
12	06		.02		02		07			.10	Snow .01		12
13	02		.03	.26								.02	13
14	48			.64			09		.17			36	14
15	.15	03	.14	.09								93	15
16	12	44									.09	02	16
17		S&R 32									15	06	17
18		03	06		02			04			13	03	18
19	09	64	.82			.10	.60	40	03		17	02	19
20	58	05	.06			.50	07	16				05	20
21	06	55					06				.04	.05	21
22		03	Snow .03				16		87		02	.31	22
23							01		33		04	03	23
24		04		.15		.05	05		01	.14	.18	09	24
25	05							.44	—			02	25
26	02	25	08	.25				04	06		.49	47	26
27	Snow .54		10	S&R 45				40			S&R 32	04	27
28			Snow .12	.03				.82			55	58	28
29	S&R 04			.01				.67		20	07	11	29
30	Snow 02	X	01	25		.03		.83		04	25	80	30
31	Snow 04	X	S&R .04	X		X			X	03	X	15	31
TOTAL	5.47 ✓	2.94 ✓	4.84 ✓	2.78 ✓	.49 ✓	.71 ✓	1.47 ✓	3.95 ✓	1.89 ✓	.78 ✓	3.06 ✓	6.37 ✓	YEAR'S TOTAL 34.75 ✓
Days with ·01 in. or more	24 ✓	13 ✓	23 ✓	12 ✓	8 ✓	5 ✓	13 ✓	10 ✓	10 ✓	7 ✓	21 ✓	27 ✓	173 ✓

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Exd WWD 467

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

Brighton Corporation Waterworks

Kept at Race Hill, Reservoir

in the County of Sussex

by Jas. Johnston

Lat. Long.

Time of Observation 9 Am

Nearest Railway Station Kemp Town

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 466.00 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	15		04	03	09		.30	03		49	04	.36	1
2			28	03	04			.35	.17	21		.12	2
3	02									10		.03	3
4		.17	01	06			1.10	.18		09		.02	4
5			05		01		.35	02	11			.02	5
6			10		35		.38						6
7	09			18.	06		.12						7
8	02			15	10		.35						8
9	32	04	01	02	02	04							9
10	94	27	26	05		13	.11				01	01	10
11	42	01	12	32	04	02	.26					Snow 03	11
12	10	04	03	28		76							12
13	26	03	26	04							.10		13
14		04	53	51		03	02		03	.25	45		14
15	12	01	03	17					82	30	13	01	15
16	01		12		.02				13				16
17	05			05	36		01		36			07	17
18	08		01		07	.02		70	27			11	18
19	09			15					07			05	19
20	15	.11		11		1.05			10			02	20
21				03			.66		26			35	21
22				44								51	22
23							39	11				71	23
24			.10									15	24
25			02	03	02		32						25
26	14		13	07			09				05	05	26
27	39	03	01	26		.16	05				90	34	27
28	38	02	21	18	53		20				15	10	28
29	73		11	16	.01	.01					29	14	29
30	05	✕	01			.01	04		35		37	34	30
31	.01	✕	07	✕		✕			✕	98	✕	30	31
TOTAL	4 52	.77	2.51	3.32	1.32	2.23	4.75	1.39	2.67	2.42	2.49	3.74	YEAR'S TOTAL 32.13
Days with ·01 in. or more	21	11	22	.22	.14	.10	17	6	11	7	.10	22	173
Days with ·04 in. or more	17	6	14	17	9	~~6~~ 5	15	4	10	7	9	15	128 ~~125~~

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

FORM A.
BRITISH RAINFALL.
9 FEB 1914

REGI

BRIGH~~TO~~N
WHITE HAWK KITE STN
SUSSEX
1913

Kept at White Haw ... 0.8 W.
... 7 a.m.
in the County of Brig ... Kemp Town
... 5" in.
by S. H. R. Sa ... ve Ground 1 ft. 0 in.
... Sea Level 380 ft.

IMPORTANT NOT ... the result entered to the previous day. If an Ob ... versal rule, he is earnestly requested to add the read ... ar in the space provided for it at the end of this ... ment of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
nil

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1						·33					1·24		1
2		1·37	·10										2
3								nil					3
4					·76								4
5	·48									·27			5
6				·61			·23						6
7									3·33			·62	7
8													8
9		·76	·37								·86		9
10								·26					10
11					·36					1·72			11
12	1·09												12
13				·67			1·90						13
14									·27			·05	14
15						·49							15
16		·02	·53								2·73		16
17								·05					17
18					·60								18
19	1·11									·07			19
20				·75			1·60						20
21									·69			·06	21
22						·07							22
23		·05	·93								·93		23
24								·11					24
25					·12					1·57			25
26	1·25												26
27				·50			·02						27
28									·11			1·08	28
29						nil							29
30			·54								·06		30
31													31
Total	3·93	2·20	2·47	2·53	1·84	·89	3·75	·42	4·40	3·63	5·82	1·81	YEAR'S TOTAL 33·69
Rain Days.													

W. 7,500, XI. ·12

FORM A.
BRITISH RAINFALL.
9 FEB 1914

REGI

0.8W.

Kept at White Hawk Hill Station
in the County of Brighton Sussex
by S. H. R. Salmon

Time of Observation 9. am.
Nearest Railway Station Kemp Town
Diameter of Rain Gauge 5" in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 380 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. nil

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1						.33					1.24		1
2		1.37	.10										2
3								nil					3
4					.76								4
5	.48									.27			5
6				.61			.23						6
7									3.33			.62	7
8													8
9		.76	.37								.86		9
10								.26					10
11					.36					1.72			11
12	1.09												12
13				.67			1.90						13
14									.29			.05	14
15						.49							15
16		.02	.53								2.73		16
17								.05					17
18					.60								18
19	1.11									.07			19
20				.75			1.60						20
21									.69			.06	21
22						.07							22
23		.05	.93								.93		23
24								.11					24
25					.12					1.57			25
26	1.25												26
27				.50			.02						27
28									.11			1.08	28
29						nil							29
30			.54								.06		30
31													31
Total	3.93	2.20	2.47	2.53	1.84	.89	3.75	.42	4.40	3.63	582	1.81	YEAR'S TOTAL 33.69
Rain Days.													

W. 7,500, XI. ·12

BROADWATER
QUEEN ST.
SUSSEX

1915 - 19

RE 5

FORM A.
BRITISH RAINFALL.
27 MAY 1916

Kept at 49 Queen g. 0·23 W

9 am

Worthing

in the County of Suss Rain Gauge 5 in.

by Edwin A above Ground 5 ft. 6 in.

„ Sea Level 29½ ft.

IMPORTANT NO nd the result entered to the previous day. If an niversal rule, he is earnestly requested to add the re year in the space provided for it at the end of this paragraph. rement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·55	0·20	0·04	—	—	—	—	—	1·36	—	0·02	0·44	1
2	·24	·12	·20	·16	—	—	—	·03	·08	·11	—	·25	2
3	·14	—	·09	·16	·22	·01	—	·05	—	—	—	·56	3
4	·06	—	—	·01	—	—	—	—	—	—	—	·40	4
5	·08		—	·03	·01	—	—	·01	—	—	—	·55	5
6	·82	} ·48	—	·42	—	—	·29	·16	—	—	—	·15	6
7	·27	·35	·04	·05	—	·02	·11	—	—	—	—	·12	7
8	·02	·47	—	—	—	—	·20	—	—	—	·03	—	8
9	·02	·05	—	·07	—	·07	—	·09	—	—	·34	·90	9
10	·23	—	·03	—	—	—	—	—	—	—	—	·57	10
11	·04	—	08	—	—	—	—	—	—	—	·79	·02	11
12	·01	·30	—	·25	·37	—	—	—	—	·06	·42	—	12
13	·14	·28	—	—	1·96	—	—	—	—	—	—	—	13
14	·02	—	—	—	—	—	·15	—	·12	—	—	·46	14
15	·08	—	—	—		—	·10	·67	·02	—	·07	·26	15
16	—	·67	—	—	·08	—	·89	·93	—	—	—	·01	16
17	—	·38	—	—	·10	—	—	—	—	—	—	—	17
18	—	·02	—	—	1·20	—	—	—	—	—	·08	·01	18
19	—	·06	—	—	·07	—	—	—	—	—	—	—	19
20	—	—	—	·02	·11	—	—	—	—	—	—	·05	20
21	·21	—	—	—	—	—	—	—	—	·54	—	·11	21
22	·06	·05	·09	—	—	—	·66	—	—	—	—	·15	22
23	·41	·03	·22	—	—	—	—	—	—	·19	—	·96	23
24	—	—	·01	—	—	—	—	—	·24	·65	—	·38	24
25	—	—	·02	·01	—	—	·20	—	—	—	—	·15	25
26	—	·08	—	—	—	·06	—	—	—	—	—	·79	26
27	—	·01	—	—	—	·02	·10	—	—	·32	—	·01	27
28	—	·07	—	—	—	·31	·02	—	·75	·13	—	—	28
29	—	—	—	—	·01	—	—	·19	·28	·02	·58	·02	29
30	·23	✕							·02	·49	·49	—	30
31	—	✕	—	✕	—	✕	—	—	✕	·86	✕	·25	31
Total	3·63	3·62	0·82	1·18	4·13	0·49	2·82	2·13	2·87	3·37	2·82	4·57	YEAR'S TOTAL 35·45
Rain Days.	19	18	10	10	10	6	10	8	8	10	9	24	142

W. 8,000. X. 15.

RE

5

FORM A. BRITISH RAINFALL.

27 MAY 1916

Kept at 49 Queen St. Broadwater, Worthing

in the County of Sussex

by Edwin Apteds

g. 0·23 W

Time of Observation 9 am

Nearest Railway Station Worthing

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 5 ft. 6 in.

" " " " Sea Level 29½ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·55	0·20	0·04	—	—	—	—	—	1·36	—	0·02	0·44	1
2	·24	·12	·20	·16	—	—	—	·03	·08	·11	—	·25	2
3	·14	—	·09	·16	·22	·01	—	·25	—	—	—	·56	3
4	·06	—	—	·01	—	—	—	—	—	—	—	·40	4
5	·08		—	·03	·01	—	—	·01	—	—	—	·55	5
6	·82	} ·48	—	·45	—	—	·29	·16	—	—	—	·15	6
7	·27	·35	·04	·05	—	·02	·11	—	—	—	—	·12	7
8	·02	·47	—	—	—	—	·30	—	—	—	·03	—	8
9	·02	·05	—	·07	—	·07	—	·09	—	—	·34	·90	9
10	·23	—	·03	—	—	—	—	—	—	—	—	·57	10
11	·04	—	08	—	—	—	—	—	—	—	·79	·02	11
12	·01	·30	—	·25	·37	—	—	—	—	·06	·42	—	12
13	·14	·28	—	—	1·96	—	—	—	—	—	—	—	13
14	·02	—	—	—	—	—	·15	—	·12	—	—	·46	14
15	·08	—	—	—	—	—	·10	·67	·02	—	·07	·26	15
16	—	·67	—	—	·08	—	·89	·93	—	—	—	·01	16
17	—	·38	—	—	·10	—	—	—	—	—	—	—	17
18	—	·02	—	—	1·20	—	—	—	—	—	·08	·01	18
19	—	·06	—	—	·07	—	—	—	—	—	—	—	19
20	—	—	—	·02	·11	—	—	—	—	—	—	·05	20
21	·21	—	—	—	—	—	—	—	—	·54	—	·11	21
22	·06	·05	·09	—	—	—	·66	—	—	—	—	·15	22
23	·41	·03	·22	—	—	—	—	—	—	·19	—	·96	23
24	—	—	·01	—	—	—	—	—	·24	·65	—	·38	24
25	—	—	·02	·01	—	—	·20	—	—	—	—	·15	25
26	—	·08	—	—	—	·06	—	—	—	—	—	·79	26
27	—	·01	—	—	—	·02	·10	—	—	·32	—	·01	27
28	—	·07	—	—	—	·31	·02	—	·75	·13	—	—	28
29	—	—	—	—	·01	—	—	·19	·28	·02	·58	·02	29
30	·23	✕			—				·02	·49	·49	—	30
31	—	✕	—	✕	—	✕	—	—	✕	·86	✕	·25	31
Total	3·63	3·62	0·82	1·18	4·13	0·49	2·82	2·13	2·87	3·37	2·82	7·57	YEAR'S TOTAL 35·45
Rain Days.	19	18	10	10	10	6	10	8	8	10	9	24	142

W. 8,000. X. 15.

REGISTER OF RAINFALL IN 1916.

FORM A. BRITISH RAINFALL.
1. JAN 1917

Kept at 49 Queen Street Broadwater, Worthing
in the County of Sussex
by Edwin Apted.

Lat. 50° 48' N Long. 0·23 W
Time of Observation 9. A. M.
Nearest Railway Station Worthing.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 5 ft. 6 in.
" " " " Sea Level 29½ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	~~Oct.~~	Nov.	Dec.	Date.
1	·02	—	—	—	·19	·05	—	—	·02	·06	·41	—	1
2	·28	·06	·30	—	·35	—	·05	—	·01	·75	·02	—	2
3	·02	·29	·11	—	—	—	·04	—	·08	·48	·60	—	3
4	·15	·05	—	—	·01	·38	—	—	·17	·02	·22	—	4
5	·02	—	—	—	·13	·03	—	—	—	·03	·34	—	5
6	·01	·03	—	·03	·25 }	·03	·29	—	—	·01	·28	—	6
7	—	—	·58	—		·02	—	—	—	·03	·57	·03	7
8	—	·02	—	—	·19	—	—	—	—	—	—	·54	8
9	—	—	—	—	·20	—	—	—	—	—	—	·11	9
10	—	·53	·03	·04	—	·50	·05	—	—	—	·02	·28	10
11	·07	·12	·02	·08	—	·26	—	—	·01	—	—	·20	11
12	·04	·05	·06	·03	·03	·09	—	—	—	·01	·01		12
13	—	·18	·05	·01	—	·08	—	—	—	—	—	·02	13
14	—	·58	·29	—	·09	—	—	·01	—	—	—	·14	14
15	—	·18	·17	—	—	—	—	—	—	—	—	—	15
16	·04	—	·20	·17	—	—	·10	—	—	—	—	—	16
17	·21	·20	—	·11	—	—	—	—	·28	·64	—	—	17
18	·01	·06	·02	·02	—	—	—	·38	·13	·09	·56	·26	18
19	·08	—	·12	·08	—	·07	—	·01	·03	—	·55	·06	19
20	·07	—	·16	—	—	—	—	—	—	—	·27	·64	20
21	·01	—	·43	—	—	—	·05	—	—	—	·12	·54	21
22	—	—	—	—	—	·01	—	—	—	·01	·01	·41	22
23	·01	·11	·02	—	—	·02	—	·01	—	·25	—	—	23
24	—	—	—	—	·16	·02	—	·02	—	·35	·02	·36	24
25	—	·50	·17	—	—	—	—	1·22 STORM	·07	·06	·03	—	25
26	·02	·44	—	—	—	·16	—	·03	·31	·25	—	·06	26
27	·01	·50	·86	—	—	·04	—	—	·12	·32	—	—	27
28	—	·42	·05	—	—	·03	—	·23	·23	·41	—	·25	28
29	—	·25	—	—	—	·26	—	·78	·17	·19	—	·40	29
30	—	✕	—	—	·05	—	—	·03	—	·36	—	—	30
31	—	✕	—	✕	—	✕	—	·03	✕	·02	✕	·01	31
Total	1·07	4·77	3·64	·57	1·65	2·05	·58	2·75	1·63	4·34	4·03	4·51	YEAR'S TOTAL 31·59
Rain Days.	17	19	18	9	12	17	6	11	13	20	16	17	175

31·59 (= 802·m.m)

515

FORM A.
BRITISH RAINFALL.

23 JAN

REGISTER OF RAINFALL IN 1917.

Kept at 49 Queen St. Broadwater Worthing,

in the County of Sussex

by Edwin Apted.

Lat. 50° 48' Long. 0. 23 W

Time of Observation 9. A. M.

Nearest Railway Station Worthing

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 5 ft. 6 in.

" " " " Sea Level 30 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	·04	·08	—	·01	—	1·21	—	—	·13	·02	1
2	—	—	—	·29	—	—	—	·05	·01	—	·10	—	2
3	·01	—	—	·03	—	—	·66	·14	—	·01	·11	—	3
4	—	·13	·28	—	—	—	·03	·14	—	·13	—	—	4
5	·32	—	·02	·10	—	·09	—	—	·21	·25	·04	—	5
6	—	—	·12	·03	—	·14	—	—	·14	—	·12	·01	6
7	·35	—	—	—	—	—	·10	—	—	·19	—	·05	7
8	·10	—	—	SUMMER TIME ·09	—	—	·17	·06	—	·25	·24	·39	8
9	—	—	·46	—	·01	—	·05	—	—	·05	·02	·27	9
10	·13	—	·17	·05	—	·20	—	·13	—	—	—	—	10
11	·08	—	·13	·42	—	—	—	·06	·02	·45	—	—	11
12	·02	—	·01	·03	—	—	—	·11	—	·28	—	—	12
13	·01	—	·19	—	·05	—	—	·04	—	·24	—	—	13
14	—	—	—	·12	—	—	—	·11	—	—	—	—	14
15	—	—	—	—	—	—	—	·03	—	·38	—	·04	15
16	·01	·42	—	·06	·09	—	—	—	—	·28	—	·95	16
17	—	·02	—	·14	·12	—	·44	—	ORDY TIME. ·40	·07	—	·02	17
18	—	·05	—	·04	·20	—	·15	·14	·25	—	—	—	18
19	·02	·43	·06	—	—	·03	—	—	·13	—	—	—	19
20	—	·14	—	—	·30	·02	—	—	—	—	—	—	20
21	·01	·01	·03	—	—	—	—	—	—	·01	—	—	21
22	·02	—	—	—	—	·14	—	·17	—	·25	—	—	22
23	—	·36	—	—	·14	—	—	·05	—	·09	—	·04	23
24	—	·13	—	—	—	·10	·26	—	—	·19	—	—	24
25	—	·10	·05	—	—	·04	·06	—	—	—	—	—	25
26	—	—	—	—	—	·01	—	·52	·09	·01	·62	·01	26
27	—	—	—	—	·01	—	—	·93	—	—	—	—	27
28	—	—	·06	—	—	2·59	—	·40	—	—	—	·06	28
29	—	—	·12	—	—	·03	·05	·01	—	·46	—	·08	29
30	—	×	·44	—	—	—	·25	·42	—	·06	—	·01	30
31	·01	×	·01	×	—	×	·08	·05	×	·06	×	·10	31
Total	1·09	1·79	1·89	1·48	·92	3·40	2·32	4·77	1·25	3·71	1·38	2·05	YEAR'S TOTAL 26·05
Rain Days.	13	10	16	13	8	12	12	20	8	20	8	14	154

W. 8,000, IX. 17.

= 661. M.M.

Ext. E.F.E.

46

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL

10 1. 19

Kept at 49 Queen Street
Broadwater. Worthing.
in the County of Sussex.
by Edwin Aptets.

Lat. 50.48 Long. 0.23 W
Time of Observation 9. A.M.
Nearest Railway Station Worthing
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 5 ft. 6 in.
" " " " Sea Level 30 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	—	.02	—	—	—	.06	—	—	.16	15	1
2	—	01	—	04	—	—	—	74	—	—	32	21	2
3	—	01	.09	02	.45	—	—	05	—	—	21	01	3
4	—	05	—	—	—	—	—	07	.08	—	.50	04	4
5	—	01	01	—	06	—	—	10	—	02	—	01	5
6	.25	16	—	12	16	—	—	78	—	—	—	02	6
7	01	08	—	23	23	—	—	05	24	01	09	—	7
8	SNOW —	01	—	—	01	—	—	—	14	03	05	02	8
9	.01	—	—	09	—	.10	—	—	39	11	01	35	9
10	SNOW —	—	—	04	—	03	.27	—	11	13		25	10
11	03	01	—	—	—	—	05	—	07	12	08	06	11
12	—	06	—	—	21	—	01	—	02	—	—	06	12
13	21 }	—	—	—	08	—	19	—	25	—	—	02	13
14	SNOW } 20	—	16	—	—	07	13	—	42	28	—	06	14
15	1.45 }	—	—	17	—	—	44	—	—	—	—	12	15
16	38	—	02	01	—	—	03	—	25	06	—	—	16
17	19	—	—	15	—	25	39	01	—	—	—	25	17
18	27	—	—	—	—	37	10	—	35	—	—	05	18
19	05	—	31	03	—	12	02	—	—	03	—	01	19
20	05	16	—	48	—	02	36	03	21	05	—	01	20
21	18	—	—	58	—	—	—	—	38	58	—	06	21
22	14	—	—	—	02	—	35	—	71	—	—	18	22
23	05	—	—	02	—	—	48	06	01	—	—	06	23
24	—	22	Summer Time }	—	—	01	02	—	26	—	08	—	24
25	—	—	—	.32	—	—	—	22	—	02	—	—	25
26	—	—	—	—	—	—	35	—	04	—	12	15	26
27	—	03	02	03	—	—	03	12	39	01	08	04	27
28	—	—	13	04	—	04	—	—	—	07	14	03	28
29	—	—	01	—	—	—	—	—	1-05	—	—	01	29
30	—	×	55	—	—	—	—	—	Summer Time } 05	10	—	01	30
31	—	×	—	×	—	×	—	—	×	05	×	—	31
Total	3.47	.81	1.30	2.39	1.22	1.01	~~3.22~~ 3.30	2.29	5.42	1.67	1.84	2.24	YEAR'S TOTAL 26.86
Rain Days.	15	12	9	17	8	9	16	12	20	16	12	26	192

W. 6,500, VII. 18. W W C

× 682. mm.

JAN 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at 49 Queen Street Broadwater. Worthing.
in the County of Sussex
by Edwin Apted.

Lat. 50° 48′ Long. 0-23
Time of Observation 9. A.M.
Nearest Railway Station Worthing
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 5 ft 6 in.
" " " " Sea Level 30 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·42	04	·01	—	·03	—	·17	—	—	·05	·01	·61	1
2	06	—	02	—	01	—	16	—	·05	01	02	·09	2
3	25	—	67	—	05	—	01	—	06	—	—	40	3
4	21	06	50	—	—	01	16	14	—	—	09	03	4
5	—	39	98	—	—	—	—	—	01	—	19	38	5
6	29	—	11	—	—	—	—	—	—	—	—	06	6
7	06	—	35	—	—	—	—	—	—	—	—	—	7
8	20	—	20	—	—	—	—	—	—	—	—	—	8
9	33	—	04	01	05	—	—	—	—	—	21	—	9
10	60	—	06	04	—	—	—	—	—	—	—	16	10
11	25	—	13	49	10	—	02	—	—	—	—	05	11
12	04	—	—	—	01	—	06	—	—	08	04	—	12
13	04	01	01	26	—	—	—	—	—	—	—	—	13
14	39	—	—	37	—	—	17	—	32	01	—	26	14
15	11	06	11	12	—	—	—	—	—	—	—	98	15
16	16	54	—	—	—	—	—	—	—	—	07	—	16
17	—	22	—	—	—	—	—	—	—	—	09	02	17
18	—	02	19	—	—	—	—	05	—	—	14	02	18
19	16	49	87	—	—	07	58	44	02	—	15	01	19
20	48	02	01	—	—	57	02	17	—	—	—	03	20
21	06	41	—	—	—	—	—	—	—	—	01	03	21
22	—	—	—	—	—	—	19	—	57	—	02	21	22
23	—	—	—	—	—	01	—	—	08	—	04	02	23
24	—	05	—	16	—	01	03	06	—	12	15	08	24
25	—	—	—	—	—	—	—	31	—	—	—	03	25
26	06	12	—	06	—	—	02	03	07	—	47	43	26
27	95	—	06	45	—	—	—	62	—	—	04	—	27
28	—	—	01	01	—	—	—	53	Summer Time Ends	—	52	56	28
29	—	—	Summer Time 58	01	—	—	—	71	—	14	02	13	29
30	—	✕	05	28	—	01	—	39	—	01	26	59	30
31	03	✕	—	✕	—	✕	—	—	✕	—	✕	10	31
TOTAL	5·15	2·43	4·96	2·26	0·25	0·68	1·59	3·45	1·18	0·42	2·54	5·28	YEAR'S TOTAL 30·19.
Days with ·01 in. or more	21	13	20	12	6	6	12	11	8	7	19	24	159.

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

FORM A.
BRITISH RAINFALL.

16 MAR 1914

REGI

BURGESS HILL

SUSSEX

1913

8′ 20″ W.

Kept at Oakroyd, Silverdal ...m.

...urgess Hill, Sussex.

in the County of Suss... 8 in.

by F. H. Phillips ...e Ground 1 ft. 0 in.

Sea Level 162 ft.

IMPORTANT NOTI... the result entered to the previous day. If an Obs... ...ersal rule, he is earnestly requested to add the readi... ...r in the space provided for it at the end of this ... ...nent of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.025	.385	.110	.140	—	.010	—	—	.010	.040	.185	.120	1
2	.030	.190	—	—	.110	—	.070	—	—	.385	.075	.025	2
3	.010	—	.045	.250	.295	—	—	—	.015	.010	—	.205	3
4	.570	—	.070	—	—	—	.010	—	1.620	.245	.095	—	4
5	.165	.075	.020	—	—	.180	.110	—	.310	.020	.250	.025	5
6	—	.020	.067	—	.045	.240	.295	—	.030	.370	.090	.225	6
7	—	.360	.045	—	.075	.075	.032	—	—	.065	.210	.015	7
8	.010	.050	.010	—	.210	.010	—	.150	—	.140	—	.040	8
9	—	.040	—	.015	.155	—	.130	.010	.180	—	.035	—	9
10	—	—	—	.115	—	—	.740	—	—	.230	.620	—	10
11	.935	—	—	.600	—	—	—	—	—	.810	.255	—	11
12	—	—	—	—	.410	—	—	—	—	—	1.370	—	12
13	.475	—	.030	—	—	—	—	—	.170	—	.260	—	13
14	.350	—	.120	.050	—	—	.990	.025	.120	.030	.100	—	14
15	.270	.020	.290	.540	—	—	.185	—	.040	—	—	—	15
16	.195	—		.070	—	—	—	—	.240	—	—	—	16
17	.100	.020		.360	—	—	.345	—	—	—	.015	.015	17
18	—	—		.220	—	—	.060	—	.015	—	.140	—	18
19	.500	—		—	—		.095	—	.485	—	—	—	19
20	.383	—		.160	—		—	—	—	.660	.020	—	20
21	—	—		.100	—	.050	.010	—	—	.940	.675	—	21
22	.310	—		—	—	.475	—	—	.090	—	—	.015	22
23	—	—		—	—	—	—	.160	—	—	—	.760	23
24	.105	—		.050	—	—	—	.040	—	—	.050	—	24
25	—	.015		.225	—	—	—	—	—	—	.010	—	25
26	—	—		—	—	—	—	.145	—	.830	—	.255	26
27	—	—		.085	.030	—	—	—	—	.035	—	—	27
28	.130	—		.045	—	—	—	.635	—	.160	—	—	28
29	.120		.060	.410	.675	—	—	.010	—	.315	.010	—	29
30	.705		—	.165	—	—	—	.405	—	.240	—	—	30
31	—		.070		—		—	.785		.180		—	31
Total	5.388	1.175	3.332	3.600	2.005	1.040	3.072	2.365	3.325	5.705	4.465	1.700	YEAR'S TOTAL 37.172
Rain Days.	19	10	7	18	9	7	13	10	13	19	19	11	—

Rainfall from 16th To 28th = 2.395

W. 7,500, XI. ·12

FORM A.
BRITISH RAINFALL.

16 MAR 1914

REGISTER OF RAINFALL IN 1913.

Kept at Oakmyd, Silverdale Road, Burgess Hill

in the County of Sussex.

by F. H. Phillips.

Lat. 50° 57' 3" N Long. 0° 8' 20" W.
Time of Observation 9.0 A.m.
Nearest Railway Station Burgess Hill, Sussex.
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 162 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.025	.385	.110	.140	—	.010	—	—	.010	.040	.185	.120	1
2	.030	.190	—	—	.110	—	.070	—	—	.385	.075	.025	2
3	.010	—	.045	.250	.295	—	—	—	.015	.010	—	.205	3
4	.570	—	.070	—	—	—	.010	—	1.620	.245	.095	—	4
5	.165	.075	.020	—	—	.180	.110	—	.310	.020	.250	.025	5
6	—	.020	.067	—	.045	.240	.295	—	.030	.370	.090	.225	6
7	—	.360	.045	—	.075	.075	.032	—	—	.065	.210	.015	7
8	.010	.050	.010	—	.210	.010	—	.150	—	.140	—	.040	8
9	—	.040	—	.015	.155	—	.130	.010	.180	—	.035	—	9
10	—	—	—	.115	—	—	.740	—	—	.230	.620	—	10
11	.935	—	—	.600	—	—	—	—	—	.810	.255	—	11
12	—	—	—	—	.410	—	—	—	—	—	1.370	—	12
13	.475	—	.030	—	—	—	—	—	.170	—	.260	—	13
14	.350	—	.120	.050	—	—	.990	.025	.120	.030	.100	—	14
15	.270	.020	.290	.540	—	—	.185	—	.040	—	—	—	15
16	.195	—	Rainfall from 16th To 28th = 2.395	.070	—	—	—	—	.240	—	—	—	16
17	.100	.020		.360	—	—	.345	—	—	—	.015	.015	17
18	—	—		.220	—	—	.060	—	.015	—	.140	—	18
19	.500	—		—	—		.095	—	.485	—	—	—	19
20	.383	—		.160	—		—	—	—	.660	.020	—	20
21	—	—		.100	—	.050	.010	—	—	.940	.675	—	21
22	.310	—		—	—	.475	—	—	.090	—	—	.015	22
23	—	—		—	—	—	—	.160	—	—	—	.760	23
24	.105	—		.050	—	—	—	.040	—	—	.050	—	24
25	—	.015		.225	—	—	—	—	—	—	.010	—	25
26	—	—		—	—	—	—	.145	—	.830	—	.255	26
27	—	—		.085	.030	—	—	—	—	.035	—	—	27
28	.130	—		.045	—	—	—	.635	—	.160	—	—	28
29	.120		.060	.410	.675	—	—	.010	—	.315	.010	—	29
30	.705		—	.165	—	—	—	.405	—	.240	—	—	30
31	—		.070		—		—	.785		.180		—	31
Total	5.388	1.175	3.332	3.600	2.005	1.040	3.072	2.365	3.325	5.705	4.465	1.700	YEAR'S TOTAL 37.172
Rain Days.	19	10	7	18	9	7	13	10	13	19	19	11	—

W. 7,500, XI. ·12

BUXT~~ED~~ PARK

SUSSEX

1911 – 1919

Form A2.
British Rainfall.

30 JAN 1912

R

Kept at Buxted

in the County of Su

by George Rhu

8 in.

ve Ground 1 ft. – in.

Sea Level 100 ft.

a.m.

Name Buxted.

Distance 1 mile Direction E.

IMPORTANT NOT d the result entered to the previous day. If an Ob iversal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the fo year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				·57				·09			·07		1
2	·04		·03	·04	·27						·34	·23	2
3	·03	·02			·19						·07	·21	3
4	·18	·03	·03	·32		·17				·32	·31	·16	4
5	·02	·02		·12						·78	·03	·19	5
6	·28		·04	·02								·46	6
7	·04									·54	·94	·57	7
8	·06		·11								·84	·21	8
9	·17		·12	·03							·14	·07	9
10			·06	·13							·07	·72	10
11	·43	·11	·07								1·10		11
12	·03		·87								·05		12
13			·14		·28				·43	·15	·03	·31	13
14		·10	·03		·09							·03	14
15		·06	·22								·13	—	15
16			·03			·28					·57	·17	16
17			·04			·02					·57	·17	17
18		·13	·06			·03					1·09	·43	18
19						·06			·24	·43	·19	·14	19
20	·03		·04	·09				·62	25	·04		·90	20
21	·03	·19						·06		1·05		·23	21
22	·05	·09	·42			·23		·03		·65		·54	22
23		·26				·92			·42	·29	·04	·29	23
24	·02	·20				·06	·07	·10		·33		·62	24
25		·05	·41	·09		·12		·03	·07	·07		·01	25
26			·22	·27		·15				·38	·07	·29	26
27		·38	·28	·24	·04				·06	·44	·06	·14	27
28		·34		·12				·03		=	·04	·01	28
29				·04		·16	·39		·18	·56			29
30						·06			·02	·36		·06	30
31					·03								31
Total	1·41	1·98	3·22	2·08	·90	2·26	·46	·96	1·67	6·39	6·75	7·16	TOTAL for Year 35·24
No. of Rain Days.	14	14	19	13	6	12	2	7	8	15	21	25	156

W. 8,000, X. '11.

R

FORM A2.
BRITISH RAINFALL.
30 JAN 1913

Kept at Buxted Park Gardens

in the County of Sussex 4

by George Phillips

RAIN GAUGE Diameter of top 8 in.
Height of top above Ground 1 ft. – in.
" " " Sea Level 100 ft.

Time of Observation 9 a.m.

Nearest Railway Station Name Buxted.
Distance 1 mile Direction E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·57				·09			·07		1
2	·04		·03	·04	·27						·34	·23	2
3	·03	·02			·19						·07	·21	3
4	·18	·03	·03	·32		·17				·32	·31	·16	4
5	·02	·02		·12						·78	·03	·19	5
6	·28		·04	·02								·46	6
7	·04									·54	·94	·57	7
8	·06		·11								·84	·21	8
9	·17		·12	·03							·14	·07	9
10			·06	·13							·07	·72	10
11	·43	·11	·07								1·10		11
12	·03		·87								·05		12
13			·14		·28				·43	·15	·03	·31	13
14		·10	·03		·09							·03	14
15		·06	·22								·13	—	15
16			·03			·28					·57	·17	16
17			·04			·02					·57	·17	17
18		·13	·06			·03					1·09	·43	18
19						·06			·24	·43	·19	·14	19
20	·03		·04	·09				·62	25	·04		·90	20
21	·03	·19						·06		1·05		·23	21
22	·05	·09	·42			·23		·03		·65		·54	22
23		·26				·92			·42	·29	·04	·29	23
24	·02	·20				·06	·07	·10		·33		·62	24
25		·05	·41	·09		·12		·03	·07	·07		·01	25
26			·22	·27		·15				·38	·07	·29	26
27		·38	·28	·24	·04				·06	·44	·06	·14	27
28		·34		·12				·03		=	·04	·01	28
29				·04		·16	·39		·18	·56			29
30						·06			·02	·36		·06	30
31					·03								31
Total	1·41	1·98	3·22	2·08	·90	2·26	·46	·96	1·67	6·39	6·75	7·16	TOTAL for year 35·24
No. of Rain Days.	14	14	19	13	6	12	2	7	8	15	21	25	156

W. 8,000, X. '11.

cor by nm stats 6-11-13

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.

4 - JAN 1913

Kept at Busted Park Gardens AF. H20
in the County of Sussex 4
by George Phillips c/o Hon. H. B. Portman

Lat. Long.
Time of Observation 9 a m
Nearest Railway Station Busted
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1			·14	·04	·02	·20	·14		·04	·95		·37	1
2		·08	·35		·02	·06	·23			03			2
3	·04	·07	·02			·24	·02	·20	·02	·02	·02		3
4	·23	·03	·74		·04	·26		·05			·09		4
5	·11	·06	·24			·20		·19			·28	·03	5
6	52	·18			·03	·03		·86				·11	6
7					·26	·74		·69			·01	·11	7
8	·37	·30	·27	·02		·08	·02	·07				·06	8
9	·04	·11	·03	·04		·06	·28	·31				·08	9
10		·11	·02					·39			·11	·42	10
11	·06	·47			·01	·06		·02	·03			·25	11
12		·11	·04		·14	·04		·24			·03	·08	12
13		·01	·08								·19	·13	13
14			·02		·05			·31		·07		·04	14
15		·06	·09		·15	·64		·03				·34	15
16	·17	·02	·14		·37			·11		·10			16
17	·34		·48			·08		·10			·17	·12	17
18	·07	·01	·37				·06	·23		·05		·62	18
19	·06	·18	·51				·04	·58			·03		19
20	·06	·06	·82			·13		·08		·54	·12		20
21	·01	·11	·83		·02			·18		·26	·08		21
22	·07	·52	·04				·04	·19		·03			22
23	·32	·16	·39					·49		·08	·18	·08 ·98	23
24	·04	·03	·01			·03	·06	·42				·18	24
25	·12	·04				·28		1·02			·33	·74	25
26		·04				·07	·03	·24		·34	·46	·58	26
27		·02					01			·24	·02	·47	27
28		·06				·09	·10	·08	·07	·98	·54	·52	28
29		·05					·40	·34	1·73	·06	·02		29
30					·42	·02	·01	·69	1·42	·48	·02		30
31							·41	·21		·02			31
Total	2·63	2·89	5·63	·10	1·53	3·31	1·85	8·32	3·31	4·25	2·70	5·33	YEAR'S TOTAL 41·85
Rain Days.	17	25	21	3	12	19	15	27	6	16	18	20	199

W. 7,500, XI. ·12

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
2 - JAN 1914

Kept at Buxted Park Gardens
in the County of Sussex
by George Phillips

4

Lat. Long.
Time of Observation 9. a. m
Nearest Railway Station Buxted
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. ' in.
" " " " Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1	·04	·41	·09	·22	·01	·07			·02	·08	·12	·10	1
2	·20	·19	·02		·02					·23		·04	2
3			·09	·52	·28		·11		·08		·15	·15	3
4	·31		·07	·02	·04		·04		·65	·19	·11	·02	4
5	·39	·05	·03			·18	·14		·85	·04	·22	·02	5
6	·05	·03	·10	·02	·03	·18	·52		·02	·38	·17	·18	6
7		·39	·08		·03	·06	·03			·33	·06	·03	7
8		·10	·02		·21	·10				·37	·14	·04	8
9		·06		·02	·13		·09	·02	·14	·04	·04	·02	9
10	·03			·04			·42	·01			·75		10
11	·67			·54						·88	·39		11
12					·20						1·13	·02	12
13	·51		·04					·06	·15		·08		13
14	·31		·17	·06			·94	·03	·24	·06	·35		14
15	·26		·34	·36			·18		·14		·02		15
16	·47		·63	·33			·06		·34				16
17	·13		·07	·54			·32					·03	17
18	·02		·19	·37			·06				·12		18
19	·13		·20		·03	·03	·12		·39		·01		19
20	·80		·11	·12		·16				·54	·04		20
21	·04		·19	·16						·57	·64		21
22	·36		·25				·03		·09				22
23			·21			·03	·03	·09	·04			·76	23
24	·12			·04		·06		·09			·03		24
25		·02		·24			·01						25
26			·12				·03	·23		·95		·26	26
27	·02	·02	·08		·21		·04			·08			27
28	·14		·39	·13						·27			28
29	·18		·06	·56	·26			·18		·12	·02		29
30	·65			·24				·26	·02			·03	30
31			09					1·07		·20			31
Total	5·83	1·27	3·64	4·53	1·45	·87	3·17	2·04	3.17	5·33	4·59	1·70	YEAR'S TOTAL 37·59
Rain Days.	22	9	24	19	12	9	18	10	14	17	20	14	188

W. 7,500, XI. 12

/ w corrd by rain-stats 19.11.15 WLMcC

REGISTER OF RAINFALL IN 1914.

FORM A. BRITISH RAINFALL. 7 - JAN 1915

Kept at Buxted Park

in the County of Sussex 4

by Hon. H. B. Portman

Lat. Long.

Time of Observation 9 am

Nearest Railway Station Buxted

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·02	·08			·07	·05			·06	·08	1
2			·[illegible]	·06		·04	·20	·02			·23	·35	2
3			·12		30			·03			·02		3
4			·02	·36	·02		·02	·06			·36	·38	4
5	·16		·12	·39	·02	·03	·16				·02		5
6		·10	·[illegible]	·40	·06	·07	·02	·09			·03	·57	6
7		·62	·18	·17	·02	·04	·07					·28	7
8	·14	·59	·47	·03	·03	·19	·14	·09				·21	8
9	·26		·72	·14		·02			·23			1·45	9
10	·06	·15	·04	·12	·08						·02	·13	10
11		·46	(·44) ·08	·09	·06				·42		·06	·51	11
12	·01	·07	·26		·02		·35		·41		·03	·73	12
13	·03	·72	·38			·05			·15	·06	·21	·71	13
14		·32	·38				·02		·03	·34	·11	·48	14
15		·12	·03				·02	·07		·03	·97	·05	15
16		·12	·20				·05		·07				16
17		·30	49				·02		·39			·29	17
18		·08	1·12									·76	18
19		·16	·12				·17			·07	·31	·23	19
20		·17	·09			·07				·02		·29	20
21		·79	·06					·20		·03		·06	21
22		·11	·33		·09	·03	·11	·10		·44		·04	22
23		·02	·05		·04	·52	·01	·01		·03		·03	23
24			·22	·02						·02	·24	·03	24
25	·13		·05					·02		·39	·03		25
26	·04						02	·33			·22	·51	26
27	·02							·24			·21	·83	27
28	·04	03			·02					·47	·31	·54	28
29	·13		·04							·85	·21		29
30	·04	X	·13	·02						·11	1·55	·28	30
31	·04	X		X	·21	X			X		X	·14	31
Total	1·10	4·93	6·15 ✓	1·88	·97	1·06	1·45	1·31	1·70	2·86	5·20	9·96	YEAR'S TOTAL 38·54 ✓
Rain Days.	13	18	26 ✓	12	13	10	16	13	7	13	20	26	187 ✓

W. 8,000. X. 14.

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.
5 JAN 1916

Kept at Busted Park Gardens
in the County of Sussex 4
by Hon. H. B. Portman.

Lat. Long.
Time of Observation 9. a. m
Nearest Railway Station Busted
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·72	·25	·07					·17	1·18	·03	·18	·30	1
2	·35	·23	·31	·12	·03	·02		·11		·07		·18	2
3	·31		·04	·32	·15			·09	·10			·54	3
4	·12			·02				·14				·54	4
5	·07	·53		·06				·11		·02	·05	·89	5
6	·53	·27	·08	·74			33	·02				·14	6
7	·39	·48	·05	·08		·14	·07	·02				·37	7
8	·09	·44	·03	·08			·16	·02			·03		8
9	·05	·24		·17		·18		·05			·68	·81	9
10	·35		·02			·08						·68	10
11		·03	·03								·87	·02	11
12	·11	·09		·19	·19						1·19	·02	12
13		1·03		·02	2·23				·09				13
14	·06	·06					·18	·07	·09			·62	14
15	·17	·02			·08		·30	·08			·21	·46	15
16		·87		·03			1·27	·14				·04	16
17		·57			1·14		·02	·82				·07	17
18	·01	·20	·02		·30						·07	·02	18
19		·03											19
20	·28			·05	·27					·02		·23	20
21	·17	·04					·02			·11		·09	21
22	·15	·06					·97					·24	22
23	·03	·09	·08				·19		48	·31		·63	23
24		·02	·03				·60		·24	·49		·46	24
25			·02	·04			·56					·33	25
26		·11				·04	·03					84	26
27		·08				·03	·11			38		·11	27
28		·13	·01			·14	·05		1·70	·52			28
29					·13	·08	·24	31			·79	·03	29
30	·21					·25				11	·46	·04	30
31	·04							02		1·06		23	31
Total	4·21	5·87	·81	1·92	4·52	·96	5·19	2·17	3·88	3·12	4·53	8·93	YEAR'S TOTAL 46·11
Rain Days.	20	23	13	13	9	9	16	15	7	11	10	27	173

W. 8,000. X. 15.

✓ 586

REGISTER OF [illegible] RAINFALL IN 1916

FORM A.
BRITISH RAINFALL

2 JAN 1917

Kept at Buxted Park

in the County of Sussex

by Hon. H. B. Portman.

Lat. Long.

Time of Observation 9 am

Nearest Railway Station Buxted, one mile

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·15	·03	·06		·21	·03			·12	·03	·47		1
2	·38	·13	·51		·48	·03				·69	·04		2
3	·03	·47	·24			·03	·02		·11	·48	·47		3
4	·23	·22	·02			·56			·28	·05	·48		4
5	·03	·05		·02	·14	·11				·10	·72		5
6		·22	·18	·27		·44	·43			·08	·51		6
7	·03	·03	69		·31	·15				·04	·63	05	7
8					·21							·54	8
9			·03		·26	·02						·29	9
10		·38	·05	·08		·10						·34	10
11	·05	·32	·03	·12		·03						·08	11
12	·05	·07		·22	·16	·26	·19			·12			12
13	·02	·22	·33	·10	·03	·03	·04		·02	·04			13
14		·45	·14					·21		·02		·13	14
15		·11	·08					·07				·04	15
16	·02	·03	·21	·26			·16	·07					16
17	·32	·10		·26				·10	·48	1.21			17
18	·04	·19	·02	·05				·29	·30	·33	·90	·02	18
19	·34	·02	·14	·24				·02	·17	·02	·97	·23	19
20	·12		·03	·02		·03					·11	·60	20
21	·03		·31	·02			·55				·07	·31	21
22	·02	·03	·07			·02				·03	·05	·83	22
23		·12	·05			·12		·02		·16	·14	·04	23
24	·03		·02		·26	·02				·26	·16	·33	24
25		·66	·22					·96		·08	·04	·02	25
26	·04	·47	·06			·07		·20	·06	·30			26
27	·03	·15	·93	·02		·16			·08	·42			27
28		·56	19			·07		·34		·21		·29	28
29		·21	·02			·37		·63	·15	·47		·42	29
30		✕			·07	03		·06		51			30
31		✕		✕		✕		·02	✕	08	✕	·01	31
Total	1·96	5·24	4·63	1·68	2·13	2·68	1·39	2.99 2·99	1·77	5·73	5·76	4·57	YEAR'S TOTAL 40·53 40·53
Rain Days.	19	24	25	13	10	21	6	13	10	23	15	18	197

W. 8,000, VIII. 16

535

FORM A.
BRITISH RAINFALL.
5 JAN 1918

REGISTER OF RAINFALL IN 1917.

Kept at Busted Park Gardens
in the County of Sussex
by Hon. H. B. Portman

Lat. ~~100~~ Long.
Time of Observation 9. a. m.
Nearest Railway Station Busted
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	·01	·04	·36				1·62			·08	·03	1
2				·15				·19			·18		2
3				·25			·13	·34		·20	·12		3
4		·06	·17				·35	·14		·30			4
5	·34		·08	·12		·02		·06	·33	·29	·06		5
6			·12	·05		·36			·46		·21	·02	6
7	·36						·09			·50		·04	7
8	·06			·12			·26	·04		·33	·35	·16	8
9	·03		·05	·04			·10	·03			·03	1·02	9
10	·17		·15	·12		·10		·16					10
11	·21	·03	·16	·26				·26	·03	·44			11
12	·02	·01	·06	·08	·02			·13		·26	·02		12
13	·06		·19		·11			·03	·02	·42		·02	13
14	·01			·24				·40	·03				14
15	·05				·06			·40		·22		·08	15
16	·04	·18		·25	·14					·54		1·36	16
17		·03		·12	·20		·33		·25	·33		·02	17
18	·03	·04		·11	·06	·02	·18	·18	·24	·02			18
19	·04	·15	·17		·11	·25	·01	·01	·14				19
20	·02	·24	·06		·71	·02	·02		·12		·03		20
21	·02	·01	·03	03	·02	·03	·04			·02	03	·05	21
22	·03		·15			·78		·14		·23			22
23		·24			·28			·11				·04	23
24		·03				·05	·08	·17		·25	·08	·06	24
25		·17	·08			·04	·06			·02			25
26			·07			·02		·30	·07		1.14	·02	26
27					·02	·02		1·24					27
28		·01	·07			·77	·03	·61				·10	28
29					·09	·02	·39	·06		·68		·15	29
30	·03	X	·29			·04	·41	·33		·08		·04	30
31	·04	X	·10	X		X	·39		X	·03	X	·08	31
Total	1·56	1·21	2·04	2·30	1·82	2·54	2·87	6·95	1·69	5·16	2·33	3·29	YEAR'S TOTAL 33·76
Rain Days.	18	14	18	15	12	15	16	23	10	19	12	17	159

W. 8,000, IX. 17.

3·34

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

Kept at Buxted Park

in the County of Sussex

by Hon. H. B. Portman

Lat. ______ Long. ______

Time of Observation 9 a.m

Nearest Railway Station Buxted

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. – 6 in.

" " " " Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·12								·21	·15	1
2		·03						·27	·02		·35	·24	2
3			·12	·10	·61			·05		·06	·53	·03	3
4	·02	·09	·04	·05	·03			·15	·12		·83		4
5		·09	·02	·05	·03			·09		·17		·04	5
6	·19	·12		·23	·21			·50		·02		·05	6
7	·04	·14		·26	·05	·02		·02	·19	·04	·03	·02	7
8		·04							·11	·02	·13	·22	8
9	·03			·10		·04			·71	·49	·02	·37	9
10				·06		·06	·79		1·31	·24	·01	·39	10
11	·02						·04		·46	·46	·06	·13	11
12		·10			·14	1	·36		·06	·13		·02	12
13	·20	·02	·01		·14		·18		·09			·03	13
14	·28		·03			·12	·26		·40	·40		·05	14
15	1·59			·26		·07	·08		·03			·20	15
16	·34			·07		·27	·15		·09				16
17	·23			·14		·24	1·12	·02				·38	17
18	·44			·01		·26	·05		·62	·03		·06	18
19	·11			·06		·54	·03		·02	·11		·03	19
20	·06	·15	·10	1·20		·05	·59		·33	·26			20
21	·28	·01		1·23			·17		·48	·18		·06	21
22	·20				·74		·14		1·34			·16	22
23	·13			·04	·04		·87	·13				·13	23
24		·23		·02		·05	·13		·33		·09	·06	24
25	·02					·03	·16	·33		·05		·01	25
26				·08			·28		·04	·03	·12	·20	26
27		·08	·02	·11			·01	·21			·14	·09	27
28		·02	·42	·06	·34	·11		·04	·23	·03	·23	·02	28
29				·01					1·02		·03	·02	29
30		×	·52						·07	·13		·14	30
31		×		×		×			×	06	×	·03	31
Total	4·18	1·12	1·40	4·14	2·33	1·86	5·41	1·81	8·07	2·91	2·78	3·33	YEAR'S TOTAL 39·34
Rain Days.	17	13	10	20	10	13	18	11	22	19	14	28	195

W. 8,000, IX. 17.

13·35

[illegible] ~~[illegible]~~ + [illegible]

519

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

5 JAN 20

Kept at Buxted Park
in the County of Sussex
by Viscount Portman.

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Buxted
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	**Jan.**	**Feb.**	**March**	**April**	**May**	**June**	**July**	**August**	**Sept.**	**Oct.**	**Nov.**	**Dec.**	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·35	·07	·02	·03	·07		·07		·02	·23	·05	1·03	1
2	·29		·07		·22		·02		·29	·10	·14	·34	2
3	·37		·43		·03		·29		·06		·09	·28	3
4	·33	·07	·53		·03	·03	·08	·05	·05		·08	·11	4
5		·34	·87				·05		·08		·14	·53	5
6	·11		·06								·04	·13	6
7	·10		·51										7
8	·35		·09								·02		8
9	·45		·09	·23	·05						·30		9
10	·85		·11	·08							·06		10
11	·20		·31	·39	·09							·27	11
12	·29		·04	·02	·01		·41			·07	·04	·09	12
13	·02	·01		·28								·05	13
14	·69			·74			·12		·21			·13	14
15	·16	·03		·08						·02	·02	·46	15
16	·22	·50									·10	·06	16
17		·37	·07	·02							·23	·07	17
18		·11	·07		·01			·02	·04		·14	·07	18
19	·05	·35	·84				·26	·15	·02		·14		19
20	·48	·08	·09			·65	·23	·24				·04	20
21	·09	·52	·04				·06	~~·54~~			·06	·06	21
22		·03	·02				·14	~~·66~~	·72		·04	·21	22
23							·03	~~8~~	·38			·06	23
24				·14		·02	·02	·02		·10	·04	·19	24
25	·07			~~·09~~	·03			·66			·15	·04	25
26	·05	·18	·04	·09			·04	·03	·10		·02	·43	26
27	·78	·02	·17	1·26			·02	54			·35	·05	27
28			·28	·09				·66			·89	·43	28
29	·05			·08		·03		·80		·33	·11	·22	29
30	·03	╳	·05	·25		·04	·04	·48		·06	·23	·80	30
31	·08	╳	·12	╳		╳			╳	·04	╳	·06	31
TOTAL	6·46	2·68	4·92	3·78	·54	·77	1·88	3·65	1·97	·95	3·48	6·21 ~~5·21~~	YEAR'S TOTAL 37·29 ~~36·29~~
Days with ·01 in. or more	24	14	23	15	9	5	16	11	11	8	24	26	186

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

CATSFIELD

PARK GATE

SUSSEX

1912 - 13

FORM A.
BRITISH RAINFALL.
3 - JAN 1913

REGIS 25° E

Kept at The Gardens Park no

in the County of Suss attle 2½ miles

5 in.

by Ernest Percival

Ground 1 ft. in.

Sea Level about 300 ft.

IMPORTANT NOTE. he result entered to the previous day. If an Obse rsal rule, he is earnestly requested to add the reading in the space provided for it at the end of this nt of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			0.07			0.37	0.17		0.06	0.64		0.28	1
2		0.09	0.17			0.04	0.15					0.01	2
3	0.04		0.02			0.30	0.03	0.18	0.05		0.02		3
4	0.22		0.50			0.67		0.03			0.25		4
5	0.26	0.28	0.10			0.29		0.17			0.10	0.03	5
6	0.44	0.16			0.05			0.96				0.05	6
7	0.48				0.30	0.60		0.27				0.10	7
8		0.25	0.25			0.02	0.03					0.03	8
9		0.05					0.06	0.24				0.97	9
10	0.04	0.05	0.02					0.13	0.05			0.40	10
11	0.03	0.30	0.02			0.08		0.02	0.04		0.05	0.21	11
12		0.19	0.03			0.32		0.75				0.02	12
13			0.05								0.02	0.07	13
14		0.07	0.03		0.10					0.06	0.18	0.02	14
15			0.10		0.14	0.79						0.25	15
16	0.15		0.30		0.29	0.01		0.23		0.08	0.01		16
17	0.16		0.33		0.03	0.04		0.06			0.02	0.08	17
18	0.06		0.35				0.30	0.41		0.03	0.01	0.32	18
19	0.06	0.33	0.37				0.03	0.20			0.03		19
20			0.72					0.12		0.93	0.04		20
21			0.12		0.05		0.03	0.29		0.45	0.10	0.01	21
22	0.03	0.59	0.05				0.06	0.19		0.02	0.01		22
23	0.38		0.42			0.02		0.30		0.33		0.02	23
24	0.08					0.30		0.25		0.03	0.18	0.15	24
25	0.19	0.04						0.65		0.02	0.37	0.53	25
26		0.07						0.15		0.33	0.18	0.22	26
27		0.02					0.10			0.18		0.35	27
28		0.07					0.15	0.10	0.10	0.65	0.60	0.13	28
29		0.07					0.08	0.12	1.33	0.26	0.08		29
30					0.16			0.20	1.47	0.16		0.01	30
31			0.05				0.17	0.20				0.01	31
Total	2.62	2.63	4.07	..	1.12	3.85	1.36	6.22	3.10	4.17	2.25	3.37	YEAR'S TOTAL 34.76
Rain Days.	15	16	21	.	8	14	13	24	7	15	18	24	175

FORM A.
BRITISH RAINFALL.
3 - JAN 1913

REGIS

25°E

Kept at The Gardens Park

in the County of Sussex 5

by Ernest Percival Edwards

Time of Observation 9 a.m

Nearest Railway Station Battle 2½ miles

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level about 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			0.07			0.37	0.17		0.06	0.64		0.28	1
2		0.09	0.17			0.04	0.15					0.01	2
3	0.04		0.02			0.30	0.03	0.18	0.05		0.02		3
4	0.22		0.50			0.67		0.03			0.25		4
5	0.26	0.28	0.10			0.29		0.17			0.10	0.03	5
6	0.44	0.16			0.05			0.96				0.05	6
7	0.48				0.30	0.60		0.27				0.10	7
8		0.25	0.25			0.02	0.03					0.03	8
9		0.05					0.06	0.24				0.07	9
10	0.04	0.05	0.02					0.13	0.05			0.40	10
11	0.03	0.30	0.02			0.08		0.02	0.04		0.05	0.21	11
12		0.19	0.03			0.32		0.75				0.02	12
13			0.05								0.02	0.07	13
14		0.07	0.03		0.10					0.06	0.18	0.02	14
15			0.10		0.14	0.79						0.25	15
16	0.15		0.30		0.29	0.01		0.23		0.08	0.01		16
17	0.16		0.33		0.03	0.04		0.06			0.02	0.08	17
18	0.06		0.35				0.30	0.41		0.03	0.01	0.32	18
19	0.06	0.33	0.37				0.03	0.20			0.03		19
20			0.72					0.12		0.93	0.04		20
21			0.12		0.05		0.03	0.29		0.45	0.10	0.01	21
22	0.03	0.59	0.05				0.06	0.19		0.02	0.01		22
23	0.38		0.42			0.02		0.30		0.33		0.02	23
24	0.08					0.30		0.25		0.03	0.18	0.15	24
25	0.19	0.04						0.65		0.02	0.37	0.53	25
26		0.07						0.15		0.33	0.18	0.22	26
27		0.02					0.10			0.18		0.35	27
28		0.07					0.15	0.10	0.10	0.65	0.60	0.13	28
29		0.07					0.08	0.12	1.33	0.26	0.08		29
30					0.16			0.20	1.47	0.16		0.01	30
31			0.05				0.17	0.20				0.01	31
Total	2.62	2.63	4.07	. .	1.12	3.85	1.36	6.22	3.10	4.17	2.25	3.37	YEAR'S TOTAL 34.76
Rain Days.	15	16	21	.	8	14	13	24	7	15	18	24	175

W. 7,500, XI. ·12

made ✓

corrd for arith 11·II·14

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL.

2 JAN 1914

Kept at Park Gate Gardens Cuckfield

in the County of Sussex ~~#~~ 5

by Ernest Percival Edwards

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Battle
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1	0.01	0.40	0.08	0.13		0.03			1.13	0.08		0.05	1
2	0.02	0.12		0.55	0.15		0.14			0.03	0.18	0.02	2
3	0.01		0.03	0.01	0.22						0.13	0.23	3
4			0.06			0.03	0.05		0.53	0.58	0.20		4
5	0.25	0.02	0.03	0.01		0.10	0.06		0.63	0.10	0.15	0.03	5
6	0.10	0.03	0.10		0.02	0.09	0.20			0.58	0.32	0.10	6
7	0.01	0.21	0.09			0.05	0.46			0.18	0.09		7
8		0.07	0.05		0.14					0.23	0.10	0.03	8
9					0.22	0.05			0.14	0.09	0.04		9
10	0.01	0.12		0.03			0.37	0.02			0.83	0.01	10
11	0.83	0.01		0.55						0.63	0.02	0.01	11
12					0.23						0.63	0.01	12
13	0.68		0.03						0.10		0.19		13
14	0.20		0.12	0.06			1.30	0.05	0.26	0.09	0.16		14
15	0.21		0.31	0.26			0.30		0.09		0.01		15
16	0.32		0.57	0.25					0.46		0.01		16
17	0.17	0.06	0.05	0.06			0.20	0.02			0.05		17
18	0.02		0.07	0.26			0.08				0.12		18
19	0.05		0.08			0.17	0.09	0.03	0.35				19
20	0.39		0.03	0.18	0.02	0.54				0.52			20
21	0.02			0.15	0.04					0.77	0.60		21
22	0.35		0.03				0.04		0.05				22
23	0.02		0.15			0.04		0.02		0.01	0.02	0.72	23
24	0.09		0.01	0.01				0.02			0.05		24
25				0.25							0.02		25
26		0.02	0.13				0.03	0.07		0.99		0.31	26
27	0.01		0.05							0.14			27
28	0.10	0.01	0.33	0.04						0.18			28
29	0.16		0.03	0.05	0.03			0.42					29
30	0.59		0.01	0.28	0.09			0.62	0.03	0.10	0.01	0.04	30
31			0.03							0.08			31
Total	4.62	1.07	2.47 2.46	3.07 3.00	1.36	1.10	3.32 ~~2.97~~	1.27 1.23	3.77	5.38 ~~4.70~~	3.43	1.56 1.58	YEAR'S TOTAL 32.41 32.72
Rain Days.	24	11	24	18	10	9	13	9	11	18	22	12	181

W. 7,500, XI. '12

8 made

RE

FORM A2.
BRITISH RAINFALL.

12 JAN 1912

CHELWOOD
BEACON

SUSSEX

1911

Kept at Chelwo

in the County of

by Lady Clarke J

in.

Ground ft.

Sea Level ft.

Name

Distance Direction

IMPORTANT NOTE the result entered to the previous day. If an Ob ersal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January ar in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0	0	0	0	0 5	0	0	0	0	0	0·12	0 41	1
2	0 9	0	0 2	042	0	0	0	0	0	0	0·32	012	2
3	0	0	0	0 6	030	0	0	0	0	0	0·15	027	3
4	013	0 2	0 4	0	028	063	0	0	0	045	0·35	036	4
5	0 1	0	0	015	0	0	0	0	0	083	0	010	5
6	030	0	0 8	010	0	0	0	0	0	0	0	062	6
7	0 7	0	0	0	0	0	0	0	0	042	0·38	036	7
8	010	0	022	0	0	0	0	0	0	0	0·80	026	8
9	022	0	0	0	0	0	0	0	0	0	0·17	0 8	9
10	0	0 ·9	0 6	0 4	0	0	0	0	0	0	0	078	10
11	049	0	0 7	0 7	0	0	0	0	0	0	1·40	0	11
12	0	0	090	0	0 2	0	0	0	0	0	0·10	0 2	12
13	0	0	025	0	015	0	0	0	0 50	017	0 27	030	13
14	0	0 11	0	0	017	0	0	0	0	0 2	0	073	14
15	0	0 2	029	0	0	0	0	0	0	0 2	018	0 2	15
16	0	0	0 4	0	0	035	0	0	0	0	055	016	16
17	0	0 7	0 8	0	0	0 3	0	0	0	0	1·22	030	17
18	0	0	0	0	0	0 1	0	0	0	0	1·38	040	18
19	0	0	0	0	0	0 8	0	0	0 14	038	0·17	016	19
20	0 2	0	0	0	0	0	0	0	0 24	012	0	090	20
21	0 2	0 31	0	0	0	011	0	053	0	072	0	018	21
22	0 6	0 8	045	0	0	018	0	0 7	0 2	042	0	064	22
23	0 2	032	0	0	0	0 8	0	018	0 45	035	0 3	017	23
24	0 3	019	0	0 8	0	015	0 4	0 3	0	019	0	050	24
25	0 1	037	013	0	0	022	0	053	0 9	0 2	0	0	25
26	0 1	0	031	027	021	018	0	0	0	032	0 7	032	26
27	0 ~~0~~	050	0	017	0	0	0	0	0 11	042	013	015	27
28	0	031	0	011	0	0	0	0 5	0	0	0 1	0	28
29	0		0 3	0 9	0	015	053	0	029	060	0	0	29
30	0		031	0	0	0 3	0	0	0 3	036	0	0 4	30
31	0		0		0	~~0~~	0	0		0	0	0	31
Total	1·58	2·34 2·31	3·28	1·56	1·18	2·10	0.57	1·39	1·87	5·81	7·80	8·35	TOTAL for year 37·78
No. of Rain Days	15	12	16	11	7	13	2	6	9	17	19	26	[illegible]

7,000. X. '09.

153

RE~~GISTER OF RAINFALL IN 191~~1

FORM A2.
BRITISH RAINFALL.
12 JAN 1912

Kept at Chelwood Beacon

in the County of Sussex 7

by Lady Clarke Jervoise,

RAIN GAUGE
Pattern
Diameter of top ______ in.
Height of top above Ground ______ ft.
" " " Sea Level ______ ft.

Time of Observation

Nearest Railway Station
Name
Distance ______ Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0	0	0	0	0 5	0	0	0	0	0	0·12	0 41	1
2	0 9	0	0 2	0 42	0	0	0	0	0	0	0·32	0 12	2
3	0	0	0	0 6	0 30	0	0	0	0	0	0·15	0 27	3
4	0 13	0 2	0 4	0	0 28	0 63	0	0	0	0 45	0·35	0 36	4
5	0 1	0	0	0 15	0	0	0	0	0	0 83	0	0 10	5
6	0 30	0	0 8	0 10	0	0	0	0	0	0	0	0 62	6
7	0 7	0	0	0	0	0	0	0	0	0 42	0·28	0 36	7
8	0 10	0	0 22	0	0	0	0	0	0	0	0·80	0 26	8
9	0 22	0	0	0	0	0	0	0	0	0	0·18	0 8	9
10	0	0 9	0 6	0 4	0	0	0	0	0	0	0	0 48	10
11	0 49	0	0 4	0 7	0	0	0	0	0	0	1·40	0	11
12	0	0	0 90	0	0 2	0	0	0	0	0	0·10	0 2	12
13	0	0	0 28	0	0 15	0	0	0	0 50	0 17	0 27	0 30	13
14	0	0 11	0	0	0 17	0	0	0	0	0 2	0	0 72	14
15	0	0 2	0 29	0	0	0	0	0	0	0 2	0 18	0 2	15
16	0	0	0 4	0	0	0 35	0	0	0	0	0 55	0 16	16
17	0	0 7	0 3	0	0	0 3	0	0	0	0	1·22	0 30	17
18	0	0	0	0	0	0 1	0	0	0	0	1·38	0 40	18
19	0	0	0	0	0	0 8	0	0	0 14	0 38	0·17	0 16	19
20	0 2	0	0	0	0	0	0	0	0 24	0 12	0	0 90	20
21	0 2	0 31	0	0	0	0 11	0	0 53	0	0 72	0	0 18	21
22	0 6	0 8	0 45	0	0	0 18	0	0 7	0 2	0 42	0	0 64	22
23	0 2	0 32	0	0	0	0 3	0	0 18	0 45	0 35	0 3	0 17	23
24	0 3	0 19	0	0 8	0	0 15	0 4	0 3	0	0 19	0	0 50	24
25	0 1	0 37	0 13	0	0	0 22	0	0 53	0 9	0 2	0	0	25
26	0 1	0	0 31	0 27	0 21	0 18	0	0	0	0 32	0 7	0 32	26
27	0 6	0 50	0	0 17	0	0	0	0	0 11	0 42	0 13	0 15	27
28	0	0 31	0	0 11	0	0	0	0 5	0	0	0 1	0	28
29	0		0 3	0 9	0	0 15	0 53	0	0 29	0 60	0	0	29
30	0		0 31	0	0	0 3	0	0	0 8	0 36	0	0 4	30
31	0		0		0	~~0~~	0	0		0	0	0	31
Total	1·58	2·34 2·31	3·28	1·56	1·18	2·10	0·57	1·39	1·87	5·81	7·80	8·35	TOTAL for year 37·78
No. of Rain Days	15	12	16	11	7	13	2	6	9	17	19	26	[illegible]

7,000. X. '09.

153

CHICHESTER
SUSSEX
1912

REG

FORM A.
BRITISH RAINFALL.

2 JAN 1913

Kept at Chich

in the County of Sus

by G. Ashley

A m
Chichester
8 in

ove Ground ~~ft.~~ 6 in.

Sea Level 40 ft.

IMPORTANT NOT d the result entered to the previous day. If an O prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.06		.03	.30	.21			.61		.25	1
2			.37	.01		.02	.20						2
3			.07			.19		.64	.02		.01	.01	3
4	.27	.06	.72			.14		.07			.20		4
5	.30	.05	.22					.47			.07	.03	5
6	.54	.03			.12	.01	.07	.64				.06	6
7			.03		.34	.51		.23				.03	7
8	.62	.34	.24			.04		.14					8
9	.04	.15	.21	.03		.02	.02	.21				.16	9
10		.06	.02					.25			.13	.30	10
11	.07	.31				.07		.09				.21	11
12	.01	.02	.06		.20	.28	.12	.29		.02			12
13		.04	.01				.27	.05				.11	13
14	.01		.01		.03			.15		.01	.03	.01	14
15		.07	.17		.09	.55		.05				.29	15
16	.20	.01	.18		.08	.01		.14		.06	.13		16
17	.55		.16		.13	.06		.17			.01	.06	17
18	.16		.27					.10		.01		.08	18
19	.06	.01	.11			.01	.08	.90			.01		19
20		.01	.39			.04		.16		.51	.02		20
21	.01	.15	.28		.28			.10		.10		.01	21
22	.07	.40	.05					.29				.06	22
23	.40	.18	.30					.51		.06	.18	.05	23
24	.12	.04						.23				.23	24
25	.14					.37		.93		.07	.23	.59	25
26		.06					.02	.07		.43	.32	.22	26
27		.02				.13	.15			.23		.52	27
28		.03				.09	.15	.26	.08	.75	.49	.13	28
29		.06					.03	.13	1.55	.14	.01		29
30			.01		.28		.13	.02	1.07	.20			30
31			.13				.40	.17		.01			31
Total	3.57	2.10	4.07	.04	1.58	2.84	1.85	7.41	2.72	3.21	1.84	3.36	YEAR'S TOTAL 34.59
Rain Days.	17	21	23	2	10	18	13	28	4	15	14	21	186

W. 7,500, XI. 12

REG

FORM A.
BRITISH RAINFALL.
2 JAN 1913

Kept at Chich

in the County of Sussex

by G. Ashley Tyacke

Time of Observation 9 A.m

Nearest Railway Station Chichester

Diameter of Rain Gauge 8 in

Height of top of Gauge above Ground ~~ft.~~ 6 in.

" " " " Sea Level 40 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			.06		.03	.30	.21			.61		.25	1
2			.37	.01		.02	.20						2
3			.07			.19		.64	.02		.01	.01	3
4	.27	.06	.72			.14		.07			.20		4
5	.30	.05	.22					.47			.07	.03	5
6	.54	.03			.12	.01	.07	.64				.06	6
7			.03		.34	.51		.23				.03	7
8	.62	.34	.24			.04		.14					8
9	.04	.15	.21	.03		.02	.02	.21				.16	9
10		.06	.02					.25			.13	.30	10
11	.07	.31				.07		.04				.21	11
12	.01	.02	.06		.20	.28	.12	.29		.02			12
13		.04	.01				.27	.05				.11	13
14	.01		.01		.03			.15		.01	.03	.01	14
15		.07	.17		.09	.55		.05				.29	15
16	.20	.01	.18		.08	.01		.14		.06	.13		16
17	.55		.16		.13	.06		.17			.01	.06	17
18	.16		.27					.10		.01		.08	18
19	.06	.01	.11			.01	.08	.90			.01		19
20		.01	.39			.04		.16		.51	.02		20
21	.01	.15	.28		.28			.10		.10		.01	21
22	.07	.40	.05					.29				.06	22
23	.40	.18	.30					.51		.06	.18	.05	23
24	.12	.04						.23				.23	24
25	.14					.37		.93		.07	.23	.59	25
26		.06					.02	.07		.43	.32	.22	26
27		.02				.13	.15			.23		.52	27
28		.03				.09	.15	.26	.08	.75	.49	.13	28
29		.06					.03	.13	1.55	.14	.01		29
30			.01		.28		.13	.02	1.07	.20			30
31			.13				.40	.17		.01			31
Total	3.57	2.10	4.07	.04	1.58	2.84	1.85	7.41	2.72	3.21	1.84	3.36	YEAR'S TOTAL 34.59
Rain Days.	17	21	23	2	10	18	13	28	4	15	14	21	186

W. 7,500, XI. 12

FORM A.
BRITISH RAINFALL.
- JAN 1912

CHICHESTER - GOODWOOD
GARDENS

SUSSEX

1911, 13–20

REGISTER

Kept at Goodwood Gar
in the County of Sussex
by J. Brock

ft. 3 in.
135 ft.
nance survey)

NOTE.—Rain should be measured daily at 9 a.m
of rain and particulars as to the British Rainfall Or
to Dr. H. R. MILL, 62, Camden Square, London, N

the measurement
ree on application

Date	Jan.	Feb.	March.	April.	M							Dec.	Date.
	in.	in.	in.	in.								in.	
1	·03	–	–	·40								·06	1
2	·06	–	–	·12	[illegible]						[illegible]	·26	2
3	–	–	–	–	·29	–	–	·12	–	–	[illegible]	·08	3
4	·02	–	·05	·09 snow	–	–	–	–	–	·12	·27	·42	4
5	–	·02	–	·05 snow	–	–	–	–	–	·50	–	–	5
6	·35	–	·12	–	–	–	–	–	–	·03	·02	·85	6
7	·15	–	·01	–	–	–	–	–	–	·35	·76	·15	7
8	·07	–	·25	–	–	–	–	–	–	–	·61	·49	8
9	·11	–	–	·01	–	–	–	–	–	–	·04	·23	9
10	–	·27	·22	–	–	–	–	–	–	–	–	·58	10
11	·42	–	·05	·01	·24	–	–	–	–	–	1·35	–	11
12	–	–	·78	–	–	–	–	–	·06	–	·12	·05	12
13	–	–	·01	–	·20	–	–	–	·69	·20	–	·43	13
14	–	·12	·01 snow	–	·16	–	–	–	–	–	–	·50	14
15	–	·03	·06	–	–	–	–	–	–	–	·12	·05	15
16	–	–	–	–	–	·67	–	–	–	–	1·08	·14	16
17	–	–	·02	–	–	·03	–	–	–	–	·68	·22	17
18	–	·16	·09	·01	–	–	–	–	–	·04	·46	·50	18
19	–	–	–	–	–	·16	–	–	·25	·23	–	·13	19
20	·06	·04	·04	–	–	–	–	–	·15	·04	–	·93	20
21	·01	·28	–	–	–	–	–	·09	·07	1·18	–	·23	21
22	·31	·03	–	–	–	·18	–	–	–	·40	·02	·54	22
23	–	·21	–	–	–	·51	–	–	·26	·24	·06	·30	23
24	·02	·22	–	–	–	·20	–	·12	–	·98	–	·46	24
25	–	·07	–	·18	1·19	·11	·36	–	·04	·02	–	·05	25
26	–	–	·03	·36	·18	·02	·25	–	–	·39	–	·40	26
27	–	·61	·37	·07	–	–	·12	–	·07	·38	·05	·23	27
28	–	·27	–	·25	–	–	–	·15	–	–	·03	–	28
29	–	+ –	–	·09	–	·20	·11	–	·32	·38	–	–	29
30	–	× –	–	–	–	·15	–	–	–	·38	–	·02	30
31	–	+ –	–	+ –	–	+ –	–	–	× –	–	× –	·01	31
Total	1·61	2·33	2·11	1·64	2·63	2·23	·84	·58	1·91	5·86	6·42	8·31	TOTAL for Year 36·47
No. of Rain Days	12	13	15	12	7	10	4	5	9	17	18	27	149

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

FORM A.
BRITISH RAINFALL.
2 - JAN 1912

REGISTER

Kept at Goodwood Gardens
in the County of Sussex
by J. Brock

Lat. Long.
Nearest Railway Station Drayton
Time of Observation 9 am
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " Sea Level 133 to 135 ft. (ordinance survey)

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.03	–	–	.40	–	–	–	.10	–	–	.10	.06	1
2	.06	–	–	.12	.39	–	–	–	–	–	.35	.26	2
3	–	–	–	–	.27	–	–	.12	–	–	.30	.08	3
4	.02	–	.05	.09 snow	–	–	–	–	–	.12	.27	.42	4
5	–	.02	–	.05 snow	–	–	–	–	–	.50	–	–	5
6	.35	–	.12	–	–	–	–	–	–	.03	.02	.85	6
7	.15	–	.01	–	–	–	–	–	–	.35	.76	.15	7
8	.07	–	.25	–	–	–	–	–	–	–	.61	.49	8
9	.11	–	–	.01	–	–	–	–	–	–	.04	.23	9
10	–	.27	.22	–	–	–	–	–	–	–	–	.58	10
11	.42	–	.05	.01	.24	–	–	–	–	–	1.35	–	11
12	–	–	.78	–	–	–	–	–	.06	–	.12	.05	12
13	–	–	.01	–	.20	–	–	–	.69	.20	–	.43	13
14	–	.12	.01 snow	–	.16	–	–	–	–	–	–	.50	14
15	–	.03	.06	–	–	–	–	–	–	–	.12	.05	15
16	–	–	–	–	–	.67	–	–	–	–	1.08	.14	16
17	–	–	.02	–	–	.03	–	–	–	–	.68	.22	17
18	–	.16	.09	.01	–	–	–	–	–	.04	.46	.50	18
19	–	–	–	–	–	.16	–	–	.25	.23	–	.13	19
20	.06	.04	.04	–	–	–	–	–	.15	.04	–	.93	20
21	.01	.28	–	–	–	–	–	.09	.07	1.18	–	.23	21
22	.31	.03	–	–	–	.18	–	–	–	.40	.02	.54	22
23	–	.21	–	–	–	.51	–	–	.26	.24	.06	.30	23
24	.02	.22	–	–	–	.20	–	.12	–	.98	–	.46	24
25	–	.07	–	.18	1.19	.11	.36	–	.04	.02	–	.05	25
26	–	–	.03	.36	.18	.02	.25	–	–	.39	–	.40	26
27	–	.61	.37	.07	–	–	.12	–	.07	.38	.05	.23	27
28	–	.27	–	.25	–	–	–	.15	–	–	.03	–	28
29	–	+ –	–	.09	–	.20	.11	–	.32	.38	–	–	29
30	–	x –	–	–	–	.15	–	–	–	.38	–	.02	30
31	–	+ –	–	+ –	–	+ –	–	–	x –	–	x –	.01	31
Total	1.61	2.33	2.11	1.64	2.63	2.23	.84	.58	1.91	5.86	6.42	8.31	TOTAL for year 36.47
No. of Rain Days	12	13	15	12	7	10	4	5	9	17	18	27	149

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

corr. by mm. stats 10.11.14

REGISTER OF RAINFALL IN 1913

BRITISH RAINFALL. FORM A.

1 - JAN 1914

Kept at Goodwood Gardens
in the County of Sussex
by Mr. F. Brock

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Drayton
Diameter of Rain Gauge 5 ins
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level ~~135~~ 135 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1	·03	·62	·18	12		·12			·50		·26	·15	1
2	·05	·11		·08	·04		·10		·06	·31	·12	·05	2
3	·07		·07	50	·38					(·10)		·24	3
4	·44		·08		·42		·03		·90	·36	·18	·09	4
5	·65	·20	·05			·13	·02		·09		·25	·05	5
6	·07	·09	·10		·15	·15	·69		·05	·85	·11	·32	6
7		·22	·15		·18	·04	·16			·95	·18		7
8		·09	·02		·31	·06		·24		·19		·12	8
9		·08		·02	·06	·04	·23		·15		·08	·03	9
10	·04					·04	·44			·15	·48		10
11	1·06			·47	·02					·78	·21	·02	11
12					1·05						·74		12
13	·47		·09					·03	·18		·20		13
14	·28		·17	04			·41	·03	·03	·03	·12	02	14
15	·12	·15	·25	·38			·33		·16				15
16	·18		·50	·15			·03		·45			·02	16
17	·17		·04	·12			·13				·09		17
18	·03		·17	·17			·13				·07		18
19	·32		·05		·02	·15	·05		·45				19
20	·49		·11	·22		·03				·46			20
21			·12	·15						·42	·56		21
22	·43		·15					·15	·23			·04	22
23			·16			·03		·14				·91	23
24	·13			09				·07			·08		24
25				18							·02		25
26			·08	06				·24		·70		·30	26
27			·24	04						·07			27
28	·18		·22	15						·11			28
29	·09	×	·08	38	·55			·15		·14	02		29
30	·38	×		09				·46		·24			30
31		×	13	×		×		1·21	×	·09	×		31
Total	5·88	1·56	3·21	3·41	3·18	·79	2·45	2·42	3·25	5·95	3·77	2·36	YEAR'S TOTAL 38·83 ✓
Rain Days.	21	8	23	19	11	10	13	10	12	17 ✓	18	14	176 ✓

W. 7,500, XI. 12

REGISTER OF RAINFALL IN 1914.

FORM BRITISH RAINFALL
5 - JAN 1915

Kept at Goodwood Gardens
in the County of Sussex
by Mr. F. Brock

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Drayton
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 133 - 135 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	·03	·03	—	—	·02	·22	—	—	·10	·14	1
2	·02	—	—	—	—	—	—	·02	—	—	·14	·34	2
3	—	—	·06	·08	·35	—	—	·03	—	—	—	·05	3
4	—	·02	—	·37	—	—	·05	·11	—	—	·27	·34	4
5	·10	—	·12	·43	·17	·04	·32	—	—	—	—	—	5
6	—	·22	·03	·41	·13	·03	·03	·05	—	—	—	·55	6
7	·04	·55	·25	·20	·03	·23	·23	—	—	—	—	·34	7
8	·08	·61	·39	·21	·03	·05	·04	·22	—	—	—	·24	8
9	·07	—	·76	·17	—	—	—	·03	·14	—	—	2·34	9
10	·13	·21		·16	·29	—	—	—	·31	—	—	·04	10
11	—	·62	·65	—	·07	·04	·03	—	·24	·02	·07	·81	11
12	—	·18	·23	—		—	·73	—	·50	·02	—	·69	12
13	—	·45	·14	—	—	·02	—	—	·35	·37	·13	·84	13
14	—	·19	·26	—	—	·24	—	·08	·03	·06	·25	·35	14
15	—	·10	·25	—	—	—	—	·53	—	—	·76	·02	15
16	—	·03	—	—	—	—	·08	—	·24	—	6	—	16
17	—	·74	·18	—	—	—	—	—	·11	—	—	·24	17
18	—	·05	·26	—	—	—	—	—	—	—	—	·62	18
19	—	·16	·67	—	—	—	61	—	—	—	·19	·8	19
20	—	·35	·34	—	—	·11	—	—	·10	—	—	·41	20
21	—	·49	·08	—	—	·03	—	—	—	·15	—	·06	21
22	—	·04	·07	—	·28	·02	08	·13	—	·26	—	—	22
23	—	·04	·25	—	—	1·04	—	·03	—	·03	—	—	23
24	—	—	·08	—	—	—	—	—	—	—	·20	—	24
25	·05	—	·28	—	—	—	—	·35	—	·37	·03	·21	25
26	—	—	—	—	—	—	·04	·15	—	·24	·17	·69	26
27	·06	—	—	—	—	—	—	—	—	—	·10	·48	27
28	—	06	·03	—	·08	—	·02	—	—	·62	·46	·52	28
29	·16		·15	—	—	—	—	—	—	·42	·16	·06	29
30	·04		07	·28	—	—	—	—	—	·19	·88	·59	30
31	·03		~~25~~		06		·14	—		·19		·03	31
Total	·77	5·11	5·63	2·34	1·49	1·85	2·42	1·95	2·02	2·94	3·97	11·08	YEAR'S TOTAL 41·57
Rain Days.	11	19	24	10	10	11	14	13	9	13	16	26	176

30·49

W.7,000, XI. 13

cid [illegible] 23.11.16 [illegible] 95

514

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.
5 JAN 1916

Kept at Goodwood Gardens
in the County of Sussex 1
by J. Brock

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Drayton
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 135 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·54	·21	·04	—	·03	—	—	·03	·23	·09	·08	·43	1
2	·31	·17	·33	·11	—	—	—	·12	·12	10	—	·26	2
3	·53	—	·22	·18	·08	—	—	—	·03	—	—	·68	3
4	·10	—	·07	·02	—	—	—	·06	—	—	—	·66	4
5	·08	·41	—	·03	—	—	—	·12	—	—	—	·55	5
6	·88	·18	—	·55	—	—	1·03	·07	—	—	—	·14	6
7	·29	·56	·01	·04	—	—	·05	·03	—	—	·01	·28	7
8	·05	·65	—	—	—	—	·11	—	—	—	·08	·03	8
9	·06	·18	—	·18	—	·06	—	·06	—	—	·31	1·02	9
10	·26	—	·04	—	—	—	—	—	—	·01	—	·41	10
11	·05	·02	·08	—	—	—	—	—	—	·04	1·07	—	11
12	·12	·28	—	·37	·63	—	—	—	—	·02	·57	—	12
13	·08	·47	—	—	1·87	—	·02	—	·14	—	—	—	13
14	·04	02	—	—	—	—	·07	·19	·09	—	—	·86	14
15	·10	—	—	—	·09	—	·25	·26	·01	—	·09	·41	15
16	—	·63	—	—	·29	—	1·63	·03	—	—	—	·02	16
17	—	·34	—	—	·85	—	·07	·02	—	—	—	—	17
18	—	·27	—	—	·06	—	—	—	—	—	·07	·01	18
19	—	·07	—	—	·13	—	·05	—	—	·02	·02	—	19
20	·27	—	—	·06	·06	—	—	—	—	·01	—	·09	20
21	·10	—	—	—	—	—	·03	—	—	·24	—	·19	21
22	1·22	·27	·16	·04	—	—	·97	—	—	·01	—	·21	22
23	—	·07	·24	—	—	—	·06	—	·42	·33	—	·66	23
24	—	—	·01	—	—	—	·03	—	·55	·60	—	·55	24
25	—	—	·04	·04	—	·07	·02	—	—	·03	—	·18	25
26	—	·07	—	—	—	·08	·22	—	—	—	—	·93	26
27	—	—	—	—	—	·20	—	—	·02	·34	—	·02	27
28	—	·11	—	—	—	·12	·01	—	1·06	·22	—	·01	28
29	—		—	—	—	·53	—	·22	·02	·05	·52	·07	29
30	·31	X	—	—	—	·09	—	—	—	·48	·82	·04	30
31	·03	X	—	X	—	X	—	·28	X	1·05	X	·33	31
Total	5·42	4·98	1·24	1·62	4·09	1·15	4·62	1·49	2·69	3·64	3·64	9·04	YEAR'S TOTAL 43·62
Rain Days.	20	19	11	11	10	7	16	13	11	3·64 17	11	26	43·62 172

W. 8,000. X: 14.

Ex JL

501

REGISTER OF RAINFALL IN 1916.

FORM A.
BRITISH RAINFALL.

19 JAN 1917

Kept at Goodwood Gardens

in the County of Sussex.

by F. Brock

Lat. Long.

Time of Observation 9. A.m.

Nearest Railway Station Drayton

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level 135 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·07	·07	·07	—	·15	·05	—	—	·16	·15	·48	—	1
2	·28	·12	·21	—	·23	—	·04	—	·01	·71	·14	—	2
3	·04	·47	·15	—	—	—	·06	—	·05	·68	·98	—	3
4	·16	·07	—	—	·03	·46	—	—	·20	·03	·33	—	4
5	·07	·03	·01	—	·20	·10	—	—	—	·10	·59	—	5
6	·02	·08	·07	·06	·03	·03	·47	—	—	·09	·42	—	6
7	·04	·03	·61	—	·23	·04	·04	—	—	·10	·67	·07	7
8	—	—	·01	—	·45	·03	—	—	—	—	—	·41	8
9	—	—	—	—	·16	—	·10	—	—	—	—	·14	9
10	—	·71	·04	·05	·02	·76	—	—	—	·09	·07	·15	10
11	·05	·08	·02	·23	·01	·07	—	—	—	·07	—	·18	11
12	·07	·10	—	·07	·04	·08	·13	—	—	·10	—	—	12
13	—	·24	·08	—	—	·02	—	—	—	·03	—	·02	13
14	—	·48	·05	·09	·06	—	—	—	—	·02	—	·04	14
15	—	·17	·33	—	—	—	—	·08	—	—	—	—	15
16	·13	·02	·35	·26	—	—	·12	·46	—	·03	—	—	16
17	·27	·21	—	·19	—	—	—	·03	·28	·92	—	—	17
18	·02	·11	·06	·12	—	—	—	·05	·23	·09	·47	·18	18
19	·18	—	·16	·10	—	·29	—	—	·26	—	·61	·04	19
20	·15	·06	·35	·07	—	—	—	—	—	·03	·07	·81	20
21	·01	—	·20	—	—	—	·05	—	—	—	—	·28	21
22	—	·04	·03	—	—	·02	—	—	—	·05	·03	·73	22
23	·05	·09	—	—	—	·09	—	·05	—	·12	·04	·03	23
24	·01	·02	—	—	·13	·05	—	·03	—	·24	·16	·52	24
25	—	·87	·10	—	—	—	—	·51	1·08	·22	11	—	25
26	·03	·24	·98	—	—	·26	—	·05	·18	·36	—	—	26
27	·01	·11	·08	—	—	·02	—	·12	·13	·64	—	—	27
28	—	·48	·01	—	—	—	—	·14	·32	·19	03	·40	28
29	—	·31	—	—	—	·46	—	·55	·08	·36	—	—	29
30	—	X	—	—	·25	·02	—	·03	—	·22	—	02	30
31	—	X	—	X	—	X	—	·06	X	·14	X	03	31
Total	1·66	5·21	3·92	1·24	1·99	2·85	1·01	2·16	2·98	5·78	5·20	4·05	YEAR'S TOTAL 38·05
Rain Days.	19	25	22	10	14	18	8	13	12	26	16	17	200

W. 8,000. X. 15.

W 84

482

REGISTER OF RAINFALL IN 1917

FORM A. BRITISH RAINFALL.

4. JAN 1918

Kept at Goodwood Gardens

in the County of Sussex

by F. Brock

Lat. Long.

Time of Observation 9 A.m.

Nearest Railway Station Drayton

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level 135 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	(snow) ·02	·14	·11	—	—	—	1·29	·11	—	·10	—	1
2	—	—	03	·84 (snow)	—	—	—	·03	·04	—	·12	—	2
3	·02	—	—	·16	—	—	·38	·24	—	·08	·17	—	3
4	—	(snow) ·28	(snow & Rain) ·38	·01	—	—	·01	·52	—	·17	—	—	4
5	·32	—	·05	·24	—	·02	—	·02	·14	·41	·04	—	5
6	—	—	19	·01	—	·17	—	·03	·08	·02	·17	·01	6
7	·41	—	—	—	—	—	·07	·02	—	·51	·02	·05	7
8	·29	—	(snow) ·03	·08	—	—	·27	·21	—	·33	·24	·44	8
9	—	—	(snow) ·17	—	·04	—	·11	·05	—	·16	·02	·26	9
10	·21	—	·34	(snow) ·12	—	·10	—	·15	—	—	—	·02	10
11	·16	·01	·31	(snow) 28	—	—	—	—	·09	·43	—	—	11
12	·08	—	·02	—	—	—	—	·08	—	·29	·02	—	12
13	·04	—	30	·03	—	—	—	·09	·03	·30	—	·02	13
14	—	—	—	·09	—	—	—	·11	—	—	—	—	14
15	—	—	—	—	·07	—	·06	·08	—	·34	—	·14	15
16	·04	·26	—	·17	·11	—	·02	·02	—	·53	—	·81 (Rain snow)	16
17	—	·03	—	·14	·07	—	·46	·10	·39	·13	—	—	17
18	—	·03	—	·01	·02	·10	·12	·09	·32	—	—	—	18
19	—	·38	·13	—	—	—	·02	—	·17	—	—	—	19
20	·03	·15	·04	—	1·15	—	—	—	—	—	·01	—	20
21	·02 (sleet)	—	·03	—	·02	—	—	—	—	·03	·02	·02	21
22	—	—	—	—	—	·06	—	·20	—	·23	—	—	22
23	—	·39	·02	—	·18	—	—	·09	—	·01	—	·03	23
24	—	·18	—	—	—	·11	·13	·04	—	·29	·07	·02	24
25	—	·11	·07	—	—	—	·02	—	—	·01	—	—	25
26	—	—	·05	—	—	·06	—	·41	·17	—	·41	·01	26
27	—	—	—	—	·44	·04	—	1·24	—	—	·01	—	27
28	—	—	·08	—	—	2·47	—	·10	—	—	·02	·05	28
29	—		·02	—	·66	·08	·19	·09	—	·46	—	·10	29
30	—	X	—	—	—	—	·51	·31	—	·03	—	·03	30
31	(snow) ·02	X	·06	X	—	X	·11	·02	X	·06	X	(·04)	31
Total	1·64	1·84	2·46	2·29	2·76	3·21	2·48	5·63	1·54	4·82	1·44	2·05	YEAR'S TOTAL 32·16
Rain Days.	12	11	20	14	10	10	15	26	10	21	15	16	180

W. 8,000, VIII. 16

237

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL. 2. 1. 19

Kept at Goodwood Gardens

in the County of Sussex

by J. Brock

Lat. Long.

Time of Observation 9. A.M.

Nearest Railway Station Drayton

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level 135 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	·03	—	—	·02	—	—	·17	—	—	·31	·12	1
2	—	·10	—	·04	—	—	—	1·11	—	—	·43	·30	2
3	—	·03	·04	·09	·67	—	—	·56	—	—	·21	·03	3
4	—	·08	·12	·02	·01	—	—	·11	·14	—	·64	—	4
5	—	·10	·09	—	·05	—	—	·18	·05	·08	·01	·08	5
6	·25	·29	—	·23	·15	—	—	·23	·03	·15	·13	·04	6
7	·02	·17	—	·08	·40	—	—	·09	·19	·12	—	·03	7
8	—	·06	—	—	·01	—	—	—	·14	·06	—	·04	8
9	·01	—	—	·16	—	·13	·32	—	·51	·20	·06	·63	9
10	·02	—	—	·07	—	·06	·27	—	·43	·12	—	·34	10
11	05	—	—	·02	—	—	·29	—	·03	·27	·03	·08	11
12	—	·10	—	—	·31	—	·01	—	·05	·01	—	·09	12
13	Snow ·25	—	—	—	·11	—	·22	—	·38	—	—	·04	13
14	26	—	·05	—	·03	·11	·25	—	·34	·23	—	·05	14
15	1·48	—	—	·17	—	—	·22	—	·01	—	—	·18	15
16	S&R ·32	—	·03	·06	—	—	·01	—	27	·02	—	·01	16
17	·38	—	—	·08	—	—	·01	—	—	·03	—	·28	17
18	·44	—	·02	—	—	·49	—	—	·87	·02	—	·11	18
19	·08	—	·23	·01	—	·29	·15	·04	·01	·02	—	·04	19
20	·05	·24	—	·51	—	·03	·25	—	·13	·08	—	—	20
21	·26	·03	—	·22	—	·01	·06	—	·36	05	—	·05	21
22	·23	·01	—	—	·43	—	·61	—	·37	—	—	·21	22
23	·11	—	—	—	—	—	·44	·04	·05	—	—	·07	23
24	·01	34	—	—	—	·02	—	—	·25	·01	·09	—	24
25	·02	—	—	·09	—	—	·11	23) ·23	—	·02	—	—	25
26	·01	—	—	—	—	—	·43	—	·05	·03	·17	·21	26
27	—	·10	·06	·04	—	·03	·03	·17	·24	·02	·10	·03	27
28	—	·04	·13	·02	—	—	—	—	—	—	·17	·05	28
29	·02	×	·03	—	—	—	—	—	1·51	—	—	·04	29
30	—	×	·61	·02	—	—	—	—	·04	·04	·05	·09	30
31	=	×	·09	×	—	×	—	—	×	·08	×	—	31
Total	4·27	1·72	1·50	1·93	2·19	1·17	3·68	2·93	6·45	1·66	2·40	3·24	YEAR'S TOTAL 33·14
Rain Days.	20	15	12	18	11	9	17	11	24	21	13	26	197

W. 8,000, IX. 17.

456

JAN 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919

Kept at Goodwood Gardens

in the County of Sussex

by J. Brock.

Lat. Long.

Time of Observation 9 A.M

Nearest Railway Station Drayton

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft 3 in.

" " " " Sea Level 135 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·66	·02	·03	—	·03	—	·15	—	·01	·07	·04	·74	1
2	·20	—	·01	—	·08	—	·07	—	·10	—	·04	·22	2
3	·34	—	·64	—	·05	—	·03	—	·07	—	·02	·40	3
4	·36	·05	·38	—	—	·03	21 (hail)	·03	·05	—	·10	·04 ~~·28~~	4
5	·01	·42	1·02	—	—	—	·47	—	·08	—	·26	·38 ~~·12~~	5
6	·33	—	·21	—	—	—	—	—	—	—	·02	·12 ~~—~~	6
7	·10	—	·42	—	—	—	—	—	—	—	—	—	7
8	·20	—	·18	·02	—	—	—	—	—	—	—	—	8
9	·35	—	·15	·15	·14	—	—	—	·02	—	·14	nil ~~·37~~	9
10	(hail rc) ·74	—	·09	·08	—	—	—	—	—	—	—	·31 ~~·04~~	10
11	·52	—	·08	·33	·12	—	·06	—	—	—	—	·04 ~~—~~	11
12	·45	—	·02	·01	·02	—	·05	—	—	·13	(snow) ·09	—	12
13	·03	·02	·03	·38	—	—	—	—	·48	—	—	·02	13
14	·39	—	—	·34	—	—	·16	—	—	—	—	·15	14
15	·35	·09	·05	·14	·02	—	—	—	—	—	—	1·16	15
16	·11	·71	—	—	—	—	—	—	—	—	·09	·01	16
17	—	·31	—	—	—	—	—	—	·03	—	·15	·04	17
18	—	·10	·24	—	·18	—	—	·03	—	—	·16	·03	18
19	·25	·67	1·37	—	—	·09	·36	·18	—	—	·10	·02	19
20	·60	·04	·02	—	—	·53	·03	·22	—	—	—	·01	20
21	·04	·44	—	—	—	—	·02	—	·09	—	·04	·02	21
22	—	01	·02	—	—	—	·15	—	·49	—	·01	·26	22
23	—	—	—	—	—	nil ~~·04~~	—	—	·24	·03	·04	·06	23
24	—	02	—	·09	—	·04	—	·04	—	·25	·18	·16	24
25	·07	07	—	·01	—	·05 ~~—~~	—	·42	—	—	—	·05	25
26	·04	·15	·08	·09	—	—	·03	·08	—	—	·25	·46	26
27	·41	—	·02	snow/hail ·43	—	—	—	·73	·10	—	·12	·04	27
28	·01	—	(snow) ·46	—	—	—	—	·55	—	—	·36	·61	28
29	·03		·02	·06	—	—	—	·33	—	·13	—	·08	29
30	·01		—	·22	—	·08 ~~—~~	—	·86	—	·02	·41	·87	30
31	·08		(snow) ·12		—		—	—		—		·08	31
TOTAL	6·68	3·12	5·66	2·35	0·64	0·82	1·79	3·47	1·76	0·63	2·62	6·38	YEAR'S TOTAL 35·92
Days with ·01 in. or more	26	15	23	14	8	6	13	11	12	6	20	27	181

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

631

10 JAN 1921

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Goodwood Gardens
in the County of Sussex
by F. Brock

Lat. Long.
Time of Observation 9 A.M.
Nearest Railway Station Drayton
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 135 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·16	—	·01	·12	·14	—	·48	—	—	·26	·14	·35	1
2	·02	—	·05	·08	·11	—	·02	·17	·11	·04	—	·18	2
3	·04	—	—	—	—	—	—	—	—	·26	—	·02	3
4	—	·11	—	·26	—	—	·67	·21	—	·40	—	·05	4
5	—	—	·22	·05	—	—	·77	·08	—	·13	—	·01	5
6	—	—	·25	—	·42	—	·35	—	—	·01	—	·02	6
7	·05	—	·01	·12	·04	—	·12	—	—	—	—	—	7
8	·01	·02	—	·09	·08	—	·11	—	—	—	—	—	8
9	·31	·10	·10	·10	·14	·06	·05	—	—	—	—	—	9
10	·81	·23	·20	·08	—	·22	·38	—	—	—	—	—	10
11	·19	·07	·10	·48	·03	·03	·59	—	—	—	—	(snow) ·23	11
12	·07	·09	·03	24	—	·55	·02	—	—	—	·01	—	12
13	·28	·02	·37	·01	—	—	—	—	—	—	·07	·01	13
14	·03	·03	·61	·48	—	—	·01	—	·17	·15	·56	·01	14
15	·17	·02	·07	·11	·05	—	—	—	·91	·68	·08	—	15
16	·01	·01	·02	·09	—	·01	—	—	·16	·02	—	·05	16
17	·04	—	—	—	·15	—	·02	—	1·02	—	—	·09	17
18	·07	—	·01	·01	·10	·03	—	·65	·24	—	—	·03	18
19	·08	—	—	·34	—	·04	—	—	·20	—	—	·02	19
20	·12	·10	—	·11	—	1·07	—	—	·01	—	—	·03	20
21	—	—	—	·02	—	—	·95	—	·20	—	—	·16	21
22	·02	—	—	·37	—	—	·01	—	·02	—	—	·41	22
23	—	—	—	—	—	—	·40	·08	—	—	—	·71	23
24	·03	—	·13	·02	—	—	—	—	—	—	·03	·14	24
25	·02	·06	·07	—	15	—	·27	—	—	—	—	—	25
26	·05	—	·14	·04	—	·02	·02	—	—	—	·03	·12	26
27	·49	—	·01	·11	—	·08	—	—	—	—	·24	·35	27
28	·45	·03	·48	—	·06	—	·18	—	—	—	·02	·04	28
29	·66	01	·10	·19	·04	—	—	—	—	—	·26	·18	29
30	·10	✕	·02	—	—	10	·04	—	·19	—	·21	·28	30
31	·02	✕	·30	✕	—	✕	—	—	✕	·76	✕	·17	31
TOTAL	4·30	0·90	3·30	3·52	1·51	2·21	5·46	1·19	3·23	2·71	1·65	3·66	YEAR'S TOTAL 33.64
Days with ·01 in. or more	26	14	22	23	13	11	20	5	11	~~9~~ 10	11	24	~~189~~ 190
Days with ·04 in. or more	~~17~~ 18	7	15	19	12	7	14	5	9	~~7~~ 8	7	16	~~136~~ 137

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

CHICHESTER

{MERSTON}

SUSSEX

1919-20

21 JAN 20

FORM A. 1. METEOROLOGICA RGANIZATION.

REGIST 919.

Kept at Abelands, Merston

in the County of Sussex

by Miss Kennard

g 44? about

9·30 a.m.

n Drayton

Rain Gauge 5 in.

above Ground ft. 6 in.

,, Sea Level 24 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	**Jan.**	**Feb.**	**March**	**April**	**May**	**June**	**July**	**August**	**Sept.**	**Oct.**	**Nov.**	**Dec.**	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·52	-	0·2	-	0·02	-	0·9	-	-	0·5	0·2	0·74	1
2	0·12	-	-	-	0·2 ·02	-	0·13	-	0·12	-	0·1	0·4	2
3	0·30	-	0·70	-	0·05	-	-	-	0·3	-	-	0·64	3
4	0·27	0·4	0·39	-	-	0·1	0·14	0·4	0·3	-	0·20	0·4	4
5	0·12	0·38	0·78	-	-	-	0·27	-	0·2	-	0·13	0·32	5
6	0·06	-	0·17	-	-	-	-	-	-	-	0·1	0·12	6
7	0·16	-	0·35	-	-	-	-	-	0·1	-	-	-	7
8	0·30	-	0·20	-	-	-	-	-	-	-	-	-	8
9	0·52	-	0·10	0·3	·30 0·30	-	-	-	-	-	0·15	-	9
10	0·47	-	0·4	0·9	-	-	-	-	-	-	-	0·13	10
11	0·57	-	0·7	0·30	0·10	-	-	-	-	-	-	0·3	11
12	0·32	-	0·1	0·1	0·02	-	0·8	-	-	0·8	snow 0·4	-	12
13	0·02	0·1	0·1	0·35	-	-	-	-	-	-	-	0·3	13
14	0·32	0·1	-	0·20	-	-	0·6	-	0·33	0·5	-	0·9	14
15	0·33	0·1	0·3	0·5	0·01	-	-	-	-	-	-	0·90	15
16	0·34	0·68	-	-	-	-	-	-	-	-	0·11	-	16
17	-	0·25	-	-	-	-	-	-	-	-	0·13	0·4	17
18	-	0·6	0·20	-	0·05	-	-	0·1	0·2	-	0·19	0·2	18
19	0·14	0·50	1·4	-	-	0·7	0·28	0·16	-	-	0·1	-	19
20	0·49	0·3	0·4	-	-	0·63	0·1	0·19	-	-	-	0·1	20
21	0·03	0·36	-	-	-	-	-	-	-	-	0·2	0·2	21
22	-	0·1	-	-	-	-	0·15	-	0·56	-	0·1	0·26	22
23	-	0·1	-	-	-	-	-	-	-	0·1	0·2	0·5	23
24	-	-	-	0·5	-	0·3	-	0·7	-	0·24	0·4	0·8	24
25	0·05	0·6	-	-	-	0·5	-	0·39	-	-	-	0·17	25
26	0·03	0·9	0·7	0·21	-	-	-	0·4	0·7	-	0·33	0·40	26
27	snow 0·37	-	-	0·42	-	-	0·3	0·61	-	-	0·19	0·2	27
28	-	-	snow 0·32	-	-	-	-	0·52	-	-	0·38	0·52	28
29	-		-	0·7	-	-	-	0·31	-	0·10	-	0·8	29
30	-		-	0·18	-	0·3	-	0·61	-	-	0·44	0·74	30
31	0·05		-		-		-	-		-		0·16	31
TOTAL	5·90 6·20 ~~5·90~~	2·50	4·54 ~~[illegible]~~	1·96 ~~[illegible]~~	0·57	0·82	1·24 ~~1·14~~	2·95	1·19	0·53	2·23	5·65 ~~5·06~~	30·58 ~~28·39~~
Days with ·01 in. or more	23	15	18	12	8	6	10	11	9	6	19	25	162

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Cnd

31 JAN 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Abelands, Merston, Chichester
in the County of Sussex
by Miss Kennard

Lat. 50 ? Long. 44 ? about
Time of Observation 9·30 a.m.
Nearest Railway Station Drayton
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 6 in.
" " " " Sea Level 24 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·52	–	0·2	–	0·02	–	0·9	–	–	0·5	0·2	0·74	1
2	0·12	–	–	–	~~0·2~~ ·02	–	0·13	–	0·12	–	0·1	0·4	2
3	0·30	–	0·70	–	0·05	–	–	–	0·3	–	–	0·64	3
4	0·27	0·4	0·39	–	–	0·1	0·14	0·4	0·3	–	0·20	0·4	4
5	0·12	0·38	0·78	–	–	–	0·27	–	0·2	–	0·13	0·32	5
6	0·06	–	0·17	–	–	–	–	–	–	–	0·1	0·12	6
7	0·16	–	0·35	–	–	–	–	–	0·1	–	–	–	7
8	0·30	–	0·20	–	–	–	–	–	–	–	–	–	8
9	0·52	–	0·10	0·3	~~0·80~~ ·30	–	–	–	–	–	0·15	–	9
10	0·47	–	0·4	0·9	–	–	–	–	–	–	–	0·13	10
11	0·57	–	0·7	0·30	0·10	–	–	–	–	–	–	0·3	11
12	0·32	–	0·1	0·1	0·02	–	0·8	–	–	0·8	snow 0·4	–	12
13	0.02	0·1	0·1	0·35	–	–	–	–	–	–	–	0·3	13
14	0·32	0·1	–	0·20	–	–	0·6	–	0·33	0·5	–	0·9	14
15	0·33	0·1	0·3	0·5	0·01	–	–	–	–	–	–	0·90	15
16	0·34	0·68	–	–	–	–	–	–	–	–	0·11	–	16
17	–	0·25	–	–	–	–	–	–	–	–	0·13	0·4	17
18	–	0·6	0·20	–	0·05	–	–	0·1	0·2	–	0·19	0·2	18
19	0·14	0·50	1·4	–	–	0·7	0·28	0·16	–	–	0·1	–	19
20	0·49	0·3	0·4	–	–	0·63	0·1	0·19	–	–	–	0·1	20
21	0·03	0·36	–	–	–	–	–	–	–	–	0·2	0·2	21
22	–	0·1	–	–	–	–	0·15	–	0·56	–	0·1	0·26	22
23	–	0·1	–	–	–	–	–	–	–	0·1	0·2	0·5	23
24	–	–	–	0·5	–	0·3	–	0·7	–	0·24	0·4	0·8	24
25	0·05	0·6	–	–	–	0·5	–	0·39	–	–	–	0·17	25
26	0·03	0·9	0·7	0·21	–	–	–	0·4	0·7	–	0·33	0·40	26
27	snow 0·37	–	–	0·42	–	–	0·3	0·61	–	–	0·19	0·2	27
28	–	–	snow 0·32	–	–	–	–	0·52	–	–	0·38	0·52	28
29	–		–	0·7	–	–	–	0·31	–	0·10	–	0·8	29
30	–		–	0·18	–	0·3	–	0·61	–	–	0·44	0·74	30
31	0.05		–		–		–	–		–		0·16	31
TOTAL	5·90 6·20 ~~5·90~~	2·50	4·54 ~~[illegible]~~	1·96 ~~1·86~~	0·57	0·82	1·24 ~~1·17~~	2·95	1·19	0·53	2·23	5·65 ~~5·06~~	30·58 ~~28·29~~
Days with ·01 in. or more	23	15	18	12	8	6	10	11	9	6	19	25	162

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

424

5 JAN 1921

REGISTER OF RAINFALL IN 1920.

Kept at Abelands, Chichester
in the County of Sussex
by Miss Kennard

Lat. Long.
Time of Observation 9.30. a. m.
Nearest Railway Station Drayton LB&SCR
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground [illegible] ft 6 in.
„ „ „ „ Sea Level 24 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	–	–	0·6	0·12	–	0·40	–	–	0·21	0·3	0·25	1
2	0·9	0·1	0·10	0·12	0·10	–	0·4	0·12	0·15	0·10	–	0·14	2
3	0·1	–	0·1	–	–	–	–	–	–	0·23	–	0·1	3
4	0·1	0·8	0·1	0·15	–	–	0·45	0·20	–	0·35	–	0·2	4
5	–	–	0·18	0·5	–	–	0·88	0·4	–	0·8	–	–	5
6	–	–	0·12	–	0·35	–	0·15	–	–	0·1	–	0·3	6
7	–	0·1	–	0·10	0·1	–	0·18	–	–	–	–	–	7
8	0·3	0·1	–	0·6	0·2	–	0·18	–	–	–	–	–	8
9	0·27	0·4	0·6	0·10	0·4	0·06	–	–	–	–	–	–	9
10	0·89	0·20	0·19	0·9	–	0·18	0·34	–	–	–	–	–	10
11	0·22	0·3	0·10	0·42	0·2	0·03	0·44	–	–	–	–	–	11
12	0·7	0·4	0·5	0·19	–	0·73	–	–	–	–	0·1	–	12
13	0·25	0·1	0·27	0·6	–	–	–	–	–	–	0·9	–	13
14	0·5	0·2	0·58	0·28	–	–	0·1	–	0·19	0·13	0·47	× 0·10	14
15	0·13	0·1	0·6	0·13	0·5	–	–	–	0·77	0·72	0·5	–	15
16	0·1	0·1	0·1	–	–	–	–	–	0·16	0·1	–	–	16
17	0·3	–	–	0·1	0·12	–	0·3	–	1·02	–	–	0·3	17
18	0·5	–	–	0·1	0·8	0·03	–	–	0·24	–	–	0·5	18
19	0·8	–	–	0·34	–	–	–	0·65	·	–	–	0·2	19
20	0·11	0·5	–	0·10	–	1·03	–	–	0·10	–	–	0·3	20
21	–	–	=	0·1	–	–	0·95	–	0·21	–	–	0·17	21
22	0·1	–	–	0·31	–	–	0·1	0·1	0·08	–	–	0·36	22
23	–	–	–	–	–	–	0·34	–	–	–	–	0·55	23
24	0·1	–	0·9	–	0·2	–	–	–	–	–	0·1	0·14	24
25	0·1	0·11	0·4	0·1	0·11	–	0·24	–	–	–	0·1	–	25
26	0·2	–	0·15	0·5	–	0·08	0·1	–	–	–	0·2	0·12	26
27	0·44	–	–	0·10	–	0·05	–	–	–	–	0·19	–	27
28	0·38	0·2	0·41	0·1	0·6	–	0·17	–	–	–	0·1	0·29	28
29	0·63	0·1	0·6	0·3	0·3	0·01	–	–	–	–	0·25	0·6	29
30	0·5	X	0·2	–	–	0·04	0·4	–	0·16	–	0·39	0·16	30
31	0·3	X	0·21	X	0·1	X	–	–	X	0·82	X	0·17	31
TOTAL	3·88	0·66	2·71	2·79	1·14	2·24	4·86	1·02	3·08	2·66	1·53	2·70	YEAR'S TOTAL 29·27
Days with ·01 in. or more	25	16	20	24	15	10	18	5	10	10	12	19	184
·04	15	6	16	19	9	6	14	4	10	8	× Snow 6	13	126

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Smoke

430

REGIST 11

CHICHESTER

{OAKWOOD}

SUSSEX

1911-14

FORM A2.
BRITISH RAINFALL.
-2 APR 1912

Kept at Oakwood.
nr Chich
in the County of Susse
by F. B. Dupre.

5 in.
bove Ground ft. 6½ in.
„ Sea Level 101·4 ft.
9 a.m.
Name Bosham.
Distance 1½ m Direction S

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.03		.01	.08				.11			.12		1
2	0.10			.29	.30						.27	.30	2
3					.21			.10			.24	.06	3
4			.02						.01	.04	.19	.33	4
5				.08						.51	.02	.05	5
6	0.28		.08	.06						.01	.01	.75	6
7	0.10									.40	.75	.18	7
8	.04		.21								.61	.45	8
9	.13					.03					.07	.24	9
10	.01	.16	.19	.02								.40	10
11	.36		.07		.18						1.16		11
12			.85						.04		.08	.02	12
13			.02						.50	.30	.02	.42	13
14		.10	.01		.70							.46	14
15		.03	.01								.09	.05	15
16						.75					1.05	.11	16
17											.57	.20	17
18		.19	.08							.06	.36	.50	18
19		.05				.10			.25	.17	.02	.09	19
20	.06		.08					.02	.14	.03		.85	20
21	.03	.27						.05	.01			.35	21
22	.20	.02				.15				1.05	.04	.51	22
23		.15	.01			.53			.20	.21		.26	23
24	.03	.17				.12	.02	.04		1.18		.52	24
25		.07	.03	.13	1.33	.20	.18		.04	.02		.05	25
26			.02	.31	.08	.01	.15			.24		.39	26
27		.53	.20	.09			.08		.07	.32	.06	.22	27
28		.25		.36				.20			.02	.01	28
29		×		.04		.19	.04		.29	.32			29
30		×				.11		.01	.01	.39		.04	30
31		×		×		×			×		×	.01	31
Total	1·37	1·99	1.89	1.56	2.80	2.19	0.47	0.53	1.56	5.25	5.75	7.82	TOTAL Year 33.18
No. of Rain Days.	12	12	16	10	6	10	5	7	11	16	20	28	153

W. 8,000, X. '11.

430

FORM A2.
BRITISH RAINFALL.
-2 APR 1912

REGISTER OF RAINFALL IN 1911

Kept at Oakwood. nr Chichester

in the County of Sussex

by F. B. DuPre

Rain Gauge:
Pattern
Diameter of top 5 in.
Height of top above Ground ft. 6½ in.
" " " Sea Level 101·4 ft.

Time of Observation 9. a. m.

Nearest Railway Station: Name Bosham. Distance 1½ m Direction S

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.03		.01	.08				.11			.12		1
2	0.10			.29	.30						.27	.30	2
3					.21			.10			.24	.06	3
4			.02						.01	.04	.19	.33	4
5				.08						.51	.02	.05	5
6	0.28		.08	.06						.01	.01	.75	6
7	0.10									.40	.75	.18	7
8	.04		.21								.61	.45	8
9	.13					.03					.07	.24	9
10	.01	.16	.19	.02								.40	10
11	.36		.07		.18						1.16		11
12			.85						.04		.08	.02	12
13			.02						.50	.30	.02	.42	13
14		.10	.01		.70							.46	14
15		.03	.01								.09	.05	15
16						.75					1.05	.11	16
17											.57	.20	17
18		.19	.08							.06	.36	.50	18
19		.05				.10			.25	.17	.02	.09	19
20	.06		.08					.02	.14	.03		.85	20
21	.03	.27						.05	.01			.35	21
22	.20	.02				.15				1.05	.04	.51	22
23		.15	.01			.53			.20	.21		.26	23
24	.03	.17				.12	.02	.04		1.18		.52	24
25		.07	.03	.13	1.33	.20	.18		.04	.02		.05	25
26			.02	.31	.08	.01	.15			.24		.39	26
27		.53	.20	.09			.08		.07	.32	.06	.22	27
28		.25		.36				.20			.02	.01	28
29		×		.04		.19	.04		.29	.32			29
30		×				.11		.01	.01	.39		.04	30
31		×		×		×			×		×	.01	31
Total	1.37✓	1.99✓	1.89✓	1.56✓	2.80✓	2.19✓	0.47✓	0.53✓	1.56✓	5.25✓	5.75✓	7.82✓	33.18
No. of Rain Days.	12✓	12✓	16✓	10✓	6✓	10✓	5✓	7✓	11✓	16✓	20	28✓	153✓

W. 8,000, X. '11.

Ex DL

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.
10 JAN 1913

Kept at Oakwood. 2½ miles W of Chichester
in the County of Sussex
by F. Baring DuPre.

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 6 ft. in.
" " " Sea Level 120 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Chichester
Distance 2½ Direction E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		-	.13		.04	.38	.19	.07	.03	.70		.25	1
2	-	-	.31			.01	.21						2
3	-	-	.06			.17		.68	.04		.04	.02	3
4	.19	.08	.65			.13		.04			.19		4
5	.38	-	.17					.47			.09	.03	5
6	.47	.08			.06		.04	.58				.17	6
7	.02	.02	.07		.44	.55		.58				.05	7
8	.69	.30	.21			.12		.21					8
9	.03	.22	.29	.06		.08	.04	.08				.19	9
10	.01	.05	.01					.45			.06	.30	10
11	.07	.27				.11		.05			.01	.16	11
12	.02	.06	.07		.13	.35	.10	.18			.01	.04	12
13	.02	.06	.05			.01	.26	.12			.07	.10	13
14	.02	.01	.02		.05	.01		.13		.03		.02	14
15	.02	.17	.19		.10	.55		.01				.28	15
16	.15	.02	.19		.05	.02		.17		.08	.06		16
17	.55	-	.16		.13	.07		.18				.07	17
18	.13	.01	.27		.05			.16		.03		.11	18
19	.07	.03	.13			.02		.68			.08	.01	19
20	.03	.04	.35			.03		.21		.48	.05		20
21	.01	.16	.23		.34			.16		.10			21
22	.07	.47	.07					.30				.07	22
23	.43	.23	.31					.49		.06	.19	.09	23
24	.20	.07	.01					.43		.02		.23	24
25	.15	.01				.37		.86		.02	.27	.55	25
26	.01	.06					.03	.10		.48	.34	.24	26
27	-	.02					.20	.01		.18		.60	27
28	-	.06				.22	.16	.07	.11	.79	.47	.15	28
29	-	.06				.01	.04	.70	1.45	.13			29
30	-	×	.01		.21	.01	.10	.03	1.08	.27	.02		30
31	-	×	.12	×		×	.40	.17	×	.02	×	.01	31
Total	3.74	2.56	4.08	.06	1.60	3.22	1.77	8.37	2.71	3.39	1.95	3.74	TOTAL for year 37.19
No. of Rain Days.	23	24	24	1	11	20	12	30	5	15	15	23	203

W. 8,000, X. '11.

FORM A.
BRITISH RAINFALL.

28 MAR 1914

REGISTER OF RAINFALL IN 1913

Ox. Hd

Kept at Oakwood nr Chichester
in the County of Sussex
by F. B. Du Pre

Lat. Long.
Time of Observation 9. a. m.
Nearest Railway Station Bosham
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 6 in.
" " " " Sea Level About 130 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.04	.65	.17	.11	.02	.10			.45		.18	.15	1
2	.05	.11	.01	.06			.06		.04	.42	.13	.03	2
3	.06		.04	.22	.25					.04	.01	.25	3
4	.38		.06	.04	.45				.83	.22	.24	.05	4
5	·48 .48	.20	.06		.03	.11	.02		.50	.03	.22	.04	5
6	.24	.04	.08		.09	.13	.61		.02	1.04	.16	.38	6
7		.23	.13		.20		.33	.17		.58	.13	.01	7
8	.02	.09			.32					.26	.04	.07	8
9		.07			.10		.46		.17		.12	.02	9
10	.03						.17				.55	.01	10
11	.86			.49						.92	.15	.02	11
12					.96				.02		.72	.02	12
13	.52		.08					.02	.08		.10		13
14	.28		.16	.02			.40	.03		.03	.17	.01	14
15	.30	.14	.25	.24			.33		.14		.01		15
16	.18		.58	.24			.02		.26		.01	.01	16
17	.11	.03	.03	.06			.04				.03		17
18	.02		.13	.15		.12	.10		.03		.10		18
19	.27		.07			.10	.05		.32		.01		19
20	.65		.11	.14	.03					.78	.01		20
21	.01		.06	.14						.46	.44		21
22	.45		.20						.26	.12	.01	.03	22
23	.01		.12					.24				.90	23
24	.09			.07				.08		.01	.03		24
25				.19						.02	.03		25
26			.07	.02				.24		.66		.28	26
27		.01	.05	.04						.07			27
28	.13		.35	.12						.19			28
29	.10	×	.09	.43	.44			.07		.20	.02	.03	29
30	.52	×		.12				.29		.18	.01		30
31	.02	×	.14	×		×		1.23	×	.36	×		31
Total	5.82	1.57	3.04	2.90	2.89	.56	2.59	2.37	3.12	6.59	3.63	2.33	YEAR'S TOTAL 37.41
Rain Days.	25	10	23	19	11	5	12	9	13	20	26	18	191

W. 7,500, XI. 12

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL
13 FEB 1915

Kept at Oakwood. Funtington
in the County of Sussex
by F. Baring Du Pre

Lat. Long.
Time of Observation 9. a. m
Nearest Railway Station Bosham. L.B.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 8 in.
" " " " Sea Level 140 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 1915
0.52

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.02	.04			.01	.18			.03	.11	1
2							.08				.13	.01	2
3			.07	.05	.30		.01	.02				.16	3
4			.03	.28	.02			.13			.29	.38	4
5	.10		.10	.35	.06		.27	.01			.01		5
6		.19		.36	.08	.02						.48	6
7	.03	.50	.23	.20	.02	.02	.09	.02				.37	7
8	.07	.61	.35	.04	.02	.04	.17	.15				.17	8
9	.07		.90	.10				.03	.13		.02	2.06	9
10	.12	.09	.01	.28	.24				.03		.02	.02	10
11		.61	.59	.01	.08	.01	.02		.37		.13	.74	11
12		.20	.19				.88		.42			.79	12
13		.40	.18						.30	.05	.16	1.01	13
14		.15	.21			.72	.13	.09	.01	.31		.33	14
15		.11	.22					.49		.08	1.10	.01	15
16		.03					.09		.17		.02	.01	16
17		.42	.40						.15			.20	17
18		.40	.23				.01					.53	18
19		.16	.63				1.21		.02		.18	.07	19
20		.29	.37							.02		.29	20
21		.50	.08			.04				.13		.06	21
22		.01	.06		.21		.07	.10		.22			22
23		.04	.19			.65				.05			23
24			.04				.02			.02	.19		24
25	.04		.28				.02	.17		.30	.02		25
26			.02				.03	.25		.20	.18	.81	26
27	.05						.01			.71	.09	.40	27
28	.01	.04			.18		.03			.35	.69	.53	28
29	.14		.18							.15	.08	.02	29
30	.02	✕	.09	.18						.26	.71	.48	30
31	.02	✕		✕	.06	✕	.15		✕		✕	.03	31
Total	.67	4.45	5.37	1.89	1.27	1.50	3.30	1.64	1.60	2.85	4.05	10.07	YEAR'S TOTAL 38.66
Rain Days.	11	18	25	11	11	7	19	12	9	14	18	26	191

181

W. 8,000. X. 14.

CHICHESTER
{SUMMERSDALE}
SUSSEX

1916-20

FORM A.
BRITISH RAINFALL.

18. JAN. 1917

REGIS

Kept at Raunock, Summ

in the County of Sussex

by Rev H. J. Peckh

Chichester 1¼ South

Gauge 5 in.

Ground 1 ft. – in.

Sea Level about 100 ft.

IMPORTANT NOTE the result entered to the previous day. If an Observer prefers not to conform ersal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·06	·06	–	–	·17	·03	–	–	·21	·13	·50	·01	1
2	·25	·08	·13	–	·23	–	·04	–	·01	·62	·05	–	2
3	·03	·39	·13	–	–	–	·05	–	·03	·63	·81	–	3
4	·12	·11	–	–	·02	·38	–	–	·25	·02	·30	–	4
5	·07	·03	·01	–	·16	·06	~~36~~ 02	–	–	·08	·54	–	5
6	·02	·10	·03	·07	–	·02	·36	–	–	·07	·44	–	6
7	·01	–	·56	–	·21	·03	·03	–	–	·10	·56	·06	7
8	–	–	–	–	·33	–	–	–	–	–	–	·36	8
9	–	–	–	–	·14	–	–	–	–	–	–	·19	9
10	–	·69	·02	·03	·01	·36	·10	–	–	·02	·06	·13	10
11	·03	·04	·01	·20	–	·08	–	–	–	–	–	·17	11
12	·04	·07	–	·05	·04	·05	·09	–	–	·05	–	–	12
13	–	·21	·05	–	–	·02	–	–	–	·02	·02	–	13
14	–	·49	·06	·07	·04	–	–	–	–	–	–	·03	14
15	–	·16	·30	–	–	–	–	·07	·01	·02	–	–	15
16	·14	·01	·30	·24	–	–	·08	·31	–	·03	–	–	16
17	·19	·23	–	·13	–	–	–	·07	·32	·75	–	·02	17
18	·01	·10	·04	·15	–	–	–	·07	·11	·11	·45	·15	18
19	·17	–	·13	·03	–	·35	[illegible]	–	·21	–	·49	–	19
20	·13	·02	·43	·05	–	–	–	–	–	–	·08	·74	20
21	–	–	·17	–	–	–	·05	–	–	–	–	·26	21
22	·01	·01	–	–	–	·02	–	–	–	·05	·02	·70	22
23	·02	·05	·02	–	–	·10	–	·04	–	·10	·03	·02	23
24	–	–	–	–	·14	·04	–	·02	–	·23	·14	·42	24
25	–	·27	·07	–	–	–	–	·33	1·02	·22	·07	–	25
26	·03	·26	–	–	–	·26	–	·03	·26	·29	–	·02	26
27	–	·01	·92	–	–	–	–	·07	·13	·52	–	·02	27
28	–	·50	·03	–	–	·02	–	·15	·36	·15	·02	·33	28
29	·01	·30	–	–	–	·39	–	·52	·09	·31	–	·42	29
30	–	X	–	–	·15	–	–	·01	–	·20	–	–	30
31	–	X	–	X	–	X	–	·05	X	·09	X	·03	31
Total	1·34	4·19	3·41	1·02	1·64	2·21	0·80	1·74	3·01	4·81	4·58	4·08	YEAR'S TOTAL 31·83
Rain Days.	18	23	19	10	12	16	8	13	13	24	17	19	192

W. 8,000, VIII. 16

REGIS

FORM A.
BRITISH RAINFALL.
18. JAN 1917

Kept at Raunock, Summersdale, Chichester

in the County of Sussex (West

by Rev H. J. Peckham

Time of Observation 9 AM

Nearest Railway Station Chichester 1¼ South

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level about 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·06	·06	-	-	·17	·03	-	-	·21	·13	·50	·01	1
2	·25	·08	·13	-	·23	-	·04	-	·01	·62	·05	-	2
3	·03	·39	·13	-	-	-	·35	-	·03	·63	·81	-	3
4	·12	·11	-	-	·02	·38	-	-	·25	·02	·30	-	4
5	·07	·03	·01	-	·16	·06	·09 ~~·36~~	-	-	·08	·54	-	5
6	·02	·10	·03	·07	-	·02	·36	-	-	·07	·44	-	6
7	·01	-	·56	-	·21	·03	·03	-	-	·10	·56	·06	7
8	-	-	-	-	·33	-	-	-	-	-	-	·36	8
9	-	-	-	-	·14	-	-	-	-	-	-	·19	9
10	-	·69	·02	·03	·01	·36	·10	-	-	·02	·06	·13	10
11	·03	·04	·01	·20	-	·08	-	-	-	-	-	·17	11
12	·04	·07	-	·05	·04	·05	·09	-	-	·05	-	-	12
13	-	·21	·05	-	-	·02	[illegible]	-	-	·02	·02	-	13
14	-	·49	·06	·07	·04	-	-	-	-	-	-	03	14
15	-	·16	·30	-	-	-	-	·07	·01	·02	-	-	15
16	·14	·01	·30	·24	-	-	·08	·31	-	·03	-	-	16
17	·19	·23	-	·13	-	-	-	·07	·32	·75	-	·02	17
18	·07	·10	·04	·15	-	-	-	·07	·11	·11	·45	·15	18
19	·17	-	·13	·03	-	·35	[illegible]	-	·21	-	·49	-	19
20	·13	·02	·43	·05	-	-	-	-	-	-	·08	·74	20
21	-	-	·17	-	-	-	·05	-	-	-	-	·26	21
22	·01	·01	-	-	-	·02	-	-	-	·05	·02	·70	22
23	·02	·05	·02	-	-	·10	-	·04	-	·10	·03	·02	23
24	-	-	-	-	·14	·04	-	·02	-	·23	·14	·42	24
25	-	·27	·07	-	-	-	-	·33	1·02	·22	·07	-	25
26	·03	·26	-	-	-	·26	-	·03	·26	·29	-	·02	26
27	-	·01	·92	-	-	-	-	·07	·13	·52	-	·02	27
28	-	·50	·03	-	-	·02	-	·15	·36	·15	·02	·33	28
29	·01	·30	-	-	-	·39	-	·32	·09	·31	-	·42	29
30	-	X	-	-	·15	-	-	·01	-	·20	-	-	30
31	-	X	-	X	-	X	-	·05	X	·09	X	·03	31
Total	1·34	4·19	3·41	1·02	1·64	2·21	0·80	1·74	3·01	4·81	4·58	4·08	YEAR'S TOTAL 31·83
Rain Days.	18	23	19	10	12	16	8	13	13	24	17	19	192

W. 8,000, VIII. 16

477

FORM A.
BRITISH RAINFALL.

7 FEB 1918

REGISTER OF RAINFALL IN 1917

Kept at Rannoch, Summersdale, Chichester
in the County of Sussex, (West)
by Rev H. J. Peckham

Lat. Long.
Time of Observation 9 AM
Nearest Railway Station Lavant . 2B3cR
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level about 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	00	–	·13	·14	–	–	–	1·25	·05	–	·08	·01	1
2	00	–	·02	·72	–	–	–	·01	·08	·01	·11	–	2
3	00	–	–	·15	–	–	·45	·16	–	·04	·23	–	3
4	00	·20	·27	–	–	–	·01	·26	–	(·15)	–	·01	4
5	·30	–	·03	·19	–	·03	–	·06	·11	·39	·03	–	5
6	00	–	·20	–	–	·04	–	·01	·05	·06	·19	–	6
7	·36	–	–	–	–	–	·04	–	–	·35	–	·05	7
8	·27	–	·02	·06	–	–	·22	·13	–	·30	·21	·33	8
9	00	–	·12	–	·02	–	·03	·02	·01	·15	·01	·14	9
10	·20	–	·27	·17	·06	·10	–	·15	–	·01	–	·01	10
11	·13	–	·27	·28	–	–	–	–	·04	·40	–	–	11
12	·07	–	·02	–	–	–	–	·06	–	·26	·01	–	12
13	·03	–	·30	–	–	–	–	·10	02	·14	–	·01	13
14	00	–	–	·08	–	–	–	·10	–	–	·01	–	14
15	00	–	–	·02	·31	–	·03	·03	–	·28	–	·10	15
16	·03	22	–	·14	·08	–	–	·01	–	·43	·02	·83	16
17	00	·02	–	·16	·05	–	·46	·12	·39	·11	–	–	17
18	00	·02	–	–	·02	·02	·09	·03	·17	·01	–	–	18
19	00	·36	·07	–	–	–	·07	–	·15	–	–	–	19
20	00	·11	·05	–	·92	·01	–	–	–	–	–	–	20
21	·03	–	·03	–	–	–	–	–	–	·02	·02	–	21
22	00	–	·03	–	–	·05	–	·12	–	·23	–	–	22
23	00	·32	–	–	·10	–	–	·09	–	–	–	·02	23
24	00	·22	–	–	–	·11	·09	–	–	·27	·05	·06	24
25	00	·09	·06	–	–	–	·01	–	·01	–	–	–	25
26	00	–	·03	–	–	·06	–	·43	·14	–	·41	–	26
27	00	–	·01	–	·58	·07	–	1·13	–	–	–	–	27
28	00	–	·08	–	–	2·02	–	·07	–	–	–	·04	28
29	00		–	–	·24	·06	·11	·11	–	·43	–	·07	29
30	00		·37	–	–	–	·47	·29	–	·02	–	·02	30
31	00		–		–		·08	03		·05		·03	31
Total	1·42	1·56	2·38	2·11	2·38	2·57	2·10	4·77	1·22	4·11	1·38	1·73	YEAR'S TOTAL 27·73
Rain Days.	9	9	20	11	~~9~~ 10	11	14	24	12	22	13	15	~~169~~ 170

W. 8,000, IX. 17.

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

6. 1. 9

Kept at Rannoch, Summersdale, Chichester
in the County of Sussex
by Rev H. J. Peckham

Lat. Long.
Time of Observation 9. AM.
Nearest Railway Station Chichester or Lavant
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level about 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	—	·02	—	—	·01	—	—	·23	—	—	·30	·14	1
2	—	·07	—	·08	—	—	—	·89	—	—	·34	·28	2
3	—	·03	·04	·10	·53	—	—	·41	—	·01	·22	·03	3
4	—	·05	·08	·02	—	—	—	·09	·14	—	·62	·03	4
5	—	·09	·07	—	·07	—	—	·16	·06	·13	·01	·03	5
6	·23	·21	—	·20	·09	—	—	·24	·03	·05	—	·07	6
7	·01	·17	—	·14	·36	—	—	·09	·33	·09	·13	·02	7
8	—	·05	—	—	—	—	—	—	·11	·09	·03	·03	8
9	·02	—	—	·29	—	·11	·26	—	·56	·15	·01	·68	9
10	—	—	—	·07	—	·08	·15	—	·42	·06	—	·34	10
11	·04	—	—	·01	—	—	·28	—	·02	·28	·02	·08	11
12	—	·08	—	—	·28	—	—	—	·08	—	—	·08	12
13	·25	—	—	—	·06	—	·24	—	·34	·01	—	·03	13
14	·23	—	·04	—	·02	·11	·08	—	30	·20	—	·04	14
15	1·39	—	—	·13	—	·01	·30	—	·02	—	—	·12	15
16	·43	—	·02	·03	—	·02	—	—	·22	—	—	—	16
17	·12	·01	—	·10	—	—	·03	—	—	·02	—	·23	17
18	·38	—	·02	—	—	·41	—	—	·89	·01	—	·09	18
19	·06	—	·21	—	—	·20	·13	·04	—	·02	—	·04	19
20	·04	·18	—	·56	—	·03	·22	—	·13	·03	·01	—	20
21	·26	·03	·02	·15	—	·01	—	—	·31	·04	—	·12	21
22	·19	—	—	—	·26	—	·33	—	·33	—	—	·21	22
23	·08	—	—	—	—	—	·39	·03	·04	—	·01	·05	23
24	—	·24	—	—	—	·02	·08	—	·24	·01	·05	—	24
25	·02	—	—	·30	—	—	—	·20	—	·03	·01	—	25
26	—	—	—	—	—	—	·72	—	05	·03	·13	·17	26
27	·01	·08	·05	·02	—	—	—	·13	·19	·02	·10	·02	27
28	—	—	·11	·02	—	·17	—	·02	—	—	·10	·04	28
29	·02	×	·02	—	—	—	—	—	1·25	·01	—	·03	29
30	—	×	·38	—	—	—	—	—	·02	·02	·05	·09	30
31	—	×	·06	×	—	×	—	·01	×	·09	×	·07	31
Total	3·78	1·31	1·32	2·22	1·68	1·17	3·41	2·54	6·68	1·40	2·14	3·10	YEAR'S TOTAL 30·15
Rain Days.	18	14	13	16	9	11	13	13	23	22	17	27	1·96

W. 8,000, IX. 17.

451

Entd

8 JAN 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Rannoch, Summersdale Chichester
in the County of Sussex (West
by Revd H. J. Peckham

Lat. .... Long. ....
Time of Observation 9 A.M.
Nearest Railway Station Chichester
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·56	·02	·02	·03	–	–	·20	–	–	·06	·03	·92	1
2	·19	–	·01	–	·07	–	·19	–	·16	–	·02	·04	2
3	·36	–	·61	–	·07	–	·05	–	·03	·01	·01	·37	3
4	·37	·05	·37	–	·01	·01	·14	·05	·04	–	·10	·07	4
5	·01	·37	·81	–	–	–	·35	–	·05	–	·24	·32	5
6	·31	–	·19	–	–	–	–	–	–	–	·02	·14	6
7	·07	–	·38	–	–	–	–	–	–	–	–	–	7
8	·19	–	·19	–	–	–	–	–	–	–	–	–	8
9	·33	–	·13	·07	·26	–	–	–	·01	–	·17	–	9
10	·86	–	·09	·06	–	–	–	–	·01	–	–	·27	10
11	·53	–	·06	·33	·11	–	·05	–	–	–	–	·02	11
12	·41	–	–	–	·03	–	·05	–	–	·13	·07	–	12
13	·03	–	·03	·34	–	–	–	–	–	–	–	·02	13
14	·34	·01	–	·23	–	–	·06	–	·41	·11	–	·09	14
15	·30	·07	·02	·10	–	–	–	–	–	·01	–	1·01	15
16	·08	·62	–	–	–	–	–	–	–	–	·11	·02	16
17	·01	·28	–	–	–	–	–	–	–	–	·12	·04	17
18	–	·05	·22	–	·06	–	–	·03	·02	–	·13	·03	18
19	·25	·59	1·27	–	–	·08	·35	·17	–	–	·08	·02	19
20	·54	·05	·02	–	–	·50	–	·22	–	·01	–	·01	20
21	·03	·42	·01	–	–	–	·02	–	–	–	·03	·02	21
22	–	·01	–	–	–	–	·10	–	·59	–	·01	·23	22
23	–	–	–	–	–	–	–	–	·02	·02	·04	·05	23
24	–	·02	–	·07	–	·03	–	·09	–	·27	·12	·14	24
25	·05	·05	–	·02	–	·05	–	·38	–	*	–	·09	25
26	·05	·11	·09	·23	–	–	·01	·07	·09	–	·28	·40	26
27	·24	–	·01	·39	–	–	–	·71	–	–	·15	·05	27
28	·07	–	·58	–	–	–	–	·52	–	–	·35	·57	28
29	·02		–	·09	–	–	–	·32	–	·11	–	·10	29
30	–		–	·20	–	·04	–	·86	–	·01	·47	·80	30
31	·05		·10		–		–	–		–		·06	31
TOTAL	6·25	2·72	5·21	2·16	0·61	0·71	1·57	3·42	1·43	0·74	2·55	5·90	YEAR'S TOTAL 33·27
Days with ·01 in. or more	26	15	21	13	7	6	12	11	11	10	20	27	179

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Max Daily Fall 1.27 in on March 19

6 X 1112

426

4 JAN 1921

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Rannoch
Kept at ~~Rannoch~~ Summersdale
Chichester
in the County of Sussex
by Rev H. J. Peckham

Lat. Long.
Time of Observation 9 AM
Nearest Railway Station Chichester or Lavant
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·13	-	-	·09	·11	-	·45	-	-	·68	·07	·31	1
2	·01	-	·05	·07	·10	-	-	·15	·09	·13	-	·17	2
3	·04	-	-	-	-	-	·03	-	-	·21	-	·03	3
4	-	·09	-	·02	-	-	·74	·18	-	·36	·01	·05	4
5	-	-	·21	·03	-	-	·77	·06	-	·08	-	·01	5
6	-	·01	·10	-	·39	-	·28	-	-	·02	-	·01	6
7	·05	·01	·01	·09	·02	-	·18	-	-	-	-	-	7
8	-	·02	-	·08	·05	-	·18	·01	-	-	-	·01	8
9	·28	·05	·14	·09	·08	·05	·04	-	-	-	-	-	9
10	·81	·25	·20	·05	-	·17	·36	-	-	-	-	-	10
11	·19	·06	·09	·44	·03	·01	·68	-	-	-	-	·21 Snow	11
12	·06	·09	·05	·23	-	·60	-	-	-	-	·01	-	12
13	·29	·01	·36	·01	-	-	-	-	-	-	·06	-	13
14	-	·03	·58	·36	-	-	·01	-	·18	·15	·50	-	14
15	·22	·02	·06	·08	-	-	-	-	·87	·72	·06	·01 Snow	15
16	·01	-	·01	·11	-	-	-	-	·17	·02	-	-	16
17	·03	-	-	-	·13	-	·02	-	·95	-	-	·02	17
18	·06	-	·02	·01	·06	·04	-	·66	·08	-	-	·05	18
19	·06	-	-	·27	-	·02	-	-	·13	-	-	·03	19
20	·16	·04	-	·09	-	1·02	-	-	-	-	·01	·02	20
21	-	-	-	·02	-	-	·98	-	·19	-	-	·15	21
22	·02	-	-	·36	-	-	-	-	·01	-	-	·32	22
23	-	-	-	-	-	-	·39	·06	-	-	-	·60	23
24	·03	-	·12	·01	-	-	-	·01	-	-	·02	·12	24
25	·02	·04	·05	-	·12	-	·26	-	-	-	-	-	25
26	·03	-	·12	·04	-	·02	·01	-	-	-	·02	·11	26
27	·50	-	-	·10	-	·06	-	-	-	-	·25	·33	27
28	·42	·03	·15	-	·06	-	·16	-	-	-	·01	·03	28
29	·65	·01	·09	09	·04	-	-	·01	-	-	·22	·18	29
30	·07	×	·01	-	-	·18	·03	-	·16	-	·19	·22	30
31	·02	×	·21	×	·01	×	-	-	×	1·11	×	·22	31
TOTAL	4·10	0·76	2·63	2·74	1·20	2·17	5·57	1·14	2·83	3·48	1·43	3·21	YEAR'S TOTAL 31·26
Days with ·01 in. or more	8 24	8 15	4 20	6 23	3 13	3 10	5 18	3 8	1 10	2 10	6 13	9 23	~~58~~ 181
Days with ·04 in. or more	16	7	16	17	10	7	13	5	9	8	7	14	129 ✓

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

REGISTE

CHICHESTER
{WATERGATE HSE}
SUSSEX
1911-20

FORM A2.
BRITISH RAINFALL.
2 - JAN 1912

Kept at Watergate Hous
in the County of Sussex
by William McElroisty

in.
Ground 1 ft. 0 in.
Sea Level 240 ft.
A M
Name Rowlands Castle
Distance 4½ Direction West

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·03		·01	·30	·01			·12			·05	·13	1
2	·07			·08	·45						·39	·31	2
3	·02	·01			·28			·16		·02	·30	·07	3
4	—		·02	Snow ·11					·01	·09	·26	·56	4
5	—			Snow ·02						·41		·01	5
6	·27		·08							·01	·07	·89	6
7	·14									·40	·73	·09	7
8	·06		·27								·30	·55	8
9	·12										·06	·19	9
10	·01	·16	·27	·01								·68	10
11	·42		·04		·09						1·34	·01	11
12	·01	·01	·82						·02		·14	·10	12
13	—		·02		·33				·10	·06		·41	13
14	—	·09	·02		·13							·57	14
15	—	·03	·01								·12	·05	15
16	—	·01	·02			·72					·90	·18	16
17	—					·04					·44	·29	17
18	—	·16	·06	·02		·01				·06	·27	·61	18
19	—	·04				·11			·69	·18	·01	·16	19
20	·06		·07					·01	·12	·01		·96	20
21	·03	·27								·56		·22	21
22	·15	·02	·14	·01		·26				·17		·68	22
23	·01	·17	·02			·40			·22	·37	·02	·38	23
24	·02	·26				·17	·02	·16		1·74		·51	24
25	—	·07	·05	·15	1·44	·06	·74	·01	·06	·02		·07	25
26	—		·03	·29	·33	·01	·03			·25	·01	·47	26
27	—	·66	·36	·07			·16	·01	·07	·18	·05	·19	27
28		·33		·26				·15		·01	·01	·01	28
29	—			·06		·19	·04		·29	·48	·01	—	29
30	—			·02		·14			·02	·41		·02	30
31	—									·01		·01	31
Total	1·42	2·29	2·31	1·40	3·06	2·11	·99	·62	1·60	5·44	5·48	9·38	TOTAL for year 36·10
No. of Rain Days.	15	15	18	13	8	11	5	7	10	20	20	30	172

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
2 - JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Watergate House

in the County of Sussex

by William McClority

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level 240 ft.

Time of Observation 9.0 A M

Nearest Railway Station
Name Rowlands Castle
Distance 4½ Direction West

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·03		·01	·30	·01			·12			·05	·13	1
2	·07			·08	·45						·39	·31	2
3	·02	·01			·28			·16		·02	·30	·07	3
4	–		·02	Snow ·11					·01	·09	·26	·56	4
5	–			Snow ·02						·41		·01	5
6	·27		·08							·01	·07	·89	6
7	·14									·40	·73	·09	7
8	·06		·27								·30	·55	8
9	·12										·06	·19	9
10	·01	·16	·27	·01								·68	10
11	·42		·04		·09						1·34	·01	11
12	·01	·01	·82						·02		·14	·10	12
13	–		·02		·33				·10	·06		·41	13
14	–	·09	·02		·13							·57	14
15	–	·03	·01								·12	·05	15
16	–	·01	·02			·72					·90	·18	16
17	–					·04					·44	·29	17
18	–	·16	·06	·02		·01				·06	·27	·61	18
19	–	·04				·11			·69	·18	·01	·16	19
20	·06		·07					·01	·12	·01		·96	20
21	·03	·27								·56		·22	21
22	·15	·02	·14	·01		·26				·17		·68	22
23	·01	·17	·02			·40			·22	·37	·02	·38	23
24	·02	·26				·17	·02	·16		1·74		·51	24
25	–	·07	·05	·15	1·44	·06	·74	·01	·06	·02		·07	25
26	–		·03	·29	·33	·01	·03			·25	·01	·47	26
27	–	·66	·36	·07			·16	·01	·07	·18	·05	·19	27
28		·33		·26				·15		·01	·01	·01	28
29	–			·06		·19	·04		·29	·48	·01	–	29
30	–			·02		·14			·02	·41		·02	30
31	–									·01		·01	31
Total	1·42	2·29	2·31	1·40	3·06	2·11	·99	·62	1·60	5·44	5·48	9·38	TOTAL for year 36·10
No. of Rain Days.	15	15	18	13	8	11	5	7	10	20	20	30	172

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.
2 JAN 1913

Kept at Watergate House

in the County of Sussex

by Wm M. Christy

Lat. Long.

Nearest Railway Station Rowland's Castle

Time of Observation 9 A M

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " Sea Level 240 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	·20	—	·02	·54	·27	—	·02	·70	—	·24	1
2	—	—	·46	—	—	·06	·23	·01	—	—	—	—	2
3	·02	Snow ·01	·04	—	—	·16	·01	·72	·05	—	·03	·03	3
4	·29	Snow ·03	·81	—	·02	·18	—	·03	—	—	·21	·01	4
5	·36	·08	·21	—	—	—	—	·54	—	—	·05	·05	5
6	·61	·06	—	—	·14	·01	—	·41	—	—	·01	·30	6
7	—	—	·03	—	·36	·64	—	·12	—	—	—	·08	7
8	·76	·35	·23	—	—	·12	—	·19	—	—	—	·01	8
9	·04	·28	·22	·05	—	·04	·05	·08	—	—	—	·28	9
10	·01	·08	·01	—	—	—	—	·20	—	—	·04	·34	10
11	·10	·33	·02	—	—	·07	—	·02	—	—	·01	·21	11
12	·02	·09	·13	—	·08	·23	·16	·32	—	·01	·01	·02	12
13	—	·05	·04	—	—	—	·24	·13	—	—	·08	·16	13
14	·03	—	·01	—	·03	—	—	·08	—	·04	—	·04	14
15	·02	·16	·20	—	·07	·60	—	·01	—	—	—	·35	15
16	·14	·01	·31	—	·15	·02	—	·36	—	·13	·12	—	16
17	·54	·01	·23	—	·02	·07	—	·28	—	—	—	·17	17
18	·09	—	·30	—	—	—	—	·45	—	·03	·01	·14	18
19	·07	·06	·12	—	—	·02	·21	·60	—	—	·02	·01	19
20	·03	·02	·44	—	—	·13	—	·23	—	·42	·04	—	20
21	·01	·26	·10	—	·54	—	—	·26	—	·14	—	—	21
22	·05	·76	·02	—	—	—	—	·36	—	—	—	·07	22
23	·53	·34	·33	—	·01	—	—	·67	—	·06	·26	·13	23
24	·22	·09	·01	—	—	—	—	·46	—	—	—	·19	24
25	·18	·02	·02	—	—	·45	—	·96	—	·05	·29	·76	25
26	—	·09	—	—	—	·09	·06	·16	—	·57	·31	·18	26
27	—	·02	·01	—	—	·16	·28	—	—	·20	—	·69	27
28	—	·05	—	—	—	·06	·33	·26	·13	·77	·44	·23	28
29	—	·06	—	—	—	·03	·13	·26	1·98	·13	·02	—	29
30	—	x	—	—	·26	·01	·22	·05	1·36	·13	—	—	30
31	—	x	·14	x	—	x	·43	·18	x	·02	x	·02	31
Total	4·12	3·31	4·64	·03	1·70	3·69	2·62	8·40	3·54	3·40	1·95	4·71	TOTAL for year 42·11
No. of Rain Days	21 4·12	24 7·43	26 12·07	1 12·10	12 13·80	21 17·49	13 20·11	29 28·51	5 32·05	15 35·45	17 37·40	25 42·11	209

6,000, XI '07.

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London

42·11

Price 2d.

8l

REGISTER OF RAINFALL IN 1913

80a

22 JAN 1914

FORM A.
BRITISH RAINFALL.

Kept at Chichester, Watergate

in the County of Sussex

by

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.04	.53	.18	.05		.04			.44	.01	.26	.15	1
2	.15	.14	.02	.05			.08		.06	.31	.10	.02	2
3	.10		.04	.40	.45					.07		.29	3
4	.42		.07		.46		.04		.61	.40	.22	.07	4
5	.44	.19	.05		.01	.17	.05		.30	.02	.18	.03	5
6	.04	.08	.09		.08	.13	.91			.77	.27	.35	6
7		.31	.12		.17	.09	.29	.05		.39	.17	.01	7
8		.09	.01		.34	.05		.39		.24		.12	8
9		.10			.05	.02	.32	.02	.14		.08	.01	9
10	.07			.02		.02	.32	.02		.02	.44		10
11	1.10			.54	.02					.62	.19	.02	11
12		.02			1.26				.02		.57		12
13	.44		.11			.01		.03	.01		.16	.01	13
14	.35		.16	.02			.29	.03	.11	.03	.18	.01	14
15	.56	.09	.27	.52			.25		.13		.01		15
16	.22		.43	.21			.03		.23				16
17	.09	.01	.03	.07			.05				.06	.01	17
18	.01		.17	.14			.07				.09		18
19	.31		.09		.02	.05	.03		.23				19
20	.26		.30	.18	.01					1.38	.02		20
21			.24	.22						.45	.56	.01	21
22	.43		.22					.09	.26	.03	.01	.02	22
23			.06			.06		.16				.86	23
24	.12			.09				.07			.06	.01	24
25		.02		.27							.03	.01	25
26			.07	.03				.17		.57		.26	26
27			.24	.11						.13			27
28	.14		.16	.14						.24			28
29	.07	x	.10	.57	.43			.08		.11	.02	.05	29
30	.69	x		.09				.18		.19			30
31	.01	x	.10	x		x		1.08	x	.12	x		31
Total	6.06	1.58	3.33	3.72	3.30	.64	2.73	2.37	2.54	6.10	3.68	2.32	YEAR'S TOTAL 38.37
Rain Days.	22	11	24	19	12	10	13	13	12	20	21	20	197

82

6X 4M2

65

FORM A.
BRITISH RAINFALL.
28 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Watergate House

in the County of Sussex

by

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·04	·02				·23			·05	·13	1
2	·01						·02	·03			·25	·22	2
3		·01	·09	·03	·35		·01	·04				·04	3
4		·01	·03	·33	·21		·03	·16			·31	·31	4
5	·08	·02	·10	·44	·19		·22	·02			·06		5
6		·20	·03	·25	·09	·02		·04				·56	6
7	·03	·60	·20	·23	·03	·06	·24					·35	7
8	·08	·57	·39	·16	·01	·12	·02	·28			·01	·07	8
9	·07		·90	·09		·02		·03	·11			2·32	9
10	·10	·16	·01	·12	·26				·29		·01	·01	10
11		·58	·66		·09	·01	·72		·16		·05	·77	11
12		·16	·22				·46		·52	·03	·02	·62	12
13		·48	·13						·26	·04	·12	·82	13
14		·28	·15			1·83	·11	·05		·34	·24	·27	14
15		·07	·23					·46		·03	·83	·01	15
16							·08		·25		—	·01	16
17		·66	·11						·08			·38	17
18		·05	·27								·01	·44	18
19		·19	·61				1·51				·22	·06	19
20		·40	·17			·02			·01	·02		·28	20
21		·59	·08							·14		·03	21
22		·02	·07		·04	·02	·08	·09		·23			22
23		·14	·30			·58				·06		·02	23
24	·02		·03				·02				·19		24
25	·05		·23				·01	·37		·38	·04	·11	25
26							·04	·20		·17	·22	·78	26
27	·05										·06	·40	27
28	·02	·05	·02		·14		·06			·53	·39	·64	28
29	·19	x	·24		—					·35	·17	·03	29
30	·03	x	·07	·12	—					·20	·83	·51	30
31	·02	x		x	·04	x	·10		x	·23	x	·02	31
Total	·75	5·24	5·38	1·79	1·45	2·68	3·73	2·00	1·68	2·75	4·08	10·21	YEAR'S TOTAL 4174
Rain Days.	13	20	26	10	11	9	17	13	8	14	20	28	189

W.7,000, XI. 13

Dh.

515
62

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

Kept at Walingate House

in the County of Sussex 1 Ex Pl

by

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·51	·30	·04		·02			·10	·66	·11	·05	·49	1
2	·28	·21	·40	·08	·02	·01		·06	·11	·10		·22	2
3	·82		·20	·17	·12			—	·03			·89	3
4	·03		·01	·02				·09				·68	4
5	·04	·37						·13				·59	5
6	·77	·22		64		·01	·74	·02				·17	6
7	·31	·59		·03			·10		—		—	·40	7
8	·02	·98					·09	·02			·03	·02	8
9	·04	·04		·14		·18		·02			·44	1·02	9
10	·24	·13	·02							·02		·26	10
11	·04	·01	·05					—		·01	1·15	·01	11
12	·11	·33		·38	·51						·48		12
13	·03	·64			1·78				·12				13
14	·04	·01					·09	·50	·07			·97	14
15	·10				·08		·07	·40			·06	·44	15
16		·66			·27		1·19	·02	·01		—	·02	16
17		·33			·69		·01						17
18		·15			·07						·05		18
19		·07			·13		·06						19
20	·29			·03	·07					·01		·08	20
21	·04	·05			·03	—	·04			·32		·11	21
22	1·06	·38	·14	·02			1·02		·01			·23	22
23	·01	·05	·14			·01	·13		·35	·34		·82	23
24			·03				·07		·64	·56		·69	24
25		·01	·02	·03			·17					·22	25
26	·01	·08				·25	·10					·93	26
27		·02				·08	·06			·44	·01	·05	27
28		·10			—	·13			·71	·20			28
29					—	·94		·17			·45	·07	29
30	·17	✕				·13				·57	·83	·04	30
31	·02	✕		✕		✕		·54	✕	1·31	✕	·24	31
Total	4·98	5·73	1·05	1·54	3·79	1·74	3·94	2·07	2·71	3·99	3·55	9·66	YEAR'S TOTAL 44·75
Rain Days.	22	23	10	10	12	9	15	12	10	12	10	25	170

W. 8,000. X. 14.

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

Kept at Watergate House

in the County of Sussex

by

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·09	·03	·03		·13	·03			·27	·18	·36		1
2	·38	·12	·12		·25		·01		·03	·55	·05		2
3	·03	·38	·12				·05		·02	·82	·62		3
4	·16	·16				·49			·25	·02	·34		4
5	·06	·03			·16	·12				·10	·56		5
6	·01	·08	·06	·04	·03	·08	·53			·09	·41		6
7	·01	·01	·54		·11	·17	·06			·06	·97	·07	7
8			·01		·48	·01						·40	8
9		·01			·19							·06	9
10		·71	·04	·04	·02	·34	·08			·06	·06	·12	10
11	·03	·06	·02	·17	·01	·11						·09	11
12	·06	·09	·01	·06	·04	·09	·18	·01		·07			12
13		·31	·06			·06		·11		·04			13
14		·48	·05	·07	·03			·01		·03		·04	14
15		·12	·28	·02				·39					15
16	·10	·04	·20	·22			·09	·20		·02			16
17	·36	·26		·21				·07	·37	1·15		·02	17
18	·01	·13	·04	·19				·15	·09	·08	·40	·13	18
19	·17		·12	·08		·20			·09		·42	·06	19
20	·15	·02	·39	·10							·02	·85	20
21	·01		·16								·09	·25	21
22		·01	·02			·06				·13	·02	·69	22
23	·04	·13	·01			·21		·04		·06	·05	·06	23
24		·01			·15	·04		·04		·28	·17	·49	24
25		·77	·13					·94	·82	·03	·04		25
26	·04	·24	·03			·29		·27	·11	·40			26
27	·01	·02	·80			·02		·10	·11	·55		·02	27
28	·01	·39	·06			·02		·16	·23	·17	·05	·35	28
29		·32	·01			·56		·81	·18	·47		·37	29
30		×			·41					·21		·01	30
31		×		×		×		·07	×	·13	×	·04	31
Total	1·73	4·93	3·31	1·20	2·01	2·90	1·00	3·37	2·57	5·70	4·63	4·12	YEAR'S TOTAL 37·47
Rain Days.	19	26	24	11	13	18	7	15	12	24	17	19	205

W. 8,000. X. 15.

8L

483
~~57~~

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Watergate House

in the County of Sussex

by

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			.16	.33				1.35	.09		.07		1
2			.03	.57				.02	.04	.01	.10		2
3	.01			.12			.43	.19		.08	.26		3
4		.15	.28					.12		.23		.01	4
5	.31		.05	.25		.04		.34	.12	.40	.10		5
6			.22			.02		.01	.04	.05	.15		6
7	.42						.03			.41		.12	7
8	.27		.03	.06			.22	.09		.35	.31	.37	8
9			.17		.01		.03	.02	.01	.08	.02	.10	9
10	.20		.32	.19	.01	.08		.25				.02	10
11	.22		.27	.18		.04			.09	.40			11
12	.07		.01	.01				.04		.25		.01	12
13	.05		.32					.05	.02	.16		.01	13
14				.07				.14					14
15					.43		.03	.17		.19		.06	15
16	.02	.15		.16	.11		.06	.02		.74	.01	.68	16
17		.03		.20	.10		.54	.12	.46	.11			17
18	.01	.05			.02	.05	.16	.05	.39	.08			18
19		.31	.14				.01	.03	.39				19
20		.15	.09		.96	.01			.04				20
21	.02		.05			.01				.04	.03	.02	21
22	.01		.05			.18		.10		.20			22
23		.29			.09			.12				.05	23
24		.19				.06	.06			.32	.08	.03	24
25		.09	.06										25
26			.05			.04		.45	.16	.01	.37		26
27					.87	.07		1.45				.01	27
28			.03			1.95		.24				.05	28
29			.02		.26	.15	13	.07		.38		.09	29
30	.01	X	.42				90	.35		.01		.03	30
31	.01	X	.07	X		X	.10	.02	X	.04	X	.02	31
													YEAR'S TOTAL
Total	1.63	1.41	2.84	2.14	2.86	2.70	2.70	5.81	1.85	4.54	1.50	1.68	31.66
Rain Days.	14	9	21	11	10	13	13	25	12	22	11	17	178

W. 8,000, VIII. 16

269

8L Col 81 17 ~~59~~

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL.

27·1·19

Kept at Watergate House

in the County of Sussex

by W. M. Christy

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01	01						·08			·42	·12	1
2		·08		·03				·89			·38	·37	2
3		·02	·02	·12	·48			·15		·03	·20	·02	3
4		·10	·08	·02				·05	·17		·54	·04	4
5		·10	·13		·07			·25		·14		·03	5
6	·19	·20		·27	·05			·09		·02		·11	6
7		·18		·14	·49			·05	·22	·05	·13	·01	7
8		·05							·08	·07	·05	·03	8
9	·02			·40		·10	·48		·54	·22		·84	9
10				·07		·01	·33		·44	·06		·40	10
11	·05			·01			·20		·03	·34	·02	·08	11
12		·17			·26		·01		·04			·09	12
13	·23				·10		·23		·42			·04	13
14	·26		·04		·02	·13	·14		·38	·28		·07	14
15	1·26			·20		·05	·13		·02			·25	15
16	·46		·01	·07					·38	·01			16
17	·24			·07			·14					·22	17
18	·55		·01			·45			·80			·10	18
19	·06		·16			·01	·24	01	·02	·03		·05	19
20	·03	·31		·62		·02	·11		·29	·03			20
21	·22	·06	·01	·02			·59		·28	·09		·14	21
22	·24	·02			·20		·45		·22			·19	22
23	·21				·04		·45	·02	·03			·05	23
24		·33				·02	·20		·27		19		24
25	·02			·22			·05	·24		·03			25
26				·01			·29		·06		·15	·21	26
27		·13	·06				·01	·15	·13	·02	·08	·02	27
28	·02		·21	·04		·21		·03		·01	·16	·05	28
29	·01		·03						1·38			·03	29
30		X	·67						·03	·04	·05	·01	30
31		X	·11	X		X			X	·17	X		31
Total	4·08	1·76	1·54	2·31	1·71	1·00	4·05	2·01	6·23	1·64	2·37	3·57	YEAR'S TOTAL 32·27
Rain Days.	18	14	13	16	9	9	17	12	22	18	12	26	186

W. 8,000, VIII. 16

84

457

[illegible]

FORM A. BRITISH RAINFALL. 26 FEB 20

REGISTER OF RAINFALL IN 1919

Kept at Watergate House
in the County of Sussex
by W. M. Christy

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Director, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·57	·06	·04		·01		·26			·03		·85	1
2	·28	·01			·08						·08	·09	2
3	·38		·62		·04				·04		·02	·39	3
4	·38	·02	·52			·04	·19	·05	·10		·09	·03	4
5		·41	1·15				·16		·06		·13	·28	5
6	·38		·20						·25			·12	6
7	·10		·56										7
8	·30		·19	·03									8
9	·33		·15	·13	·26						·30		9
10	·99		·16	·12								·37	10
11	·51		·13	·28	·12		·14					·11	11
12	·03			·02	·02		·06			·12	·08		12
13	·05		·02	·56								·04	13
14	·57	·02		·22			·10		·23			·12	14
15	·38	·03		·11						·04		1·16	15
16	·08	·86									·13		16
17		·24									·13	·06	17
18		·06	·25					·10			·17	·03	18
19	·30	·72	1·44			·09	·42	·19			·07	·02	19
20	·81	·06	·03			·38	·01	·20				·01	20
21	·02	·50					·03				·03	·01	21
22							·10		·51			·22	22
23									·16	·05	·04	(·04) ~~·44~~	23
24				·03			·02	·04		·26	·18	·09	24
25	·04	·02				·06		·36		·10		·05	25
26	·02	·15	·09	·20				·09	·14		·16	·65	26
27	·19			·39				·69			·16	·03	27
28	·25		·34					·69			·49	·59	28
29	·02		·09	·04				·30				·28	29
30		×		·20		·06		·47			·61	·78	30
31		×	·17	×		×			×		×	·10	31
Total	6·98	3·16	6·15	2·33	·53	·63	1·49	3·18	1·49	·60	2·87	6·52	YEAR'S TOTAL 35·93
Rain Days.	23 ~~24~~	14	18	13	6	5	11	11	8	6	17	26	158

W. 6,500, VII. 18. W W C

75 Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.** 432

REGISTER OF RAINFALL IN 1920.

Kept at Watergate House, Emsworth

in the County of Sussex

by W. M. Christy

Lat.……… Long.………

Time of Observation………

Nearest Railway Station………

Diameter of Funnel of Rain Gauge……… in.

Height of top of Gauge above Ground……… ft……… in.

" " " " Sea Level……… ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·06		·02	·07	·16		·44			·74		·32	1
2	·03		·08	·04	·08		·01	·24	·07	·06	·12	·20	2
3	·09			·01			·10			·38		·04	3
4		·08	·01	·01			·68	·23		·49		·07	4
5			·17	·04			·88	·11		·15		·01	5
6			·16		·40		·39			·06		·02	6
7	·08			·14	·03		·21						7
8	·01	·01		·09	·10		·30						8
9	·33	·05	·03	·07	·17	·05	·04						9
10	·82	·25	·14	·02		·26	·38						10
11	·20	·04	·08	·55	·01	·01	·35					·21	11
12	·07	·13	·01	·30		·59					·03		12
13	·34	·02	·27	·01							·04		13
14	·02	·02	·55	·34					·19	·05	·70		14
15	·15	·02	·06	·08	·06				·78	·57	·09		15
16		·01	·01	·03					·23	·01			16
17	·02			·01	·20		·02		·56			·02	17
18	·07			·01	·05	·02		·72	·15			·08	18
19	·06			·25		·03			·04			·02	19
20	·11	·04		·15		·90						·02	20
21				·02			·83		·13			·23	21
22	·07	·01		·44			·01		·01			·36	22
23							·45	·06			·02	·71	23
24	·03		·16	·01							·03	·17	24
25	·01	·05	·02		·06		·45						25
26	·07		·23	·03		·04					·03	·11	26
27	·48	·01	·01	·12		·10	·01				·28	·31	27
28	·47	·03	·06		·06		·21					·05	28
29	·63		·07	·10	·02						·27	·36	29
30	·08	✕				·03	·03		·15		·20	·33	30
31	·02	✕	·23	✕	·02	✕			✕	1.13	✕	·24	31
Total	4·32	·77	2·37	2·94	1·42	2·00	5·79	1·36	2·31	3·64	1·81	3·88	Year's Total 32·61
Days with ·01 in. or more	25	15	20	25	14	10	19	5	10	10	11	21	185
04	18	7	13	15	10	5	14	5	9	9	7	16	12.8

CHICHESTER
{WESTGATE}
SUSSEX
1911, 13-20

REGIST 9*11*

FORM A2. BRITISH RAINFALL.

JAN 1912

Kept at *West Gate, C*

in the County of *Suss*

by *G. Ashley Tya*

inary (not Snowdon)

op *8* in.

above Ground *0* ft. *6* in.

„ Sea Level *40* ft.

9 Am Daily

on { Name *Chichester*
Distance *½ mile* Direction *SE.*

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.02			.44				.09			.07	.04	1
2	.04			.08	.33						.29	.16	2
3					.20			.08			.21	.07	3
4			.01	.07						.04	.12	.32	4
5				.03						.59	.01		5
6	.23		06							.01	.01	.74	6
7	.08									.32	.72	.07	7
8	.03		.20								.58	.46	8
9	.09										.03	.18	9
10		.15	.17	.01								.39	10
11	.31		.06		.06						1.20		11
12			.82						.04		.08	.05	12
13			.01		.49				.50	.14		.47	13
14		.08			.11							.47	14
15		.01									.08	.07	15
16			.01			.53					.78	.11	16
17						.02					.58	.15	17
18		.14	.06	.01						.03	.42	.42	18
19		.06				.08			.17	.18	.01	.11	19
20	.03		.05					.01	.13	.02		.81	20
21	.02	.18						.06		.80		.37	21
22	.22	.01				.10		.80		.29		.48	22
23		.15				.52			.23	.26	.04	.24	23
24	.01	.15				.14	.02	.03		75		.37	24
25		.04		.13	1.04	.04	.33		.01	.07		.02	25
26			.01	.33						.34		.34	26
27		.44	.22	.06			.06		.05	.38	.04	.22	27
28		.20		.19				.14			.01		28
29				.10		.13	.06		34	.26			29
30						.08		.02		.29		.03	30
31												.00	31
Total	1.08	1.61	1.68	1.45	2·23	1.64	·47	1·23	1·47	4·71	5.28	7.10	TOTAL for year 29.95
No. of Rain Days	11	12	12	11	6	9	4	8	8	17	19	26	143

9,000, IX. '10.

FORM A2. BRITISH RAINFALL.

JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at West Gate, Chichester

in the County of Sussex

by G. Ashley Tyacke

RAIN GAUGE
Pattern Ordinary (not Snowdon)
Diameter of top 8 in.
Height of top above Ground 0 ft. 6 in.
" " " Sea Level 40 ft.

Time of Observation 9 Am Daily

Nearest Railway Station
Name Chichester
Distance ½ mile Direction S.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.02			.44				.09			.07	.04	1
2	.04			.08	.33						.29	.16	2
3					.20			.08			.21	.07	3
4			.01	.07						.04	.12	.32	4
5				.03						.59	.01		5
6	.23		06							.01	.01	.74	6
7	.08									.32	.72	.07	7
8	.03		.20								.58	.46	8
9	.09										.03	.18	9
10		.15	.17	.01								.39	10
11	.31	—	.06		.06						1.20		11
12			.82						.04		.08	.05	12
13			.01		.49				.50	.14		.47	13
14		.08			.11							.47	14
15		.01									.08	.07	15
16			.01			.53					.78	.11	16
17						.02					.58	.15	17
18		.14	.06	.01						.03	.42	.42	18
19		.06				.08			.17	.18	.01	.11	19
20	.03		.05					.01	.13	.02		.81	20
21	.02	.18		—				.06		.80		.37	21
22	.22	.01				.10		.80		.29		.48	22
23		.15				.52			.23	.26	.04	.24	23
24	.01	.15				.14	.02	.03		75		.37	24
25		.04		.13	1.04	.04	.33		.01	.07		.02	25
26			.01	.33						.34		.34	26
27		.44	.22	.06			.06		.05	.38	.04	.22	27
28		.20		.19				.14			.01		28
29				.10		.13	.06		34	.26			29
30						.08		.02		.29		.03	30
31												.00	31
Total	1.08	1.61	1.68	1.45	2.23	1.64	.47	1.23	1.47	4.71	5.28	7.10	TOTAL for year 29.95
No. of Rain Days	11	12	12	11	6	9	4	8	8	17	19	26	143

9,000, IX. '10.

Sx. H66

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
4 - JAN 1914

Kept at Westgate, Chichester 1

in the County of Sussex

by G. Ashley Tyacke

Lat. Long.

Time of Observation 9. A. M

Nearest Railway Station Chichester

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground — ft. 6 in.

" " " " Sea Level 40 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.02	.49	.17	.08		.10			.46	.02	.22	.13	1
2	.08	.09		.08			.06		.03	.36	.11	.01	2
3	.05		.04	.16	.26					.04		.17	3
4	.37		.04		.33		.01		1.06	.38	.19	.04	4
5	.63	.13	.06			.19	.01		.43	.03	.25	.04	5
6	.06	.05	.06		.10	.12	.46		.01	.82	.14	.37	6
7		.20	.13		.18	.03	.10			.67	.16		7
8		.11	.01		.26	.07		.35		.22		.05	8
9		.15			.04	.01	.34		.15		.09	.01	9
10	.02			.02		.01	.28			.16	.45		10
11	.83			.46	.03					.75	.16		11
12					.79						.69		12
13	.47		.04					.02	.08		.17		13
14	.23		.10	.01			.35	.01		.03	.09		14
15	.17	.13	.21	.33			.34		.12				15
16	.17		.49	.13		.01	.01		.05				16
17	.11		.01	.09			.09				.08		17
18	.01		.11	.09			.05				.04		18
19	.28		.08		.02	.13	.05		.34				19
20	.48		.08	.15		.02				.36			20
21			.10	.12						.39	.42		21
22	.42		.23					.15	.20	.14		.04	22
23			.10			.02		.13				.87	23
24	.09			.07				.58			.04		24
25				.14									25
26			.07	.02				.19		.66		.25	26
27			.23	.06						.06			27
28	.12		.18	.15						.17			28
29	.09		.08	.38	.41			.10		.15	.01	.01	29
30	.46			.10				.45		.19			30
31			.12		.01			1.11		.15			31
Total	5.16	1.25	2.74	2.64	2.43	.71	2.15	3.09	2.93	5.75	3.31	1.99	YEAR'S TOTAL 34.15 ✓
Rain Days.	21	8	23	19	11	11	13	10	11	20	17	12	176 ✓

W.7,000, XI. 13

G. Ashley Tyacke

Ex ML

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
11 JAN 1915

Kept at Westgate, Chichester.
in the County of Sussex
by G. Ashley Tyacke

Lat. Long.
Time of Observation 9. A.M.
Nearest Railway Station Chichester
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground — ft. 6 in.
" " " " Sea Level 40 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			.01	.02			.01	.21			.04	.09	1
2							.03				.09	.28	2
3			.04	.05	.28			.01			.01	.02	3
4	.01		.01	24	.01			.10			.27	.32	4
5	.09		.09	.36	.03	.01	.26						5
6		.19	.04	.16	.08		.01	.02				.44	6
7	.01	.58	.22	.12	.01	.02	.16					.33	7
8	.04	.53	.22	.01	.01	.01		.12				.11	8
9	.05		.67	.14				.01	.18		.01	1.43	9
10	.09	.20	.01	.14	.22				.24		.03	.02	10
11		.60	.53		.09	.02			.20		.05	.75	11
12		.20	.21				.25		.38	.02		.52	12
13		.39	.10			.01			.26	.03	.12	.80	13
14		.20	.24			.45	.01	.11		.39	.25	.38	14
15		.04	.19					.50		.02	.77	.01	15
16		.03					.06		.16		.02		16
17		.49	.12						.05			.23	17
18		.01	.22									.50	18
19		.12	.62				1.04				.14	.10	19
20		.26	.33						.06			.38	20
21		.45	.09			.02				.13		.03	21
22		.01	.09		.37	.01	.07	.11		.18			22
23		.03	.22			.81				.02			23
24			.03				.01				.18		24
25			.28				.01	.37		.33	.01	.09	25
26							.02	.09		.19	.14	.70	26
27	.03										.10	.38	27
28	.01	.04	.02		.13		.03			.50	.30	.44	28
29	.15	X	.15							.35	.10	8.35 .03	29
30	.01	X	.04	.27						.13	.65	.52	30
31	.01	X		X	.07	X	.12		X	.20	X	.04	31
Total	.50	4.37	4.79	1.51	1.30	1.36	2.09	1.65	1.53	2.49	3.28	8.94	YEAR'S TOTAL 33.81
Rain Days.	11	18	26	10	11	9	15	11	8	13	19	26	177

W. 8,000. X. 14.

REGISTER OF RAINFALL IN 1915.

FORM A.
BRITISH RAINFALL.

Kept at Westgate, Chichester
in the County of Sussex
by G. Ashley Tyacke

Lat. Long.
Time of Observation 9 A.M. Daily
Nearest Railway Station Chichester
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground — ft. 6 in.
" " " " Sea Level 40 ft.

3 JAN 1916

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.51	.17	.04					.07	.18	.08	.05	.49	1
2	.23	.14	.21	.07	.02	.01		.07	.12	.09		.28	2
3	.76		.13	.18	.10							.60	3
4	.02			.02	.02							.55	4
5	.03	.36		.02				.11				.48	5
6	.80	.14		.46			.73	.02				.14	6
7	.19	.40		.05			.09				.01	.23	7
8	.05	.61					.08	.03			.06	.02	8
9	.04	.16		.14		.15		.03			.30	.82	9
10	.18	.01	.03							.04		.36	10
11			.07							.03	.86	.03	11
12	.08	.27		.26	.50					.03	.46		12
13	.03	.43			1.72				.16				13
14	.01						.06	.24	.06			.71	14
15	.07				.10		.07	.21	.01		.08	.43	15
16		.60			.20		1.30	.01				.01	16
17		.25			.79		.01						17
18		.27			.06						.03		18
19		.06			.10		.03			.01			19
20	.19			.02	.02							.09	20
21	.02	.02					.03			.34		.12	21
22	.85	.19	.15	.01			.70					.17	22
23		.03	.16				.01		.39	.37		.58	23
24							.07		.58	.92		.47	24
25			.05	.02			.02			.01		.18	25
26	.01	.03				.11	.18					.84	26
27		.02				.02				.35		.03	27
28		.08				.08	.04		.98	.13			28
29		X				.17		.14		.06	.60	.06	29
30	.28	X				.02				.41	.86	.02	30
31	.01	X		X		X		.35	X	1.12	X	.30	31
Total	4.36	4.24	.84	1.25	3.63	.56	3.42	1.28	2.48	3.99	3.31	8.01	YEAR'S TOTAL 37.37
Rain Days.	20	20	8	11	11	7	15	11	8	15	10	25	161

W. 8,000. X. 15.

Exe DL

497

REGISTER OF RAINFALL IN 1916.

FORM A. BRITISH RAINFALL.

3 JAN 1917

Kept at Westgate, Chichester

in the County of Sussex

by G. Ashley Tyacke

Lat. Long.

Time of Observation 9 a.m. Daily

Nearest Railway Station Chichester

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground — ft. 6 in.

" " " " Sea Level 40 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.07	.05			.17	.03			.14	.15	.49		1
2	.19	.10	.09		.23		.03		.01	.60	.12		2
3	.01	.40	.10				.05		.02	.60	.86		3
4	.11	.11			.02	.33			.28	.02	.29		4
5	.06	.03			.16	.06				.09	.60		5
6	.01	.05	.02	.06		.02	.32			.05	.42		6
7			.46		.20	.10	.03			.03	.62	.06	7
8			.03		.32						.01	.38	8
9					.12							.15	9
10		.66	.01	.03	.02	.16	.05				.04	.11	10
11	.02	.06		.24		.09						.14	11
12	.03	.08	.01	.07	.03	.09	.07	.01		.03	.01		12
13		.20	.08	.01		.01				.01		.03	13
14		.52	.04	.02	.04					.02			14
15		.18	.30					.14					15
16	.09	.01	.29	.19			.11	.26					16
17	.22	.23	.01	.14				.05	.29	.73			17
18	.01	.10	.04	.12				.03	.16	.14	.41	.19	18
19	.13		.13	.04		.25			.19		.50	.02	19
20	.10		.48								.06	.76	20
21			.18				.01				.01	.34	21
22						.01				.03	.01	.75	22
23	.03					.11		.03		.17	.02	.02	23
24					.10	.04				.20	.12	.43	24
25		.60	.09					.43	1.05	.24	.11		25
26	.02	.04				.26		.04	.34	.33		.06	26
27			.95	.02		.02		.05	.13	.54			27
28		.54	.06					.12	.32	.18	.01	.31	28
29		.30				.38		.62	.10	.34		.44	29
30		×			.22					.20		.01	30
31	.01	×		×		×		.02	×	.09	×	.03	31
Total	1.11	4.26	3.37	.94	1.63	1.96	.67	1.80	3.03	4.79	4.71	4.23	YEAR'S TOTAL 32.50
Rain Days.	16	19	19	11	12	16	8	12	12	22	19	18	184

W. 8,000, VIII. 16

476

FORM A.
BRITISH RAINFALL.

5 JAN 1918

REGISTER OF RAINFALL IN 1917.

Kept at Westgate, Chichester

in the County of Sussex

by G Ashley Tyacke

Lat. Long.

Time of Observation

Nearest Railway Station Chichester

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			.12	.16				1.28	.06		.07	.02	1
2			.02	.35					.03	.01	.11		2
3	.01			.22			.45	.16		.02	.25		3
4		.19	.31				.01	.29					4
5	.29		.04	.19		.04		.05	.12	.54	.03		5
6			.20			.03			.04	.07	.13		6
7	.36						.06			.20		.03	7
8	.25			.06			.23	.16		.30	.19	.40	8
9			.19		.01		.01	.02		.15	.01	.15	9
10	.17		.26	.14		.07		.15				.01	10
11	.11		.29	.30		.01				.44			11
12	.07			.03	.01			.08		.24	.01		12
13	.03		.29					.10	.02	.22	.01		13
14				.12				.28					14
15				.01	.31			.10		.30	.13	.13	15
16	.01	.19		.08	.07					.41		.66	16
17				.15	.07		.47	.06	.32	.13			17
18		.03			.01	.07	.06	.09	.22	.01			18
19		.34	.08						.16				19
20		.09	.04		.71								20
21	.03					.01					.01	.06	21
22								.11		.22			22
23		.31			.10			.09		.02		.02	23
24		.20				.08	.09			.24		.06	24
25		.13	.10				.02			.01			25
26						.03		.46	.12		.40		26
27					.62	.05		1.06					27
28			.13			2.14		.07				.01	28
29		×	.04		.18	.03	.13	.07		.52		.06	29
30		×	.35				.37	.24		.02			30
31		×		×		×	.09	.02	×	.04	×	.01	31
Total	1.33	1.48	2.46	1.81	2.09	2.56	1.99	4.94	1.09	4.11	1.35	1.62	YEAR'S TOTAL 26.83
Rain Days.	10	8	15	12	10	11	12	21	9	21	12	13	154

W. 8,000, IX. 17.

[illegible] ~~W~~ C/8.

10

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.
8.1.19

Kept at Westgate, Chichester
in the County of Sussex
by G. Ashley Tyacke

Lat. Long.
Time of Observation 9. Am
Nearest Railway Station Chichester
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground ft. 6 in.
" " " " Sea Level 40 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.01			.02			.20			.27	.10	1
2		.09		.05				.90			.38	.25	2
3		.01	.02	.11	.54			.64		.01	.14	.02	3
4		.5	.05		.06			.07	.16		.58	.02	4
5		.07	.06		.07			.13	.04	.15		.03	5
6	.21	.18		.19				.40	.03	.19		.06	6
7		.14		.19	.32			.07	.20	.03	.10	.02	7
8		.03							.13	.07		.02	8
9	.02			.31		.12	.28		.49	.15	.05	.56	9
10	.01			.07		06	.12		.31	.06		.29	10
11	.03						.20		.11	.28	.03	.07	11
12		.10			.22				.07			.09	12
13	.25				.10		.18		.28			.02	13
14	.24		.04		.01	.07	.12		.28	.19		.04	14
15	1.35			.14		.03	.26					.13	15
16	.35		.01	.02		.01			.23			.01	16
17	.16		[illegible]	.10			.01	.02		.01		.26	17
18	.36		.01			.37		~~.04~~	(.86)			.11	18
19	.07		.22			.13	.10	.04	.02	.01		.03	19
20	.03	.14		(.41)		.02	.24		.13	.04			20
21	.24	.02		.17		.02			.43	.04		.14	21
22	20				.21		.46		.41			.21	22
23	.06				.04		.39	.02	.06		.01	.04	23
24		.24				.01	.10		.21		.08		24
25	.01			.10			.02	.12		.03			25
26	.01						.42		.03	.02	.10	.14	26
27	.01	.09	.04					.10	.26	.01	.08	.02	27
28	.01		.13	.01		.21					.12	.03	28
29	.02	X	.02						1.30			.03	29
30		X	.52						.01	.03	05	10	30
31	.01	X	.07	X		X		.01	X	(.10)	X		31
Total	3.65 ✓	1.17	1.19	1.87 ✓	1.59 ✓	1.05 ✓	2.90 ✓	2.72 ✓	6.05 ✓	1.42 ✓	1.99	2.84 ✓	YEAR'S TOTAL 28.44 ✓
Rain Days.	21 ✓	13 ✓	12	13 ✓	10 ✓	11 ✓	14 ✓	13 ✓	23 ✓	18 ✓	13 ✓	27 ✓	188 ✓

W. 8,000, IX. 17.

E+ RR

480

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

12 JAN 20

Kept at Westgate, Chichester

in the County of Sussex

by G. Ashley Tyacke

Lat. Long.

Time of Observation 9. Am.

Nearest Railway Station Chichester

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground — ft. 6 in.

" " " " Sea Level 40 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.50	.02	.01	.01	.02		.15		.01	.07	.03	.79	1
2	.16		.01		.03				.12			.17	2
3	.30		.65		.06		.03		.04			.32	3
4	.31	.02	.34			.01	.17	.04	.03		.10	.04	4
5		.36	.60				.42		.05		.25	.39	5
6	.31		.15								.01	.15	6
7	.06		.37										7
8	.20		.18										8
9	.39		.09	.09	.28				.02		.17		9
10	.80		.04	.05								.21	10
11	.56		.06	.30	.10		.04					.02	11
12	.45		.02		.02		.06			.16	.05		12
13	.02	.01		.29								.02	13
14	.28			.17			.09		.38	.05		.10	14
15	.37		.03	.06						.01		.95	15
16	.12	.65									.10		16
17		.25									.12	.04	17
18		.05	.20		.04			.01	.02		.10	.02	18
19	.20	.52	1.17			.07	.39	.11			.07	.02	19
20	.51	.03	.02			.56	.01	.20			.02	.01	20
21	.02	.36					.01		.48			.01	21
22		.01					.13		.05		.01	.22	22
23										.02		.07	23
24		.03		.05		.03		.03		.25	.06	.12	24
25	.04	.03				.06		.34				.15	25
26		.10	.08	.20			.05	.07	.08		.34	.40	26
27	.28		.01	.37				.66			.20	.02	27
28	.02		.47					.54			.33	.50	28
29				.08				.31		.11		.08	29
30				.21		.03		.63			.42	.85	30
31	.02		.06									.07	31
TOTAL	5.92	2.44	4.56	1.88	.55	.76	1.55	2.94	1.28	.67	2.38	5.74	YEAR'S TOTAL 30.67
Days with ·01 in. or more	22	14	20	12	7	6	12	11	11	7	17	26	165

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

CX9ML 4735

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

8 JAN 1921

Kept at Westgate, Chichester

in the County of Sussex

by G. Ashley Tyacke

Lat. Long.

Time of Observation 9 A.m.

Nearest Railway Station Chichester

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground — ft. 6 in.

" " " " Sea Level 40 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.11			.10	.12		.42			.52	.11	.33	1
2	.01		.04	.10	.11			.11	.09	.07		.13	2
3	.03	.11								.21		.03	3
4							.57	.18		.43		.03	4
5			.21	.11			.84	.05		.10			5
6			.12		.34		.30			.02		.01	6
7	.02			.11	.01		.17						7
8				.08	.05		.17						8
9	.25	.06	.10	.11	.04	.05							9
10	.81	.22	.21	.06		.15	.34						10
11	.21	.04	.09	.41	.03	.03	.62					Snow .25	11
12	.06	.04	.01	.22		.68	.01				.02		12
13	.33	.01	.37								.04		13
14	.02	.02	.58	.36			.01		.21	.18	.47	.02	14
15	.14	.02	.06	.12	.08				.90	.77	.05		15
16				.07					.22	.01			16
17	.03				.14				.80			.01	17
18	.05				.05	.03		.60	.25			.04	18
19	.08			.32		.03			.04			.02	19
20	.10	.02		.11		1.09						.02	20
21				.01			1.00		.19			.20	21
22				.36					.03			.30	22
23							.38	.06			.01	.56	23
24	.02		.13	.01							.02	.12	24
25	.02	.05	.05		.15		.27						25
26	.03		.15	.05		.03					.02	.12	26
27	.50	.01		.10		.03	.02				.27	.28	27
28	.40	.02	.16		.06		.16				.01	.04	28
29	.66		.09	.05	.03						.25	.15	29
30	.07	✕				.08	.03		.18		.20	.20	30
31	.02	✕	.23	✕	.01	✕			✕	.85	✕	.17	31
TOTAL	3.97	.62	2.60	2.86	1.22	2.20	5.31	1.00	2.91	3.16	1.47	3.03	YEAR'S TOTAL 30.35 ✓
Days with ·01 in. or more	23	12	16	20	14	10	16	5	10	10	12	21	169 ✓
Days with ·04 in. or more	14	6	15	18	10	5	12	5	9	8	7	14	123 ✓

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

434

FORM A. 1. METEOROLOGI NIZATION.

REGI

CHILGROVE

SUSSEX

1920

Kept at Chilgrove

in the County of O

by The late Mis

A.M

Savant

Gauge 5 in.

Ground 1 ft. 1 in.

Sea Level ft.

JUN 192

IMPORTANT NOTE.—I ered to the previous day.
If an Observer prefers not to ed to add the reading at 9 a.m. on 1st J the end of this paragraph. Full instructic ain gauges, and particulars as to the Bri *Observers,"* sent post-free on application 2, Camden Square, London, N.W. 1.

Jan. 1, following.

Rec

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·10			·52	·26		·94			1
2					·25								2
3							·04			·37	·16		3
4							·90	·30		·52			4
5	·20						·84			·14			5
6			·37				·40						6
7				·26			·23						7
8							·20	·06					8
9	·57			·19	·64	·04							9
10	·87					·29	·41						10
11	·23	·42					·36						11
12		·16		·91		·55							12
13	·31		·53										13
14			·59	·40					·29				14
15	·11				·05				·82	·57	·94		15
16				·11					·13				16
17							·01		·78				17
18	·14				·27				·09				18
19			·06	·25				·75					19
20	·12	·14		·21		·84							20
21							·83					·60	21
22				·53					·22			·35	22
23							·53						23
24	·10										·02	·70	24
25							·50					·25	25
26													26
27	·57	·03	·46	·23							·42	·14	27
28	·52		·15		·18		·21					·30	28
29	·67			·14							·33		29
30		✕	·08			·16	·05		·21			·48	30
31	·12	✕	·35	✕		✕			✕	1·01	✕	·71	31
TOTAL	4·53	·75	2·59	3·33	1·39	1·88	6·03	1·37	2·54	3·55	1·87	3·53	YEAR'S TOTAL 33·36
Days with ·01 in. or more													
Days with ·04 in. or more													

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

434

FORM A. 1. METEOROLOGIC IZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Chilgrove

in the County of Sussex

by The late Miss Woods

Lat. Long.

Time of Observation 9 AM

Nearest Railway Station Lavant

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 1 in.

" " " " Sea Level — ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·10			·52	·26		·94			1
2					·25								2
3							·04			·37	·16		3
4							·90	·30		·52			4
5	·20						·84			·14			5
6			·37				·40						6
7				·26			·23						7
8							·20	·06					8
9	·57			·19	·64	·04							9
10	·87					·29	·41						10
11	·23	·42	[illegible]				·36						11
12		·16	[illegible]	·91		·55							12
13	·31		·53										13
14			·59	·40					·29				14
15	·11				·05				·82	·57	·94		15
16				·11					·13				16
17							01		·78				17
18	·14				·27				·09				18
19			·06	·25				·75					19
20	·12	·14		·21		·84							20
21							·83					·60	21
22				·53					·22			·35	22
23							·53						23
24	·10										·02	·70	24
25							·50					·25	25
26													26
27	·57	·03	·46	·23							·42	·14	27
28	·52		·15		·18		·21					·30	28
29	·67			·14							·33		29
30		✕	·08			·16	·05		·21			·48	30
31	·12	✕	·35	✕		✕			✕	1·01	✕	·71	31
TOTAL	4·53	·75	2·59	3·33	1·39	1·88	6·03	1·37	2·54	3·55	1·87	3·53	YEAR'S TOTAL 33·36
Days with ·01 in. or more													
Days with ·04 in. or more													

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

CHILTINGTON WEST
GAYWOOD
SUSSEX
1911 - 1920

FORM A2.
BRITISH RAINFALL.
11 MAY 1912

REC

Kept at Gaywood

in the County of Suss

by E Burney-

in.

Ground ft. 8 in.

Sea Level 134 ft.

B. m.

Name Pullborough

Distance 4 miles Direction NE

IMPORTANT NOTE.—Rain should … the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				.35				.5					1
2											.26		2
3					.55							.29	3
4											.22	.16	4
5										.20	.42	.30	5
6	.65			.15						.30			6
7										.25		1.30	7
8											.68		8
9												.33	9
10					.10						.28	.86	10
11		.26											11
12	.37										1.26		12
13			.95						.60				13
14					.40					10			14
15													15
16													16
17						.55					1.08	1.21	17
18											1.50		18
19		.20									.13	1.09	19
20						.12			.12	.32			20
21								.30	.12			1.22	21
22								.8		1.14		.50	22
23		.60				.36			.20				23
24						.72				1.58		.73	24
25								.5	.5				25
26					.20	.20	.20			.40			26
27									.4			.51	27
28		.93	.50	.85		.15				.12			28
29							.15	.12	.15		.11		29
30								.22		.75			30
31													31
Total	1.02	1.99	1.45	1.35	1.25	2.10	.35	.82	1.28	5.16	5.94	8.50	TOTAL for year 31.21
No. of Rain Days.	2	4	2	3	4	6	2	6	7	10	10	12	68

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.
11 MAY 1912

Kept at Gaywood

in the County of Sussex

by E Burney-Young

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground ft. 8 in.
" " " Sea Level 134 ft.

Time of Observation 6 p.m.

Nearest Railway Station
~~Name~~ Pulborough
Distance 4 miles Direction NE

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				.35				.5					1
2											.26		2
3					.55							.29	3
4											.22	.16	4
5										.20	.42	.30	5
6	.65			.15						.30			6
7										.25		1.30	7
8											.68		8
9												.33	9
10					.10						.28	.86	10
11		.26											11
12	.37										1.26		12
13			.95						.60				13
14					.40					10			14
15													15
16													16
17						.55					1.08	1.21	17
18											1.50		18
19		.20									.13	1.09	19
20						.12			.12	.32			20
21								.30	.12			1.22	21
22								.8		1.14		.50	22
23		.60				.36			.20				23
24						.72				1.58		.73	24
25								.5	.5				25
26					.20	.20	.20			.40			26
27									.4			.51	27
28		.93	.50	.85		.15				.12			28
29							.15	.12	.15		.11		29
30								.22		.75			30
31													31
Total	1.02	1.99	1.45	1.35	1.25	2.10	.35	.82	1.28	5.16	5.94	8.50	TOTAL for year 31.21
No. of Rain Days.	2	4	2	3	4	6	2	6	7	10	10	12	68

W. 8,000, X. '11.

82

FORM A2.
BRITISH RAINFALL.
23 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Gaywood, West Chillington Pulborough

in the County of Sussex 2

by E. Burney Young

RAIN GAUGE Pattern
Diameter of top in.
Height of top above Ground ft. in.
" " " Sea Level ft.

Time of Observation

Nearest Railway Station Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1						·25	·13		·04	·64		·37	1
2					·02		·21						2
3						·24		·41					3
4						·31					·30		4
5								·50					5
6								·70					6
7					·27	·38		·11					7
8						·10						·20	8
9						·10	·06	·15				·21	9
10								·19			·05	·37	10
11												·35	11
12						·15	·07	·27					12
13					·18		·15					·15	13
14					·07			·08		·08		·16	14
15					·06	·48							15
16						·05		·17		·10			16
17					·10	·09		·18			·23	·12	17
18								·38					18
19								·52				·10	19
20						·10		·33		·42			20
21					·12			·13			·17		21
22								·14		·12			22
23					·10			·25		·05	·20		23
24						·12		·12		·12			24
25						·41		1·05			·29		25
26						·06		·16		·32	·48		26
27						·14						2·14	27
28						·09	·05	·34	·15	1·29	·42		28
29								·12	2·05	·12			29
30					·22			·20	1·24	·32			30
31							·48	·21					31
Total	2·87	2·55	4·86	·00	1·14	3·07	1·15	6·71	3·48	3·58	2·14	4·17	TOTAL for year 35·72
No. of Rain Days.						16	7	23	4	11	8	10 ~~12~~	—

W. 8,000, X. '11.

88 ✓

end 10.11.14

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL.

22 JAN 1914

81

Kept at Gaywood, West Chiltington

in the County of Sussex

by E. Burney Young

2

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1		·50	·20	·05	·33				·20		·38		1
2	·10	·18					·10			·24	·15	·12	2
3			·10	·18								·27	3
4	·68				·38					·12	·12		4
5	·57		·14		·20	·10	·06		1·28		·11		5
6		·08	·18		·15	·25	·30			·94	·10	·28	6
7			·08							·32	·25		7
8		·60			·23	·12		·70	·15	·27		·05	8
9		·09			·20		·17				·05		9
10											·40		10
11	·82			·50						·60	·21		11
12					·32				·34		·65		12
13	·20										·23		13
14	·31		·30				·87		·10		·17		14
15	·32	·16	·31	·82			·34		·10		·05		15
16	·20			·10					·88				16
17	·10		·60	·20			·32				·06		17
18			·34	·27							·16		18
19	·15		·06			·10	·15		·26				19
20	·69		·08	·12		·31				·50	·03		20
21			·14	·13						·49	·75		21
22	·29		·21						·16	·06	·04		22
23			·16					·24				·85	23
24	·09			·09									24
25				·21									25
26			·14	·14				·08		·76		·27	26
27				·05						·08			27
28	·13		·45	·10						·18			28
29			·05	·34	·42			·14		·13			29
30	·95			·12				1·03		·28			30
31			·14					1·35		·10			31
Total	5·60	1·61	3·68	3·42	2·23	·88	2·31	3·54	3·47	5.07 5·08	3·91	1·84	YEAR'S TOTAL 37.56
Rain Days.	15	6	18	16	8	5	8	6	9	15	18	6	~~130~~

W. 7,500, XI. 12

FORM A. BRITISH RAINFALL.

28 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Gaywood

in the County of Sussex 2

by E. Burney-Young

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·03	·05	-			·20			·12	·08	1
2			·07				·03				·36	·24	2
3				·03	·38		·03				·02	·04	3
4	—			·38	·16		·11	·21			·33	·41	4
5	·11		·06	·45	·15		·30	·02			·10		5
6		·26		·25	·05	·09		·03				·76	6
7		·90	·21	·22	·03	·06	·21					·40	7
8		·82	·60	·02		·27		·20					8
9	·15		1·34	·21				·02	·10			1·33	9
10		·46		·15	·14								10
11		·51	·58	·02					·34		·08	·44	11
12		·18	·16				·66		·38			·50	12
13		·91	·20			·03			·18	·10	·10	1·37	13
14		·50	·31							·36	·33	·38	14
15			·27				·05	·23			·80		15
16											·15		16
17		·48	·19						·40				17
18			·29									1·02	18
19		·12	·79				·31					·12	19
20		·45	·21			·02						·30	20
21		·70	·10						·04	·14		·12	21
22			·02		·39	·02	·05			·34			22
23		·08	·27		·02	·18					·18		23
24			·06										24
25			·20							·38			25
26	·12							·25		·18	·21	·85	26
27											·11	·54	27
28		·04			·04		·02			·19	·43	·45	28
29	·17		·05							·34	·42		29
30			·12	·15	—					·08	1·17	·64	30
31					·15		·03					·03	31
Total	·55	6·41	6·13	1·93	1·51	·67	1·80	1·16	1·44	2·11	4·91	10·02	YEAR'S TOTAL 38·64
Rain Days.	4	14	22	11	10	7	11	8	6	9	16	20	✓...

81.

cond by [illegible] 23.11.16

522
63

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

Kept at Gaywood

in the County of Sussex

by E. Burney Young

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.70	.37	.10				.05	.02	.42		.03	.54	1
2	.47	.22	.21	.12				.12	.08	.16		.46	2
3	.38		.10	.15	.18							.62	3
4	.05							.08				.72	4
5	.04	.48						.14				.61	5
6	.53	.12		.80			.72	.02				.15	6
7	.30	.60										.38	7
8	.02	.88					.11						8
9	.03	.12		.12				.03			.52	.78	9
10	.26					.05						.40	10
11	.03		.10							.04	.78	.12	11
12				.18				.01			.55		12
13	.02	.84			.42								13
14	.04				2.00		.04	.09	.09			.71	14
15	.20				.07		.24	.05					15
16	.02	1.10			.12		.96					.15	16
17		.60			1.18			.06					17
18		.16			.20								18
19	.25	.17			.05		.03						19
20	.05			.02								.12	20
21					.06							.05	21
22	1.14	.05	.08				1.05			.35		.28	22
23		.03	.04				.43		.04	.28		.73	23
24						.04	.08		.45	.42		.52	24
25			.06	.02			.06					.31	25
26						}(.14)	.18					.78	26
27		.16										.03	27
28		.10				.12			1.10	.83			28
29						.85		.10			.70	.04	29
30						.08				.43	1.08	.07	30
31										1.02		.51	31
Total	4.53	6.00	.69	1.41	4.28	1.28 ✓	3.95	.72	2.18	3.53	3.66	9.08	YEAR'S TOTAL 41.31 ✓
Rain Days.	18	16	7	7	9	5 7	12	11	6	8	6	23	130 ~~128~~

W. 8,000. X. 14.

8L ✓ W D [illegible] 508 63

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

Kept at Gaywood

in the County of Sussex

by E. Burney Young

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·17				·26	·01			·33		·32		1
2	·51	·22	·03		·20	·03				·86	·20		2
3		·73	·23				·05		·18	·64	·88		3
4	·46	·09			·12	·70			·22	·05	·37		4
5						·23				·12	·82		5
6	·04		·15	·05		·25	·46			·12	·77		6
7		·20	·32		·32	·06	·04			·12	·91		7
8		·02			·30							·54	8
9					·33	·24						·18	9
10		·10	·03	·04		·51						·15	10
11		·39		·18		·44						·12	11
12	·09	·09			·04	·12	·17			·06			12
13		·32		·04	·09	·10		·05					13
14		·60	·61	·06	·10			·02		·09			14
15		·08	·22					·15					15
16		·09	·36				·10	·20					16
17	·26			·34				·10	·28	·77			17
18		·22	·03	·05				·14	·27		·65	·40	18
19	·48		·21	·18		·12		·05	·04	·09	·36		19
20	·19		·24	·02							·21	·68	20
21			·27				·11				·02	·28	21
22								·02		·03		·65	22
23	·03	·10				·02				·32			23
24					·25	·09		·01		·36	·25	·35	24
25		·42	·15					·80			·04		25
26						·10		·10	·42	·41			26
27		·33	·81	·03		·16		·05	·15	1·56			27
28		·42	·08			·51		·02	·44	·22		·24	28
29		·30				·48		1·08	·22	·56		·32	29
30		X			·29			·04		·27			30
31		X		X		X		·02	X	·28	X		31
Total	2·23	4·72	3·74	·99	2·30	4·17	·93	2·85	2·55	6·93	580 5·80	3·91	YEAR'S TOTAL 41·12 41·12
Rain Days.	9	18	15	10	11	18	6	16	10	19	13	11	156

W. 8,000. X. 15.

490

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.
2 JAN

Kept at Gaywood
in the County of Sussex
by E Burney-Young

Lat. ______ Long. ______
Time of Observation 9 a.m.
Nearest Railway Station Pulborough
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. ____ in.
" " " " Sea Level 134 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		.15	.06	.20				1.35	.15		.07		1
2				.56				.04			.20		2
3				.23			.77	.22		.08	.05		3
4			.12				.04	.36		.50			4
5	.34		.05	.31				.12	.10	.26	.12		5
6			.20			.17			.14		.12		6
7	.32		-				.19		.06	.55		.12	7
8	.19			.20			.27	.26		.31	.23		8
9	.21		.08		.07		.04	.06		.03	.09	.68	9
10			.20	.08		.05		.14					10
11	.07		.24	.20				8	.03	.50			11
12	.05		.02	.24				.05		.22			12
13			.21					.03	.04	.33			13
14				.20				.10					14
15					.09					.10			15
16		.16		.22	.04		.13			1.35		55	16
17				.14	.26		.28	.02	.34				17
18				.06	.20		.20	.18	.40				18
19		.30	.10						.20				19
20					.50				.12	.03			20
21		.10									.03		21
22			.05			.19		.17		.20			22
23		.25			.24			.37		.02			23
24		.10				.17	.03	.03		.22			24
25		.09								.05			25
26			.03			.10		.55	.07		.44		26
27					.02			1.60					27
28			.04			2.20		.35					28
29					.15	.04		.12		.85		.16	29
30		X	.50				.61	.20		.02		.02	30
31	.04	X		X		X	.26	.05	X		X		31
Total	1.22	1.15	1.90	2.64	1.57	2.92	2.82	6.37	1.65	5.36 5.66	1.35	1.53	YEAR'S TOTAL 30.78
Rain Days.	7	7	14	12	9	7	11	22	11	18	9	5	30.78 132

2.48

W. 8,000, IX. 17.

Dl

~~W~~ ~~Dl~~ cnd fr with

~~60~~ 24

FORM A.
BRITISH RAINFALL.

27. 1 19

REGISTER OF RAINFALL IN 1918

Kept at Gaywood

in the County of Sussex

by E. Burney-Young

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Funnel of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1											.30	.12	1
2		.12						.32				.27	2
3					.64			.12		.05	.64		3
4		.22						.08	.27		1.00		4
5		.05	.12		.05			.14		.20		.12	5
6	.12	.26		.23				.12				.05	6
7		.15		.10	.35			.02	.05	.10			7
8		.04							.41		.24	.12	8
9	.02			.05					.65	.30	.02	.46	9
10				.08		.12	.79		.43	.21		.24	10
11							.20		.18	.22	.05	.12	11
12		.12					.40						12
13					.22		.25						13
14	.62		.12			.05	.10		.61	.20		.14	14
15	1.71						.16					.26	15
16			.16	.20		.20			.35	.12			16
17	.62			.22			.62					.37	17
18	.52					.38			.60			.09	18
19	.12					.14	.10		.03				19
20	.06	.26		.61			.24		.26	.05			20
21	.21			.45			.44		.38	.26		.04	21
22	.15				.45		.35		.51			.25	22
23				.12			.62	.05	.02				23
24		.27					.17		.20		.11		24
25				.20				.19		.04			25
26							.42		.05		.05	.19	26
27		.15		.05			.15	.15	.10				27
28			.34								.21	.03	28
29									1.06				29
30		X	.44						.04	.08			30
31		X		X		X			X	.06	X	.02	31
Total	4.15	1.64	1.18	~~2.23~~ 2.31	1.71	.89	5.01	1.19	6.20	~~1.87~~ 1.89	2.62	2.92 2.89	YEAR'S TOTAL ~~31.61~~ 31.68
Rain Days.	10	10	5	11	5	5	15	9	19	13	9	17	128

W. 8,000, VIII. 16

82 464

FORM A. BRITISH RAINFALL.
4 MAR 20

REGISTER OF RAINFALL IN 1919

Kept at Gaywood

in the County of Sussex

by E. Burney-Young

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·50				·20		·20					1·00	1
2	·17		·05		·18		·05		·08		·05	·15	2
3	·23		·46		·02		·40		·03			·27	3
4	·30		·34				·22	·06			·06		4
5		·31	·84				·10					·40	5
6	·25								·06		·05	·05	6
7	·04		·62										7
8	·32												8
9	·34		·25	·08							·10		9
10	·41			·03	·12					·04			10
11	·50		·20	·27								·43	11
12	·26		·05		·10		·67			·05			12
13	·08										·05		13
14	·75			1·02			·12		·40			·12	14
15	·22		·06									·95	15
16	·06	·70									·11		16
17											·05		17
18		·30	·20								·12	·05	18
19		·28	·70				·80	·20			·04		19
20	·65		·06	·20		·83	·04	·26					20
21	·10	·55										·06	21
22							·23		·46		·03	·20	22
23									·12	·06	·07		23
24							·07			·16	·12	·12	24
25		·21				·03		·40					25
26			·12	·10					·10		·20	·53	26
27	·51			·51			·05				·11	·04	27
28			·20					1·09			·37	·32	28
29								(·32)		·17			29
30		X	·04	·30		·09		·60			·35	·95	30
31	·09	X		X		X			X		X	·22	31
Total	5·78	2·35	4·19	2·51	·62	·95	2·95	2·93	1·25	·48	1·88	5·86	YEAR'S TOTAL 31·75
Rain Days.	19	6	15	8	5	3	12	6	7	5	16	17	119

W, 6,500, VII. 18. W W C

77 439

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Gaywood

in the County of Sussex

by E. Burney-Young

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·09		·05	·09	·12		·40	—		·40		·32	1
2			·03		·04			·20	·10			·22	2
3	·15									·32			3
4		·05		·15			1·10	·28		·46			4
5		·15	·20				·51						5
6			·23		·22		·26						6
7	·08			·12			·20						7
8					·07		·22						8
9				·05	·20	·06	·05						9
10	·76		·05	·16		·22	·34						10
11	·75	·12	·06	·30			·					·30	11
12	·04			·27		·65	·36						12
13	·22		·27								·10		13
14		·06	·51	·47					·12	·15	·54		14
15						·20			1·34	·32			15
16		·04	·04						·15		·27		16
17									1·34				17
18	·09							·85	·29				18
19	·06			·56									19
20	·06	·06		·20		·70			·15				20
21							1·12		·28			·44	21
22	·03			·32			·65		·28			·31	22
23								·20				·30	23
24			·15	·03								·17	24
25			·04	·25	·11		·27					·04	25
26			·24				·04					·10	26
27	·82				·18						·03	·28	27
28	·39		·21	·04		·04	·20				·46		28
29	·91		·08								·38	·25	29
30	·05			·06			·05				·23	·43	30
31	·12		·20							·75		·32	31
TOTAL	4·61	·48	2·36	3·07	·94	1·87	5·77	1·53	3·77	2·40	2·01	3·48	YEAR'S TOTAL 32·24
Days with ·01 in. or more	16	6	15	15	7	6	15	4	8	6	7	13	~~118~~
04	15	6	14	14	7	6	15	4	8	6	6	13	114

(4,283). W. 01958—218. 7500. 10/19. Gp.132. A.&E.W.

CLAYTON MILL

SUSSEX

1911 - 1916

R

11

FORM A2.
BRITISH RAINFALL.
17 JAN 1912

Kept at Clayton Wi...

in the County of Su...

by Edward A.

...dinary

5 in.

...ove Ground 1 ft. in.

...Sea Level 584 ft.

9 ...

Name Hassocks

Distance 1¾ m Direction N

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	00	00	00	85	00	00	00	05	00	00	29	04	1
2	00	00	00	10	37	00	00	00	00	00	75	00	2
3	·10	00	00	12	36	00	00	00	00	00	02	05	3
4	09	00	00	snow 20	00	00	00	00	02	35	40	1.15	4
5	30	04	·02	00	00	00	00	00	00	00	05	20	5
6	16	00	08	00	00	00	00	00	00	1·00	35	31	6
7	11	00	00	00	00	00	00	00	00	24	1·10	80	7
8	05	00	20	00	00	00	00	00	00	00	90	87	8
9	00	00	00	05	00	00	00	00	00	00	24	00	9
10	50	12	10	00	00	00	00	00	00	00	07	07	10
11	00	00	7 ~~10~~	00	23	00	00	00	00	00	1.65	15	11
12	00	00	25	00	00	00	00	00	32	00	05	1.12	12
13	00	00	40	00	07	00	00	00	00	05	00	00	13
14	00	09	50	00	30	00	00	00	00	00	06	00	14
15	·02	06	00	00	00	00	00	00	00	00	20	41	15
16	00	00	15	01	00	50	00	00	00	00	1·21	1.17	16
17	00	05	00	00	00	13	00	00	00	00	1. 10	10	17
18	00	13	00	00	00	04	00	00	25	00	1.15	50	18
19	05	02	10	00	06	06	00	00	00	37	10	32	19
20	05	00	00	00	07	00	00	30	33	00	00	1·11	20
21	07	55	00	00	06	00	00	02	00	77	00	30	21
22	03	00	20	00	10	00	00	00	00	68	00	1·17	22
23	00	50	01	00	00	14	00	00	55	44	25	35	23
24	00	38	00	00	18	1.27	00	10	00	29	00	1·15	24
25	00	01	00	00	00	·35	02	06	15	05	00	30	25
26	00	00	36	15	00	19	01	00	00	35	00	90	26
27	00	57	00	36	00	00	00	00	08	88	19	05	27
28	00	48	00	07	00	12	00	00	00	29	00	04	28
29	00	—	00	06	00	10	35	00	26	31	00	20	29
30	00	—	02	00	00	12	00	00	01	04	00	00	30
31	00	—			00		00	00		00		03	31
Total	1.53	3.00	2·39✓	1·97	1.80	3·02	·38	·53	~~1~~1.97	6·11	10.16	12·86	TOTAL for year 45·72✓
No. of Rain Days.	12/11	13	13✓	10	11	11 ~~10~~	3	5 ~~4~~	9	15	20	26	148 148

W. 8,000, X. '11.

R 11

W 88

FORM A2.
BRITISH RAINFALL.
17 JAN 1912

Kept at Clayton Wind Mill

in the County of Sussex 3

by Edward A. Martin F.G.S.

RAIN GAUGE
Pattern Ordinary
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
Sea Level 584 ft.

Time of Observation 9 am

Nearest Railway Station
Name Hassocks
Distance 1¾ m Direction N

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	00	00	00	85	00	00	00	05	00	00	29	04	1
2	00	00	00	10	37	00	00	00	00	00	75	00	2
3	·10	00	00	12	36	00	00	00	00	00	02	05	3
4	09	00	00	snow 20	00	00	00	00	02	35	40	1.15	4
5	30	04	·02	00	00	00	00	00	00	00	05	20	5
6	16	00	08	00	00	00	00	00	00	1·00	35	31	6
7	11	00	00	00	00	00	00	00	00	24	1·10	80	7
8	05	00	20	00	00	00	00	00	00	00	90	87	8
9	00	00	00	05	00	00	00	00	00	00	24	00	9
10	50	12	10	00	00	00	00	00	00	00	07	07	10
11	00	00	7 ~~10~~	00	23	00	00	00	00	00	1.65	15	11
12	00	00	25	00	00	00	00	00	32	00	05	1.12	12
13	00	00	40	00	07	00	00	00	00	05	00	00	13
14	00	09	50	00	30	00	00	00	00	00	06	00	14
15	·02	06	00	00	00	00	00	00	00	00	20	41	15
16	00	00	15	01	00	50	00	00	00	00	1·21	1.17	16
17	00	05	00	00	00	13	00	00	00	00	1.10	10	17
18	00	13	00	00	00	04	00	00	25	00	1.15	50	18
19	05	02	10	00	06	06	00	00	00	37	10	32	19
20	05	00	00	00	07	00	00	30	33	00	00	1·11	20
21	07	55	00	00	06	00	00	02	00	77	00	30	21
22	03	00	20	00	10	00	00	00	00	68	00	1·17	22
23	00	50	01	00	00	14	00	00	55	44	25	35	23
24	00	38	00	00	18	1.27	00	10	00	29	00	1·15	24
25	00	01	00	00	00	·35	02	06	15	05	00	30	25
26	00	00	36	15	00	19	01	00	00	35	00	90	26
27	00	57	00	36	00	00	00	00	08	88	19	05	27
28	00	48	00	07	00	12	00	00	00	29	00	04	28
29	00	—	00	06	00	10	35	00	26	31	00	20	29
30	00	—	02	00	00	12	00	00	01	04	00	00	30
31	00	—			00		00	00		00		03	31
Total	1.53	3.00	2·39✓	1·97	1.80	3·02	·38	·53	X1.97	6·11	10.16	12.86	TOTAL for year 45·72✓
No. of Rain Days.	12/11	13	13✓	10	11	11 ~~10~~	3	5~~4~~	9	15	20	26	14~~8~~ 148

W. 8,000, X. '11.

FORM A.
BRITISH RAINFALL.
29 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Clayton Mills
in the County of Sussex 3
by Capt. W. V. Anson R.N. (per E. A. Martin F.G.S.)

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Hassocks
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 584 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1						·37			·15	·93		·41	1
2						·18	·51		·01				2
3						·26	·01	·59	·03				3
4						·16		·20			·35	·04	4
5						·03		·40				·02	5
6						·01		·39	·05		·04	·16	6
7						·56		·19				·25	7
8						·12						·07	8
9						·23	·08	·36				·41	9
10						·01					·04	·39	10
11						·01		·50				·28	11
12						·07		·32				·02	12
13						·01	·03	·20			·04	·65	13
14								·29		·10		·13	14
15						·64						·38	15
16						·10		·30		·16	·02		16
17						·06		·16			·19	·51	17
18								·06		·06		·24	18
19								·36			·02		19
20						·02	·05	·03		·53	·04		20
21								·15		·25	·04		21
22								·26		·01		·03	22
23						·01		·28		·13	·25	·15	23
24							·01	·80		·07		·23	24
25						·40	·01	1.12		·03	·50	·74	25
26						·09	·01	·10		·53	·37	·44	26
27						·05				·37		·72	27
28						·04	·19	·12	·22	1.19	·96	·37	28
29								·50	2.48	·05			29
30						·01	·17	1.00	1.13	·63			30
31							·15	·20					31
Total	2·87	2·63	4.77	·01	1.12	3.44	1.22	8.88	4.07	5·04	3.11	6.64	YEAR'S TOTAL 43.80 43.80
Rain Days.						23	11	25	7	15	13	22	

The first 5 months figures are estimated, as the rainfall could not be measured owing to circumstances which were unavoidable. I have calculated that the rainfall at Ditchling is 7/8 of that at Clayton Mills, and have accordingly worked on that basis in framing the estimates given in red.

Edwd A Martin
Jan 28/13

W. 7,500, XI. '12

FORM A.
BRITISH RAINFALL
22 JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Clayton Mills

in the County of Sussex

by E. A. Martin F.G.S.

3

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Hassocks

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 584 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·08	·51	·25	·16		·22				·04	·23	·15	1
2	·05	·23					·07		·01	·44	·26	·06	2
3	·03		·13	·25	·40							·23	3
4	·59		·24		·04		·02		1.40	·20	·20		4
5	·26	·09	·04			·38	·09		·37	·03	·70		5
6		·04	·15		·12	·59	·37		·01	·34	·27	·31	6
7		·54	·06		·07	·26	·01			·19	·19		7
8	·01	·09	·02		·19	·09		·70		·27	·10	·11	8
9		·09		·01	·23		·11	~~·10~~	·24		·04	·02	9
10	·02			·05			1.25				·78		10
11	1.13			·55						·83	·18		11
12					·52						1.36	·02	12
13	·56		·03						·13		·19		13
14	·47		·24	·08			1·71	·10	·05	·03	·25		14
15	·35	·02	·29	·73			·22	·40					15
16	·19		·79	·38			·01		·25				16
17	·06			·06			·30				·03	·02	17
18			·20	·57			·03				·42		18
19	·28		·13		·10	·06	·16		·80				19
20	·60		·11	·21		·13				·66	·08		20
21			·17	·14						·87	1.14		21
22	·30		·36				·02	·09	·11	·01			22
23			·17			·03		·08				·89	23
24	·15			·10				·06			·06		24
25		·01		·24									25
26			·10					·11		·82		·33	26
27			·11	·06			·02			·04			27
28	·09		·37	·08				·01		·13			28
29	·18		·03	·42	·54					·32			29
30	1.16			·18				·30	·02	·22			30
31			·12					·84		·15			31
Total	6.56	1.62	4·11	4·27	2·21	1·76	4·39	2·69	3·39	5·59	6·48	2·14	YEAR'S TOTAL 45·21
Rain Days.	20	9	22	18	9	8	15	10	11	18	18	10	168 ~~159~~

W.7,000, XI. 13

00 should be understood where nothing is shown

Ex LMC

REGISTER OF RAINFALL IN 1914

Kept at Clayton Mills

in the County of Sussex 3

by E. T. Martin

Lat. Long.

Time of Observation 9 am

Nearest Railway Station Hassocks

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 584 ft.

FORM A.
BRITISH RAINFALL.
5 - JAN 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·02	·11			·03	·15			·10	·05	1
2				·01		·05	·05				·25	·18	2
3			·11	·15	·55		·09	·04					3
4			·01	·54				·11			·50	·30	4
5	·19-19		·10	·66	·02	·02	·15	·05			·01		5
6	·18	·15		·19	·12	·12		·11			·01	·80	6
7	·14	·72	·30	·28	·06	·09	·10				·02	·34	7
8	·18-09	·99	·90	·11		·22	·14	·20				·15	8
9	·14-14		1·20	·26		·06		·01	·12			1·49	9
10	·09·04		·01	·22								·04	10
11	·05	·89	1·15	·08		·05			·40		·04	·55	11
12	·18	·09	·15				·60		·70		·05	·88	12
13	·02	1·36	·40						·20	·05	·07	·25	13
14	·09	·42	·45				·04			·32	·50	·68	14
15		·30	·30					·25			1·10	·01	15
16		·11					·10		·10				16
17		1·20	·17				·02		·42			·46	17
18		·10	·21									·62	18
19		·29	1·18				·29			·03	·23	·40	19
20		·23	·15			·10			rain, but no record, owing to high wind.	·01		·35	20
21		·75	·08							·11		·03	21
22		·21	·03		·05	·05	·09					·01	22
23			·55			·43				·01			23
24			·04							·01	·11		24
25	·14		·30					·10		·70			25
26			·10				·01	·20		·20	·25	·90	26
27	·04									·12	·12	·89	27
28	·05	·10					·22			·45	·50	·52	28
29	·28		·04							·71	·10	·02	29
30	·02	X	·30	·02						·12	1·90	·50	30
31	·07	X		X	·25	X			X	trace	X	·11	31
Total	1·20	7·91	8·25	2·63	1·05	1·69	1·93	1·22	1·94	2·84	5·86	10·53	YEAR'S TOTAL 47·05 ✓
Rain Days.	10	16	25	12	6	10	14	10	6	13	18	25	165 ✓

W. 8,000. X. 14.

~~W~~ M L [illegible] stats 23.11.16

568

FORM A.
BRITISH RAINFALL.

19. JAN 1916

REGISTER OF RAINFALL IN 19 15

Kept at Clayton Mills
in the County of Sussex 3
by Edwd. H. Martin

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Hassocks
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. — in.
" " " " Sea Level as before 584 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·32	·50	·01						1·66		·12	·27	1
2	·42	·42	·46	·12	·01				·01	·29		·20	2
3	·30		·11	·34	·08			·10	·02			·65	3
4	·10					·02		·08				·63	4
5	·10	·70		·01								·66	5
6	·59 ·59	·37	·05	·81			·55	·27				·24	6
7	·62 ·62	·54	·10	·05		·18	·10					·40	7
8	·02	·55					·11						8
9	1· ·50	·36		·17		·12					·62	1·20	9
10								·04				·68	10
11	·08		·05							·10	1·16		11
12		·20		·16	·28						1·07		12
13		·61			2·21			·01	·06				13
14		·01					·12		·12			1·26	14
15	·22	·01			·07		·25	·50			·10	·65	15
16		·80		·01			1·86	·25				·23	16
17		·80			1·74			·01				·02	17
18		·13			·25								18
19		·16											19
20	·29	·01			·13							·13	20
21										·30		·02	21
22			·13	·12			1·77			·09		·35	22
23	·42		·12						·02	·24		·65	23
24			·01						·40	·66		·68	24
25			·04	·02			·22					·25	25
26		·23				·08	·01					1·01	26
27		·06					·09			1·00		·06	27
28		·05				·27			1·45	·41			28
29		X					·08	·29			·74	·03	29
30		X								·25	·41	·05	30
31	·20	X		X		X			X	1·03	X	·29	31
Total	4·18 ✓	6·51	1·08	1·81	4·77	·67	5·16	1·55	3·74	4·37	4·22	10·61	YEAR'S TOTAL 48·67 ✓
Rain Days.	18 ✓	19	10	10	8	5	11	9	8	10	7	24	136

W. 8,000. X. 15.

Ed RL

557

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

Kept at Clayton Windmills
in the County of Sussex
by Capt Anson RN

Lat. .... Long. ....
Time of Observation 9 am
Nearest Railway Station Hassocks
Diameter of Funnel of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1					.20	.02				.25	.15		1
2			.05		.32					1·30	.30		2
3			.34						.30	.80	.40		3
4						1·05			.25	.50	.10		4
5					.28	.05	.03		.30	.20	.05		5
6					.10	.03	.24		.10	.10	.30		6
7				.10	.38	.05	.04				.05		7
8					.60	.02			.01		.10		8
9					.40	.04							9
10						.30	.10			.15			10
11		.62		.05	.03	.20	.04						11
12		.23		.05	.05	.15	.30			.10		1.70	12
13			.16	.10	.10	.10	.02		.02	.10			13
14			.40	.02	.07					.05			14
15			.33	.01				.05				.15	15
16			.12	.25			.10	.10					16
17		.20	.25	.06			.05			.25			17
18							.05	.05	.50	.80			18
19		06		.02				.18	.30		1.00		19
20			.12	.15		.08			.15	.05	05	.30	20
21			.09	.10				.02		.05			21
22			.29			.03							22
23			.04			.15				.15		.10	23
24					.06					.10	.11	.05	24
25								.02			.12		25
26						.22		.80	.15	.50	.08		26
27						.03		.15	1.15	.80		.10	27
28						.18		.05		1.85			28
29						.34		.90	.20	1.00	.02	.60	29
30		X			.10	.02		.03	1.00	.50			30
31		X		X		X			X	.05	X		31
Total		1.11	2.19	.91	2.69	3.06	.97	2.35	4.43	9.65	2.83	3.00	YEAR'S TOTAL
Rain Days.		4	11	11	13	19	10	11	13	22	14	7	

W. 8,000, VIII. 16

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

Kept at Clayton Windmills
in the County of Sussex
by Capt. Anson R.E.

Lat. .... Long. ....
Time of Observation 9 a.m
Nearest Railway Station Hassocks
Diameter of Funnel of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1					0/20	0/2				-/25	-/15		1
2			0/5		-/32					-/130	-/30		2
3			0/34						-/30	-/80	-/40		3
4						-/105			-/25	-/50	-/10		4
5					-/28	-/5	0/3		-/30	-/20	-/5		5
6					-/10	-/3	-/24		-/10	-/10	-/30		6
7				-/10	0/38	-/5	-/4				-/5		7
8					0/60	-/2			-/1		-/10		8
9					-/40	-/4							9
10						-/30	-/10			-/15			10
11	Snow & Frost	0/62		0/5	-/3	-/20	-/4						11
12		0/23		0/5	-/5	0/15	-/30			-/10		1/70	12
13			0/16	0/10	-/10	-/10	-/2		-/2	-/10			13
14			0/40	-/2	-/7					-/5			14
15			-/33	-/1				-/05				-/15	15
16			-/12	-/25			-/10	-/10					16
17		0/20	-/25	-/6			-/5			-/25			17
18							-/5	-/05	-/50	-/80			18
19		0/6		-/2				-/18	-/30		1 inch		19
20			-/12	-/15		-/8			-/15	-/5	-105	-/30	20
21			-/9	-/10				-/02		-/5			21
22			-/29			-/3							22
23			-/4			-/15				-/15		-/10	23
24					0/6					-/10	-/11	-/5	24
25								-/2			-/12		25
26						-/22		-/80	-/15	-/50	-/8		26
27						-/3		-/15	-/115	-/80		-/10	27
28						-/18		-/5		-/185			28
29						-/34		-/90	-/20	-/100	-/2	-/60	29
30					0/10	-/2		-/3	-/100	-/50			30
31										-/5			31
Total		1·11	2·19	0·91	2·69	2·645 2·115	·97	~~[illegible]·55~~ 2·35	2·495	5·390 5·915	~~[illegible]·83~~ 2·83	3·00	YEAR'S TOTAL
Rain Days.		4	11	11	13	19	10	11	13	22	14	7	
						3.06			4.43	9.65			

W. 8,000, VIII. 16

Rainfall for Quarter ending Dec 31st

October		November		Dec	
1st	0/25	1	0/15	12	1·70
2	0/130	2	0/30	15	·/15
3	0/80	3	0/40	20	·/30
4	0/50	4	0/10	23	·0/10
5	0/20	5	0/5	24	0/5
6	0/10	6	0/30	26	0/10
10	0/15	7	0/5	29	·/60
12	0/10	8	0/10		
15	0/50	19	(.30) 3 Inch Snow		
17	0/25	20	0/5		
18	0/80	24	0/11		
20	0/5	25	0/12		
21	0/5	26	0/8		
23	0/15	29	0/3		
24	0/10				
26	0/50				
27	0/8				
28	0/185				
29	0/100				
30	0/50				
31	0/5				
	9·28		2·14		3·00

Telephone Numbers :
Victoria 6481 (Commander)
~~6482~~ (Asst. Commander)
6842

SPECIAL CONSTABULARY.
POST OFFICE MISCELLANEOUS DETACHMENTS.

Commander :
C. W. MASTERS PATERSON.

Assistant Commander :
EDWARD A. MARTIN, F.G.S.

All communications should be addressed to The Commander.

~~*DIVISIONAL HEADQUARTERS*~~ :
~~*18, Victoria Street,*~~
~~*Westminster, S.W. 1*~~
285, HOLMESDALE ROAD,
SOUTH NORWOOD, S.E.

12 MAY 1917

Dear Dr. Salter,

I send this on to you just as received. It needs some unravelling. Perhaps you will write direct if you require any elucidation, to the lady: and in "British Rainfall" put Capt. Anson R.N. in place of my [illegible] name.

Yours sincerely

Edwd A Martin.

(Re Clayton Mills Rainfall)

COBNOR

SUSSES

1920

FORM A. 1. METEOROLOG… …ANIZATION.

28 JAN 1921

REC… …D.

Kept at CoBNoT… …°52' 30" W

in the County of Su… …BosHAM

by Sydney W… …in Gauge 4 in.

…ve Ground ft. 6 in.

…Sea Level 12 ft.

IMPORTANT NOTE.— … entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·11			·16	(·10)		·39			·88	·25		1
2				·06				·09	·08	·08		·41	2
3		·03					·11			·21			3
4							·48	·14		·46		·05	4
5			·28	·04			·98	·05		·15			5
6			·10		·08		·23			·10			6
7	·03			·18			·16						7
8				·05	·34		·14						8
9	·36	·20		·06	·04		·06						9
10	·66		·23	·04		·05	·29						10
11	·09		·09	·45			·48					·08 (snow)	11
12	·08		·03	·19		·03				·02			12
13	·23	·05	·31	·02		·90					·04		13
14	·06		·45	·33					·16	·09	·40		14
15	·09		·05	·08	·09				·53	·82	·04		15
16				·06		·02			·32	·03			16
17				·01	·11				·86				17
18	·06				·06	·05		·64	·06			·04	18
19	·12			·31					·03			·02	19
20				·09		1·						·14	20
21							·95		·13			·05	21
22				·28					·03			·26	22
23	·10			·02			·35	·03			·03	·50	23
24			·11								·02	·04	24
25			·05		·24		·22		·01		·02		25
26	·05		·11	·06							·02	·11	26
27	·43			·10		·05					·17	·28	27
28	·40		·10	·03	·05		·10					·05	28
29	·63		·09	·04	·02		·06				·16	·18	29
30	·05	☒				·10			·17	·83	·17	·21	30
31		☒	·22	☒		☒			☒		☒	·14	31
TOTAL	3·55	·28	2·22	2·66	1·13	2·20	5·00	·95	2·38	3·67	1·32	2·56	YEAR'S TOTAL 27·92 ✓
Days with ·01 in. or more	17	3	14	22	10	8	15	5	11	11	11	16	143 ✓
Days with ·04 in. or more	16	2	13	18	9	6 ~~78~~	15	4	8	9	7 ~~8~~	15	124

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

28 JAN 1921

REGISTER OF RAINFALL IN 1920.

Kept at COBNOR
in the County of SUSSEX
by Sydney W. Beale

Lat. 50° 49′ Long. 0° 52′ 30″ W
Time of Observation 9 am
Nearest Railway Station BOSHAM
Diameter of Funnel of Rain Gauge 4 in.
Height of top of Gauge above Ground ft. 6 in.
" " " " Sea Level 12 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·11			·16	(·10)		·39			·88	·25		1
2				·06				·09	·08	·08		·41	2
3		·03					·11			·21			3
4							·48	·14		·46		·05	4
5			·28	·04			·98	·05		·15			5
6			·10		·08		·23			·10			6
7	·03			·18			·16						7
8				·05	·34		·14						8
9	·36	·20		·06	·04		·06						9
10	·66		·23	·04		·05	·29						10
11	·09		·09	·45			·48					·08 (snow)	11
12	·08		·03	·19		·03				·02			12
13	·23	·05	·31	·02		·90					·04		13
14	·06		·45	·33					·16	·09	·40		14
15	·09		·05	·08	·09				·53	·82	·04		15
16				·06		·02			·32	·03			16
17				·01	·11				·86				17
18	·06				·06	·05		·64	·06			·04	18
19	·12			·31					·03			·02	19
20				·09		1·						·14	20
21							·95		·13			·05	21
22				·28					·03			·26	22
23	·10			·02			·35	·03			·03	·50	23
24			·11								·02	·04	24
25			·05		·24		·22		·01		·02		25
26	·05		·11	·06							·02	·11	26
27	·43			·10		·05					·17	·28	27
28	·40		·10	·03	·05		·10					·05	28
29	·63		·09	·04	·02		·06				·16	·18	29
30	·05	☒				·10			·17	·83	·17	·21	30
31		☒	·22	☒		☒			☒		☒	·14	31
TOTAL	3·5[illegible]5	·28	2·22	2·66	1·13	2·20	5·00	·95	2·38	3·67	1·32	2·56	YEAR'S TOTAL 27·92
Days with ·01 in. or more	17	3	14	22	10	8	15	5	11	11	11	16	143 ✓
Days with ·04 in. or more	16	2	13	18	9	6 7 ~~8~~	15	4	8	9	7 ~~8~~	15	124

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

COCKING
RECTORY
1912

FORM A2.
BRITISH RAINFALL.

3 JAN 13

R 1912

ritish Association

Kept at Cockin

in the County of S

by Mrs. H. L.

p. 5 in.

bove Ground — ft. 11 in.

„ Sea Level 195 ft.

9·30 A.M

Name Cocking

Distance 250 yds Direction SWbyW

IMPORTANT NO ain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. X

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	·16	—	·04	·56	·70	—	·01	·78	—	—	1
2	—	—	·44	·01	—	·03	·26	—	—	—	—	·36	2
3	·03	—	·04	—	—	·26	—	·58	·02	—	—	—	3
4	·19	—	·62	—	—	·22	—	·05	—	—	·16	·03	4
5	·41	·11	·27	—	—	—	—	·61	—	—	·01	—	5
6	·67	·08	—	—	·13	·01	—	·23	·01	—	—	·05	6
7	—	·02	·01	—	·15	·58	—	·13	—	—	—	·30	7
8	·62	·52	·27	·02	—	·03	—	·09	—	—	—	·13	8
9	·01	·20	·31	·09	—	·06	·05	·06	—	—	—	·01	9
10	—	·14	·07	—	—	—	—	·15	—	—	·11	·32	10
11	·10	·46	·06	—	—	—	—	·04	—	—	·01	·39	11
12	·02	·08	·12	—	·08	·19	·12	·36	—	·09	·10	·28	12
13	—	·03	·04	—	—	—	·20	·11	—	—	—	·72	13
14	·02	—	·01	—	·05	—	—	·05	—	—	—	·03	14
15	·01	·05	·18	—	·08	·52	—	·01	—	—	·15	·27	15
16	·07	·01	·37	—	·08	·01	—	·36	—	·10	—	—	16
17	·53	—	·35	—	—	·03	—	·28	—	—	—	·20	17
18	·08	—	·25	—	—	—	—	·46	—	·01	·01	·09	18
19	·09	·10	·18	—	—	—	·08	·94	—	—	·03	·01	19
20	·03	—	·63	—	—	·05	—	·07	—	·39	·01	—	20
21	·01	·17	·15	—	·33	—	—	·24	—	·20	—	·04	21
22	·07	·62	·11	—	—	—	—	·27	—	—	·30	·14	22
23	·61	·31	·33	—	—	·03	—	·46	<	·07	—	·24	23
24	·22	·12	—	—	—	—	—	·25	—	—	—	·15	24
25	·16	—	—	—	—	·50	—	·90	—	·06	·29	·75	25
26	—	·07	—	—	—	—	—	·14	—	·55	·36	·24	26
27	—	·02	·01	—	—	·19	·09	—	—	·30	—	·62	27
28	—	·06	—	—	—	25 ·35	·67	·43	·17	·78	·56	·17	28
29	—	·08	—	—	—	·02	·16	·20	2.68	·19	—	—	29
30	—	—	—	—	·24	·05	·06	·07	1·42	·18	·05	—	30
31	—	—	·15		—	—	·40	·21	—	·01	—	—	31
Total	3·95	3·25	5·13	·12	1·18	3·59	2·79	7·75	4·31	3·71	2·15	4·94	TOTAL for year 42·87
No. of Rain Days	20	20	24	3	9	19	11	28	6	14	14	23	191

9,000, IX. '10.

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.

3 JAN 13

Kept at Cocking Rectory

in the County of Sussex 2

by Mrs. H. L. Randall

RAIN GAUGE
Pattern British Association
Diameter of top 5 in.
Height of top above Ground — ft. 11 in.
" " " Sea Level 195 ft.

Time of Observation 9·30 A.M

Nearest Railway Station
Name Cocking
Distance 250 yds Direction SWbyW

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. X

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	·16	—	·04	·56	·70	—	·01	·78	—	—	1
2	—	—	·44	·01	—	·03	·26	—	—	—	—	·36	2
3	·03	—	·04	—	—	·26	—	·58	·02	—	—	—	3
4	·19	—	·62	—	—	·22	—	·05	—	—	·16	·03	4
5	·41	·11	·27	—	—	—	—	·61	—	—	·01	—	5
6	·67	·08	—	—	·13	·01	—	·23	·01	—	—	·05	6
7	—	·02	·01	—	·15	·58	—	·13	—	—	—	·30	7
8	·62	·52	·27	·02	—	·03	—	·09	—	—	—	·13	8
9	·01	·20	·31	·09	—	·06	·05	·06	—	—	—	·01	9
10	—	·14	·07	—	—	—	—	·15	—	—	·11	·32	10
11	·10	·46	·06	—	—	—	—	·04	—	—	·01	·39	11
12	·02	·08	·12	—	·08	·19	·12	·36	—	·09	·10	·28	12
13	—	·03	·04	—	—	—	·20	·11	—	—	—	·72	13
14	·02	—	·01	—	·05	—	—	·05	—	—	—	·03	14
15	·01	·05	·18	—	·08	·52	—	·01	—	—	·15	·27	15
16	·07	·01	·37	—	·08	·01	—	·36	—	·10	—	—	16
17	·53	—	·35	—	—	·03	—	·28	—	—	—	·20	17
18	·08	—	·25	—	—	—	—	·46	—	·01	·01	·09	18
19	·09	·19	·18	—	—	—	·08	·94	—	—	·03	·01	19
20	·03	—	·63	—	—	·05	—	·07	—	·39	·01	—	20
21	·01	·17	·15	—	·33	—	—	·24	—	·20	—	·04	21
22	·07	·62	·11	—	—	—	—	·27	—	—	·30	·14	22
23	·61	·31	·33	—	—	·03	—	·46	—	·07	—	·24	23
24	·22	·12	—	—	—	—	—	·25	—	—	—	·15	24
25	·16	—	—	—	—	·50	—	·90	—	·06	·29	·75	25
26	—	·07	—	—	—	—	—	·14	—	·55	·36	·24	26
27	—	·02	·01	—	—	·19	·09	—	—	·30	—	·62	27
28	—	·06	—	—	—	·25 ·35	·67	·43	·17	·78	·56	·17	28
29	—	·08	—	—	—	·02	·16	·20	2.68	·19	—	—	29
30	—	—	—	—	·24	·05	·06	·07	1·42	·18	·05	—	30
31	—	—	·15		—	—	·40	·21	—	·01	—	—	31
Total	3·95	3·25	5·13	·12	1·18	3·59	2·79	7·75	4·31	3·71	2·15	4·94	TOTAL for year 42·87
No. of Rain Days	20	20	24	3	9	19	11	28	6	14	14	23	191

9,000, IX. '10.

slip made 2/3/15

REGIST

COLEMAN~~S~~ HATCH
SUSSEX
1914-20

FORM A.
BRITISH RAINFALL
12 FEB 1915

Kept at Holly Hill, Colem
in the County of
by John McAnd

4.E
a m
t Row
3/4 in.
und 1 ft. 1 in.
Level 355 ft.

IMPORTANT NOTE.—F result entered to the previous day. If an Observer this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				10	34		2	21				11	1
2				22	10	4	20	5			23	17	2
3			14	17	17							5	3
4			3	27	5		2	6			32	37	4
5	13		7	50	3	2		13				56	5
6		15		22	2	14	19	9			2		6
7		59	33	18	14	3	10					34	7
8	17	76	64	9		3	20	16				15	8
9	34		102					2	15		2	1.18	9
10	3	6	3							1		12	10
11		66	70	3					27		7	42	11
12		4 ~~55~~	10				36		55			75	12
13		16 ~~25~~	30			10			16	6	16	1.02	13
14		28 ~~8~~	20				4			33	12	67	14
15	4	8 ~~7~~	40				3	3			76	9	15
16		7	10				19		6				16
17		54	26				3		24			19	17
18		23	20									74	18
19		17	107				17			3	22	14	19
20		19	16			6				3		24	20
21		53	8					10		3		4	21
22		7	30		29	3	10	6		39			22
23			3		11	26	2			3		6	23
24			33								26		24
25	11		5					5		44	3		25
26							13	36		14	25	56	26
27	3							3		2	9	85	27
28	2									26	26	67	28
29	10	5	10							68	21		29
30	3	✕	15							13	1.57	32	30
31	6	✕	3	✕	18	✕			✕		✕	13	31
Total	~~1.14~~ 1.06	~~5.06~~ 5.07	6.82	1.78	1.43	0.58	1.80	1.35	1.43	2.58	4.59	~~9.90~~ 9.94	YEAR'S TOTAL ~~38.46~~ 38.43
Rain Days.	11	17	25	9	~~9~~ 10	9	15	13	6	14	16	25	~~69~~

W. 8,000. X. 14.

170

Slip made 2/3/15

REGIST

FORM A.
BRITISH RAINFALL
12 FEB 1915

Kept at Holly Hill, Coleman's Hatch
in the County of Sussex
by John McAndrew

Lat. [illegible] Long. 0.4.E
Time of Observation 8.0 a m
Nearest Railway Station Forest Row
Diameter of Rain Gauge 4 3/4 in.
Height of top of Gauge above Ground 1 ft. 1 in.
" " " " Sea Level 355 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				10	34		2	21				11	1
2				22	10	4	20	5			23	17	2
3			14	17	17							5	3
4			3	27	5		2	6			32	37	4
5	13		7	50	3	2		13				56	5
6		15		22	2	14	19	9			2		6
7		59	33	18	14	3	10					34	7
8	17	76	64	9		3	20	16				15	8
9	34		102					2	15		2	1.18	9
10	3	6	3							1		12	10
11		66	70	3					27		7	42	11
12		4 ~~55~~	10				36		55			75	12
13		16 ~~25~~	30			10			16	6	16	1.02	13
14		28 ~~8~~	20				4			33	12	67	14
15	4	8 ~~7~~	40				3	3			76	9	15
16		7 ~~[illegible]~~	10				19		6				16
17		54	26				3		24			19	17
18		23	20									74	18
19		17	107				17			3	22	14	19
20		19	16			6				3		24	20
21		53	8					10		3		4	21
22		7	30		29	3	10	6		39			22
23			3		11	28	2			3		6	23
24			33								26		24
25	11		5					5		4	3		25
26							13	36		14	25	56	26
27	3							3		2	9	85	27
28	2									26	26	67	28
29	10	5	10							68	21		29
30	3	✕	15							13	1.57	32	30
31	6	✕	3	✕	18	✕			✕		✕	13	31
Total	~~1.14~~ 1.06	~~5.06~~ 5.07	6.82	1.78	1.43	0.58	1.80	1.35	1.43	2.58	4.59	~~9.90~~ 9.94	YEAR'S TOTAL ~~38.46~~ 38.43
Rain Days.	11	17	25	9	~~9~~ 10	9	15	13	6	14	16	25	~~69~~

W. 8,000. X. 14.

170

[illegible] 26-11-16

657

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.
4 JAN 1916

Kept at Holly Hill, Coleman's Hatch
in the County of Sussex 7
by John McAndrew

Lat. 51.5 Long. 0.5 W
Time of Observation 8.0 a.m
Nearest Railway Station Forest Row
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 1 in.
" " " " Sea Level 352 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	1.82	24	4					20	81		29	29	1
2	30	23	30	12				26	6	8		11	2
3			5	26	10			18	13			63	3
4	40							16		4		62	4
5	11	67					31	24		2	3	55	5
6	48	20	6	74	~~8~~		8	4				10	6
7	45	62	4		~~4~~	7	7				7	57	7
8	3	61		5		25		3			52		8
9		23		17		9		8				84	9
10	44	3										61	10
11											58	8	11
12	5	90		24	25						98		12
13		94	2	~~[illegible]~~	2.22				3				13
14	7	6					12	11	8		10	55	14
15	19			~~[illegible]~~	7		10	42				47	15
16		66		~~[illegible]~~	2		1.28	8			5	10	16
17		66		~~[illegible]~~	1.31		2	9				4	17
18		20	2	~~[illegible]~~	36						5		18
19		7								3			19
20	31			18	10							17	20
21	15						4			2		8	21
22	27	5	6				1.30					21	22
23		13	7				21		11	30		46	23
24			3				12		21	26		78	24
25	3			6			21			3		26	25
26												72	26
27		14	3			7	14			48		10	27
28		13				5	27		1.49	52	56		28
29		8				7		25					29
30	19					59			2		44	5	30
31	7							19		96		25	31
Total	4.36	6.85	0.72	~~[illegible]~~ 1.74	4.63	1.19	4.27	2.33	2.94	2.14	3.67	8.59	YEAR'S TOTAL 43.83
Rain Days.	17	20	11	8	8	7	14	14	9	11	11	24	154

W. 8,000. X. 14.

cord fr auth ~~W~~ [illegible]

FORM A.
BRITISH RAINFALL.

8 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Holly Hill, Colemans Hatch

in the County of Sussex

by John McAndrew

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. nil

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	15	3			25	3			24	4	36		1
2	69	14	20		29	3	5			52	6		2
3		57	21		[illegible]	73			15	55	65		3
4	29	18							23	9	36		4
5		3	4	6	20					17	67		5
6	4	20	12	28	5	18	26			6	73		6
7	10		90		24	33	11			12	68	3	7
8					23	40						48	8
9					45							35	9
10		35	10	6		27			2	3		21	10
11	3	21		19		15							11
12	4	16		10	12	22	34			8			12
13		33	43	9	3	5	6	4		9			13
14		66	12		13			4		5		19	14
15		15	14					5				8	15
16			17	19			18	10					16
17	34	17		7			2	13	26	129			17
18		11		3		12		42	22	47	67		18
19	30	[illegible]	13	22				2	25		79	21	19
20	13	[illegible]	4	14							14	41	20
21	5	4	86				65				6	38	21
22		23	5							4	3	69	22
23	4		5			20	2			5	9	3	23
24					14	5		3		19	13	33	24
25		100	24		4			118		24	5	7	25
26	5	76	8			5		8	2	14			26
27		3	96			28		5	10	34			27
28		59	16			10		2	21	15	4	33	28
29		18	3			35		64		36		36	29
30		X			23	1		11	16	35			30
31		X		X		X		[illegible]	X	10	X		31
Total	2.25 ✓	6.12 ✓	5.03 ✓	1.43 1.43	2.50 ✓	3.71 ✓	1.69 ✓	2.91 ✓	1.86 ✓	5.52 ✓	5.51 ✓	4.15	YEAR'S TOTAL 42.69 42.68
Rain Days.	13 ✓	21 ✓	20 ✓	11 ✓	13 ✓	18 ✓	9 ✓	14 ✓	11 ✓	23 ✓	16 ✓	15 ✓	184 ✓

REGISTER OF RAINFALL IN 1917

FORM A. BRITISH RAINFALL.

Kept at Holly Hill Coleman's Hatch

in the County of Sussex

by John McAndrew

Lat. 57 5 Long. 0.4 E

Time of Observation 8.0 am

Nearest Railway Station Forest Row

Diameter of Funnel of Rain Gauge 6 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 360 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				19				1.62	49	2	6		1
2				18				27		15	23	4	2
3				15			26	39		57			3
4	35	17	19				47	36		28	11		4
5				26				3	44		11		5
6			8	7		28	3		26	1	22		6
7	44			0						46		8	7
8	9			11			34	76		44	40	19	8
9	19		4	7			22	3			4	73	9
10	25		16	8		2		23					10
11		4	22	42				23	7	65			11
12	4		4		2			12		20			12
13	6		16		10			5	1	22			13
14				16				2			2	4	14
15	3						3			21		1.28	15
16	7	18		29	10					80			16
17				10	34		20		39	34			17
18	4	5		8	4		30	17	34				18
19	7	10	25		4			36	25				19
20		15	7		73				4		3		20
21	2		4	5	3					4	3		21
22	1		11			75		15		18			22
23		19			28	7		18					23
24		4				19		5		27	8		24
25		14	6								89		25
26			8			93		42	7			10	26
27			3			2		1.46					27
28			8			4		60				10	28
29			33		20		19	5		73		18	29
30	2	✕	8			3	83	35		19		5	30
31	7	✕	12	✕		✕	34	2	✕		✕	12	31
Total	1.45	1.06	2.14	2.21	1.88	2.35 2.33	3.21	7.92	2.36	5.73	2.22	2.91	YEAR'S TOTAL 35.72
Rain Days.	15	9	18	15	10	9	11	23	10	18	12	11	1.61

W. 8,000, IX. 17.

Hcan

135

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.
7.1.19

Kept at Holly Hill, Coleman's Hatch
in the County of Sussex
by John McAndrew

Lat. 51.4 Long. 0.4 E
Time of Observation 8.6 a.m
Nearest Railway Station Forest Row
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground – ft. 14 in.
" " " " Sea Level 354 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Director, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			10					8			29	7	1
2		10		2				23			25	30	2
3			15	45	64			5		6	66	2	3
4		22	3	5	7			6	10	12	85	5	4
5		4	3					19	4			4	5
6	17	24		25	16	2		14	60	8		6	6
7	3	18		4	10			3	15	9			7
8		6							28		25	18	8
9				7		2			56	43		32	9
10	3			5		11	37		26	16	2	48	10
11							11		28	43	7	15	11
12	~~18~~	17			5		35		10	9		3	12
13	18				24		13		6			17	13
14	1.40		3			13	16		35	29		117	14
15	30			33		10	59		2			25	15
16	27			8		41	6		12			34	16
17	40			15		8	3	4	58			12	17
18	12			7		30	5			6			18
19	7					15	48			5			19
20	25	22		134		2	10		19	29	3	6	20
21	31	2		161			26		54	8			21
22	20						74		72			17	22
23	14			2	84		1		10			3	23
24		27		41	7	5	4	6	54		6		24
25							3	27		4	~~3~~		25
26				18			110		6	4	3	20	26
27		18	7	11				20	5		10	9	27
28			34	5	6				73	~~[illegible]~~ 3	22	2	28
29				3							3		29
30			57							14		12	30
31								31		8		2	31
Total	3.87	1.70	1.26	5.01	2.23	1.39	4.01	1.60	6.43	2.56	2.86	4.46	YEAR'S TOTAL 38.04
Rain Days.	14	11	8	19	9	11	17	12	22	18	13	24	178

W. 6,500, VII. 18. W W C

EXMX 575

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919

18 JAN 20

Kept at Holly Hill, Colemans Hatch
in the County of Sussex
by John McAndrew

Lat. 51 5 Long. 0.45 E
Time of Observation 8.0 am
Nearest Railway Station Forest Row
Diameter of Funnel of Rain Gauge 6 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 352 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	54	8	2	6	14		5			16	9	66	1
2	20		9		23		80		1	4	8	38	2
3	46		35		3		1		57		6	34	3
4	35		59			5	10		4		6	14	4
5	[illegible]	41	91						5		13	44	5
6	1.0		7									7	6
7	31		56							2	2		7
8	40		5										8
9	74		10	5							20		9
10	48		9	6								11	10
11	27		49	29	7							20	11
12	23		3	5			57			5	9		12
13	~			35								10	13
14	84			61			7		21	2		10	14
15	25	3		9								34	15
16	26	36									10	6	16
17		34	7	2	2				2		20	10	17
18		12	6					5			9	5	18
19		23	91			86	13	13	1	2	16		19
20	56	23	15				28	35				4	20
21	9	63	4				4				4	15	21
22		6				3	19		52		6	19	22
23						3	3	8	34		5	7	23
24				16			6	39		7	15	8	24
25	5					1	1	3				3	25
26	3	18	5	9				18	11		4	61	26
27	58	3	10	74			4	85			12	4	27
28	7		26					52			52	36	28
29				11		5		79		33	37	11	29
30				18		3	1			5	36	1.02	30
31	16		5							5		5	31
TOTAL	6.92	2.70	5.04	2.86	0.49	1.06	2.34	3.35	1.88	0.81	2.99	5.74	YEAR'S TOTAL 36.18
Days with ·01 in. or more	21	12	21	14	5	7	15	10	10	10	21	26	172

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

54

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

10 JAN 1921

Kept at ~~Holly Hill~~, Colemans Hatch
in the County of Sussex
by John McAndrew

Lat. 51.5 Long. 0.43 E
Time of Observation 8.0 a.m
Nearest Railway Station Forest Row
Diameter of Funnel of Rain Gauge .... in.
Height of top of Gauge above Ground [illegible] ft. .... in.
" " " " Sea Level 352 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	7			29	9		30					11	1
2			16		2			39	5	39		13	2
3					2		3			37		16	3
4		10		16				11		5		8	4
5	2			1			65	10	4	4		6	5
6			19		19		49						6
7				14	9		31						7
8				5	6		17			2			8
9	31	6		3	4		37						9
10	65	21	7	6		4	7				3	6	10
11	43		9	19	4	11	45					11	11
12	10	4	2	32		41	34				13		12
13	32		96				1				44		13
14		6	56	39		5			11	13	16		14
15	4		6	21	3				62	31			15
16	~~7~~		3	13					42				16
17				5	19				73			16	17
18	7				25			123	113			10	18
19	15			43					6			6	19
20	7	14		21		48			8			31	20
21				4			60		34			26	21
22	4			28								42	22
23							46		3			35	23
24	5		3				1					15	24
25			5	1			25		2		3		25
26	6		15	5								4	26
27	45	5	18	12		9					45		27
28	55	2		4	13		19				9	32	28
29	79		11	6							14	31	29
30	2			21			11		18		29	18	30
31	6				5					57		46	31
Total	4.25	0.68	2.96	3.18	1.20	1.18	4.81	1.83	3.81	1.82	1.76	3.83	Year's Total 30.71
Days with ·01 in. or more	19	8	14	23	13	6	17	4	13	8	9	20	184
Days with ·04 in. or more	17	7	12	20	10	6	15	4	12	7	7	20	164

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

REGISTER

COMPTON

SUSSEX

1911-20

FORM A2.
BRITISH RAINFALL.
2 JAN 1912

441

Kept at COMPTON HOUSE COMPTON, PETERS

in the County of West Suss

by Revd. Marmaduke La

5' 40" Long 0° 53' 40" W

5 in.

Ground 1 ft. in.

Sea Level 255 ft.

9. AM

ame

istance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
11 1	00·05	0000	·01	·28	·03	—	—	·09	—	—	·06	·15	1
2	·05	—	—	·09	·15	—	—	—	—	—	·35	·35	2
3	·01	·01	—	—	·27	—	—	·12	—	·01	·30	·06	3
4	·01	·01	·02	·10	—	—	—	—	—	·07	·39	·55	4
5	—	—	—	·01	—	—	—	—	—	·34	—	·01	5
6	·38	—	·09	—	—	—	—	—	—	·01	·05	·96	6
7	·08	—	—	—	—	—	—	—	—	·38	·70	·09	7
8	·05	—	·28	—	—	—	—	—	—	·01	·22	·58	8
9	·15	—	—	—	—	—	—	—	—	—	·09	·19	9
10	·01	·17	·36	·01	—	—	—	—	—	—	·01	·92	10
11	·55	—	·08	—	·33	—	—	—	—	—	1·43	—	11
12	·01	·01	·86	—	—	—	—	—	·01	·08	·28	·10	12
13	—	—	·04	—	·32	—	—	—	·15	—	·01	·46	13
14	—	·09	·01	—	·12	—	—	—	—	—	—	·64	14
15	·01	·02	·01	—	—	—	—	—	—	—	·15	·09	15
16	·01	·01	—	—	—	·67	—	—	—	—	·76	·22	16
17	—	—	·01	—	—	·10	—	—	—	—	·47	·35	17
18	—	·24	·04	·01	—	·02	—	—	—	·08	·31	·69	18
19	—	·04	—	—	—	·15	—	—	·65	·10	·01	·23	19
20	·06	·02	·08	—	—	—	—	·03	·12	·02	—	1·06	20
21	·02	·27	—	—	—	—	—	—	—	·64	—	·19	21
22	·16	·01	·12	·01	—	·33	—	—	·01	·22	—	·76	22
23	·01	·18	·04	—	—	·40	—	—	·19	·62	·02	·50	23
24	·02	·23	—	—	—	·20	·01	·41	—	1·99	·01	·50	24
25	·01	·07	·03	·16	1·65	·10	·74	·01	·05	·01	—	·07	25
26	—	—	·03	·41	·20	—	·03	—	—	·24	·02	·47	26
27	—	·63	·40	·16	·01	—	·11	—	·10	·17	·06	·21	27
28	—	·42	—	·30	—	—	—	·19	—	—	·01	·01	28
29	—		·01	·11	—	·18	·04	—	·28	·52	·01	·01	29
30	—		—	—	—	·14	—	—	·02	·42	—	·01	30
31	—		—		—		—	—		—		·01	31
99 Total	1·65	2·43	2·52	1·65	3·38	2·29	·93	·85	1·58	5·95	5·72	10·44	TOTAL for year 39·39
No. of Rain Days	~~19~~	~~17~~	~~19~~	~~12~~	~~9~~	~~10~~	~~5~~	~~6~~	~~10~~	~~19~~	~~23~~	~~30~~	~~179~~

9,000, IX. '10.

FORM A2.
BRITISH RAINFALL.
2 JAN 1912

441

REGISTER OF RAINFALL IN 1911

COMPTON HOUSE
COMPTON, PETERSFIELD

Kept at

in the County of West Sussex

by Revd. Marmaduke Langdale

RAIN GAUGE
~~Pattern~~ LAT 50° 55′ 40″ LONG 0° 53′ 40″W
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 255 ft.

Time of Observation 9. AM

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
11 1	00·05	0000	·01	·28	·03	—	—	·09	—	—	·06	·15	1
2	·05	—	—	·09	·45	—	—	—	—	—	·35	·35	2
3	·01	·01	—	—	·27	—	—	·12	—	·01	·30	·06	3
4	·01	·01	·02	·10	—	—	—	—	—	·07	·39	·55	4
5	—	—	—	·01	—	—	—	—	—	·34	—	·01	5
6	·38	—	·09	—	—	—	—	—	—	·01	·05	·96	6
7	·08	—	—	—	—	—	—	—	—	·38	·70	·09	7
8	·05	—	·28	—	—	—	—	—	—	·01	·22	·58	8
9	·15	—	—	—	—	—	—	—	—	—	·09	·19	9
10	·01	·17	·36	·01	—	—	—	—	—	—	·01	·92	10
11	·55	—	·08	—	·33	—	—	—	—	—	1·43	—	11
12	·01	·01	·86	—	—	—	—	—	·01	·08	·28	·10	12
13	—	—	·04	—	·32	—	—	—	·15	—	·01	·46	13
14	—	·09	·01	—	·12	—	—	—	—	—	—	·64	14
15	·01	·02	·01	—	—	—	—	—	—	—	·15	·09	15
16	·01	·01	—	—	—	·67	—	—	—	—	·76	·22	16
17	—	—	·01	—	—	·10	—	—	—	—	·47	·35	17
18	—	·24	·04	·01	—	·02	—	—	—	·08	·31	·69	18
19	—	·04	—	—	—	·15	—	—	·65	·10	·01	·23	19
20	·06	·02	·08	—	—	—	—	·03	·12	·02	—	1·06	20
21	·02	·27	—	—	—	—	—	—	—	·64	—	·19	21
22	·16	·01	·12	·01	—	·33	—	—	·01	·22	—	·76	22
23	·01	·18	·04	—	—	·40	—	—	·19	·62	·02	·50	23
24	·02	·23	—	—	—	·20	·01	·41	—	1·99	·01	·50	24
25	·01	·07	·03	·16	1·65	·10	·74	·01	·05	·01	—	·07	25
26	—	—	·03	·41	·20	—	·03	—	—	·24	·02	·47	26
27	—	·63	·40	·16	·01	—	·11	—	·10	·17	·06	·21	27
28	—	·42	—	·30	—	—	—	·19	—	—	·01	·01	28
29	—		·01	·11	—	·18	·04	—	·28	·54	·01	·01	29
30	—		—	—	—	·14	—	—	·02	·42	—	·01	30
31	—		—		—		—	—		—		·01	31
99 Total	1·65	2·43	2·52	1·65	3·38	2·29	·93	·85	1·58	5·95	5·72	10·44	TOTAL for year 39·39
No. of Rain Days	19	17	19	12	9	10	5	6	10	19	23	30	179

[illegible] 6·5[illegible] [illegible] [illegible] [illegible] 14·85 15·70 17·28 23·23 28·95 39·39

9,000, IX. '10.

Exe 82

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.
2 JAN 1913

Kept at Compton House Compton nr Petersfield

in the County of West Sussex

by Revd: H Marmaduke Langdale

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 255 ft. 441

Time of Observation 9. AM

Nearest Railway Station
Name Rowlands Castle L.S.W.R
Distance 5 m Direction W.W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
12 1	—	—	·16	·01	·02	·47	·26	—	·01	·72	—	·35	1
2	—	—	·32	·01	—	·05	·25	—	—	·01	—	—	2
3	·02	·01	·05	—	—	·24	·01	·76	·04	—	·02	·03	3
4	·25	·03	·85	—	·02	·30	—	·08	—	—	·20	·01	4
5	·39	·08	·23	—	—	—	—	·58	—	—	·05	·06	5
6	·65	·08	·01	—	·11	—	—	·36	—	—	—	·20	6
7	·01	·01	·01	—	·31	·78	—	·30	—	—	·01	·12	7
8	·76	·41	·26	—	—	·06	—	·08	—	—	—	·02	8
9	·04	·32	·24	·04	—	·03	·05	·06	—	—	—	·35	9
10	·01	10	·01	—	—	—	—	·31	—	—	·20	·41	10
11	·10	·32	·04	—	—	·07	—	·01	—	—	·01	·26	11
12	·02	·14	12	—	·07	·22	·18	·27	—	·02	·01	·01	12
13	·01	·05	·06	—	—	—	·28	·24	—	·01	·09	·18	13
14	·03	—	·01	—	·03	—	—	·09	—	·06	·01	·06	14
15	·01	·13	·13	—	·07	·60	—	·02	—	·01	·01	·42	15
16	·12	·01	·47	—	·18	—	—	·46	—	15	·11	—	16
17	·57	—	·31	—	·01	·06	—	·35	—	·01	·01	·21	17
18	·11	·01	·32	—	—	—	—	·19	—	·04	—	·12	18
19	·08	·09	·13	—	—	·03	·25	·69	—	—	·03	·03	19
20	·03	·02	·63	—	—	·18	—	·07	—	·41	·04	—	20
21	·01	·26	·10	—	·70	—	·01	·28	—	·39	—	—	21
22	·08	·86	·02	—	·01	—	—	·40	—	·01	—	·10	22
23	·53	·40	·34	—	—	·13	—	·70	—	·02	·28	·12	23
24	26	·10	·01	—	—	·01	—	·40	—	·01	·01	·24	24
25	·11	·01	·02	—	—	·60	—	·82	—	·05	·33	·86	25
26	·01	·08	—	—	—	·02	·04	14	—	·67	·47	·25	26
27	—	·03	—	—	—	·18	·31	—	—	·29	—	·72	27
28	—	·05	—	—	—	·04	·46	·31	·15	·91	·53	·35	28
29	—	·07	—	—	—	05	·25	·32	2·06	28	·03	·01	29
30	—		—	—	·23	—	·04	·04	1·48	·22	—	—	30
31	—		·08		—		·44	·20		·02		·02	31
99 Total	4·21	3·67	4·93	·06	1·76	4·12	2·83	8·53	3·74	4·31	2·45	5·51	TOTAL for year 46·12
No. of Rain Days.	24	25	26	3	12	20	14	28	5	21	20	26	224

W. 8,000, X. '11.

FORM A.
BRITISH RAINFALL
6 - JAN 1914
441

REGISTER OF RAINFALL IN 1913

Kept at Compton House (Petersfield)
in the County of West Sussex
by Revd. H Marmaduke Langdale

Lat. Long.
Time of Observation 9 A M
Nearest Railway Station
Diameter of Rain Gauge 5 in. Snowdon pattern
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 255 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
13 1	·05	·56	·24	·04	—	·06	—	—	·50	·01	·23	·18	1
2	·18	·16	·02	·07	—	—	·09	—	·04	·20	·02	·02	2
3	·12	—	·06	·35	·48	—	—	—	·01	·10	—	·27	3
4	·56	—	·11	·01	·47	—	·03	—	·61	·45	·17	·08	4
5	·41	·13	·05	—	·01	·22	·05	—	·36	·01	·18	·03	5
6	·01	·07	·08	—	·08	·19	1·00	—	·01	·79	·13	·32	6
7	—	·38	·18	—	·21	·13	·31	·03	—	·42	·18	·01	7
8	—	·11	·01	—	·35	·03	—	·24	—	·52	·01	·11	8
9	—	·09	—	—	·05	·02	·23	·02	·12	·01	·08	·01	9
10	·06	—	—	·01	·01	·01	·40	·02	—	·04	·42	—	10
11	1·20	—	—	·47	·03	—	·01	—	·01	·60	·42	·02	11
12	—	—	—	—	1·21	—	—	—	·01	—	·42	·01	12
13	·45	·01	·13	—	·01	·02	—	·05	·63	·01	·20	—	13
14	·36	—	·16	·02	—	—	·29	·03	·06	·02	·20	—	14
15	·56	·11	·32	·60	—	—	·25	—	·12	—	·01	—	15
16	·24	·01	·57	·27	—	—	·04	—	·21	—	—	—	16
17	·10	—	·04	·05	—	—	·06	—	·01	—	·04	—	17
18	·02	—	·24	·17	—	—	·05	—	—	—	·11	—	18
19	·36	—	·08	—	·02	·03	·04	—	·25	—	—	—	19
20	·22	—	·35	·14	·01	—	—	—	—	·99	·04	—	20
21	·01	—	·21	·23	—	—	—	—	—	·32	·58	—	21
22	·48	—	28	·01	·01	—	—	·17	—	·01	·01	·02	22
23	·01	—	·11	—	—	·06	—	·11	—	—	—	·82	23
24	·12	—	—	·11	—	—	—	·05	—	—	·08	—	24
25	—	·02	—	·28	—	—	—	—	·25	—	·02	·01	25
26	—	—	·07	·05	—	—	—	·17	—	·55	—	·30	26
27	—	—	·28	·11	—	—	—	·02	—	·12	—	—	27
28	·14	—	·19	·11	—	—	—	—	—	·23	—	—	28
29	·06		·11	·52	·46	—	—	·11	—	·13	·01	·06	29
30	·75		—	·11	·01	—	—	·15	—	·17	—	—	30
31	·01		·11		—		—	·89		·11		—	31
99 Total	6·48	1·65	4·00	3·73	3·42	·77	2·85	2·06	2·60	5·81	3·56	2·27	YEAR'S TOTAL 39·20
Rain Days.	22	11	24	21	16	10	14	14	16	22	22	16	210

W.7,000, XI. 13

Ex.M.C

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
5 JAN 1915

2441

Kept at Compton House
Compton (nr Petersfield)
in the County of West Sussex
by Revd. H. Marmaduke Langdale

Lat. Long.
Time of Observation 9 AM
Nearest Railway Station
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground ~~[illegible]~~ ft. 10 in.
" " " " Sea Level 255 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	·02	—	—	—	—	·24	—	—	·07	·11	1
2	—	01	—	—	—	—	·01	·07	—	—	·22	·14	2
3	—	—	·10	·04	·43	—	·02	·17	—	—	·01	·03	3
4	·03	—	·03	·33	·19	—	·03	·24	—	—	·30	·26	4
5	·06	—	·12	·48	·15	·01	·20	·01	—	—	·05	·01	5
6	~~·02~~	·20	·03	·26	15	·01	—	·03	—	—	·01	·60	6
7	·02	·63	·19	·13	·03	·04	·27	·01	—	—	—	·34	7
8	·07	·56	·45	·12	·02	·11	·02	·35	—	—	—	·03	8
9	·08	·01	·95	·09	—	—	—	·02	·14	—	—	2·59	9
10	·06	·19	·01	·13	·26	—	—	—	·31	—	·08	·01	10
11	—	·61	·78	—	·09	—	·67	—	·20	—	—	·90	11
12	—	·15	·19	—	·01	—	·39	—	·62	·03	·01	·59	12
13	—	·60	·15	·01	—	·03	—	—	·26	·02	·15	·94	13
14	—	·45	·23	—	—	·48	·08	·05	·01	·37	·31	·28	14
15	—	·05	·25	—	—	—	·01	·49	—	·03	·80	·01	15
16	—	—	·01	—	—	—	·07	—	·30	—	·01	—	16
17	—	·78	·13	—	—	—	—	—	·15	—	—	·53	17
18	—	·02	·39	—	—	—	—	—	—	·01	—	·54	18
19	—	·16	·60	—	—	—	1·52	—	—	—	·16	·13	19
20	—	·49	·16	—	—	·01	—	—	·01	—	·01	·27	20
21	—	·64	·09	—	—	—	—	—	—	·19	—	·04	21
22	—	·02	·03	—	·05	·01	·05	·08	—	·25	—	·01	22
23	—	·23	·36	—	—	·34	·01	·01	—	·03	—	—	23
24	—	·01	·11	—	—	—	·01	·01	—	—	·20	—	24
25	·04	—	·19	—	—	—	·01	·37	—	·57	·03	·15	25
26	·04	—	·01	—	—	—	·05	·32	—	·12	·24	·77	26
27	·02	—	—	—	—	—	·01	—	—	·01	·14	·43	27
28	—	·04	·01	—	·13	—	·13	—	—	·32	·48	·63	28
29	·21	✕	·23	—	·01	—	—	—	—	·33	·19	·03	29
30	·03	✕	·19	·09	—	—	—	—	—	·23	·90	·59	30
31	·02	✕	—	✕	·05	✕	·10	—	✕	·30	✕	·01	31
Total	·68	5·85	6·01	1·68	1·57	1·04	3·66	2·47	2·00	2·81	4·37	10·97	YEAR'S TOTAL 43·11
Rain Days.	12	20	28	10	13	9	20	16	9	15	21	28	201

W. 8,000. X. 14.

ext 75 518

Dr 441

FORM A. BRITISH RAINFALL.

JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Compton House
Compton. (Petersfield) West-Sussex.
in the County of
by the Revd H. Marmaduke Langdale.

Lat. 50° 55' 40" N Long. 0° 53' 40" W.
Time of Observation 9. a. m
Nearest Railway Station Rowland's Castle
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 255 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
15 1	·63	·31	·04	—	·02	—	—	·11	·61	·11	·06	·54	1
2	·40	·24	·40	·08	·01	·02	—	·06	·12	·10	—	·24	2
3	·80	·01	·20	·15	·10	—	—	·02	·02	—	—	·65	3
4	·04	—	·01	·02	·01	—	—	·07	—	—	—	·70	4
5	·03	·43	—	—	—	—	—	·12	—	—	—	·62	5
6	·79	·22	—	·71	—	—	·86	·03	—	—	—	·29	6
7	·29	·69	—	·02	·01	—	·11	—	—	—	—	·49	7
8	·02	1·10	·01	—	—	—	·17	·03	—	—	·01	·02	8
9	·05	·10	—	·16	—	·18	—	·07	—	—	·51	·97	9
10	·28	·15	·01	—	—	—	—	—	—	·02	—	·28	10
11	·06	·01	·06	—	—	—	—	—	—	·02	1·15	·05	11
12	·11	·29	—	·27	·48	—	·01	—	—	·02	·57	·01	12
13	·04	·73	—	—	1·75	—	—	—	·13	—	—	—	13
14	·05	·01	—	—	—	—	·09	·18	·07	—	—	1·15	14
15	·17	—	—	—	·08	—	·14	·28	·01	—	·05	·54	15
16	·01	·81	—	—	·27	—	1·48	·02	—	—	—	·03	16
17	—	·43	—	—	·70	—	·01	·01	—	—	—	—	17
18	—	·20	—	—	·11	—	·01	—	—	—	·07	—	18
19	—	·06	—	—	·14	—	·06	—	—	·01	·01	—	19
20	·35	—	—	·05	·08	—	·03	—	—	·01	—	·10	20
21	·02	·02	—	—	·02	—	—	—	—	·35	—	·12	21
22	1·33	·39	·18	·02	—	—	1·20	—	·01	·01	—	·29	22
23	—	·07	·11	—	—	·01	·36	—	·45	·36	—	·91	23
24	—	—	·02	—	—	—	·07	—	·67	·58	—	·45	24
25	—	—	·03	·06	—	·01	·45	—	—	—	—	·18	25
26	·01	·08	—	—	—	·24	·29	—	—	·60	—	·97	26
27	—	·03	—	—	—	·18	—	—	·01	·07	—	·02	27
28	—	·09	—	—	—	·14	—	—	·67	·01	·01	·06	28
29	—	×	—	—	·01	·86	—	·08	—	—	·62	—	29
30	·18	×	—	—	—	·22	—	—	—	·62	·87	·05	30
31	·02	×	—	×	—	×	—	·55	×	1·35	×	·30	31
99 Total	5·68	6·47	1·07	1·54	3·76	1·86	5·34	1·63	2·77	4·24	3·93	10·03	YEAR'S TOTAL 48·32
Rain Days.	22	23	11	10	15	9	16	14	11	16	11	26	184

W. 8,000. X. 15.

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL. 441
2 JAN 1917

Kept at Comptow House (Petersfield)
in the County of West Sussex
by Miss K. B. Langdale

Lat. .... Long. ....
Time of Observation 9 a.m.
Nearest Railway Station Rowlands Castle
Diameter of Funnel of Rain Gauge five ins.
Height of top of Gauge above Ground one ft. — in.
" " " " Sea Level 255 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
16 1	·11	·04	·03	—	·18	·02	—	—	·36	·19	·39	—	1
2	·39	·14	·12	—	·27	—	·01	—	·08	·65	·04	—	2
3	·03	·38	·15	—	·01	—	·04	—	·02	·87	·62	—	3
4	·17	·15	—	—	—	·55	—	—	·18	·04	·39	—	4
5	·05	·05	·01	·01	·16	·17	·54	—	—	·09	·58	—	5
6	·01	·11	·06	·05	·07	·27	·01	—	—	·12	·48	—	6
7	·03	·02	·52	—	·12	·30	—	—	—	·05	·85	·08	7
8	—	—	·03	—	·48	·02	—	—	—	—	·05	·41	8
9	—	—	—	—	·25	·03	—	—	—	—	—	·07	9
10	—	·65	·04	·05	·02	·10	·12	—	·01	·10	·04	·11	10
11	·04	·07	·02	·21	·01	·25	—	—	—	—	—	·09	11
12	·05	·10	·01	·04	·05	·06	·18	·02	—	·10	—	—	12
13	—	·29	·06	—	—	·04	—	·04	—	·04	—	—	13
14	—	·60	·04	·13	·04	—	—	·08	—	·04	—	·02	14
15	—	·14	·30	·01	—	—	—	·18	·02	—	·01	—	15
16	·07	·05	·20	·19	—	—	·11	·39	—	·01	—	—	16
17	·36	·26	·01	·15	—	—	—	·27	·37	1·32	—	—	17
18	·01	·12	·04	·12	—	—	—	·09	·14	·06	·48	·13	18
19	·19	—	·13	·13	—	·05	—	—	·05	—	·42	·07	19
20	·16	·02	·48	·12	—	—	—	—	—	—	·02	·88	20
21	·01	—	·24	·01	—	—	—	—	—	—	—	·21	21
22	—	·01	·03	—	—	·06	—	—	—	·10	·01	·74	22
23	·02	·09	·01	—	—	·35	—	·04	—	·04	·09	·01	23
24	—	·05	—	—	·17	—	—	·05	—	·33	·19	·42	24
25	—	·74	·23	—	—	—	—	·28	·75	·05	·06	·01	25
26	·06	·34	·01	—	—	·13	—	·52	·11	·47	—	—	26
27	·02	·04	·74	—	—	·01	—	·18	·09	·44	—	—	27
28	·01	·38	·09	—	—	—	—	·13	·27	·18	·04	·36	28
29	—	·29	·03	—	—	·68	—	1·10	·20	·48	—	·38	29
30	—	X	—	—	·42	—	—	·01		·20	—	·01	30
31	—	X	—	X	—	X	—	·08	X	·16	X	·05	31
99 Total	1·79	5·13	3·63	1·22	2·25	3·09	1·01	3·46	2·65	6·13	4·76	4·05	YEAR'S TOTAL 39·17
Rain Days.	19	25	26	13	14	17	7	16	14	24	18	18	211

W. 8,000, VIII. 16

486
441

BRITISH RAINFALL
FORM A

2 JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Compton House (Petersfield

in the County of Sussex

by Miss K. B. Langdale

Lat. .... Long. ....
Time of Observation 9 a.m.
Nearest Railway Station ....
Diameter of Funnel of Rain Gauge five ins
Height of top of Gauge above Ground one ft. — in.
" " " " Sea Level 255 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date 17	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01	—	·55	·22	—	—	—	1·48	·03	—	·06	—	1
2	—	·01	·02	·71	—	—	—	·02	—	·01	·09	—	2
3	·01	—	—	·17	—	—	·47	·21	—	·14	·16	—	3
4	—	·15	·16	—	—	—	—	·15	—	·27	—	—	4
5	·33	—	·07	·33	—	·05	—	·27	·11	·41	·10	—	5
6	—	—	·23	·02	—	·04	—	·01	·04	·07	·13	—	6
7	·43	—	—	—	—	—	·09	—	—	·51	·34	·12	7
8	·32	—	—	·06	—	—	·27	·17	—	·36	·03	·39	8
9	·01	—	·16	—	·05	—	·04	—	·01	·07	—	·16	9
10	·23	—	·35	·22	—	·04	—	·25	—	—	—	·04	10
11	·19	—	·28	·36	—	·19	—	·04	·12	·42	—	—	11
12	·06	—	·02	·01	·01	—	—	·02	—	·23	—	·01	12
13	·06	—	·36	·01	—	—	—	·11	·03	·15	—	·01	13
14	—	—	·01	·09	—	—	—	·28	—	—	—	—	14
15	·05	—	—	—	·17	—	·15	—	—	·18	—	·09	15
16	·02	·14	—	·15	·14	—	—	·04	—	·95	—	·58	16
17	—	·05	—	·20	·09	—	·46	·18	·47	·21	—	—	17
18	·02	·04	—	·01	·02	·02	·20	·02	·48	·05	—	—	18
19	·01	·26	·26	—	—	—	—	·04	·40	—	—	—	19
20	—	·15	·11	—	·80	·02	—	—	·14	—	—	—	20
21	—	—	·06	—	—	·01	—	—	—	·05	·03	—	21
22	—	—	·04	—	—	·29	—	·19	—	·17	—	—	22
23	—	·26	—	—	·07	—	—	·18	—	—	—	·20	23
24	—	·19	—	—	—	·10	·08	·01	—	·36	·09	·04	24
25	—	—	·05	—	—	—	—	—	—	·02	—	—	25
26	—	—	·05	—	—	·01	—	·41	·18	—	·36	·01	26
27	—	—	—	—	·70	·15	—	1·73	—	—	—	—	27
28	—	—	·03	—	—	2·65	—	·23	—	—	—	·03	28
29	—	X	·03	—	·31	·10	·13	·08	—	·43	—	·12	29
30	—	X	·40	—	—	—	·89	·29	—	·01	—	·02	30
31	·05	X	·09	X	—	X	·18	·06	X	·04	X	·04	31
99 Total	1·80	1·25	3·33	2·56	2·36	3·67	2·96	6·47	2·01	5·11	1·39	1·86	YEAR'S TOTAL 34·77
Rain Days.	15	9	21	14	10	13	11	25	11	22	10	15	176

W. 8,000, IX. 17.

20

441

FORM A.
BRITISH RAINFALL.

2. 1. 19

REGISTER OF RAINFALL IN 1918

Kept at Compton Nr Petersfield
in the County of West Sussex
by Miss K. B. Langdale

Lat. 50° 55′ 40″ N Long. 0 53′ 40″ W
Time of Observation 9. AM
Nearest Railway Station Rowlands Castle
Diameter of Funnel of Rain Gauge five in.
Height of top of Gauge above Ground one ft. — in.
" " " " Sea Level 255 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date 18	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	—	·01	—	—	—	—	—	·21	—	—	·53	·08	1
2	—	·07	—	·03	—	—	—	·66	—	—	·46	·36	2
3	—	·03	·01	·12	·45	—	—	·11	—	·03	·24	·02	3
4	—	·15	·07	·02	—	—	—	·06	·11	—	·64	·06	4
5	—	·14	·13	—	·09	—	—	·39	·02	·16	—	·02	5
6	·18	·19	—	·30	·15	—	—	·26	·01	·04	—	·11	6
7	—	·19	—	·15	·38	·02	—	·05	·14	·06	·17	·04	7
8	—	·09	—	—	—	·03	—	—	·12	·07	·10	·06	8
9	·02	·01	—	·32	—	·09	·61	—	·68	·27	—	·95	9
10	·01	—	—	·08	—	·01	·29	—	·57	·08	—	·36	10
11	·05	—	—	—	—	—	·15	—	·03	·32	·02	·10	11
12	—	·23	—	—	·32	—	·06	—	·05	—	—	·09	12
13	·24	·01	—	—	·11	—	·29	—	·51	—	—	·07	13
14	·33	—	·06	—	·04	·12	·13	—	·40	·29	—	·08	14
15	1·53	—	—	·26	—	—	·17	—	·01	—	—	·28	15
16	·47	—	·01	·08	—	—	·01	—	·87	—	—	—	16
17	·21	—	—	·16	—	—	·14	—	—	—	—	·26	17
18	·61	—	·01	—	—	·61	·03	—	·90	—	—	·10	18
19	·07	—	·16	—	—	·04	·27	·02	·01	·03	—	·05	19
20	·03	·32	—	·70	—	·03	·12	—	·26	·03	—	—	20
21	·26	·11	—	·04	—	·01	·77	—	·33	·11	—	·14	21
22	·25	·02	—	—	·15	—	·83	—	·25	—	—	·22	22
23	·21	—	—	—	·16	—	·31	·02	·03	—	—	·05	23
24	—	·33	—	·01	—	·03	·02	—	·29	—	·16	—	24
25	·01	—	—	·32	—	—	·18	·42	—	·02	—	—	25
26	—	—	—	·01	—	—	·86	—	·06	·01	·12	·21	26
27	—	·12	·06	—	—	—	·02	·19	·11	·01	·08	·02	27
28	—	·01	·25	·02	—	·07	—	—	—	·01	·18	·05	28
29	—	✕	·08	—	—	—	—	—	1·10	—	—	·02	29
30	—	✕	·65	—	—	—	—	—	·05	·06	·05	·01	30
31	—	✕	·13	✕	—	✕	—	—	✕	·23	✕	—	31
99 Total	4·48	2·03	1·62	2·62	1·85	1·06	5·26	2·39	6·91	1·83	2·75	3·81	YEAR'S TOTAL 36·61
Rain Days.	16	17	12	16	9	11	19	11	24	18	12	26	191

W. 8,000, IX. 17.

Ex Rl

460

441

9 JAN 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Compton House (Petersfield)
in the County of Sussex
by Miss K. B. Langdale

Lat. Long.
Time of Observation 9. a.m.
Nearest Railway Station
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground one ft. — in.
" " " " Sea Level ~~255~~ ft. 263·3

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
19	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·65	·03	·04	—	·02	—	·26	—	—	·04	—	·96	1
2	·45	·02	·02	—	·15	—	—	—	·04	—	·07	·23	2
3	·43		·61	—	·05	—	·01	—	·11	—	·03	·37	3
4	·34	·05	·56	—	—	·03	·14	·05	·11	—	·11	·08	4
5	—	·42	1·05	—	—	—	·76	—	·36	—	·14	·32	5
6	·47	·01	·20	—	·02	—	—	—	—	—	·01	·14	6
7	·12	—	·67	—	—	—	—	—	—	—	—	—	7
8	·26	—	·19	·02	—	—	—	—	—	—	—	—	8
9	·28	—	·11	·09	·17	—	—	—	—	—	·30	—	9
10	1·28	—	·21	·07	—	—	—	—	—	—	—	·48	10
11	·28	—	·16	·29	·13	—	·10	—	—	—	—	·11	11
12	·04	—	·02	·05	·01	—	·08	—	—	·10	·08	·01	12
13	·09	—	·03	1·06	—	—	—	—	—	—	—	·06	13
14	·67	·02	—	·20	—	—	·11	—	·41	—	—	·15	14
15	·25	·04	—	·06	—	—	—	—	—	·03	—	1·32	15
16	·10	·89	—	—	—	—	—	—	—	—	·13	—	16
17	—	·26	—	—	—	—	—	—	—	—	·14	·06	17
18	—	·06	·25	—	·01	—	—	·18	—	—	·18	·03	18
19	·29	·68	1·68	—	—	·19	·49	·20	—	—	·08	·02	19
20	·94	·08	·02	—	—	·34	·02	·19	—	—	—	·02	20
21	·04	·63	—	—	—	·01	·04	—	—	—	·03	·01	21
22	—	·02	—	—	—	—	·11	—	·55	—	·01	·23	22
23	—	—	—	—	—	—	—	—	·06	·05	·05	·04	23
24	—	—	—	·04	—	·03	·02	·07	—	·24	·16	·11	24
25	·05	·05	—	—	—	·05	—	·32	—	—	—	·06	25
26	·03	·19	·13	·20	—	—	·01	·04	·15	—	·14	·72	26
27	·18	—	·01	·53	—	—	—	·80	—	—	·13	·04	27
28	·28	—	·61	—	—	—	—	·87	—	—	·43	·60	28
29	·02	X	—	·05	—	·01	—	·25	—	·11	·01	·23	29
30	—	X	—	·22	—	·08	—	·40	—	·01	·70	·96	30
31	·07	X	·10	X	—	X	·01	—	X	—	X	·10	31
99 TOTAL	7·61	3·45	6·67	2·88	·56	·74	2·16	3·37	1·79	·58	2·93	7·46	YEAR'S TOTAL 40·20
Days with ·01 in. or more	24	16	20	13	8	8	14	11	8	7	20	27	176

Cod 970

435

441

8 JAN 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Compton House. Compton. Petersfield

in the County of West Sussex.

by Kenneth M Langdale Esqre

Lat. 50° 55' 40" N Long. 0° 53' 40" W.

Time of Observation 9. a. m. G.M.T.

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 263·26 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
20	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·07	—	·02	·11	·19	—	·46	—	—	·85	·12	·32	1
2	·04	—	·08	·05	·08	—	·03	·23	—	·02	—	·22	2
3	·11	·01	—	·04	·05	—	·28	·01	·07	·43	—	·03	3
4	—	·09	·01	·01	—	—	·72	·32	—	·53	—	·05	4
5	—	—	·22	·02	—	—	1·03	·12	—	·24	—	·03	5
6	—	—	·18	—	·41	—	·36	—	—	·01	—	·04	6
7	·08	·01	—	·19	·03	—	·27	—	—	—	—	—	7
8	·02	—	—	·08	·14	—	·39	—	—	—	—	—	8
9	·32	·08	·03	·09	·11	·07	·16	·01	—	—	—	—	9
10	·96	·32	·15	·01	—	·29	·36	—	—	—	—	—	10
11	·27	·06	·10	·68	·02	·04	·29	—	—	—	—	·21	11
12	·07	·10	·01	·30	—	·60	·01	—	—	—	·04	—	12
13	·22	·03	·31	·02	—	—	—	—	—	—	·08	—	13
14	·02	·03	·57	·45	—	—	—	—	·26	·04	·75	·01	14
15	·10	·03	·04	·36	·05	—	—	—	·83	·48	·10	—	15
16	·01	·01	·01	·13	—	·02	—	—	·23	·01	—	—	16
17	·02	—	—	·01	·22	—	·02	—	·40	—	—	·03	17
18	·14	—	—	·01	·19	·01	—	·69	·07	—	—	·07	18
19	·08	—	—	·26	—	·04	—	—	·01	—	—	·02	19
20	·11	·06	—	·22	—	·86	—	—	—	—	—	·04	20
21	—	—	—	·05	—	—	·81	—	·17	—	—	·25	21
22	·07	—	—	·54	—	—	·01	·04	—	—	—	·43	22
23	—	—	—	—	—	—	·32	·04	—	—	—	·65	23
24	·03	—	·20	·01	—	—	—	—	—	—	·05	·20	24
25	—	·03	·03	—	·07	—	·72	—	·01	—	·01	—	25
26	·09	—	·41	·02	—	·03	·02	—	—	—	·03	·12	26
27	·60	·01	·03	·19	·05	·11	·03	—	—	—	·28	·30	27
28	·50	·03	·07	—	·03	—	·16	—	—	—	·01	·06	28
29	·68	—	·08	·17	—	·01	—	—	—	—	·31	·44	29
30	·12		—	—	—	·09	·05	—	·18	—	·29	·37	30
31	·04		·32		—		—	—		1·14		·25	31
99 TOTAL	4·77	·90	2·87	4·02	1·64	2·17	6·50	1·46	2·23	3·75	2·07	4·14	YEAR'S TOTAL 36·52
Days with ·01 in. or more	25	15	20	25	14	12	21	8	10	10	12	22	194
Days with ·04 in. or more	20	6	13	17	11	8	15	6	8	7	9	17	137

(44.283). 10/19. (52.638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

586

FORM A.
BRITISH RAINFALL
6 FEB 1917

CRAWLEY
(WORTH LODGE)
SUSSEX

1916-20

78

REC

°7′58″W

?.M

hree Bridges

Kept at Worth Lo

in the County of

by C. W. Nix

Gauge 5 in.

Ground 3 ft. — in.

Sea Level 340 ft.

IMPORTANT NC … the result entered to the previous day. If an … ersal rule, he is earnestly requested to add the re … r in the space provided for it at the end of t … nent of rain, the selection and placin … British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·17		·03		·20	·03			·20	·06	·33		1
2	·51	·15	·11		·40		·03		·01	·64	·03		2
3		·75	·19				·04		·18	·59	·90		3
4	·20	·09	·01			·48			·25	·05	·57		4
5	·05	·05		·01	·26	·11				·12	·69		5
6	·02	·13	·13	·19	·14	·41	·50		·01	·07	·87		6
7	·07	·04	·65		·35	·07	·05			·04	1·28	·06	7
8		·01			·28							·76	8
9			·01		·41							·12	9
10		·36	·14	·09	·02	·25	·28				·01	·17	10
11	·04	·07		·28	·01	·10						·01	11
12	·03	·12	·12	·06	·20	·22	·11			·10		·01	
13	·01	·29	·50	·09	·06	·02	·08	·16	·06	·08			
14		·58	·07		·01			·03		·03		·12	
15		·13	·19	·02	·12			·44		·01	·01		15
16		·01	·31	·16			·14	·31					16
17	·28	·18		·06			·04	·18	·25	1·25			17
18		·07	·01	·04				·52	·26	·30	·91	·10	18
19	·21	·01	·16	·23		·12		·04	·10		·59	·19	19
20	·14		·14	·11							·12	·74	20
21			·33				·25				·01	·32	21
22	·01	·03	·02							·04		·61	22
23	·01	·24	·05			·05				·10	·07	·02	23
24					·12	·11		·02		·41	·12	·39	24
25	·04	·68	·18					·49		·05	·07	·06	25
26		·26	·02			·15		·06	·09	·33		·01	26
27	·02	·06	1·16			·11		·70	·14	·33			27
28		·48	·18			·15		·05	·14	·15	·01	·16	28
29		·22	·01			·36		·77	·08	·46		·29	29
30					·03			·05		·47			30
31								·02		·21			31
Total	1·81	4·96	4·72	1·34	2·61	2·74	1·52	3·84	1·77	5·89	6·59	4·14	YEAR'S TOTAL 41·93
Rain Days.	16	24	24	12	15	16	10	15	13	23	17	18	203

W. 8,000, VIII. 16 Rain measured 9.a.m & entered to day previous

586

FORM A.
BRITISH RAINFALL
6 FEB 1917

REGISTER OF RAINFALL IN 19

Kept at Worth Lodge, Crawley

in the County of Sussex

by C. W. Nix

Lat. 51° 6′ 40″ N Long. 0° 7′ 58″ W
Time of Observation 9 a.m
Nearest Railway Station Three Bridges LB&SCR
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 3 ft. — in.
" " " " Sea Level 340 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·17		·03		·20	·03			·20	·06	·33		1
2	·51	·15	·11		·40		·03		·01	·64	·03		2
3		·75	·19				·04		·18	·59	·90		3
4	·20	·09	·01			·48			·25	·05	·57		4
5	·05	·05		·01	·26	·11				·12	·69		5
6	·02	·13	·13	·19	·14	·41	·50		·01	·07	·87		6
7	·07	·04	·65		·35	·07	·05			·04	1·28	·06	7
8		·01			·28							·76	8
9			·01		·41							·12	9
10		·36	·14	·09	·02	·25	·28				·01	·17	10
11	·04	·07		·28	·01	·10						·01	11
12	·03	·12	·12	·06	·20	·22	·11			·10		·01	1
13	·01	·29	·50	·09	·06	·02	·08	·16	·06	·08			
14		·58	·07		·01			·03		·03		·12	1
15		·13	·19	·02	·12			·44		·01	·01		15
16		·01	·31	·16			·14	·31					16
17	·28	·18		·06			·04	·18	·25	1·25			17
18		·07	·01	·04				·52	·26	·30	·91	·10	18
19	·21	·01	·16	·23		·12		·04	·10		·59	·19	19
20	·14		·14	·11							·12	·74	20
21			·33				·25				·01	·32	21
22	·01	·03	·02							·04		·61	22
23	·01	·24	·05			·05				·10	·07	·02	23
24					·12	·11		·02		·41	·12	·39	24
25	·04	·68	·18					·49		·05	·07	·06	25
26		·26	·02			·15		·06	·09	·33		·01	26
27	·02	·06	1·16			·11		·70	·14	·33			27
28		·43	·18			·15		·05	·14	·15	·01	·16	28
29		·22	·01			·36		·77	·08	·46		·29	29
30		X			·03			·05		·47			30
31		X		X		X		·02	X	·21	X		31
Total	1·81	4·96	4·72	1·34	2·61	2·74	1·52	3·84	1·77	5·89	6·59	4·14	YEAR'S TOTAL 41·93
Rain Days.	16	24	24	12	15	16	10	15	13	23	17	18	203

W. 8,000, VIII. 16 Rain measured 9.a.m & entered to day previous C W Nix

683 586

FORM A. BRITISH RAINFALL 2 JAN 18

REGISTER OF RAINFALL IN 1917

Kept at Worth Lodge Worth

in the County of Sussex

by C W Nix

N Lat. 51° 6' 10" Long. 0° 7' 59" W

Time of Observation 9 a.m.

Nearest Railway Station Three Bridges LB&R.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 3 ft. — in.

" " " " Sea Level 340 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·02	·39		·02		1·74	·23		·07	·02	1
2				·34				·10	·02		·11		2
3				·12			·43	·40		·20	·01		3
4		·27	·09	·01			·15	·47		·29			4
5	·32		·03	·40				·43	·84	·33	·07		5
6	·01		·20	·04		·20			·42	·01	·14		6
7	·42		·01				·07			·25		·04	7
8	·10			·14			·44	·37	·01	·37	·40	·38	8
9	·02		·03	·07				·15	·01		·05	·56	9
10	·24		·14	·15		·08		·16				·02	10
11	·12		·18	·36				·02	·10	·45			11
12	·05		·06					·08		·23	·01		12
13	·07		·17	·02	·05			·02	·02	·23	·01		13
14			·02	·18				·06	·01	·01			14
15	·04			·01				·13		·13		05	15
16	·09	·14		·19	·08		·28			·70		1·16	16
17		·01		·10	·29		·19	·05	·32	·14			17
18	·05	·10		·10	·07	·01	·17	·15	·33	·03			18
19	·01	·13	·28		·02	·04		·01	·14			·02	19
20	·02	·11	·06		·56		·05	·02	·03		·04		20
21			·06	·01	·01		·02			·05	·04		21
22						·47		·21		·18			22
23		·21			·19	·01		·21				·05	23
24		·08				·07	·01	·02		·23	·06	·05	24
25		·12	·15			·08	·01			·01			25
26			·04					·31	·08		·78	·01	26
27			·03		·66			1·39				·01	27
28			·07			·85		·34				·07	28
29			·07		·83	·10	·21	·05	·01	·68		·19	29
30	·02		·33			·03	1·21	·20	·01	·05		·07	30
31	·08		·07				·48	·04		·01		·03	31
Total	1·66	1·17	2·11	2·63	2·76	1·96	3·72	7·13	2·58	4·58	1·79	2·73	YEAR'S TOTAL 34·82
Rain Days.	16	9	21	17	10	12	14	26	16	21	13	16	191

W. 8,000, IX. 17.

145
586

FORM A
BRITISH RAINFALL

REGISTER OF RAINFALL IN 1918

Kept at Worth Lodge, Worth
in the County of Sussex
by C Wix

N Lat. 51° 6' 10" W Long. 0° 7' 59" "2" entered to previous day
Time of Observation 9 a.m
Nearest Railway Station Three Bridges 2½ [illegible]
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 3 ft. — in.
" " " " Sea Level 340 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. —

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·	~~03~~		·02	·02			·02			·27	·04	1
2	·	·03 ~~·01~~		·10				·22			·28	·14	2
3	·	01 ~~05~~	·12	·11	·29			·12		·07	·42	·01	3
4	·	25 ~~05~~	·05	·04				·08	·31		·80	·02	4
5	·	05 ~~·19~~	·02		·06			·18	·36	·12		·03	5
6	·22	·19		·26	·21			·11	·03	·02		·06	6
7	·03	11 ~~·19~~		·16	·12	·01		·02	·46	·11	·13	·02	7
8		19 ~~·01~~							·20	·03	·10	·09	8
9	·02	·01		·14		·11	·14		·63	·21	·09	·44	9
10	·01			·08		·04	·37		·51	·13		·29	10
11				·02			·30		·01	·23	·10	·16	11
12		·09			·15		·06		·11	·02		·01	12
13	·17			·01	·10		·08		·13			·05	13
14	·18		·08	·01		·15	·12		·29	·27		·13	14
15	1·31			·45		·22	·29		·01			·20	15
16	·39		·02	·10		·33	·03		·24			·01	16
17	·14			·12		·22	·71	·02				·30	17
18	·48			·01		·31	·01		·42	·04		·10	18
19	·13		·05	·08		·12	·11		·05	·03	·01	·07	19
20	·07	·13		1·20		·03	·30		·32	·22	·01		20
21	·27	·01		·92			·08		·37	·17		·02	21
22	·12				·07		·33	·07	·80	·01		·20	22
23	·10			·05	·11		·70		·04			·02	23
24		·29		·04		·04			·29		·08		24
25	·01			·14			·05	·16		·04	·04		25
26							·87		·04	·04	·14	·22	26
27		·17	·03	·10			·17	·16	·08		·12	·05	27
28		·01	·26	·05				·07			·15	·01	28
29	·02	✕		·02					1·13		·02	·01	29
30	·01	✕	·50						·06	·08	·04	·17	30
31	·01	✕	·02	✕		✕			✕	·06	✕	·02	31
Total	3·69	1·54	1·15	4·23	1·13	1·58	4·72	1·23	6·89	1·90	280	2·89	YEAR'S TOTAL 33·75
Rain Days.	19	14	10	24	9	11	18	12	24	19	17	28	205

W, 6,500, VII. 18. W W C

A+R2 583 586

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Worth Lodge, Worth
in the County of Sussex
by C. W. Nix

Lat. N 51° 6′ 10″ Long. W 0° 7′ 59″
Time of Observation 9 a.m.
Nearest Railway Station Three Bridges L.B.S.C.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 3 ft — in.
" " " " Sea Level 340 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·50	·07	·06	·08	·13		·19		·01	·15	·10	·90	1
2	·17		·02	·05	·14		·11		·10	·12	·04	·17	2
3	·36		·38		·02		·29		·08		·04	·34	3
4	·22	·05	·58			·07	·37	·02	·05		·05	·14	4
5		·31	·78				·04		·01		·13	·49	5
6	·17		·07				·01			·01	·01	·11	6
7	·10		·46				·01				·07		7
8	·57		·08	·01							·05		8
9	·45		·09	·06	·18				·01		·14		9
10	·35		·07	·01	·01					·01		·17	10
11	·23		·20	·30	·05		·42				·01	·07	11
12	·06		·05	·06			·25			·08	·04		12
13	·05	·09	·01	·40								·03	13
14	·59	·01		·40			·12		·46	·04		·10	14
15	·48	·03	·18	·08			·01			·02		·63	15
16	·24	·57									·09	·01	16
17		·29	·02								·18	·08	17
18		·12	·07					·03	·03		·10	·03	18
19	·03	·26	·92			·12	·40	·16	·11		·06		19
20	·62	·15	·13			·66	·21	·20				·04	20
21	·12	·53	·04				·02				·04	·05	21
22		·03	·02			·01	·24		·45		·02	·30	22
23	·01								·21		·03	·02	23
24				·17		·02	·07	·11		·11	·15	·04	24
25	·02	·01			·05		·02	·33			·01	·03	25
26	·05	·23	·09	·07				·03	·12		·12	·46	26
27	·60	·02	·01	·84			·09	·55			·22	·02	27
28			·19	·03			·01	·75			·44	·32	28
29	·07			·04		·04		·33		·21	·02	·13	29
30	·04		·02	·27		·04		·74		·04	·22	1·04	30
31	·14		·04				·01			·08		·14	31
TOTAL	6·24	2·77	4·58	2·87	·58	·96	2·89	3·25	1·64	·82	2·38	5·86	YEAR'S TOTAL 34·84
Days with ·01 in. or more	25	16	25	16	7	7	20	11	12	11	25	26	200

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

550
586

8 JAN

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

Kept at Worth Lodge (Crawley
in the County of Sussex
by C.W. Nix

N Lat. 51°6′10″ W Long 0°7′59″
Time of Observation 9.00 GMT
Nearest Railway Station Three Bridges LB&SC
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 3 ft. — in.
" " " " Sea Level 340 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.08		.06	.09	.09		.38	.31		.48	.02	.28	1
2			.08	.01	.03				.05	.10		.12	2
3	.02		.01		.11					.23		.09	3
4		.09		.05	.01		1.65	.21		.23	.01	.01	4
5			.10	.02			.70	.15	.04	.01		.01	5
6			.12		.15		.36					.04	6
7	.04			.21	.03		.29						7
8				.02	.06		.51					.02	8
9	.25	.07		.03	.04		.04	.01					9
10	.83	.21	.10	.02		.13	.30				.02		10
11	.27	.02	.09	.23		.03	.25			.01		.24	11
12	.06	.01	.01	.43		.32					.01		12
13	.28	.02	.28	.04							.07		13
14		.02	.53	.45		.04			.15	.35	.37		14
15	.03	.01	.07	.16					1.10				15
16			.02	.23					.12			.01	16
17	.01			.01	.17				1.47			.11	17
18	.02				.17	.01		.98	.46			.14	18
19	.09			.62		.03		.01	.02		.01	.03	19
20	.08	.19		.25		.52		.01	.12			.02	20
21				.01			.96		.43				21
22	.03	.01		.26					.03	.01		.42	22
23							.49	.02		.01		.32	23
24	.01	.01	.08	.01								.06	24
25		.02	.01	.01			.36		.01	.01	.01		25
26	.03		.13	.03			.01					.07	26
27	.51	.03		.20		.09	.01				.96	.35	27
28	.58		.16	.01	.15		.18				.11	.02	28
29	.74		.16	.09	.02				.01		.21	.24	29
30	.03	×				.06	.26		.23		.38	.31	30
31	.03	×	.27	×		×			×	.49	×	.22	31
Total	4.02	.71	2.28	3.49	1.03	1.23	6.75	1.70	4.24	1.93	2.18	3.13 ~~22~~	Year's Total 32.69
Days with ·01 in. or more	21	13	18	25	12	9	16	8	14	11	12	22	181
Days with ·04 in. or more	12	4	14	14	8	6	14	4	10	6	6	15	113

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

FORM A.
BRITISH RAINFALL.

JAN 1912

CRAWLEY DOWN

{THE GRANGE}

SUSSEX

1911-20

REGISTE 1

Kept at The Grange

in the County of Sussex

by T. H. W. Buckler

Long. 0° 5′ 32 W

tation Grange [illegible]

ion 9·0 am

in.

ve Ground ft. 9 in.

Sea Level 430 ft.

NOTE.—Full instructions respecting the measurement Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04	—	—	·42	—	—	—	·03	—	—	·08	·01	1
2	·08	—	·01	·12	·40	—	—	—	—	—	·15	·43	2
3	·01	·01	—	—	·24	—	—	·02	—	—	·19	·21	3
4	·09	·02	·03	·11	—	—	—	—	·02	·53	·40	·37	4
5	·01	·01	—	·17	—	—	—	—	—	·32	·03	·07	5
6	·41	—	·03	·02	—	—	—	—	—	—	·05 1·21	·75	6
7	·06	—	—	·01	—	—	—	—	—	·22	·61	·48	7
8	·13	—	·21	—	—	—	—	—	—	·01	·56	·40	8
9	·19	—	·04	·02	—	—	—	—	—	—	·18	·08	9
10	·01	·11	·14	·03	—	—	—	—	—	—	·02	·96	10
11	·37	—	·07	—	·02	—	—	—	—	—	1·32	—	11
12	·01	—	·66	—	—	—	—	—	·03	—	·70	·01	12
13	—	—	·10	—	·15	—	—	—	·50	·04	·01	·39	13
14	—	·07	·01	—	·21	—	—	—	—	·01	—	·82	14
15	—	·05	·23	—	—	—	—	—	—	—	}1·25	·04	15
16	—	—	—	—	—	·35	—	—	—	—		·26	16
17	—	—	·10	—	—	·07	—	—	—	—	1·36	·29	17
18	—	·16	·08	·02	—	·02	—	—	—	—	1·03	·63	18
19	—	—	·01	—	—	·10	—	—	·18	·33	·21	·13	19
20	·02	·02 ?	·02	—	—	·01	—	·19	}·17	·02	·01	1·03	20
21	·03	·25 ?	—	—	—	—	—	·11		·60	thaw of snow	·16	21
22	·05	·02	·39	·02	—	·25	—	·12	—	·28	·04	·60	22
23	—	·29	·02	—	—	·82	—	—	·35	·20	—	·26	23
24	—	·18	—	—	·01	·03	·04	·02	—	·59	—	·37	24
25	·01	—	·07	·07	·01	·08	·01	·02	·05	·01	·03	·01	25
26	—	·01	·08	·25	·32	·21	—	—	—	·28	·05	·26	26
27	—	·40	·16	·58	—	—	—	—	·12	·59	·06	·13	27
28	—	·32	·01	·20	—	—	—	·07	—	—	·03	·01	28
29	—	—	—	·33	—	·16	·19	—	·17	·50	—	—	29
30	—	—	·01	·06	—	·02	—	·33	·06	·46	—	·03	30
31	—	—	—	—	·13	—	—	—	—	—	—	[illegible]	31
Totals	1·52	1·92	2·49 2·48	2·43 2·43	1·49	2·12	·24	·91	1·65	4·98	7·77	9·20	36·71
Total from Jan. 1	16	15	22	16	9	12	3	9	11	17	24	29	183

K/1000/11/05.

EDWARD STANFORD, 12, 13, & 14 LONG ACRE, W.C.

Price, on extra tough paper, 3d.

36·71

✓

FORM A.
BRITISH RAINFALL.

JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at The Grange Crawley Down
in the County of Sussex
by J. H. W. Buckler

7

Lat. 51°6'53"N Long. 0°5'3~~8~~2 W
Nearest Railway Station Grange Road Station
RAIN GAUGE. Time of Observation 9·0 am
Diameter 9 in.
Height of top above Ground ft. 9 in.
" " Sea Level 430 ft.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04	—	—	·42	—	—	—	·03	—	—	·08	·01	1
2	·08	—	·01	·12	·40	—	—	—	—	—	·15	·43	2
3	·01	·01	—	—	·24	—	—	·02	—	—	·19	·21	3
4	·09	·02	·03	·11	—	—	—	—	·02	·53	·40	·37	4
5	·01	·01	—	·17	—	—	—	—	—	·32	·03	·07	5
6	·41	—	·03	·02	—	—	—	—	—	—	·05 [illegible]	·75	6
7	·06	—	—	·01	—	—	—	—	—	·22	·61	·48	7
8	·13	—	·21	—	—	—	—	—	—	·01	·56	·40	8
9	·19	—	·04	·02	—	—	—	—	—	—	·18	·08	9
10	·01	·11	·14	·03	—	—	—	—	—	—	·02	·96	10
11	·37	—	·07	—	·02	—	—	—	—	—	1·32	—	11
12	·01	—	·66	—	—	—	—	—	·03	—	·70	·01	12
13	—	—	·10	—	·15	—	—	—	·50	·04	·01	·39	13
14	—	·07	·01	—	·21	—	—	—	—	·01	—	·82	14
15	—	·05	·23	—	—	—	—	—	—	—	} 1·25	·04	15
16	—	—	—	—	—	·35	—	—	—	—		·26	16
17	—	—	·10	—	—	·07	—	—	—	—	1·36	·29	17
18	—	·16	·08	·02	—	·02	—	—	—	—	1·03	·63	18
19	—	—	·01	—	—	·10	—	—	·18	·33	·21	·13	19
20	·02	·02 ?	·02	—	—	·01	—	·19	} ·17	·02	·01	1·03	20
21	·03	·25 ?	—	—	—	—	—	·11		·60	[illegible]	·16	21
22	·05	·02	·39	·02	—	·25	—	·12	—	·28	·04	·60	22
23	—	·29	·02	—	—	·82	—	—	·35	·20	—	·26	23
24	—	·18	—	—	·01	·03	·04	·02	—	·59	—	·37	24
25	·01	—	·07	·07	·01	·08	·01	·02	·05	·01	·03	·01	25
26	—	·01	·08	·25	·32	·21	—	—	—	·28	·05	·26	26
27	—	·40	·16	·58	—	—	—	—	·12	·59	·06	·13	27
28	—	·32	·01	·20	—	—	—	·07	—	—	·03	·01	28
29	—	—	—	·33	—	·16	·19	—	·17	·50	—	—	29
30	—	—	·01	·06	—	·02	—	·33	·06	·46	—	[illegible]3	30
31	—	—	—	—	·13	—	—	—	—	—	—	[illegible]	31
Totals	1·52	1·92	2·48 2·48	2·43 2·43	1·49	2·12	·24	·91	1·65	4·98	7·77	9·20	36·71
Total from Jan. 1	16	15	22	16	9	12	3	9	11	17	24	29	183

K/1000/11/05. EDWARD STANFORD, 12, 13, & 14 LONG ACRE, W.C. Price, on extra tough paper, 3d.

36·71

Ex DL Cov. Ty sur. stats 28.III.13.

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.
2 JAN 1913

Kept at The Grange Crawley Down

in the County of Sussex 7

by T. W. Buckley

Lat. 51° 6′ 56″ N Long. 0° 4′ 32″ W

Time of Observation 9.0 am

Nearest Railway Station Grange Road

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground — ft. 9 in.

" " " " Sea Level about 430 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01		·18			·08	·19		·02	·88		·27	1
2			·45	~~·07~~ }	·01	·05	·30			·02		·01	2
3	·01	·05	·11			·23	·01	·40	·02			·02	3
4	·19		·71		·06	·12		·04			·22	·01	4
5	·20		·27		·01			·37		·37	·08	·04	5
6	·49	·10	·01		·04			·42	·01	·33		·07	6
7		·01			·15	·41		·36			·01	·18	7
8	·36	·44	·38	·01	·01	·02		·10				·04	8
9	·01	·16	·02	·03		·20	·12	·08				·18	9
10	·01	·10	·03			·02		·19			·07	·33	10
11	·04	·35	·02			·05		·02	·03		·01	·28	11
12	? ·02	·20	·09		·23			·23			} ·14	·06	12
13	? ·01	·02	·02				·01					·08	13
14			·03		·05			·26		·06	·01	·02	14
15	·02	·03	·10		·16	·68		·01			·02	·36	15
16	·25	·02	·30		·25	·06		·13		·07	·06	·01	16
17	·33		·56			·04		·12			·13	·13	17
18	·10		·32				·06	·14		·06	·01	·16	18
19	·07	·15	·19				·06	·45			·02	·01	19
20	·02	·03	·62			·01	·01	·18		·48	·11		20
21	·01	·08	·46		·03			·06		·16	·04		21
22	·06	·58	·08				·02	·23		·01		·02	22
23	·32	·25	·38		·02	·04		·37		·14	·14	·08	23
24	·03	·04				·14	·01	·16		·01		·21	24
25	·07	·01				·34		·82			·39	·69	25
26	·01	·04				·05		·34		·37	·41	·41	26
27						·02	·13			·33		·38	27
28		·06				·05	·18	·18	·28	1·15	·85	·23	28
29		·06				·06	·10	·25	2·47	·11	·03		29
30					·52	·46	·10	·09	1·69	·40			30
31			·07 }				·30	·14					31
Total	2·64	2·78	5·40 ~~5·33~~	·04 ~~·11~~	1·52	3·13	1·60	6·14	4·52	4·95	2·75	4·28 4·28	YEAR'S TOTAL 39·77
Rain Days.	23	21	~~22~~ ?(23) 23	~~4~~ 2	13	21	15	27	7	17	20	26	~~216~~ 215

W. 7,500, XI. 12

[illegible] # 6.

FORM A.
BRITISH RAINFALL.
7 - JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at The Grange Crawley Down
in the County of Sussex
by T. H. W. Buckley

7

Lat. .... Long. ....
Time of Observation 9·0 am
Nearest Railway Station Grange Road
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground .... ft. 9 in.
" " " " Sea Level 430 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·02	·38	·12	·57	·05	—	—	—	·06	·03	·16	·18	1
2	·06	·21	·01	—	—	—	·10	—	·05	·05	·14	·02	2
3	·01	·01	·09	·33	·57	—	·02	—	·01	·04	·13	·15	3
4	·48	—	·10	·02	·09	—	—	—	·19	·21	·14	·02	4
5	·26	·06	·03	—	[illegible]	·12	·10	—	·43	·02	·11	—	5
6	·14	·07	·14	—	·03	·18	·15	—	·07	·15	·05	·17	6
7	·01	·33	·02	—	·11	·06	·02	—	—	·34	·12	—	7
8	—	·10	·03	—	·18	·06	—	·03	—	·26	·02	·03	8
9	—	·07	—	·03	·10	·01	·10	—	·12	—	·05	·01	9
10	·02	·01	—	·09	—	—	·44	—	—	—	·55	—	10
11	·68	—	—	·42	—	—	—	—	—	·94	·70	—	11
12	—	—	—	—	·12	—	—	—	—	·01	·91	—	12
13	·31	—	·03	—	—	—	—	·02	·08	—	·27	·01	13
14	·30	—	·09	·18	—	—	·75	·03	·17	·15	·30	—	14
15	·29	·06	·24	·53	—	—	·33	—	·14	·01	—	—	15
16	·24	—	·65	·33	—	—	—	—	·15	—	—	·02	16
17	·07	·03	·07	·07	—	—	·38	·01	—	—	·04	—	17
18	·01	—	·17	·27	—	—	·03	—	—	—	·11	—	18
19	·38	—	·14	—	—	—	·13	—	·50	—	—	—	19
20	·86	—	·09	·11	—	·04	—	—	—	·79	·05	—	20
21	·03	—	·24	·07	—	—	·01	—	—	·36	·84	·03	21
22	·33	—	·42	·01	—	—	·03	·04	·10	·01	—	—	22
23	·01	—	·27	—	—	·03	·02	·14	·01	—	—	·72	23
24	·06	—	·01	·05	—	·02	—	·06	—	—	·05	—	24
25	—	—	—	·24	—	—	—	·19	—	—	·01	—	25
26	—	—	·11	·02	—	—	·01	—	—	·80	—	·27	26
27	·01	·02	·09	·09	·68	—	—	—	—	·04	·01	—	27
28	·13	—	·36	·08	—	—	—	·01	—	·19	—	—	28
29	·09	—	·08	·54	·26	—	—	·15	—	·13	—	—	29
30	·67	—	—	·13	—	—	—	·18	—	·23	—	—	30
31	—	—	·09	—	—	—	—	·58	—	·15	—	—	31
Total	5·47	1·35	3·69	4·18	2·21	·52	2·62	1·44	2·08	4·91	4·76	1·63	YEAR'S TOTAL 34·86
Rain Days.	25	12	25	21	11	8	16	12	14	21	21	12	198

W.7,000, XI. 13

Form A2. British Rainfall.
1 - JAN 1915

REGISTER OF RAINFALL IN 1914

Ex. W.G.

Kept at The Grange Crawley Down
in the County of Sussex
by T. H. M. Buckley

7

Rain Gauge { Pattern
Diameter of top ... in.
Height of top above Ground ... ft. ... in.
" " " Sea Level ... ft.

Time of Observation

Nearest Railway Station { Name
Distance ... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·01					·32			·05	·05	1
2						·06	·13	·02			·16	·17	2
3			·06		·33			·05			·01	·01	3
4	·03		·02	·32	·06		·02	·06			·35	·26	4
5	·11		·07	·43	·13	·04	·18	·15			·02		5
6		·15	·02	·23	·06	·15	·09	·03				·37	6
7		·83	·40	·32	·04	·06	·14					·35	7
8	·10	·75	·53	·01		·11	·07	·21				·13	8
9	·32		1·09	·26				·01	·19			1·19	9
10		·07	·04	·17					·09			·04	10
11	·06	·71	·62			·01			·21		·06	·34	11
12		·12	·08				·27		·35	·02	·02	·75	12
13		·72	·28			·06			·10	·04	·15	·82	13
14		·48	·29				·15	·02		·27	·18	·74	14
15		·08	·32				·07	·03		·01	1·17	·02	15
16		·02	·04				·02		·07		·01		16
17		·60	·28				·02		·20			·22	17
18		·11	·25									·52	18
19		·12	·72				·26			·03	·20	·12	19
20		·31	·16			·06				·03		·17	20
21		·86	·09					·06		·08		·04	21
22		·04	·07		·34	·09	·17	·06		·26		·01	22
23			·31		·20	·13				·01		·03	23
24	·06		·03								·24		24
25			·37					·08		·39	·01	·04	25
26			·05				·09	·32		·08	·27	·65	26
27								·01			·08	·62	27
28	·06	·04			·02					·15	·69	·47	28
29	·20		·03							·34	·30	·02	29
30	·03		·20		·02					·09	1·32	·42	30
31	·06				·16		·02					·03	31
Total	1·03	6·01	6·43	1·74	1·36	·77	1·70	1·43	1·21	2·00	5·29	8·60	TOTAL for year 37·[illegible]
No. of Rain Days.	10	17	27	7	10	10	15	15	7	14	19	28	179

W. 8,000, X. '11.

662

FORM A.
BRITISH RAINFALL.

3 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at The Grange Crawley Down

in the County of Sussex

by Thomas H. W. Buckley

7

Lat. 51°6'56" Long. 0°4'32" W.

Time of Observation 9·0 am

Nearest Railway Station Grange Road

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 9 in.

" " " " Sea Level about 430 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·69	·20	·06	—	·02	—	—	—	·32	·02	·10	·38	1
2	·37	·21	·25	·15	—	—	—	·27	·02	·07	—	·10	2
3	·34	—	·04	·20	·09	—	—	·14	·07	—	—	·56	3
4	·05	—	—	—	—	—	—	—	—	·01	—	·70	4
5	·03	·69	—	—	—	—	—	·19	—	·08	—	·50	5
6	·48	·25	·09	·74	—	—	·56	—	—	—	—	·18	6
7	·31	·47	·07	—	—	—	·09	—	—	—	—	·40	7
8	·02	·69	·01	·04	—	—	·12	·07	—	—	·01	—	8
9	·02	·10	—	·15	—	·22	—	·07	—	—	·43	·71	9
10	·36	·02	·01	—	—	·01	—	—	—	—	—	·50	10
11	·01	—	·02	—	—	—	—	—	—	—	·71	·02	11
12	·06	·15	—	·18	·36	—	—	·10	—	·03	·63	·02	12
13	·01	·89	—	—	1·80	—	—	—	·02	—	—	—	13
14	—	·03	—	—	—	—	·11	·03	·05	—	—	·50	14
15	·27	·02	—	—	·05	—	·17	·05	—	—	·18	·38	15
16	—	(?) ·80	—	·01	·06	—	1·32	·10	—	—	·01	·11	16
17	—	·58	—	—	1·18	—	·01	·26	—	—	—	—	17
18	—	·04	·02	—	·29	—	—	—	—	—	·04	—	18
19	—	·22	—	·03	·03	—	·05	—	—	·04	—	—	19
20	·28	—	—	—	·02	—	—	—	—	—	—	·21	20
21	·17	—	—	—	—	—	—	—	—	·10	—	·03	21
22	·47	·02	·04	·01	—	—	1·11	—	—	—	—	·19	22
23	—	·10	·11	·02	—	·02	·05	—	·01	·34	—	·44	23
24	—	—	·04	·02	—	·01	·37	—	·37	·54	—	·68	24
25	—	—	—	·07	—	—	·18	—	—	·03	—	·44	25
26	·01	·08	—	—	—	·09	·03	—	—	—	—	·61	26
27	—	·06	·01	—	—	·12	·15	—	—	·54	—	·06	27
28	—	·07	—	—	—	·09	·03	—	1·05	·34	—	—	28
29	—	X	—	—	—	·01	·28	·25	—	—	·53	—	29
30	·73	X				·09		·01		·16	·80	·04	30
31	·08	X		X		X		·46	X	·94	X	·36	31
Total	4·16	5·69	·77	1·62	3·90	·66	4·63	2·00	1·91	3·24	3·44	8·72	YEAR'S TOTAL 40·14
Rain Days.	20	21	13	12	10	9	16	13	8	~~15~~ 14	10	24	171

170

1,000, XI. 13

EDWARD STANFORD, Ltd., 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

654

FORM A.
BRITISH RAINFALL.

2 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at The Grange, Crawley Down

in the County of Sussex

by T. H. W. Buckley

Lat. 51° 6′ 56″ N Long. 0° 4′ 32″ W

Time of Observation 9·0 am

Nearest Railway Station Grange Road

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground — ft. 9 in.

" " " " Sea Level about 430 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Greenwich Time

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·15	—	·03	—	·24	·01	—	—	·19	·05?	·30	—	1
2	·47	·14	·15	—	·40	—	·02	—	·07	·60	·06	—	2
3	·01	·68	·22	—	—	—	—	—	·17	·55	·86	—	3
4	·15	·11	·02	·03	—	·64	—	—	·27	·07	·47	—	4
5	·01	·04	—	·01	·19	·08	—	—	—	·11	·77	—	5
6	—	·15	·17	·25	·03	·32	·42	—	—	·07	·85	—	6
7	·07	·03	·64	—	·31	·03	·01	—	—	·03	·81	·04	7
8	—	—	·01	—	·24	—	—	—	—	—	—	·74	8
9	—	—	·02	—	·37	—	—	—	—	—	—	·16	9
10	—	·27	·11	·08	·01	·22	·23	—	—	—	·01	·15	10
11	·06	·15	·01	·19	·01	·07	—	—	—	—	—	·04	11
12	·04	·09	·01	·07	·14	·20	·12	—	—	·08	—	—	12
13	—	·28	·57	·09	·02	·02	·14	·12	—	·07	—	—	13
14	—	·61	·19	—	·12	—	—	·03	—	—	—	·12	14
15	—	·07	·17	—	—	—	—	·31	—	·03	—	·06	15
16	·02	·03	·22	·15	—	—	·16	·13	—	—	—	·01	16
17	·28	·16	—	·04	—	—	·01	·44	·24	1·12	—	—	17
18	—	·09	—	·02	—	—	—	·51	·24	·35	·86	·03	18
19	·19	—	·16	·25	—	·12	—	·01	·09	—	·61	·14	19
20	·11	—	·12	·14	—	·01	—	—	—	—	·30	·74	20
21	·01	—	·33	—	—	—	·17	—	—	—	—	·36	21
22	·01	·01	·05	—	Summer time	—	—	—	—	·04	—	·64	22
23	·01	·18	·06	—	—	·07	—	·01	—	·08	·08	·07	23
24	—	—	·01	—	·11	·05	—	·01	—	·38	·12	·32	24
25	—	·84	·23	—	·01	—	—	·53	—	·11	·05	·03	25
26	·04	·20	·03	—	—	·12	—	·03	·07	·33	—	—	26
27	·01	·09	·97	—	—	·12	—	·62	·16	·37	—	·01	27
28	—	·42	·16	—	—	·34	—	·03	·14	·12	·02	·16	28
29	—	·20	·01	—	—	·40	—	·99	·08	·55	—	·26	29
30	—	✕	—	—	·03	—	—	·05	—	·37	—	—	30
31	—	✕	—	✕	—	✕	—	·01	✕	·27	✕	—	31
Total	1·64	4·84	4·58	1·32	2·23	2·82	1·28	3·83	1·72	5·75	6·17	4·08	YEAR'S TOTAL 40·26
Rain Days.	17	22	26	12	15	17	9	16	11	22	15	19	201

W. 8,000. X. 15.

624

FORM A. BRITISH RAINFALL.
11 8 JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at The Grange, Crawley Down
in the County of Sussex
by J. H. W. Buckley

Lat. 51° 6′ 56″ N Long. 0° 4′ 32″ W
Time of Observation 9·0 am
Nearest Railway Station Grange Road
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground — ft. 9 in.
" " " " Sea Level about 430 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	·01	—	·33	—	·01	—	1·69	·28	—	·07	—	1
2	—	—	—	·34?	—	—	—	·12	—	—	·11	—	2
3	—	—	—	·13	—	—	·37	·39	—	·10	·04	—	3
4	—	·17	·08	—	—	—	·39	·44	—	·40	—	—	4
5	·32	—	·03	·38	—	·01	—	·30	·60	·30	·10	—	5
6	—	—	·19	·04	—	·23	—	·01	·41	—	·10	—	6
7	·42	—	—	—	—	—	·04	—	—	·32	—	·03	7
8	·08	—	—	·13	—	—	·53	·31	—	·41	·41	·29	8
9	·01	—	·02	·04	—	—	·11	·14	·01	—	·04	·55	9
10	·20	—	·22	·10	—	·04	—	·18	—	—	·02	—	10
11	·14	·01	·17	·38	—	—	—	·10	·11	·48	—	—	11
12	·04	—	·06	—	—	—	—	·09	—	·23	·01	—	12
13	·04	—	·20	—	·07	—	—	·02	·01	·20	·01	—	13
14	—	—	·03	·17	—	—	—	·11	—	—	—	·01	14
15	·08	—	—	·01	~~·07~~	—	—	·06	—	·13	—	·07	15
16	·06	·11	—	·24	·07	—	·53	—	—	·89	—	·82	16
17	—	·02	—	·12	·29	—	·18	·01	·38	·23	—	—	17
18	·04	·05	—	·10	·06	·23	·19	·76	·38	·06	—	—	18
19	·01	·10	·25	—	·02	·08	—	·08	·12	—	—	—	19
20	·03	·11	·05	—	·61	—	·05	·02	·02	—	·02	—	20
21	—	—	·06	·01	·01	—	—	—	—	·05	·03	—	21
22	—	—	·01	—	—	·84	—	·17	—	·16	—	—	22
23	—	·23	—	—	·26	·01	—	·21	—	·11	—	·04	23
24	—	·06	—	—	—	·09	·02	·03	—	·20	·04	·05	24
25	—	·12	·10	—	—	·11	—	—	—	—	—	—	25
26	—	—	·02	—	—	—	—	·55	·05	—	·87	·01	26
27	—	—	—	—	·04	—	—	1·44	—	—	—	·01	27
28	—	—	·06	—	—	·83	—	·19	—	—	—	·05	28
29	—	X	·07	—	·44	·09	·33	·04	—	·80	—	·13	29
30	—	X	·34	—	—	·02	1·19	·26	—	·03	—	·02	30
31	·08	X	·15	X	—	X	·55	·04	X	—	X	·06	31
Total	1·55	·99	2·11	2·52	1·87	2·59	4·48	7·16	2·37	5·10	1·87	2·16	YEAR'S TOTAL 34·77
Rain Days.	14	11	19	15	10	13	13	27	11	18	14	14	179

W. 8,000, VIII. 16

4·27

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL.

2. 1. 19

Kept at The Grange Crawley Down
in the County of Sussex
by J. H. W. Buckler

Lat. 51° 6' 56" N Long. 0° 4' 32" W
Time of Observation 9 0 am
Nearest Railway Station Grange Road
Diameter of Funnel of Rain Gauge ~~3~~ 5 in.
Height of top of Gauge above Ground — ft. 9 in.
" " " " Sea Level 430 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following:

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	—	·04	·04	—	—	·02	—	—	·28	·06	1
2	—	·03	—	·09	—	—	—	·18	—	—	·20	·22	2
3	—	—	·09	·09	·32	—	—	·26	—	·05	·44	·01	3
4	—	·26	·03	·04	—	—	—	·06?	·17	—	·93	·04	4
5	—	·03	·01	—	·06	—	—	·16	·64	·07	—	·03	5
6	·20	·17	—	·28	·19	—	—	·11	·08	·04	—	·05	6
7	·02	·12	—	·20	·09	·02	—	·01	·26	·10	·08	·02	7
8	—	·15	—	—	—	—	—	—	·55	·02	·16	·12	8
9	·01	—	—	·10	—	·08	·16	—	·67	·24	—	·44	9
10	—	—	—	·05	—	·02	·37	—	·39	·11	—	·31	10
11	—	—	—	·01	—	—	·42	—	·03	·20	·08	·17	11
12	—	·10	—	—	·12	—	·13	—	·09	·01	—	·01	12
13	·17	·01	—	—	·15	—	·11	—	·10	—	—	·04	13
14	·21	—	·05	—	·01	·13	·14	—	·30	·25	—	·10	14
15	1·19	—	—	·36	—	·14	·54	—	·01	—	—	·22	15
16	·25	—	·01	·07	—	·29	·02	—	·16	—	—	—	16
17	·17	—	—	·12	—	·67	·82	—	—	—	—	·33	17
18	·54	—	—	—	—	·30	·02	—	·46	·04	—	·09	18
19	·12	—	·05	·04	—	·11	·09	—	·05	·04	·01	·04	19
20	·07	·12	—	1·10	—	·02	·37	·01	·24	·22	—	—	20
21	·25	—	—	·91	—	—	·08	—	·38	·12	—	·02	21
22	·12	—	—	·01	·94	—	·28	—	·92	—	—	·21	22
23	·10	—	—	·04	·13	—	·72	·05	·06	—	—	·02	23
24	—	·24	—	·06	—	·06	—	—	·29	—	·02	—	24
25	—	—	—	·22	—	—	·13	·13	—	·04	·01	—	25
26	—	—	—	—	—	—	·96	—	·01	·03	·10	·20	26
27	—	·12	·03	·08	—	—	·13	·15	—	—	·10	·03	27
28	—	—	·32	·06	·02	—	—	·05	—	·01	·16	·01	28
29	—	—	—	·06	—	—	—	—	·82	—	·02	·01	29
30	—	×	·48	—	—	—	—	—	·08	·09	—	·19	30
31	—	×	—	×	—	×	—	—	×	·06	×	·01	31
Total	3·42	1·35	1·07	3·98	2·07	1·84	5·49	1·19	6·76	1·74	2·59	3·00	YEAR'S TOTAL 34·50
Rain Days.	14	11	9	22	11	11	~~17~~ 18	12	23	19	14	27	190

W. 8,000, IX. 17.

Ex. [illegible]

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at The Grange Crawley Down
in the County of Sussex
by T. H. W. Buckley

Lat. 51° 6′ 56″ N Long. 0° 4′ 32″ W
Time of Observation 9·0 am
Nearest Railway Station Grange Road
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground — ft. 9 in.
" " " " Sea Level abt 430 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·48	·06	—	·03	·06	—	·08	—	·01	·16	·10	·88	1
2	·26	·01	·07	—	·12	—	·13	—	·04	·13	·07	·35	2
3	·45	—	·34	—	·01	—	·32	—	·11	—	·06	·32	3
4	·22	·04	·54	—	—	·08	·24	·03	·05	—	·04	·14	4
5	—	·29	·86	—	—	—	·04	—	—	—	·15	·46	5
6	·15	—	·05	—	—	—	—	—	—	—	—	·09	6
7	·12	—	·59	—	—	—	—	—	—	·01	·05	—	7
8	·49	—	·10	·01	~~·12~~	—	—	—	—	—	~~·05~~	—	8
9	·45	—	·08	·04	·~~0~~12	—	—	—	—	—	·15	—	9
10	·35	—	·09	·03	—	—	—	—	—	·01	—	·12	10
11	·17	—	·30	·31	·05	—	·26	—	—	—	—	·08	11
12	·14	—	·02	·05	—	—	·38	—	—	·05	·04	—	12
13	·05	·06	·01	·42	—	—	—	—	—	—	—	·05	13
14	·82	—	—	·43	—	—	·10	—	·31	—	—	·09	14
15	·38	·06	·20	= ·09	—	—	—	—	—	·05	—	·49	15
16	·13	·52	—	—	—	—	—	—	—	—	·07	·05	16
17	—	·23	·03	—	—	—	—	—	—	—	·18	—	17
18	—	·08	·06	—	—	—	—	·04	·04	—	·10	·10	18
19	·02	·30	·80	—	—	·11	·31	·12	·05	—	·08	—	19
20	·60	·12	·13	—	—	·68	·22	·27	—	—	—	·02	20
21	·09	·58	·03	—	—	·05	·02	—	—	—	·04	·06	21
22	—	·04	·01	—	—	—	·20	—	·43	—	·04	·23	22
23	—	—	—	·01	—	·02	—	—	·26	·08	·03	·04	23
24	—	—	—	·17	—	·02	·07	·08	—	—	·13	·03	24
25	·02	—	—	—	·03	—	·02	·29	—	—	—	·01	25
26	·05	·21	·09	·06	—	—	—	·01	·10	—	·15	·56	26
27	·59	·02	·01	·77	—	—	—	·36	—	·08	·13	·01	27
28	—	—	·27	·03	—	—	·02	·94	—	—	·49	·36	28
29	·07	✕	—	—	—	·04	—	·36	—	·22	·14	·12	29
30	·03	✕	—	·24	—	·03	—	·69	—	·03	·23	1·06	30
31	·12	✕	·03	✕	—	✕	·02	—	✕	—	✕	·06	31
TOTAL	6·25	2·61	4·71	2·69	·39	1·03	2·43	3·19	1·40	·82	2·52	5·78	YEAR'S TOTAL 33·82 ✓
Days with ·01 in. or more	24	15	23	15	6	8	16	11	10	10	22	25	183 ✓

546

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

Kept at The Grange Crawley Down
in the County of Sussex
by Thos. H. W. Buckler

Lat. 51° 6' 56" Long. 0° 4' 32" W
Time of Observation 9·0 am
Nearest Railway Station Grange Road
Diameter of Funnel of Rain Gauge five in.
Height of top of Gauge above Ground one ft. — in.
" " " " Sea Level 430 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·07	—	·01	·22	·08	—	·40	—	—	·31	—	·27	1
2	—	—	·19	·01	·03	—	—	·31	·06	·21	—	·13	2
3	—	—	—	—	·11	—	—	—	·01	·13	—	·05	3
4	—	·07	—	·04	—	—	1·46	·19	—	·18	—	—	4
5	—	—	·08	·02	—	—	·67	·13	·04	—	—	·01	5
6	—	—	—	—	·14	—	·29	—	—	—	—	·03	6
7	·02	—	—	·19	·04	—	·40	—	—	—	—	—	7
8	—	—	—	·02	·03	—	·56	—	—	—	—	—	8
9	·26	·04	·12	·03	·08	—	·05	—	—	—	—	—	9
10	·83	·17	·06	·02	—	·06	·36	—	—	—	·02	—	10
11	·23	—	·09	·20	—	·03	·25	—	—	—	—	·15	11
12	·06	—	—	·39	·01	·53	—	—	—	—	·01	—	12
13	·29	·02	·33	·01	—	—	—	—	—	—	·11	—	13
14	—	·03	·45	·40	—	·04	—	—	·10	·11	·40	—	14
15	·02	—	—	·22	—	—	—	—	·81	·23	·13	—	15
16	—	—	·08	·12	—	—	—	—	·52	—	—	—	16
17	·01	—	—	·01	·19	—	—	—	1·67	—	—	·10	17
18	·01	—	—	—	·12	—	—	1·02	·40	—	—	·12	18
19	·10	—	—	·48	—	·21	—	—	·02	—	—	·02	19
20	·07	·19	—	·20	—	·36	—	—	·10	—	—	·01	20
21	—	—	—	·02	—	—	·87	—	·42	—	—	·18	21
22	·02	—	—	·23	—	—	—	—	·03	—	—	·36	22
23	—	—	—	—	—	—	·46	—	—	—	—	·31	23
24	—	—	·09	—	—	—	·36	·01	—	—	—	·04	24
25	—	·01	·02	·01	—	—	—	—	·02	—	—	—	25
26	·03	—	·13	·02	—	—	—	—	—	—	—	·07	26
27	·56	·02	—	·18	—	·09	—	—	—	—	·70	·33	27
28	·61	·01	·15	·01	·09	—	·16	—	—	—	·10	·02	28
29	·85	—	·12	·08	—	—	—	—	—	—	·18	·26	29
30	·02	X	—	—	—	·10	·22	—	·35	—	·40	·28	30
31	·02	X	·08	X	·01	X	—	—	X	·47	X	·31	31
Total	4·08	·56	2·00	3·13	·93	1·42	6·51	1·66	4·57	1·64	2·05	3·05	Year's Total 31·60
Days with ·01 in. or more	19	9	15	24	12	8	14	5	14	7	9	20	156
Days with ·04 in. or more	11	4	13	13	8	6	14	4	10	7	7	15	112

8L

76

FORM A.
BRITISH RAINFALL.

28 JAN 1915

REGI

CROWBOROUGH

SUSSEX

1914

Kept at Crowboroug

in the County of Sussex

by J. J. S. Driberg

in.

e Ground ft. in.

Sea Level ft.

IMPORTANT NOTE the result entered to the previous day. If an Obs ersal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01		·06	·19	·01		·04	·07			·06	·11	1
2	·02	·01		·03		·06	·14	·03			·19	·19	2
3	·01	·02	·19	·01	·36			·01			·01	·02	3
4	·02	·02	·02	·31	·09			·09			·35	·29	4
5	·13	·02	·11	·59	·10	·03	·18	·05			·01		5
6		·11	·03	·25	·08	·14		·10			·03	·60	6
7	·02	·70	·44	·41	·05	·04	·14				·01	·40	7
8	·15	·72	·67	·02	·04	·15	·14	·17			·01	·13	8
9	·34	·01	·99	·28		·05		·01	·11		·01	1·51	9
10	·04	·12	·02	·14	·22				·03	·01	·01	·05	10
11		·69	·72	·08	·03	·02			·28		·07	·46	11
12	·01	·07	·09		·01		·28		·58	·04	·02	·70	12
13	·02	·73	·40		·01	·04			·20	·05	·19	·78	13
14		·37	·16						·03	·43	·14	·49	14
15		·09	·49				·12	·04			·74	·07	15
16	·01	·15	·13	·01			·50		·18				16
17		·60	·29				·04		·24		·02	·27	17
18		·18	·27					·01			·01	·79	18
19		·19	·89				·20			·08	·24	·22	19
20	·01	·27	·10			·09				·04		·32	20
21		·83	·07	·01				·26		·06		·04	21
22		·06			·03	·02	·08	·05		·53		·01	22
23	·01	·01	·44	·01	·27	·22	·03			·02	·01	·02	23
24	·01	·01	·07	·03	·02				·01		·23	·01	24
25	·14		·28					·08		·50	·04		25
26	·02		·08				·06	·42		·21	·34	·65	26
27	·02	·01	·01					·04			·10	·78	27
28	·03	·05			·01					·26	·35	·64	28
29	·23		·03							·79	·32	·01	29
30	·04		·20							·10	1·54	·21	30
31	·08				·32		·03					·10	31
Total	1·37	6·04	7·25	2·37	1·65	·86	1·98	1·43	1·66	3·12	5·05	9·87	YEAR'S TOTAL 42·65
Rain Days.	22	25	27	15	16	11	14	15	9	14	26	28	222

W.7,000, XI. 13

88

76

REGI

FORM A.
BRITISH RAINFALL.

28 JAN 1915

Kept at Crowborough

in the County of Sussex

by J. J. S. Driberg

7

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.01		.06	.19	.01		.04	.07			.06	.11	1
2	.02	.01		.03		.06	.14	.03			.19	.19	2
3	.01	.02	.19	.01	.36			.01			.01	.02	3
4	.02	.02	.02	.31	.09			.09			.35	.29	4
5	.13	.02	.11	.59	.10	.03	.18	.05			.01		5
6		.11	.03	.25	.08	.14		.10			.03	.60	6
7	.02	.70	.44	.41	.05	.04	.14				.01	.40	7
8	.15	.72	.67	.02	.04	.15	.14	.17			.01	.13	8
9	.34	.01	.99	.28		.05		.01	.11		.01	1.51	9
10	.04	.12	.02	.14	.22				.03	.01	.01	.05	10
11		.69	.72	.08	.03	.02			.28		.07	.46	11
12	.01	.07	.09		.01		.28		.58	.04	.02	.70	12
13	.02	.73	.40		.01	.04			.20	.05	.19	.78	13
14		.37	.16						.03	.43	.14	.49	14
15		.09	.49				.12	.04			.74	.07	15
16	.01	.15	.13	.01			.50		.18				16
17		.60	.29				.04		.24		.02	.27	17
18		.18	.27					.01			.01	.79	18
19		.19	.89				.20			.08	.24	.22	19
20	.01	.27	.10			.09				.04		.32	20
21		.83	.07	.01				.26		.06		.04	21
22		.06			.03	.02	.08	.05		.53		.01	22
23	.01	.01	.44	.01	.27	.22	.03			.02	.01	.02	23
24	.01	.01	.07	.03	.02				.01		.23	.01	24
25	.14		.28					.08		.50	.04		25
26	.02		.08				.06	.42		.21	.34	.65	26
27	.02	.01	.01					.04			.10	.78	27
28	.03	.05			.01					.26	.35	.64	28
29	.23		.03							.79	.32	.01	29
30	.04		.20							.10	1.54	.21	30
31	.08				.32		.03					.10	31
Total	1.37	6.04	7.25	2.37	1.65	.86	1.98	1.43	1.66	3.12	5.05	9.87	YEAR'S TOTAL 4265
Rain Days.	22	25	27	15	16	11	14	15	9	14	26	28	222

W.7,000, XI. 13

81

86

FORM A2.
BRITISH RAINFALL.

23 JAN 1912

366

REGIST

CROWBOROUGH
{JARVIS BROOK}
SUSSEX
~~KENT~~
1911-20

Kept at Jarvis Broo

in the County of E Sussex

by Crowborough Water

5 in.

e Ground 1 ft. 0 in.

Sea Level 325 ft.

Name

Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05			·51				·06			·05		1
2	·05		·02	·02	·32						·24	·35	2
3		·03			·27		·03				·13	·37	3
4	·28	·03	·05	·28						·64	·30	·25	4
5	·05			·05		1·30				·96	·02	·15	5
6	·30		·04	·09								·73	6
7	·07									·45	·84	·49	7
8	·08		·18								·98	·26	8
9	·22		·03	·06							·16	·06	9
10	·02	·10	·07	·08							·03	·93	10
11	·58		·04								1·59		11
12	·01		·85								·08	·01	12
13			·08		·19				·40	·20	·04	·29	13
14		·12			·13					·02		·70	14
15		·04	·29								·17	·02	15
16						·31					·89	·18	16
17	·01	·02	·07			·04					·83	·20	17
18		·18	·05			·02					1·00	·49	18
19					·01	·09			·27	·50	·16	·17	19
20	·02		·09	·04		·05		·41	·26	·21	·01	·83	20
21	·02	·30						·05		1·19		·18	21
22	·04	·03	·40			·12		·08		·27		·55	22
23		·30				1·17			·49	·28	·05	·26	23
24		·17				·10	·06	·01		·42		·41	24
25		·08	·25	·10		·21		·08	·08	·02		·01	25
26		·01	·26	·32		·29				·44	·21	·27	26
27		·49	·25	·12					·08	·47	·03	·09	27
28		·32		·15							·04		28
29		X		·20		·18	·49	—	·32	·61		·01	29
30		X		·04		·02			·06	·37		·01	30
31		X		X	·39	X			X		X		31
Total	1·80	2·22	3·02	2·06	1·31	3·90	·58	·69	1·96	7·05	7·85	8·27	TOTAL for year 40·71
No. of Rain Days	15	15	17	14	6	13	13	6	8	16	22	27	162

9,000, IX. '10.

8L 9

86

FORM A2.
BRITISH RAINFALL.

23 JAN 1912

.66

REGISTER OF RAINFALL IN 1911

Kept at Jarvis Brook

in the County of E. Sussex 7

by Crowborough Water Co.

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level 325 ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.05			.51				.06			.05		1
2	.05		.02	.02	.32						.24	.35	2
3		.03			.27		.03				.13	.37	3
4	.28	.03	.05	.28						.64	.30	.25	4
5	.05			.05		1.30				.96	.02	.15	5
6	.30		.04	.09								.73	6
7	.07									.45	.84	.49	7
8	.08		.18								.98	.26	8
9	.22		.03	.06							.16	.06	9
10	.02	.10	.07	.08							.03	.93	10
11	.58		.04								1.59		11
12	.01		.85								.08	.01	12
13			.08		.19				.40	.20	.04	.29	13
14		.12			.13					.02		.70	14
15		.04	.29								.17	.02	15
16						.31					.89	.18	16
17	.01	.02	.07			.04					.83	.20	17
18		.18	.05			.02					1.00	.49	18
19					.01	.09			.27	.50	.16	.17	19
20	.02		.09	.04		.05		.41	.26	.21	.01	.83	20
21	.02	.30						.05		1.19		.18	21
22	.04	.03	.40			.12		.08		.27		.55	22
23		.30				1.17			.49	.28	.05	.26	23
24		.17				.10	.06	.01		.42		.41	24
25		.08	.25	.10		.21		.08	.08	.02		.01	25
26		.01	.26	.32		.29				.44	.21	.27	26
27		.49	.25	.12					.08	.47	.03	.09	27
28		.32		.15							.04		28
29		X		.20		.18	.49		.32	.61		.01	29
30		X		.04		.02			.06	.37		.01	30
31		X		X	.39	X			X		X		31
Total	1.80	2.22	3.02	2.06	1.31	3.90	.58	.69	1.96	7.05	7.85	8.27	TOTAL for year 40.71
No. of Rain Days	15	15	17	14	6	13	3	6	8	16	22	27	162

9,000, IX. '10.

88 ✓ 89

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.
23 JAN 1913

Kept at *Jarvis Brook, Crowborough*

in the County of *Sussex* 7

by

RAIN GAUGE
Pattern
Diameter of top in.
Height of top above Ground ft. in.
" " " Sea Level ft. 566

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·24			·06	·18		·02	1·08		·25	1
2		·09	·40		·03	·02	·21		·02	·02		·02	2
3		·09	·04			·22	·13	·14	·03				3
4	·29		·69		·03	·23		·02	·05		·15		4
5	·18	·08	·20			·13		·25			·16		5
6	·50	·09			·06	·06		·76			·02	·19	6
7					·20	·29		·38				·15	7
8	·45	·39	·26			·18		·33				·05	8
9	·02	·08	·01	·13		·01	·25	·38				·27	9
10		·10						·27			·10	·43	10
11	·04	·44				·01					·02	·30	11
12		·08	·06		·11	·02		·18				·05	12
13		·02	·04						·04		·20	·18	13
14								·06		·08		·06	14
15		·03	·10		·26	·64		·01				·40	15
16	·22		·16		·22	·03		·18		·11			16
17	·37		·61		·02	·06		·08			·12	·32	17
18	·07	·01	·41					·26		·06		·36	18
19	·07	·28	·45				·01	·72			·04	·01	19
20	·03	·04	·92			·03		·03		·60	·05		20
21	·01	·15	·72					·09		·23	·07		21
22	·07	·75	·18					·27				·02	22
23	·40	·33	·40		·07	·05		·60		·09		·07	23
24	·04	·03					·02	·44			·20	·18	24
25	·16	·03				·35		·84			·45	·56	25
26		·07				·26	·01	·28		·38	·46	·57	26
27		·02					·05			·22		·50	27
28		·09				·04	·13	·08	·08	·96	·53	·53	28
29		·05					·25	·75	2·28	·18	·02		29
30		X			·44		·02	·19	1·56	·53			30
31		X	·02	X		X	·38	·19	X		X		31
Total	2·92	3·34	5·91	·13	1·44	2·69	1·64	7·78	4·08	4·54	2·59	5·47	TOTAL for year 4253
No. of Rain Days.	16	23	19	1	10	19	12	26	8	13	15	22	184

W. 8,000, X. '11.

82

92

FORM A.
BRITISH RAINFALL.

22 JAN 1914

566

REGISTER OF RAINFALL IN 1913

Kept at Jarvis Brook

in the County of Sussex

by

7

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1	·03	·40	·06	·26	·07	·02				·07	·11	·12	1
2	·15	·18			·01		·15		·02	·12	·24	·04	2
3			·11	·71	·28						·01	·20	3
4	·31		·07	·03	·01		·03		·11	·08	·15	·01	4
5	·45	·08	·02			·14	·12		·57	·13	·33	·03	5
6	·01	·01	·09	·02	·03	·12	·88			·53	·21	·10	6
7		·25	·04		·03	·06			·03	·18	·12	·02	7
8		·09	·02		·13	·11		·12		·47	·09	·08	8
9		·05		·03	·10		·03		·11	·01	·02	·02	9
10	·04			·02			·42	·01			·90		10
11	·64			·44	·03					·75	·43		11
12					·11						1·30		12
13	·54		·05						·05	·02	·24		13
14	·28		·12	·09			2·18	·05	·07	·10	·22	·03	14
15	·21		·26	·44			·25					·03	15
16	·23		·69	·36			·01		·30		—		16
17	·11	·08	·06	·05			·36				·01		17
18			·26	·22			·03		·11		·11		18
19	·19		·21				·10		·24				19
20	·52		·09	·11		·20				·43	·05		20
21	·03		·14	·08						·59	·82		21
22	·30		·26				·03	·05	·11				22
23	·01		·21				·02	·07				·69	23
24	·07			·05				·05			·07		24
25				·25							·01	·01	25
26			·12				·03	·21		1·09		·39	26
27	·01	·01	·06		·19					·12			27
28	·14		·35	·11		—		·06		·22			28
29	·17	×	·04	·65	·50					·09	·02	·01	29
30	·64	×		·28				·30	·21	·13			30
31	·01	×	·06	×		×		·80	×	·14	×		31
Total	5·09	1·15	3·39	4·20	1·49	·65	4·64	1·72	1·73	5·27	5·46	1·78	YEAR'S TOTAL 36·57
Rain Days.	23	9	23	19	12	6	15	10	12	19	21	15	184

W. 7,500, XI. ·12

82

REGISTER OF RAINFALL IN 1914

566

75

FORM A.
BRITISH RAINFALL.

28 JAN 1915

566

Kept at Jarvis Brook, Crowborough

in the County of Sussex

by Crowborough Water Co.

7

Lat. ……… Long. ………

Time of Observation ………

Nearest Railway Station ………

Diameter of Rain Gauge ……… in.

Height of top of Gauge above Ground ……… ft. ……… in.

" " " " Sea Level ……… ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·04	·10			·03	·06			·08	·13	1
2				·01			·10	·04			·15	·29	2
3	·01		·18	·02	·37			·02				·31	3
4	·01		·01	·27	·07		·20	·04			·35		4
5	·13		·09	·56	·06			·03					5
6		·10	·04	·33	·06	·15		·08				·60	6
7		·68	·39	·32		·10	·12					·35	7
8	·15	·60	·59	·01		·20	·12	·13			·04	·16	8
9	·32		1·00	·22					·11			1·70	9
10	·03	·11	·03	·11	·24				·03			·05	10
11		·58	·08	·12	·03	·01			·31		·10	·45	11
12		·07	·67				·25		·54	·03	·02	·80	12
13	·03	·68	·38			·13			·19	·04	·15	·70	13
14		·43	·20						·02	·42	·17	·45	14
15		·08	·48				·16	·03			·80	·03	15
16	·01	·12	·10				·53		·15				16
17		·58	·31				·02		·20			·25	17
18		·17	·45									·80	18
19		·17	1·27				·21			·08	·30	·20	19
20		·12	·08			·05						·50	20
21		1·00	·05	·01				·13		·04		·04	21
22		·08	·02		·10	·03	·08	·05		·47			22
23			·47		·25	·23							23
24			·04		·02					·47	·20		24
25	·15		·24					·07		·14			25
26							·05	·34			·28	·73	26
27			·03					·03			·10	·75	27
28	·05	·04	·05							·20	·40	·62	28
29	·20	X								·80	·42	·03	29
30	·01	X	·20							·10	1·68	·20	30
31	·03	X		X	·28	X			X		X	·06	31
Total	1·13	5·61	7·49	2·08	1·48	·90	1·87	1·05	1·55	2·79	5·24	10·20	YEAR'S TOTAL 41·39
Rain Days.	13	17	27	12	10	8	12	13	8	11	16	24	171

W.7,000, XI. 13

81

650
72

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

566

Kept at Jarvis Brook

in the County of Sussex

by Crowborough Water Co.

7 Ex Dd

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·71	·25	·05					·12	·40	·03	·25	·30	1
2	·35	·24	·35	·20				·19		·05		·17	2
3			·05	·24	·16			·24	·09			·66	3
4	·04							·02				·72	4
5	·03	·51		·24				·21		·02	·07	·62	5
6	·70	·15	·02	·75			·25	·02				·22	6
7	·32	·55	·05	·02			·06					·42	7
8	·03	·56		·02			·06	·02			·06		8
9		·29		·12		·14		·05			·64	1·02	9
10	·49					·18						·65	10
11											·77	·04	11
12	·07	·16		·28	·28			·03			1·25		12
13	·02	·95			2·28				·03				13
14	·06	·03					·16		·10			·75	14
15	·02				·07		·05	·30			·13	·56	15
16		·80			·14		1·42	·02			·08	·04	16
17		·62			1·17		·01					·10	17
18		·17			·37								18
19		·07								·03			19
20	·57			·11	·34							·23	20
21	·16									·05		·07	21
22	·09		·05				1·45				·04	·24	22
23	·02	·07	·04				·02		·13	·30		·54	23
24				·03			·12		·20	·30		·61	24
25							·35					·38	25
26		·13				·03						·75	26
27		·09					·08			·57		·14	27
28		·07				·22			1·73	·39			28
29					·03		·25	·63			·91		29
30	·27					·07				·14	·41	·03	30
31	·08							·22		1·07		·25	31
Total	4·03	5·71	·61	2·01	4·84	·64	4·28	2·07	2·68	2·95	4·61	9·51	YEAR'S TOTAL 43·94
Rain Days.	18	18	7	10	9	5	13	13	7	11	11	24	146

W. 8,000. X. 14.

DL VE 1 Ese DL 640 70

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

566

Kept at Jarvis Brook
in the County of Sussex
by W. A. Hounsom

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·20	·02			·38				·25	·05	·44		1
2	·70	·14	·46		·27				·01	·46	·02		2
3	·02	·67	·24				·02		·08	·54	·61		3
4	·25	·08		·03		·72			·25	·10	·64		4
5	·02	·04		·04	·22	·19				·16	·65		5
6	·03	·25	·09	·39	·13	·29	·48				·75		6
7	·06	·04	·82		·25	·10	·04			·14	1·18		7
8			·01		·24							·64	8
9			·03		·35							·35	9
10		·32	·10	·07		·25						·30	10
11	·03	·23	·02	·21		·12						·07	11
12		·18	·04	·08	·13	·20				·18			12
13		·30	·29	·10		·03				·06			13
14		·48	·04	·01	·16					·02			14
15		·17	·13					·07					15
16	·06	·01	·14	·27				·09					16
17	·35	·17		·15			·14	·28	·31	1·30			17
18		·13	·02	·03			·03	·37	·33	·54	·63		18
19	·33		·07	·32		·11			·12		·83	·39	19
20	·11		·02	·07							·04	·57	20
21	·04		·47	·01			·01				·03	·32	21
22		·03	·11			·01				·04	·02	·70	22
23		·25	·07			·16				·14	·09	·04	23
24		·01	·01		·16	·04		·02		·36	·12	·37	24
25	·02	·84	·27			·07		·68		·07	·05	·04	25
26	·03	·56						·11		·29	·02		26
27	·04		·84	·13		·56		·16	·16	·43			27
28		·58	·14			·17		·13	·28	·13		·29	28
29		·24	·02			·40		·74	·07	·68		·41	29
30		✕				·03		·14		·45		·02	30
31		✕		✕	·10	✕		·03	✕	·05	✕	·02	31
Total	2·29	5·74	4·45	1·91	2·39	3·45	·72	2·82	1·86	6·19	6·12	4·53	YEAR'S TOTAL 42·47
Rain Days.	16	23	24	15	11	17	6	12	10	21	16	15	186

W. 8,000. X. 15.

78 ✓

611
~~65~~

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Jarvis Brook

in the County of Sussex

by Crowborough Water Co.

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in. 5.66

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			.01	.30				1.46	.16		.10	.03	1
2				.19				.24			.14		2
3				.24			.46	.48		.28	.10		3
4		.18	.18				.65	.14		.50			4
5	.32		.04	.32		.01		.04	.62	.25	.06		5
6			.04			.27			.27	.02	.20		6
7	.41						.13			.48		.09	7
8	.07			.16			.19	.04		.51		.14	8
9	.03		.05	.05			.13	.02			.40	.96	9
10	.22		.11	.14				.15					10
11	.25		.17	.44				.08	.04	.62			11
12	.05		.02					.11		.28			12
13	.06		.14	.03	.03			.03		.30		.01	13
14				.20				.16	.02				14
15	.03		.03	.02	.14		.03	.21		.28		.08	15
16	.09	.20		.35	.11					.53		1.24	16
17		.02		.10	.35		.25		.34	.40		.02	17
18	.07	.05		.08	.04			.21	.28	.02			18
19	.02	.12	.31		.02	.30		.03	.24				19
20	.01	.19	.05		.75				.18		.05		20
21	.01	.02		.03		.06				.02			21
22						.56		.17		.20		.05	22
23		.22			.36			.26				.01	23
24		.05				.07	.05	.04		.29	.23	.04	24
25		.13	.21			.10				.02			25
26		.01				.02		.30			1.07		26
27			.03					1.26				.02	27
28						1.13	.01	.57				.15	28
29			.10			.03	.36	.03		.76			29
30	.08		.45				.58	.34		.09		.02	30
31	.05		.02				.35	.03		.02		.09	31
Total	1.77	1.19	1.96	2.65	1.80	2.55	3.19	6.40	2.15	5.87	2.35	2.95	YEAR'S TOTAL 34.83
Rain Days.	16	11	17	15	8	10	12	24	9	20	9	15	166

3.47

W. 8,000, VIII. 16

8L

REGISTER OF RAINFALL IN 1916

FORM 566
BRITISH RAINFALL.

27 · 1 19

Kept at Jarvis Brook

in the County of Sussex

by

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·10								·25	·06	1
2		·05	·01					·26	·06		·34	·31	2
3			·12	·07	·45			·09		·04	·34	·01	3
4		·13	·04		·01			·09	·18		·76	·04	4
5			·02		·07			·18		·12		·05	5
6	·21	·22		·26	·19			·43					6
7	·04	·16		·10				·03	·12	·08	·06		7
8		·03		·02					·19		·16	·21	8
9		·07		·07			·03		·65	·43		·33	9
10				·05			·66		·57	·19		·47	10
11					·06		·06		·22	·57	·05	·16	11
12		·15			·16		·22		·08	·13		·01	12
13	·19	·01			·15		·07		·12				13
14	·25				·01	·29	·14		·38	·30		·10	14
15	1·90			·30			·10		·02			·22	15
16	·35			·08		·37	·06		·13				16
17	·27			·14			·70		·05			·33	17
18	·45					·35	·01	·03	·57	·06		·07	18
19	·13		·06	·04		·15	·03			·12		·01	19
20	·05	·22		1·23		·03	·73		·27	·45			20
21	·21			1·14			·25		·53	·06		·03	21
22	·16				·49		·35		1·11				22
23	·17				·04		·60	·14	·02			·01	23
24	·02	·27		·09			·15		·43		·05		24
25						·05	·30	·34		·05			25
26				·11			·65		·10			·33	26
27		·19	·02	·10			·08	·22	·05	·03	·21	·10	27
28			·43	·12	·08						·21	·02	28
29		×		·09					1·00		·02	·02	29
30		×	·42							·13		·14	30
31		×		×		×			×	·04	×		31
Total	4·40	1·50	1·22	4·01	1·71	1·24	5·19	1·81	6·85	2·80	2·45	3·03	YEAR'S TOTAL 36·21
Rain Days.	14	11	9	17	11	6	19	10	22	16	11	22	168

W. 8,000, VIII. 16

Jf 568 566

FORM A. BRITISH RAINFALL

1 MAR 20

REGISTER OF RAINFALL IN 1919

Kept at Crowborough, Jarvis Brook

in the County of Sussex

by

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·57	·06	·05		·08		·06			·13	·03	·95	1
2	·30		·03		·24		·06			·03	·20	·17	2
3	·29		·45		·03		·25					·27	3
4	·36	·07	·55		·01		·05	·04	·04		·08	·13	4
5	·02	·32	1·17						·05		·25	·50	5
6	·10		·07								·03	·07	6
7	·14		·68							·02	·07		7
8	·41		·05								·01		8
9	·51		·05	·04	·01						·21		9
10	·76			·06							·06	·15	10
11	·34		·49	·39	·05		·04					·09	11
12	·17		·03	·02			·62			·04	·04	·01	12
13	·05		·02	·47								·09	13
14	·87			·53			·06		·21	·01		·10	14
15	·22	·06	·02	·05								·28	15
16	·21	·50									·11	·03	16
17		·35	·02	·02							·21	·11	17
18		·12	·04		·28			·07	·02		·15	·06	18
19	·02	·26	·75			·02	·19	·21			·17		19
20	·38	·15	·13			·80	·22	·28				·04	20
21	·06	·53	·07				·05				·03	·05	21
22		·01	·03				·22	·01	·46		·06	·22	22
23						01	·04		·43			·05	23
24				·17			·03			·05	·19	·11	24
25	·07						·01	·72					25
26		·10	·13	·10				·04	·08		·04	·48	26
27	·70			1·21			·01	·22			·24	·03	27
28		·01	·26	·05			·01	·90			·74	·40	28
29	·07			·05		·04		·55		·29	·03	·22	29
30			·02	·20		·02		·73		·09	·24	·90	30
31	·12		·06				·01			·05		·04	31
Total	6·74	2·54	5·17	3·36	·70	·89	1·93	3·77	1·29	·71	3·19	5·55	35·84
Rain Days.	23	13	23	14	7	5	17	11	7	9	22	26	177

W, 6,500, VII. 18. w w c

88 51 534

2 MAR 1921 566

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Crowborough District W.W. Jarvis Brook
in the County of Sussex
by Crowborough W. Co.

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·08			·13			·32			·65		·17	1
2			·30	·02	·04			·25	·07	·17		·17	2
3										·05		·11	3
4		·11		·09			·66	·15		·03		·02	4
5			·04				·49	·05	·05			·07	5
6			·23		·27		·29					·02	6
7	·06			·08	·05		·13						7
8				·05	·04		·36						8
9	·33	·07		·04	·11	·01	·07						9
10	·84	·23	·12	·14		·13	·28				·04	·06	10
11	·41		·06	·20		·09	·77						11
12	·11	·07		·31	·05	·45							12
13	·38	·04	·33	·01							·13		13
14		·03	·48	·37		·05	·02		·10	·33			14
15	·08	·03	·06	·38					·84	·24	·18	·05	15
16			·03	·05	·49				·32			·02	16
17	·02			·10	·24				·38			·13	17
18	·07				·08			1·13	·46			·10	18
19	·13			·32					·05		·01		19
20	·06	·25		·15		·63			·18			·08	20
21				·05			·77		·15			·31	21
22	·05			·33			·03		·06			·34	22
23							·30					·47	23
24			·06	·02					03			·20	24
25	·03		·08	·02			·42		·01				25
26	·06		·22	·05		·02	·02				·02	·10	26
27	·55	·06	·01	·11		·09	·02				·41	·34	27
28	·36	·02	·23	·04	·20		·28		·15		·18	·03	28
29	·95		·08	·26					·21		·19	·29	29
30	·03	╳			·03	·02	·10		·20		·65	·23	30
31	·05	╳	·07	╳	·04	╳			╳	·69	╳	·50	31
TOTAL	4·65	·91	2·40	3·32	1·61	1·49	5·33	1·58	3·26	2·06	1·81	3·84	YEAR'S TOTAL 32·23
Days with ·01 in. or more	20	10	16	24	12	9	18	4	16	7	9	22	167
104	17	7	14	20	10	6	14	4	14	6	7	18	137

(44283). Wt.24058—218. 7500. 10/19. Gp.132. A.&E.W.

FORM A2.
BRITISH RAINFALL.
4 - JAN 1912

CROWBOROUGH

THE WHARE

SUSSES

1911- 1920

REC

Kept at "Te Whare" C

in the County of Suss

by Miss R. H

5 in.

Ground 1 ft. in.

Sea Level 796 ft.

a.m

Name Crowborough & Jarvis Brook

Distance 1 1/2 miles Direction South

IMPORTANT NOTE.—Rain should be mea the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
·02

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·4	··		·54	··	··	·02	··	··	··	·13	·03	1
2	·3	·01	··	·07	·36	··	·03	·07	··	··	·27	·47	2
3	·10	·03	·03	··	·30	·01	··	·01	··	··	·23	·29	3
4	·25	·03	··	·32	··	·34	··	··	··	·86	·42	·43	4
5	·05	·01	··	·05	··	··	··	··	··	·87	·02	··	5
6	·30	··	·07	·03	··	··	··	··	··	·05	·01	·84	6
7	·15	·01	·07	·17	··	··	··	··	··	·47	·85	·30	7
8	·15	··	·01	··	··	··	··	··	··	·03	·84	·46	8
9	·20	··	·27	·03	··	··	··	··	··	·03	·23	·08	9
10	·04	·19	·01	·07	··	··	··	··	··	··	·01	1·03	10
11	·60	··	·10	·03	·25	··	··	··	··	·01	1·73	·02	11
12	·01	·01	·07	··	··	··	··	··	··	··	·15	·03	12
13	··	··	·70	··	·25	··	··	··	··	·20	·01	·25	13
14	··	·14	·40	·01	·13	··	··	··	·54	·01	··	·82	14
15	··	·05	·07	··	··	··	··	··	··	·02	·25	·03	15
16	··	·01	·25	··	··	·30	x ~~·30~~	··	··	··	1·03	·26	16
17	··	·01	·01	··	··	·07	~~·07~~	··	··	··	·85	·23	17
18	··	·23	·03	··	··	·01	~~·01~~	··	··	·01	1·13	·63	18
19	··	·01	·08	··	·01	·17	~~·17~~	··	··	·53	·17	·19	19
20	·07	·04	··	·03	··	·06	~~·06~~		··	·07	·01	·87	20
21	·05	·40	·07	··	··	··		·56	·26	1·30	··	·17	21
22	·08	··	··	··	··	·20	~~·20~~x	·04	·40	·35	··	·63	22
23	·03	·37	·43	··	··	1·21	··	·06	··	·49	·06	·40	23
24	·03	·24	··	··	··	·70	··	··	·49	·47	··	·45	24
25	·02	·11	··	·19	··	·25	·06 ·06x	·02 ·02	··	·02	·01	·02	25
26	··	·01	·46	·14	··	·27	··	··	·13	·51	·08	·35	26
27	··	·65	·23	·20	··	··	··	··	·15	·45	·10	·14	27
28	·01	·35	·23	··	··	··	··	··	··	··	·03	·02	28
29	·01	··	··	·17	··	·17	·37	·04	·35	·79	·03	··	29
30	··		·01	·09	··	·05	··	··	·05	·38	·01	·03	30
31	··		·01		·27			··		·01		·03	31
Total	2.22	2·91	3·61	2·14	1·57	3.81	·48 ✓	·80 ✓	2·37	7·93	8·66	9·49	TOTAL for year 45·99
No. of Rain Days	20	21	22	16	1·57 7	3 81 14	4 ✓	7	8	23	26	29	197

9,000, IX. '10.

FORM A2.
BRITISH RAINFALL.
4 - JAN 1912

RE

Kept at "Te Whare" Crowborough

in the County of Sussex

by Miss R. Hames

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 796 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Crowborough & Jarvis Brook
Distance 1½ miles Direction South

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·02

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·4	··		·54	··	··	·02	··	··	··	·13	·03	1
2	·3	·01	··	·07	·36	··	·03	·07	··	··	·27	·47	2
3	·10	·03	·03	··	·30	·01	··	·01	··	··	·23	·29	3
4	·25	·03	··	·32	··	·34	··	··	··	·86	·42	·43	4
5	·05	·01	··	·05	··	··	··	··	··	·87	·02	··	5
6	·30	··	·07	·03	··	··	··	··	··	·05	·01	·84	6
7	·15	·01	·07	·17	··	··	··	··	··	·47	·85	·30	7
8	·15	··	·01	··	··	··	··	··	··	·03	·84	·46	8
9	·20	··	·27	·03	··	··	··	··	··	·03	·23	·08	9
10	·04	·19	·01	·07	··	··	··	··	··	··	·01	1·03	10
11	·60	··	·10	·03	·25	··	··	··	··	·01	1·73	·02	11
12	·01	·01	·07	··	··	··	··	··	··	··	·15	·03	12
13	··	··	·70	··	·25	··	··	··	··	·20	·01	·25	13
14	··	·14	·40	·01	·13	··	··	··	·54	·01	··	·82	14
15	··	·05	·07	··	··	··	··	··	··	·02	·25	·03	15
16	··	·01	·25	··	··	·30	x ~~·30~~	··	··	··	1·03	·26	16
17	··	·01	·01	··	··	·07	~~·07~~	··	··	··	·85	·23	17
18	··	·23	·03	··	··	·01	~~·01~~	··	··	·01	1·13	·63	18
19	··	·01	·08	··	·01	·17	~~·17~~	··	··	·53	·17	·19	19
20	·07	·04	··	·03	··	·06	~~·06~~	··	··	·07	·01	·87	20
21	·05	·40	·07	··	··	··	··	·56	·26	1·30	··	·17	21
22	·08	··	··	··	··	·20	~~·20~~x	·04	·40	·35	··	·63	22
23	·03	·37	·43	··	··	1·21	··	·06	··	·49	·06	·40	23
24	·03	·24	··	··	··	·70	··	··	·49	·47	··	·45	24
25	·02	·11	··	·19	··	·25	·06 ·06x	·02 ·02	··	·02	·01	·02	25
26	··	·01	·46	·14	··	·27	··	··	·13	·51	·08	·35	26
27	··	·65	·23	·20	··	··	··	··	·15	·45	·10	·14	27
28	·01	·35	·23	··	··	··	··	··	··	··	·03	·02	28
29	·01	··	··	·17	··	·17	·37	·04	·35	·79	·03	··	29
30	··		·01	·09	··	·05	··	··	·05	·38	·01	·03	30
31	··		·01		·27			··		·01		·03	31
Total	2.22	2·91	3·61	2·14	1·57 1·57	3.81 3·81	·48 ✓	·80 ✓	2·37	7·93	8·66	9·49	TOTAL for year 45·99
No. of Rain Days	20	21	22	16	7	14	4 ✓	7	8	23	26	29	197

9,000, IX. '10.

REGISTER OF RAINFALL IN 1912

# DL cord by B [illegible] own stats 6.11.13

FORM A. BRITISH RAINFALL. 6 JAN 1913

Kept at "Te Whare" Crowborough

in the County of Sussex

by Miss R. Hames

Lat. 51°-3'14" Long. 9'30"37 Seconds

Time of Observation 9 a.m.

Nearest Railway Station Crowborough Station 2 1/2 miles

Diameter of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level 796 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·08.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1	·02	·01	·24	·05	·02	·08	·30	·01	·02	1·11	··	·30	1
2	·02	·07	·46	·02	·08	·05	·27	·01	·05	·03	·01	·03	2
3	·02	·10	·03	·01	··	·28	·19	·19	·06	·03	·03	·04	3
4	·35	··	·85	··	·03	·27	··	·05	·02	··	·22	·05	4
5	·25	·10	·24	··	··	·11	·01	·29	··	·02	·10	·05	5
6	·49	·12	·01	··	·06	·02	··	·70	··	·01	·03	·19	6
7	·01	·01	·01	··	·25	·73	··	·25	··	·01	··	·21	7
8	·49	·40	·34	·02	··	·23	··	·50	··	·01	·03	·09	8
9	·02	·16	·02	·10	··	·01	·17	·33	··	·01	·02	·33	9
10	··	·11	·03	··	··	··	··	·28	··	·02	·14	·40	10
11	·07	·51	·01	··	··	·03	··	··	·04	·02	·01	·35	11
12	·02	·10	·10	··	·12	·03	··	·24	··	·03	·03	·04	12
13	·01	·03	·07	··	··	··	··	·01	··	·01	·19	·25	13
14	·01	··	·05	··	·07	··	··	·08	··	·11	·01	·08	14
15	·03	·06	·13	··	·23	·71	··	·04	··	·03	·03	·40	15
16	·30	·02	·25	··	·24	·04	··	·23	··	·16	·03	·02	16
17	·38	··	·73	··	·01	·08	··	·14	··	·02	·20	·34	17
18	·20	··	·43	··	·01	··	··	·23	··	·07	·03	·33	18
19	·10	·25	·50	··	··	·02	·05	·65	·01	·03	·04	··	19
20	·05	·07	2·75	··	·01	·04	··	·11	··	·50	·05	··	20
21	·02	·17	X ·80	··	·02	·02	··	·11	··	·27	·09	··	21
22	·09	·85	·25	··	··	··	·04	·33	··	·01	··	·02	22
23	·40	·41	·49	··	·21	··	··	·60	·02	·16	·23	·13	23
24	·06	·05	·01	··	··	·12	·03	·46	··	·01	·01	·16	24
25	·19	·02	··	··	··	··	·01	(·97) ·97	··	·03	·50	·70	25
26	·01	·11	··	··	·01	·40	·02	·41	··	·55	·47	·37	26
27	··	·02	··	··	··	·19	··	·01	··	·33	··	·55	27
28	··	·11	··	·02	··	·01	·40	·20	·06	1·09	·65	·52	28
29	··	·08	··	··	··	·07	·20	·85	2·35	·17	·01	··	29
30	··		·02	··	·44	·04	·02	·27	1·63	·48	·01	··	30
31	·01		·03		·01		·30	·20	~~·62~~	·01		·01	31
Total	3·62.	3·94	6·85 6·85	22	1·82	3·58	2·07	8·75	4·26	5·34	3·17	5·96	YEAR'S TOTAL 49·58 49·58.
Rain Days.	26	25	26	6	17	23	14	30	10	30	26	26	259 259

W. 7,500, XI. 12

W DL cod for [illegible] 11.11.14

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL. 6 JAN 1914

Kept at "Whare" Crowborough
in the County of Sussex
by Miss R. Hames

Lat. 50° 3' 14" Long. 9' 30" 37 Seconds
Time of Observation 9 o'clock a. m.
Nearest Railway Station Crowborough & Jarvis Brook
Diameter of Rain Gauge ~~10~~ 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 796 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·01

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·08	·36	·08	·30	·16	·01	··	·01	·02	·05	·23	·16	1
2	·28	·22	·03	··	·02	··	·15	··	·02	·13	·14	·05	2
3	··	··	·09	·64	·41	··	··	·01	··	·03	·15	·26	3
4	··	··	·06	·03	·03	··	·03	··	·15	·50	··	·01	4
5	·47	·06	·11	··	··	·15	·15	··	·69	·05	·20	·03	5
6	·02	·03	··	·02	·05	·23	·40	··	·03	·65	·24	·13	6
7	··	·30	·09	··	·04	·21	·01	··	··		·21	·02	7
8	·01	·08	·03	·01	·19	·02	··	·05	·01	·34	·18	·10	8
9	·01	·07	·03	·02	·11	·02	·12	·06	·16	·22	·10	·02	9
10	·03	··	··	·07	··	··	·35	·01	··	··	·02	·02	10
11	·67	·02	··	·48	··	··	··	··	·01	··	·84	·02	11
12	··	·01	··	··	·15	··	··	··	··	·74	·13	·01	12
13	·50	·01	·14	··	··	··	··	·02	·30	·01	1·19	·02	13
14	·40	·01	·10	·19	··	··	2·48	·03	·24	·01	·27	·01	14
15	·20	·02	·25	·60	··	··	·33	··	·08	·12	·20	··	15
16	·23	·08	·41	·36	··	··	··	··	·30	··	··	·04	16
17	·15	··	·09	··	··	··	·40	·02	·01	·01	··	··	17
18	·01	··	·05	·27	··	··	·03	··	·01	··	·02	··	18
19	·35	··	·24	··	·01	·03	·13	··	·39	··	·16	··	19
20	·53	··	·22	·14	·02	·29	··	··	··	··	··	··	20
21	·02	··	·50	·16	··	·01	··	··	·02	·56	·07	··	21
22	·39	··	··	·01	·02	··	·08	·10	·13	·83	·88	·68	22
23	··	·01	·44	··	··	·03	·03	·07	·02	·01	·01	··	23
24	·10	··	·26	·03	··	·03	··	·08	·01	··	··	··	24
25	··	·01	··	·31	··	··	··	··	·01	·02	·07	·10	25
26	·03	·01	·15	··	··	··	·05	·25	··	·01	··	·40	26
27	··	·01	·19	·01	·37	··	·01	··	·02	·98	··	··	27
28	·17	·01	·30	·12	··	··	··	·03	·02	·10	··	··	28
29	·18		·05	·55	·55	··	··	·37	·02	·27	··	··	29
30	·75		··	·24	··	··	··	·21	·02	·12	·02	··	30
31	··		·17		··		·01	·80	~~·02~~	·15 ·23		·01	31
Total	5·58 5·56	1.34	4·08	4·56	2.13	1·03	5·26	2·12	2·68 ✓	~~5·91~~ 6·14	~~5·33~~ 5·10	2·09	YEAR'S TOTAL 42·41 42·01
Rain Days.	23	18	24	21	14	11	17	16	25	24	20	19	234

W.7,000, XI. 13

[illegible] 20.11.18 td [illegible]

td

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

5 - JAN 1915

Kept at Te Uhare S. John Crowborough

in the County of Sussex 7

by Miss B. Harris

Lat. Long.

Time of Observation 9 o'clock

Nearest Railway Station Crowborough

Diameter of Rain Gauge 3 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 795 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·71.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
								2	✓				
1	·04	·01	·07	·18	..	..	·03	..	·10	·01	·01	·10	1
2	·01	·01	·01	·03	..	·05	·21	..	·20 +·02	·01	·10	·20	2
3	·05	·02	·10	·02	·37	..	·01	..	~~·20~~ ·02	·01	·18	·02	3
4	·08	·02	·01	·35	·10	..	..	..	·01	·01	·01	·35	4
5	..	·02	·11	·64	·11	..	·19	..	·08	..	·36	..	5
6	·05	·12	·07	·25	·10	·15	·01	..	·03	..	·02	·69	6
7	·15	·82	·42	·41	·04	·05	·15	..	·10	..	·03	·42	7
8	·34	·77	·68	·03	·04	·12	·17	..	·18	..	·02	·13	8
9	·05	·01	1·03	·30	..	·03	..	·12	·01	..	·01	1·54	9
10	..	·13	·03	·15	·23	..	..	·02	..	·01	·01	·04	10
11	..	·75	·83	·09	·02	·03	..	·30	..	·01	·08	·40	11
12	·01	·08	·11	..	..	..	·30	·60	..	·06	·02	·64	12
13	·01	·79	·39	..	·01	·04	..	·26	..	·04	·21	·90	13
14	·01	·42	·17	..	..	..	..	·03	..	·47	·06	·51	14
15	·01	·10	·49	..	..	..	·08	·01	·03	..	·85	·08	15
16	..	·18	·12	..	..	..	·54	·23	..	·01	..	·02	16
17	..	·70	·32	..	..	..	·04	·29	..	·01	..	·31	17
18	..	·13	·50	..	..	..	..	·01	..	·01	..	·73	18
19	·02	·21	·85	..	..	·01	·32	·01	..	·08	·29	·22	19
20	..	·30	·23	..	..	·11	·02	..	..	·03	..	·33	20
21	..	·91	·10	·01	..	·01	·01	..	·25	·06	..	·04	21
22	..	·08	·02	..	·05	·04	·09	·01	·06	·50	..	·33	22
23	·01	·01	·47	·01	·25	·20	·04	·02	·01	·03	..	·01	23
24	·20	·01	·08	·03	·03	..	·01	·01	..	·01	·25	·01	24
25	·01	·01	·31	..	·01	..	..	·01	·09	·59	·03	·02	25
26	·02	·01	·11	·01	..	..	·06	·01	·48	·20	·36	·73	26
27	·03	·01	·01	..	..	..	..	·01	·03	..	·10	·79	27
28	·25	·05	..	..	·01	..	..	..	..	·26	·36	·67	28
29	·03		·03	..	..	..	..	..	..	·81	·35	·03	29
30	·10	X	·22	..	..	..	..		..	·11	1·65	·24	30
31	+	X	..	X	·35	X	·02		X	..	X	·09	31
Total	1·48	6·68	~~7·98~~ 7·98	2·51	~~1·72~~ 1·72	·84	2·30	~~1·48~~ 1·95	~~1·46~~ 1·48	3·34	5·36	10·38	YEAR'S TOTAL 46·02
Rain Days.	21	28	29	15	15	12	19	~~15~~ 17	~~13~~ 15	23	23	30	248

Please note should [illegible] on the 2nd

W. 8,000. X. 14.

Card for audit [illegible] 26.VI.16

65

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL. 14 APR. 1916

Kept at "Te Whare" Crowborough

in the County of Sussex

by Miss R. Hames

Lat. 51° 3' 14" Long. 0° 30' 37" Seconds

Time of Observation 9 a.m.

Nearest Railway Station Crowborough & Jarvis Brook

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level 790 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·20.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·71	·29	·03	..	..	..	..	·15	·35	·04	·35	·39	1
2	·33	·27	·28	·13	·01	..	..	·22	..	·06	·01	·21	2
3	·31	·01	·27	·32	·12	..	..	·24	·10	·02	·02	·61	3
4	·12	·02	·02	·01	..	..	..	·05	·01	·07	·11	·75	4
5	·06	·53	·07	·05	..	·01	..	·18	·01	..	·01	·92	5
6	·73	·19	·05	·40	..	..	..	·05	..	·03	·02	·18	6
7	·34	·66	·01	·02	..	..	·56	·01	..	..	·01	·43	7
8	·04	·74	·01	·03	..	..	·08	·04	..	..	·06	·02	8
9	·04	·20	·01	·15	..	·18	·26	·07	..	..	·89	1·09	9
10	·52	..	·01	..	..	·04	..	·01	·01	·01	·02	·65	10
11	·02	·03	·03	..	..	..	..	·01	·01	·01	·74	·11	11
12	·05	·10	..	·27	·40	..	·01	·02	·01	·02	1·37	·01	12
13	·01	·83	..	·01	2·28	..	..	·01	·01	·02	..	·01	13
14	·10	·10	·02	·01	·01	..	·18	·02	·04	(·08)	..	·72	14
15	·22	·10	..	..	·08	..	·08	·33	·11	·01	..	·59	15
16	..	·89	..	·03	·12	..	1·40	·03	·01	·01	·03	·07	16
17	..	·58	..	..	1·44	..	·03	·02	..	·01	..	·08	17
18	·01	·20	..	..	·33	..	..	·01	·02	·01	..	·07	18
19	..	·08	..	..	..	..	..	·01	..	·03	·02	·02	19
20	·34	..	..	·04	·25	..	..	..	..	·03	..	·07	20
21	·04	·05	·02	..	..	..	·03	..	..	·05	·05	·07	21
22	·05	·08	·07	..	..	..	1·57	..	..	·01	..	·24	22
23	·36	·05	·10	..	..	..	·17	..	·55	·38	..	·65	23
24	·03	·01	·02	..	..	..	·11	..	·21	·47	·01	·35	24
25	..	(·13)	·01	..	..	..	·68	..	·02	·02	..	·23	25
26	·02	X ·12	·01	·01	..	..	(·08)	..	·01	·01	..	·82	26
27	..	8·01	·02	..	..	·10	·10	..	..	·71	..	·05	27
28	·01	·07	·01	..	..	·16	·03	..	1·63	·41	·01	..	28
29	..		·01	..	·01	·03	·29	·57	..	·03	·93	·04	29
30	·25	X	..	..	..	·10	·07	..	·02	·01	·55	·04	30
31	·07	X	·01	X	..	X	·01	(·30)	X	1·30	X	·30	31
Total	4·78	6·40	1·09	1·98	5·05	·62	5·68	2·35	3.13 3·13	3·81	4·91	9·99	YEAR'S TOTAL 49·79
Rain Days.	25	26	22	14	11	7	19	21	18	27	19	30	239

W. 8,000. X. 15.

✓ cud fr auth W 945 642

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL

8 JAN 1917

Kept at "Te Whare" Crowborough

in the County of Sussex

by Miss B. Harris

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Crowborough & Jarvis Brook

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level 797 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·20	·04	..	·01	·46	·05	..	..	·23	·07	·43	·01	1
2	·82	·11	·30	·01	·35	·01	·03	..	·01	·52	·01	..	2
3	·23	·65	·35	·01	..	·01	·03	..	·15	·60	·75	..	3
4	·34	·11	·07	·05	..	·79	..	..	·27	·09	·71	..	4
5	·02	·10	·03	..	29	·16	·01	..	..	·19	·79	·02	5
6	·04	·17	·01	·42	..	·25	·49	..	..	·10	·83	..	6
7	·09	..	·01	·01	..	·20	·03	..	·01	·07	·73	..	7
8	·04	..	·10	·02	·37	·01	..	..	..	·01	·02	·70	8
9	·02	..	·30	·01	..	·09	·02	..	·01	·02	·03	·30	9
10	·01	·50	·50	·15	..	·23	·01	..	·03	·01	·02	·33	10
11	·06	·23	·20	·20	·04	·20	·05	..	..	·01	·01	·06	11
12	·04	·23	·10	·03	·05	·18	·06	..	..	·19	·01	·01	12
13	..	·35	·40	·05	·10	·04	·02	·06	..	·09	·82	·03	13
14	·03	·48	·05	·06	·03	..	·03	·10	..	..	·01	..	14
15	·02	·19	·20	·01	·17	..	·06	·08	..	·01	..	·01	15
16	·09	·01	·30	·09	·01	01	·11	·06	..	·06	..	·01	16
17	·33	·16	..	·13	..	..	·07	·03	·34	1·38	·04	..	17
18	·01	·13	·01	·03	..	..	·04	·24	·43	·55	·71	..	18
19	·33	·03	·03	·33	..	·15	..	..	·10	·01	·89	·02	19
20	·14	·01	·10	·09	..	..	..	·01	..	..	·02	·04	20
21	·05	..	·03	·01	..	..	·57	..	..	..	..	1·11	21
22	..	·06	·70	·01	..	·01	..	..	..	·07	·03	·32	22
23	·01	·03	·10	·03	..	·18	..	·02	..	·15	·20	·52	23
24	..	·25	·05	..	·22	·03	..	·02	..	·35	·08	·32	24
25	·01	·25	·01	..	..	..	..	·70	·01	·13	·01	·06	25
26	·06	·15	·02	..	..	·07	..	·12	·02	·33	·02	..	26
27	·04	·01	·03	·01	..	·45	..	·02	·11	·35	01	·03	27
28	·02	..	·90	..	..	·09	..	·12	·25	·10	·02	·30	28
29	·01	..	·20	..	..	·43	..	·73	·08	·61	01	·40	29
30	·01	X	·01	..	·25	·03	..	·12	..	·40	..	·03	30
31	..	X	·03	X	·31	X	..	·07	X	·05	X	·42	31
Total	3·07 ✓	424 4·24	5·14 ✓	1·77 ✓	2·35 ✓	3·67	1·63 ✓	2·50 ✓	2·05 1·65	5·52 ✓	6·41 ✓	4·64 4·64	YEAR'S TOTAL 42·99
Rain Days.	27 ✓	23	29 ✓	23 ✓	13 ✓	23 ✓	16	16 ✓	15 ✓	28 ✓	26 ✓	22 ✓	261 ✓

W. 8,000, VIII. 16

Part ent^d. 1 day too early W 8 end of month

613

REGISTER OF RAINFALL IN 1917

FORM A. BRITISH RAINFALL.

3 JAN 1918

Kept at Te Whare St John's Crowborough

in the County of Sussex

by Miss B Harris

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. 30

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
							·05	1.71	·17	·02	·07	·02	
1	·01	·01	·01	·39	..	..	·70	·27	·01	·02	·05	..	1
2	..	..	..	·20	..	..	·70	·64	·02	·26	·33	..	2
3	·01	..	..	·30	..	..	·35	·03	·02	·45	·03	..	3
4	·01	·02	·02	..	..	·01	..	·27	·73	·38	·09	..	4
5	·35	·01	·05	·30	..	·33	·01	·01	·21	·25	·20	..	5
6	·01	..	·02	·04	..	..	·07	..	·03	·30	·02	·07	6
7	..	..	·01	·05	..	..	·39	·06	·03	·51	·44	·10	7
8	·06	..	·20	·10	..	..	·35	·03	·01	·01	·05	1.08	8
9	·05	..	·11	·20	..	·05	·01	·18	·02	·02	·02	·02	9
10	·11	..	·10	·10	..	..	·01	·08	·05	·73	·01	..	10
11	·35	·01	·25	·40	..	..	..	·12	..	·40	·02	·03	11
12	·02	..	·10	·15	·22	..	..	·05	·05	·21	·03	·04	12
13	·01	..	·21	·03	..	..	..	·22	·03	·01	·03	·01	13
14	·02	..	·03	·20	·08	..	·05	·08	..	·30	·02	·01	14
15	·03	..	..	·01	..	..	·03	·02	..	·62	·02	·20	15
16	·02	·01	..	·34	·09	..	·30	·18	·37	·41	..	·01	16
17	·01	·01	·02	·10	·40	..	·34	·14	·34	·01	·01	..	17
18	·02	·24	·05	·10	·05	..	·01	·03	·33	·02	·01	..	18
19	·03	·40	·19	..	..	·19	·03	·01	·13	·01	·05	·10	19
20	·02	·10	·01	..	·78	·01	..	·14	·02	·03	·03	..	20
21	·01	·06	·01	..	·01	·03	·01	·17	·01	·21	·01	..	21
22	·01	·30	·01	·03	·01	·55	..	·21	·01	·02	·01	..	22
23	·01	..	..	·01	·37	·01	·04	·05	·01	·31	·25	..	23
24	..	·01	·10	..	·31	·10	·01	·30	..	·03	..	..	24
25	..	·25	·20	..	..	·02	·01	..	·07	·02	1·07	·01	25
26	..	..	·01	..	..	·01	..	1.53	·02	·01	·03	·08	26
27	..	..	·02	..	·01	·07	·01	·49	·01	·41	·02	·09	27
28	..	..	·06	..	..	1.07	·38	·13	·01	·06	·01	·10	28
29	·01	..	·05	..	·01	·05	·68	·35	·01	·05	·02	·01	29
30	·01	X	·50	..	·12	·02	·03	·10	..	..	·01	·02	30
31	..	X	..	X	..	X	..	..	X	..	X	..	31
Total	1·19	1·43	2·34	3·05 ~~2·40~~	2·16 2·16	2·52	5·17	7·60 7·60	2·72	6·59 ~~6·62~~	2·96 2·93	2·00 ~~1·90~~	YEAR'S TOTAL 39·73
Rain Days.	23	13	25	19	13	15	24	29	26	29	28	18	262

W. 8,000, IX. 17.

only auth ~~WC~~

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.
4. 1. 19

Kept at "Te Whare" Crowborough

in the County of Sussex

by Miss B. Hames

Lat. .... Long. ....

Time of Observation 9 a.m.

Nearest Railway Station Crowborough

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level 795 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	·01	·02	·03	··	··								
1	·04	··	·02	··	·01	··	··	·05	··	··	··	·12	1
2	··	·01	·01	·10	·56	··	··	·26	··	·01	·35	·30	2
3	·01	·09	·05	··	·03	··	··	·01	··	·05	·55	·02	3
4	·01	·25	··	·01	·01	··	··	·03	·13	··	·30	·05	4
5	·20	·30	·01	·25	·10	··	··	·50	··	·14	·73	·05	5
6	··	·01	··	·01	·20	··	··	·18	··	·01	··	·10	6
7	·06	·23	··	·01	··	·01	··	··	·13	·05	··	·10	7
8	·02	·02	··	··	··	··	··	··	·13	·43	·05	·14	8
9	·01	··	··	·01	··	·02	·02	··	·70	·28	·03	·59	9
10	·01	··	··	·24	·01	·05	·67	··	·65	·05	··	·27	10
11	·01	·05	·01	··	··	··	·03	··	·09	··	·05	·10	11
12	·02	·10	·04	·01	··	··	·37	··	·07	·47	·04	·07	12
13	·03	··	··	··	·20	··	·20	··	·13	·15	··	·05	13
14	2·11	··	··	··	·10	·14	·10	··	·49	·35	··	·04	14
15	·01	··	··	·06	··	·11	·15	··	·03	·02	··	·30	15
16	·60	··	··	·01	··	·25	·13	··	·13	·01	··	·05	16
17	·40	··	··	··	··	··	·58	··	·03	··	··	·17	17
18	·13	·01	·05	··	··	·28	·10	··	·52	·20	··	·20	18
19	·05	·25	··	·55	··	·35	·05	··	··	·10	·03	·03	19
20	·25	·01	··	1·50	··	·02	·60	··	·25	·15	··	··	20
21	·23	··	··	·03	·45	·01	·49	··	·10	·08	··	·15	21
22	·28	··	··	·01	·07	··	·50	··	1·03	··	··	·10	22
23	·02	·28	··	·07	··	··	·10	·13	·05	··	··	·01	23
24	·03	··	··	·01	··	·03	·41	··	·46	··	··	··	24
25	·03	·01	··	·16	··	·03	·04	·37	··	·05	·03	··	25
26	·02	·20	·02	·05	··	··	1·06	·27	·10	·03	·15	·35	26
27	·01	·01	·38	·15	··	··	··	··	·03	··	·10	·05	27
28	·01	·01	··	·06	··	··	··	··	·08	·05	·9	·03	28
29	·01	–	·51	··	··	··	··	··	·95	·07	·10	··	29
30	~	X	·01	··	··	·01	··	··	·01	·08	·03	·07	30
31	·01	X	–	X	··	X	··	··	X	··	X	·02	31
Total	4·58	1·81	1·14	3·30 ~~2·30~~	1·74	1·31	5·59 ~~5·57~~	1·79	6·26	2·86	2·63 ~~2·61~~	3·59	YEAR'S TOTAL 36·60 ~~35·56~~
Rain Days.	29	18	12	20	11	13	18	9	23	22	15	27	217

W. 8,000, IX. 17. Please notice the 5 first days are marked too high: am sorry B.H.

~~H~~ J L Corr for auth 570

3 JAN

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Te Whare

in the County of Sussex

by Miss B. Hames

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.
32
34
50

·03

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·67	·02	·10	·02	·15	..	·05	..	..	·25	·02	·59	1
2	·30	..	·20	·03	·10	..	·14	..	..	·03	·10	·17	2
3	·32	..	·30	..	..	..	·31	·01	·37	..	·20	·21	3
4	·33	..	·50	..	..	..	·09	·05	·07	..	..	·15	4
5	·07	·10	1·00	..	..	..	..	·01	·03	·01	·01	·50	5
6	·05	..	·07	..	..	..	..	..	·01	·01	·01	·01	6
7	·02	..	·70	·05	..	..	..	..	..	·01	·01	·10	7
8	·33	..	..	·13	..	..	..	..	..	·01	·05	..	8
9	·43	..	·19	·22	·06	..	..	..	..	..	·07	·10	9
10	1·07	..	·20	..	..	..	..	..	..	..	·30	·15	10
11	·15	..	·37	·41	..	..	·13	..	..	..	·01	·06	11
12	·35	..	·01	·70	..	..	·50	..	..	·07	·01	·20	12
13	·10	..	..	·10	..	..	..	..	..	..	·02	·12	13
14	·67	..	..	·06	..	..	·07	..	·25	..	·01	·39	14
15	·21	·39	..	·05	..	..	..	..	..	..	·02	·10	15
16	·23	·50	·03	..	..	..	..	..	..	..	·03	..	16
17	..	·20	·05	..	..	..	..	..	..	..	·10	·15	17
18	..	·02	·20	..	·04	..	..	·09	·02	..	·23	·06	18
19	·04	·50	·07	·02	..	..	·46	·21	·01	·01	·27	..	19
20	·33	·07	·50	·01	..	·10	·10	·25	..	..	·08	·03	20
21	·01	·66	·07	·01	..	·88	·06	..	..	..	..	·07	21
22	..	·03	·09	..	..	·02	·10	·01	·58	..	·07	·30	22
23	·01	·05	·03	·18	..	..	·03	·08	·40	~~..~~	~~·05~~	·02	23
24	..	·03	·01	·79	..	·02	·02	·01	..	..	·04	·05	24
25	·02	·07	·08	·18	·02	..	·01	·70	..	·07	·13	·03	25
26	..	·05	·09	..	..	..	·01	·52	·10	..	·01	·58	26
27	·70	..	·20	·30	..	..	..	·23	·01	..	·03	·10	27
28	·50	·20	·01	·40	..	..	..	·51	..	..	1·03	·35	28
29	·30	..	·01	..	..	..	..	·90	..	·25	·10	·23	29
30	..	✕	·02	..	..	·05	..	1·09	..	·03	1·01	1·23	30
31	·01	✕	·01	✕	..	✕	..	·02	✕	·01	✕	·03	31
TOTAL	7·22	2·89 ~~2·92~~	5·11	3·35	·36	1·04	2·07 ~~2·17~~	4·69	1·85	·76	4·02 ~~4·01~~	6·07 ~~6·25~~	YEAR'S TOTAL 39·43
Days with ·01 in. or more	25	15	27	18	5	5	15	16	11	12	28	28	20 5

9

(44,283). Wt.21,958—218. 7500. 10/19. **Gp.132.** A.&E.W.

#970 corr/ per auth ?c obs agrees to that of ... 536

- 8 JAN 1921

FORM A. 1. METEOROLOGICAL OFFICE—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at "Te Whare" Crowborough

in the County of Sussex

by Miss B Hames

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ☐

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05	··	·09	·22	·10	··	35	··	··	·45	·61	·31	1
2	·02	··	·21	·10	·02	··	··	·37	··	·19	··	·25	2
3	··	·01	·02	·01	·01	··	··	··	··	·07	··	(05)	3
4	··	·09	·01	·13	··	··	78	·20	··	·01	··	·02	4
5	··	··	09	··	·01	··	·66	·02	08	··	··	·03	5
6	··	··	14	·01	·24	··	·25	··	··	··	··	··	6
7	·03	·01	··	·09	·07	··	·10	·01	··	·01	··	··	7
8	··	·02	··	06	·25	··	·36	··	··	··	··	··	8
9	·05	·15	·01	·06	·10	·01	·10	·02	··	··	··	··	9
10	1·00	·17	·14	·11	··	·25	·33	··	··	··	·08	·02	10
11	·45	··	·08	·08	·04	·46	·45	01	··	·01	··	··	11
12	·11	·05	01	·35	··	·01	··	··	··	·01	07	01	12
13	·40	·07	·35	40	·01	06	··	01	··	·01	·10	··	13
14	·03	03	·51	·53	··	··	·01	··	·06	·23	·55	··	14
15	·05	03	·06	·19	15	··	··	··	93	17	·30	··	15
16	·01	·01	·03	··	·10	··	··	··	·12	03	··	··	16
17	·05	··	··	·06	·40	··	··	··	·73	··	·01	07	17
18	·10	··	··	·01	(12)	··	··	1.23	·53	··	·02	07	18
19	·01	··	··	·35	··	·03	··	01	·10	··	03	·38	19
20	·18	·25	··	·19	··	·63	··	··	·24	··	··	05	20
21	·01	··	··	·04	··	··	·75	··	·23	··	··	09	21
22	·06	··	··	·35	··	··	·03	··	·07	··	··	·27	22
23	·01	03	·01	·01	··	··	·48	··	·03	··	··	·40	23
24	·04	··	(05)	·02	··	··	··	··	·02	··	·01	·48	24
25	··	·02	·05	·03	··	··	(52)	··	··	··	·03	·25	25
26	·10	·01	·21	·06	··	02	01	··	··	··	·07	·09	26
27	·49	·06	·01	·15	··	10	··	··	··	··	·39	·37	27
28	·37	·02	·21	·08	03	··	·31	··	··	··	·13	·45	28
29	·88	··	·07	·35	·21	··	·10	··	··	~~·50~~	·25	·06	29
30	·05	X	·05	·08	02	·01	··	··	28	·01	·76	·33	30
31	·03	X	·03	X	··	X	··	··	X	·01	X	·41	31
TOTAL	4.58	1.03	2.43	4.12	1.88	1·58	5·48	1·88 ~~1·96~~	3.39	·61 1·82 ~~1·69~~	2·80 ~~3·41~~	4.45	YEAR'S TOTAL 35·44
Days with ·01 in. or more	·25	·17	·23	·28	17	10	17	9	·13	14	15 ~~16~~	22	210
Days with ·04 in. or more	·17	·7	·14	·22	11	5	14	3	11	6	10 ~~11~~	18	138

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

Form C 1.

METEOROLOGICAL OFFICE.—British Rainfall Organization.

PLEASE fill in name of place and month.

RAINFALL at Crowborough in the County of Sussex

In the Month of Oct — Nov 1920

Date.	Inches.	Remarks on the Days.		
	Te Whare	Lichfield Lodge	Waterworks	
1				
2				
3				
4				
5				
6				
7				
8				
9				
10				
11				
12				
13	–	–	–	Oct 28
14	~~·50~~	–	–	" 29
15	·01	–	–	" 30
16	·01	·60	·59	" 31
17	·61		–	Nov 1
18		–	–	" 2
19				
20				
21				
22				
23				
24				
25				
26				
27				
28				
29				
30				
31				
TOTAL	Inches.	Days with ·01 in. or more ……		

coM

1st of following month.

Note.—Observations returned on this form should be made at 9 a.m. daily, and entered *to the day preceding* that on which the amount is measured. If this is not done the reading on 1st of following month should be entered in the triangular space below.

Records taken in millimetres should not be entered on this Form.

PRINTED PAPER.

ADDITIONAL REMARKS.

I was away at the time. Am very sorry the 80 is crossed out faintly, & the 61 is for Oct 31. The 6 & the 0 were also faintly written, hope it has not inconvenienced you

SIGNED.......R Hames.......

No writing on this side of the line.

POSTAGE & REVENUE
ONE PENNY

CROWBOROUGH
7.30 PM
MR
SUSSEX

THE SUPERINTENDENT,

British Rainfall Organization,

62, Camden Square,

LONDON, N.W. 1.

Copy from Original Regr
Retd to obsr

567

FORM A.
BRITISH RAINFALL.

24 APR 1913

CROWBOROUGH
{UCKFIELD LODGE}
SUSSEX
1911-13, 15-20

REGISTE

Kept at Crowborough Uc

in the County of Sussex

by J. J. S. Dub

s. 9.30 37 E

in.

bove Ground ft. in.

Sea Level 796 ft.

IMPORTANT NOTE.—Ra d the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.07			.53			.02	.07			.11	.03	1
2	.07	.01	.03	.06	.32		.03				.27	.44	2
3	.04	.02			.30	.01	.01	.02			.20	.28	3
4	.24	.03	.06	.34		.34			.01	.70	.41	.28	4
5	04	.02		.15						.89	.02	.14	5
6	.35		.05	.01						.02		.66	6
7	.09	.01	.03	.01						.50	.87	.44	7
8	.11		.20								.80	.28	8
9	.25		.03	.05						.01	.22	.07	9
10		.13	.09	.10							.04	.87	10
11	.59	.01	.06		.21					.01	1.62	.01	11
12			.94								.12		12
13			.07		.22				.56	.17	.05	.27	13
14	.01	.12	.01		.15						.01	.70	14
15		.05	.28							.02	.23	.04	15
16						.27					1.04	.20	16
17		.01	.05			.05				.01	.85	.22	17
18		.22	.09	.01		.01				.02	1.01	.50	18
19	.01				.01	.15			.30	.40	.18	.14	19
20	.03	.01	.05	.02		.08		.52	.38	.14		.84	20
21	.04	.35						.08		1.27		.19	21
22	.06	.05	.39	.01		.22		.08		.36		.58	22
23	.02	.34				1.18			.50	.38	.05	.31	23
24	.02	.21			.01	.65	.07	.01		.57		.47	24
25	.02	.10	.42	.10		.25		.21	.10	.02	.03	.01	25
26		.01	.24	.32		.29	.01			.48	.12	.30	26
27		.55	.21	.14				.01	.16	.41	.03	.13	27
28	.01	.36		.16				.04		.01	.02	.01	28
29			.01	.19		.18	.42		.34	.70	.02		29
30			.01	.07		05			.04	.37	.01	.03	30
31			.01		29							.01	31
Total	2.07	2.61	3.33	2.27	1.51	3.73	.56	1.04	2.39	7.46	8.33	8.45	YEAR'S TOTAL 43.75
Rain Days.	19	20	22	17	8	14	6	9	9	22	25	29	200

W. 7,500, XI. 12

Copy from Original Regr
Retd to obsr

REGISTER OF RAINFALL IN 1911

567

FORM A.
BRITISH RAINFALL.

2 APR 1913

Entd.

Kept at Crowborough Uckfield Lodge

in the County of Sussex

by J. J. S. Dorbey

Lat. 51 3 14 Long. 9.30 37 E

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level 796 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.07			.53			.02	.07			.11	.03	1
2	.07	.01	.03	.06	.32		.03				.27	.44	2
3	.04	.02			.30	.01	.01	.02			.20	.28	3
4	.24	.03	.06	.34		.34			.01	.70	.41	.28	4
5	04	.02		.15						.89	.02	.14	5
6	.35		.05	.01						.02		.66	6
7	.09	.01	.03	.01						.50	.87	.44	7
8	.11		.20								.80	.28	8
9	.25		.03	.05						.01	.22	.07	9
10		.13	.09	.10							.04	.87	10
11	.59	.01	.06		.21					.01	1.62	.01	11
12			.94								.12		12
13			.07		.22				.56	.17	.05	.27	13
14	.01	.12	.01		.15						.01	.70	14
15		.05	.28							.02	.23	.04	15
16						.27					1.04	.20	16
17		.01	.05			.05				.01	.85	.22	17
18		.22	.09	.01		.01				.02	1.01	.50	18
19	.01				.01	.15			.30	.40	.18	.14	19
20	.03	.01	.05	.02		.08		.52	.38	.14		.84	20
21	.04	.35						.08		1.27		.19	21
22	.06	.05	.39	.01		.22		.08		.36		.58	22
23	.02	.34				1.18			.50	.38	.05	.31	23
24	.02	.21			.01	.65	.07	.01		.57		.47	24
25	.02	.10	.42	.10		.25		.21	.10	.02	.03	.01	25
26		.01	.24	.32		.29	.01			.48	.12	.30	26
27		.55	.21	.14				.01	.16	.41	.03	.13	27
28	.01	.36		.16				.04		.01	.02	.01	28
29			.01	.19		.18	.42		.34	.70	.02		29
30			.01	.07		05			.04	.37	.01	.03	30
31			.01		29							.01	31
Total	2.07	2.61	3.33	2.27	1.51	3.73	.56	1.04	2.39	7.46	8.33	8.45	YEAR'S TOTAL 43.75
Rain Days.	19	20	22	17	8	14	6	9	9	22	25	29	200

W. 7,500, XI. 12

from Original Regr
to obsr.

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.

24 APR 1913

Kept at Crowborough Uckfield Lodge

in the County of Sussex

7

by J. J. S. Dibley

Lat. 51 3 14 Long. 9.30 37 E
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level 796 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.02		.22	.03	.02	.07	.29		.03	1.00		.24	1
2		.07	.42	.02	.10	.03	.27		.04	.01		.02	2
3	.02	.15	.03			.28	.18	.16	.06	.02	.02	.04	3
4	.34	.01	.79		.05	.26		.06	.01		.15	.05	4
5	.19	.09	.22	.01		.09		.23			.17	.04	5
6	.53	.11			.07	.03		.68			.04	.17	6
7	.01	.01	.01		.23	.62		.38				.22	7
8	.42	.48	.30	.02	.01	.22	.02	.51		.01	.02	.09	8
9	.03	.15	.03	.09			.16	.29		.01	.01	.30	9
10	.01	.10	.02					.27		.01	.14	.42	10
11	.05	.50	.02		.01	.03			05	.01		.31	11
12	.02	.09	.08		.12	.03		.21		.01	.03	.04	12
13	.01	.02	.07							.01	.18	.24	13
14			.04		.09			.07		.09		.08	14
15	.02	.05	.10	.01	.24	.72		.04		.01	.01	.42	15
16	.22	.02	.21		.23	.04		.24		.13	.02		16
17	.38		.58			.08		.12		.01	.18	.35	17
18	.10	.02	.40					.21		.07	.02	.31	18
19	.10	.29	.44			.01	.05	.63		.01	.04		19
20	.04	.04	.86		.01	.05		.07		.50	.06		20
21	.02	.14	.68		.03			.11		.23	.08		21
22	.07	.84	.25		.01		.05	.29	.01	.01	.01	.02	22
23	.39	.40	.46		.14	.11		.60		.15	.22	.10	23
24	.05	.03	.01				.03	.47		.01		.15	24
25	.18	.06				.40		.90		.01	.51	.57	25
26		.10				.23	.02	.44		.48	.43	.45	26
27		.02	.02			.01				27	.01	.55	27
28		10				.09	.38	.13	.09	1.06	.55	53	28
29		.07		.02			.19	.76	1.94	.17	.04		29
30			.02		.44	03	03	.30	1.58	43	.01		30
31	.01		.03				.32	.17				.02	31
Total	3.23	3.96	6.31	.20	1.80	3.43	1.99	8.34	3.81	4.73	2.95	5.72	YEAR'S TOTAL 46.47
Rain Days.	24	26	26	7	16	21	13	26	9	26	24	25	243

W. 7,500, XI. 12

8L ✓ 92a

REGISTER OF RAINFALL IN 1913

22 JAN 1914

FORM A.
BRITISH RAINFALL.

Kept at Crowborough
in the County of Sussex
by J. J. S. Driberg

7

Lat. 51· 3·14 Long. ~~9 3~~
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level 796 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Jan.–Mar. from Original returned 1.V.13

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.08	.38	.07	.31	.13	.01			.02	.04	.13	.17	1
2	.21	.19	.01		.05		.12		.01	.12	.17	.05	2
3			.16	.61	.37					.02	.01	.23	3
4	.33		.11	.02	.02		.03		.13	.24	.21	.02	4
5	.46	.07	.03			.15	.14		.64	.14	.28	.04	5
6	.02	.04	.11	.04	.03	.20	.43		.04	.60	.21	.12	6
7		.26	.06		.01	.08				.31	.14	.03	7
8		.08	.02	.01	.19	.10		.06		.36	.11	.10	8
9		.07		.04	.11	.02	.10	.04	.13		.02	.03	9
10	.04	.01	.01	.07		.01	.40	.01			.72		10
11	.60			.43				.01		.77	.34	.02	11
12	.01	.01	.01		.13	.01	—			.02	1.21	.03	12
13	.48		.08					.01	.21	.01	.27		13
14	.30	.01	.15	.14			1.93	.02	.18	.12	.21	.01	14
15	.23	.01	.27	.45			.30		.10			.02	15
16	.20	.01	.72	.33			.01		.28				16
17	.14	.08	.06	.10			.38	.01		—	.02	.04	17
18	.02		.14	.25			.04				.16		18
19	.22		.25		.20	.02	.11		.33				19
20	.52		.10	.11	.01	.24				.53	.07		20
21	.05	.01	.32	.15					.01	.79	.95		21
22	.32		.26	.01	.20		.07	.08	.12	.01	.01	.01	22
23		.01	.34			.02	.02	.06	.02	.01	.01	.78	23
24	.10			.04		~~.02~~		.09	.02	.01	.07		24
25		.01		.27			.01		—	.01	.01		25
26			.14				.03	.22	.01	1.03		.42	26
27	.02	.01	.10	.02	.32				.01	.13			27
28	.15		.34	.12				.07	.01	.28	.01		28
29	.17		.04	.51	.59			.20	.01	.10	.03		29
30	.67			.23	.01			.20	.01	.14			30
31			.09					.87		.19			31
Total	5.34	1.26	3.99	4.26	2.37	.88	4.12	1.95	2.29	5.98	5.37	2.12	YEAR'S TOTAL 39.93
Rain Days.	23	17	26	22	15	12	16	15	20	24	24	17	231

W. 7,500, XI. 12

651
73

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

Kept at Crowborough

in the County of Sussex

by J. J. S. Driberg

7

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·67	·28	·04		·01			·11	·39	·02	·29	·31	1
2	·34	·25	·36	·19	·02			·19	·01	·07		·18	2
3	·33	·02	·07	·25	·15			·24	11		·01	61	3
4	·07	·02	·01	·01				·05		·03	·01	·72	4
5	·05	·49	·01	·05				15		·04	·08	·77	5
6	·71	·15	·07	·88		·01	·39	·07			·01	·22	6
7	·38	·59	·05	·01		·07	·08	·01				·44	7
8	·02	·67	·01	·03			·12	·03			·05		8
9	·05	·23		·13		·17		·05			·57	1·01	9
10	·50	·01				·08						·66	10
11	·01	·02	·02							·01	·69	·08	11
12	·07	·12		·28	·30			·01		·02	1·19	·02	12
13	·02	·78		·01	2·29				·03				13
14	·10	·08	·01				·18	·02	·10			·67	14
15	·22	·04			·07		·08	·28			·25	·59	15
16	·01	·77		·03	·09		1·32	·04			·02	·06	16
17		·59			1·31		·02		·01		·01	·08	17
18	·01	·18	·02		·29						·03	·02	18
19	·01	·09								·01			19
20	·33			·11	·26							·23	20
21	·18	·04					·02			·06		·08	21
22	·11	·08	·07				1·38					·23	22
23	·02	·13	·09			·01	·10		·52	·36		·57	23
24			·03	·04			·18		·17	·38		·76	24
25		·01	·01	·05			·61		·01	·01		·19	25
26	·01	·13				·05	·01				·01	·78	26
27		·10	·01			·02	·09			·57		·09	27
28	·02	·07	·01			·18			1·53	·43	·01		28
29			·01		·01	·02	·29	·53		·01	·86	·01	29
30	·22	X				·11			·01	·12	·50	·04	30
31	·08	X		X		X		·23	X	1·05	X	·28	31
Total	4·54	5·94	·90	2·07	4·80	·72	4·87	2·01	2·89 2·89	3·19	4·59	9·70	YEAR'S TOTAL 46·22 46·22
Rain Days.	26	26	18	14	11	10 ~~9~~	15	15	11	16	17	27	206

W. 8,000. X. 14.

8L ✓ Exe 8L 641 ~~11~~

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL.

Kept at Crowborough

in the County of Sussex

by J G S Driberg

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·18	·02	·02		·50	·04			·25	·06	·43		1
2	·77	·15	·35		·36		·01			·53			2
3	·02	·65	·33			·01	·03		·14	·61	·65	·01	3
4	·33	·14	·02	·03		·69			·25	·10	·63		4
5	·02	·04			·25	·15				·19	·65		5
6	·04	·21	·15	·39	·02	·22	·45			·10	·61		6
7	·08	·07	1·06		·33	·22	·02			·07	·69	·03	7
8	·02	·01	·01		·30						·01	·51	8
9	·01		·04		·37		·01			·02	·01	·32	9
10	—	·34	·09	·08		·31	·18		·02	·01	·01	·26	10
11	·04	·30	·01	·20		·15						·06	11
12	·05	·19		·10	·13	·20	·20			·18	·01		12
13	·02	·33	·38	·09	·02	·03	·05	·04		·10	·01		13
14		·46	·04	·03	·15			·11		·04		·16	14
15	·01	·18	·13					·03		·01		·06	15
16	·04	·02	·17	·27			·14	·07					16
17	·35	·14		·13			·03	·09	·34	1·32			17
18	·03	·15	·02	·03	·01			·22	·41	·53	·62	·02	18
19	·32	·03	·09	·34		·13			·13	·01	·86	·15	19
20	·14	·01	·03	·09							·12	·46	20
21	·06		·61	·01			·49				·01	·36	21
22	·01	·01	·09			·01	·01			·06	·02	·80	22
23	·03	·28	·05			·12	·02	·02		·12	·10	·09	23
24	·02	·02	·03		·18	·07		·02		·33	·11	·28	24
25		·80	·31		·02			·64		·11	·05	·04	25
26	·05	·52	·01			·06		·01	·02	·27	·01	·01	26
27	·04	·04	·79			·51		·08	·11	·42		·01	27
28	·01	·57	·15			·11		·11	·23	·12	·02	·27	28
29		·22	·01			·38		·73	·07	·53		·41	29
30		X			·22	·02		·74		·39	·01		30
31		X		X		X		·03	X	·02	X	·01	31
Total	2·69	5·90	4·99	1·79	2·86	3·43	1·64	2·34	1·97	6·25	5·64	4·32	YEAR'S TOTAL 43·82
Rain Days.	25	27 26	26	13	14	19	13	15	11	26	22	21	232

W. 8,000. X. 15.

Dl

612
66

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1917

Kept at *Crowborough*

in the County of *Sussex*

by *J. J. S. Driberg*

Lat. ______ Long. ______

Time of Observation ______

Nearest Railway Station ______

Diameter of Funnel of Rain Gauge ______ in.

Height of top of Gauge above Ground ______ ft. ______ in.

" " " " Sea Level ______ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·01	·01	·27				1·81	·22		·12	·04	1
2				·34				·27		·01	·14		2
3		·01		·21			·45	·46		·24	·26		3
4		·19	·18				·61	·21		·47			4
5	·30		·08	·27				·08	·74	·24	·06		5
6			·06	·09		·31			·19	·01	·19	·01	6
7	·44						·10			·45		·11	7
8	·07			·14			·32	·03	·01	·49	·42	·13	8
9	·03		·05	·06			·30	·02			·03	·87	9
10	·19		·15	·11		·02		·13			·01		10
11	·28	·03	·20	·56				·09	·04	·70			11
12	·04	·01	·02	·02				·13		·32	·01		12
13	·04		·20		·15			·02	·02	·24	·01		13
14			·02	·17				·22	·02		·01		14
15	·10	·02			·14		·11	·08		·27		·06	15
16	·05	·20		·30	·11		·02			·60		·77	16
17		·02		·10	·38		·27		·34	·40		·02	17
18	·06	·05		·09	·02		·34	·24	·33			·01	18
19	·04	·15	·27		·02	·20		·09	·31		·01		19
20		·20	·06		·72		·02		·13		·05		20
21	·02	·02		·04		·02				·03	·02	·04	21
22	·02	·01	·12			·53		·14		·21		·02	22
23		·26			·31			·24				·01	23
24		·06				·09	·03	·02		·30	·26	·03	24
25		·17	·11			·14	·03			·02	·02		25
26		·01	·06				·02	·26	·06		1·01	·02	26
27								1·34					27
28			·08			1·05		·47				·11	28
29	·01		·01		·10	·02	·17	·04		·83		·14	29
30	·05	X	·37			·02	·67	·33		·05	·01	·02	30
31	·07	X	·08	X		X	·48	·02	X	·02	X	·11	31
Total	1·81	1·42	2·13	2·77	1·95	2·40	3·92	6·74	2·41	5·90	2·64	2·52	YEAR'S TOTAL 36·61
Rain Days.	17	17	19	15	9	10	15	24	12	20	18	18	195

88/ Col 8t ~~66~~ 130

FORM A. BRITISH RAINFALL. 27 · 1 19

REGISTER OF RAINFALL IN 1918

Kept at *Crowborough*

in the County of *Sussex*

by *J. J. S. Driberg*

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·01	·04	·01	–			·02			·27	·08	1
2		·04		·01				·30	·02		·34	·35	2
3			·10	·09	·53			·02		·06	·38	·02	3
4		·15	·03	·01	·02			·10	·10		·75	·06	4
5		·12	·03		·08			·26		·13		·06	5
6	·22	·20		·25	·19			·33		·04		·09	6
7	·06	·13		·07	·08	·02		·03	·10	·07	·05	·01	7
8		·03		·01				·01	·18		·19	·26	8
9	·04	·02		·08		·01	·01		·68	·45		·45	9
10				·07		·09	·69		·43	·28		·31	10
11	·01			·01			·06		·25	·53	·06	·17	11
12		·14	·01		·13		·31		·08	·13		·02	12
13	·20	·03		·01	·21		·10		·13			·05	13
14	·25		·04			·13	·18		·43	·34		·14	14
15	1·67			·33		·11	·10		·03			·24	15
16	·34			·12		·27	·10		·14				16
17	·23			·21			·62	·05				·35	17
18	·43			·01		·29			·50	·06		·10	18
19	·13		·06	·05		·20	·05			·12		·01	19
20	·06	·24		·88		·02	·62	·01	·23	·45			20
21	·22	·01		·95		·01	·36		·52	·08		·01	21
22	·20	·01			·34		·30		1·05			·20	22
23	·18			·03	·06		·73	·14	·04			·04	23
24		·26		·08		·07	·16		·46		·05		24
25	·03						·38	·38		·05	·05		25
26	·01			·13			·96		·09	·02	·10	·31	26
27	·01	·18	·02	·09			·04	·26	·08		·11	·09	27
28	·01	·01	·43	·12	·02			·03		·05	·23	·02	28
29	·01			·07					·83		·03	·03	29
30		×	·49							·16		·10	30
31		×		×		×			×	·07	×	·01	31
Total	4·31	1·58	1·25	3·69	1·66	1·22	5·77	1·94	6·37	3·09	2·61	3·58	YEAR'S TOTAL 37·07
Rain Days.	20	16	10	24	10	11	18	14	21	18	13	27	202

W. 8,000, VIII. 16

81

corrd arith & Oct partl estimated for James Brooks

569 ~~63~~

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1919

Kept at Crowborough

in the County of Sussex

by J. J. S. Driberg   Mrs Driberg

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·52	07	·02	·01	·12		·05			(·13)	·05	·99	1
2	·30		·10		·27		·10		·01	(·03)	·15	·19	2
3	·30		·42		·02		·31		·37		·12	·32	3
4	·30	·08	·59			·02	·09	·03	·06		·08	·11	4
5		·23	1·15						·03		·12	·51	5
6	·39		·10								·04	·08	6
7	·09		·66							(·02)	·05		7
8	·35		·07								·01		8
9	·50		·08	·05							·25		9
10	·75		·14	·06							·08	·16	10
11	·22		·43	·45	·06		·05					·14	11
12	·30		·02	·03			·57			(·04)	·05	·01	12
13	·01		·01	·40								·14	13
14	·86	·01		·48			·06		·23	(·01)		·11	14
15	·23	·02	·01	·09							·03	·33	15
16	·21	·46									·11	·05	16
17		·38	·03	·03							·23	·13	17
18		·09	·05		·04			·07			·15	·06	18
19	·02	·33	·57			·07	·29	·22			·18	·01	19
20	·04	·18	·18			·86	·24	·26				·04	20
21	·10	·59	·07			·01	·06				·04	·06	21
22		·05	·02				·23		·58		·06	·23	22
23						·01	·04		·36		·06	·07	23
24				·11			·02	·08		·06	·14	·09	24
25	·07				·02		·01	·80				·01	25
26	·03	·12	·11	·08				·04	·10		·05	·56	26
27	·55	·01	·11	·53			·01	·32			·23	·02	27
28			·29	·07			·02	·78			·64	·42	28
29	·09			·05		·03		·87		·22	·09	·20	29
30	·02			·21		·03		·95		·09	·29	1·30	30
31	·15		·05				·02			·06		·05	31
Total	6·40	2·62	5·28	2.65 ~~2·66~~	·53	1·03	2·17	4·42	1·74	(·66)	3·30	6·39	YEAR'S TOTAL 37·19 ~~37·24~~
Rain Days.	24	14	24	15	6	7	17	11	8	(9)	25	28	188

W, 6,500, VII. 18. W W C

89 535

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920....

Kept at Crowborough, Uckfield Lodge
in the County of Sussex
by ~~J. J. S.~~ Driberg Mrs. a.m.

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Funnel of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·08			·18	·10		·36			·44		·21	1
2			·30		·01			·38	·06	·15		·19	2
3					·01					·06		·09	3
4		·15		·15			·72	·23		·01		·02	4
5			·04		·01		·53	·04	·05			·05	5
6			·18		·24		·34						6
7	·06			·09	·06		·10					·05	7
8		·01		·06	·05		·38						8
9	·33	·08		·05	·20	·02	·12	·01					9
10	·90	·22	·13	·13		·09	·32				·06	·05	10
11	·31		·07	·22		·17	·43					·06	11
12	·10	·07	·01	·31	·05	·44							12
13	·39	·05	·32	·05							·14		13
14		·04	·51	·40		·06			·07	·27	·52		14
15	·07	·04	·05	·33					·80	·18	·20	·02	15
16			·04	·02	·10				·08	·01		·02	16
17	·03			·12	·24				·64			·18	17
18	·08				·10			1·18	·55			·10	18
19	·12			·24		·03			·07		·01	·08	19
20	·08	·27		·18		·62			·14			·03	20
21				·04			·75		·27			·39	21
22	·05			·36			·01		·06			·41	22
23							·47					·51	23
24	·04		·08	·01					·04	·01		·23	24
25			·04	·03			·51		·02				25
26	·10		·22	·07		·02					·03	·10	26
27	·54	·07		·13		·11					·39	·48	27
28	·37	·01	·19	·06	·21		·32				·12	·04	28
29	·84		·07	·19							·19	·31	29
30	·04			·01	·02	·02	·11		·25		·69	·30	30
31	·05		·08		·02					·60		·48	31
TOTAL	4·58	1·01	2·33	3·43	1·42	1·58	5·47	1·84	3·10	1·73	2·35	4.40	YEAR'S TOTAL 33.~~24~~
Days with ·01 in. or more	20	11	16	24	15	10	15	5	14	9	10	24	173
	19	9	15	20	10	6	14	4	13	6	8	20	144

(44,283). Wt.21 958—218. 7500. 10/19. Gp.132. A.&E.W.

/

REGIST

11

lidiral

CUCKFIELD

{HENMEAD HALL}

SUSSEX

1911-17

FORM A2.
BRITISH RAINFALL.
2 - JAN 1912

Kept at Henmead H
Cuckfiel
in the County of Suss
by Maj Gen. M.M. Ca

5 in.
ove Ground 3 ft. 5 in.
,, Sea Level 361 ft. about
9 a.m.
Name Haywards Heath
Distance 3 miles Direction N.E. N.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05	—	—	·42	—	—	—	·04	—	—	·13	—	1
2	·07	—	—	·07	·34	—	·02	—	—	—	·22	·36	2
3	—	—	—	—	·20	—	—	·03	—	—	·12	·24	3
4	·05	·01	·02	·10	—	—	—	—	·01	·25	·36	·22	4
5	—	—	—	·23	—	—	—	—	—	·56	·02	·06	5
6	·33	—	·02	—	—	—	—	—	—	—	—	·63	6
7	·05	—	—	—	—	—	—	—	—	·15	·73	·32	7
8	·08	—	·26	—	—	—	—	—	—	—	·63	·26	8
9	·23	—	·01	·02	—	—	—	—	—	—	·37	·14	9
10	·01	·11	·12	·05	—	—	—	—	—	—	·01	·75	10
11	·45	—	·07	—	·16	—	—	—	—	—	1·31	·01	11
12	·01	—	·77	—	—	—	—	—	·02	—	·11	—	12
13	—	—	·08	—	·14	—	—	—	·81	·03	—	·27	13
14	—	·12	·01	—	·30	—	—	—	—		—	·61	14
15	—	·05	·15	—	—	—	—	—	—		·11	·03	15
16	—	—	—	—	—	·39	—	—	—	·01	·58	·19	16
17	—	—	·06	—	—	·08	—	—	—	—	1·41	·21	17
18	—	·15	·04	·01	—	·02	—	—	—	—	1·03	·43	18
19	—	—	—	—	—	·11	—	—	·19	·28	·08	·10	19
20	·03	·01	·02	—	—	—	—	·18	·19	·04	—	·94	20
21	·03	·23	—	—	—	—	—	·10	·13	·79	—	·21	21
22	·06	·06	·25	—	—	·21	—	·49	~~·13~~	·27	·01	·55	22
23	·01	·24	—	—	—	·88	—	—	·29	·22	·02	·24	23
24	·01	·23	·01	—	—	·10	·04	·03	~~·29~~	·56	—	·48	24
25	—	·03	·06	·09	—	·14	·05	·05	·11	·02	—	—	25
26	—	·01	·10	·27	·07	·12	·02	—	~~·11~~	·25	·08	·34	26
27	—	·55	·30	·17		—	—	—	·09	·41	·08	·19	27
28	—	·24	—	·14	—		—	·10	~~·09~~	—	·02	—	28
29	·01		—	·24	—	·11	·61	—	·21	·57	·01	—	29
30	—		—	·12	—	·05	—	·03	·22	·39	—	·02	30
31	—		—		—		—	—		—		—	31
Total	1·48	2·04	2·35	1·93	1·21	2·21	·74	1·05	1·98	4·80	7·44	7·80	TOTAL for year ✓
No. of Rain Days	16	14	18	13	6	11	5	9	11	16	22	25	35·03 166

9,000, IX. '10.

/

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.
2 - JAN 1912

Kept at Henmead Hall, Cuckfield

in the County of Sussex 3

by Maj Gen. W. M. Campbell

RAIN GAUGE
Pattern Cylindrical
Diameter of top 5 in.
Height of top above Ground 3 ft. 5 in.
" " " Sea Level 361 ft. about

Time of Observation 9 a.m.

Nearest Railway Station
Name Haywards Heath
Distance 3 miles Direction abt E.N.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05	—	—	·42	—	—	—	·04	—	—	·13	—	1
2	·07	—	—	·07	·34	—	·02	—	—	—	·22	·36	2
3	—	—	—	—	·20	—	—	·03	—	—	·12	·24	3
4	·05	·01	·02	·10	—	—	—	—	·01	·25	·36	·22	4
5	—	—	—	·23	—	—	—	—	—	·56	·02	·06	5
6	·33	—	·02	—	—	—	—	—	—	—	—	·63	6
7	·05	—	—	—	—	—	—	—	—	·15	·73	·32	7
8	·08	—	·26	—	—	—	—	—	—	—	·63	·26	8
9	·23	—	·01	·02	—	—	—	—	—	—	·37	·14	9
10	·01	·11	·12	·05	—	—	—	—	—	—	·01	·75	10
11	·45	—	·07	—	·16	—	—	—	—	—	1·31	·01	11
12	·01	—	·77	—	—	—	—	—	·02	—	·11	—	12
13	—	—	·08	—	·14	—	—	—	·81	·03	—	·27	13
14	—	·12	·01	—	·30	—	—	—	—	—	—	·61	14
15	—	·05	·15	—	—	—	—	—	—	—	·11	·03	15
16	—	—	—	—	—	·39	—	—	—	·01	·58	·19	16
17	—	—	·06	—	—	·08	—	—	—	—	1·41	·21	17
18	—	·15	·04	·01	—	·02	—	—	—	—	1·03	·43	18
19	—	—	—	—	—	·11	—	—	·19	·28	·08	·10	19
20	·03	·01	·02	—	—	—	—	·18	·19	·04	—	·94	20
21	·03	·23	—	—	—	—	—	·10	·13	·79	—	·21	21
22	·06	·06	·25	—	—	·21	—	·49	~~·13~~	·27	·01	·55	22
23	·01	·24	—	—	—	·88	—	—	·29	·22	·02	·24	23
24	·01	·23	·01	—	—	·10	·04	·03	~~·29~~	·56	—	·48	24
25	—	·03	·06	·09	—	·14	·05	·05	·11	·02	—	—	25
26	—	·01	·10	·27	·07	·12	·02	—	~~·11~~	·25	·08	·34	26
27	—	·55	·30	·17	—	—	—	—	·09	·41	·08	·19	27
28	—	·24	—	·14	—	—	—	·10	~~·09~~	—	·02	—	28
29	·01		—	·24	—	·11	·61	—	·21	·57	·01	—	29
30	—		—	·12	—	·05	—	·03	·22	·39	—	·02	30
31	—		—		—		—	—		—		—	31
Total	1·48	2·04	2·35	1·93	1·21	2·21	·74	1·05	1·98	4·80	7·44	7·80	TOTAL for year ✓
No. of Rain Days	16	14	18	13	6	11	5	9	11	16	22	25	35·03 166

9,000, IX. '10.

Corr for auth 5-11-13

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.

4 - JAN 19

Kept at Henmead Hall W. 1806

in the County of Sussex. 3

by Mrs Maxwell Campbell.

Lat. .... Long. ....

Time of Observation 9. a.m.

Nearest Railway Station Haywards Heath

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 3 ft. 5 in.

" " " " Sea Level about 360 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01	—	·13	—	—	·22	·08	—	·03	·90	—	·26	1
2	—	·01	·38	—	·09	·04	·22	—	—	·01	—	—	2
3	·01	·02	·08	—	—	·29	·02	·45	·03	—	—	·02	3
4	·28	·01	·76	—	·04	·13	—	·01	—	—	·21	·01	4
5	·22	·06	·17	—	·01	—	—	·49	—	—	·11	·03	5
6	·39	·11	—	—	·03	—	—	·51	·03	—	—	·04	6
7	—	—	·02	—	·32	·38	—	·47	—	—	—	·10	7
8	·38	·37	·23	·04	—	·18	—	·15	—	—	—	·02	8
9	·01	·08	·02	·04	—	·04	·14	·15	—	—	—	·14	9
10	—	·09	—	—	—	—	—	·34	—	·01	·07	·37	10
11	·05	·38	·12	—	·01	·01	—	·01	·01	·01	—	·23	11
12	—	·14	·06	—	·10	·04	—	·20	—	·01	—	·02	12
13	—	·01	·02	—	—	—	·02	—	—	—	·13	·07	13
14	·01	—	·01	—	·04	—	—	·10	—	·06	—	·01	14
15	·01	·06	·09	—	·14	·62	—	·01	—	—	—	·30	15
16	·26	·02	·19	—	·12	·23	—	·13	—	·11	·08	—	16
17	·42	—	·40	—	·02	·10	—	·06	—	—	·14	·05	17
18	·09	—	·29	—	—	—	—	·16	—	·04	·01	·12	18
19	·05	·09	·26	—	—	—	·06	·31	—	—	·01	—	19
20	·02	·01	·71	—	—	—	—	·24	—	·47	·05	—	20
21	·01	·12	·19	—	·03	—	—	·06	—	·14	·03	—	21
22	·03	·51	·01	—	—	—	—	·29	—	·01	—	·03	22
23	·42	·21	·46	—	·20	·01	—	·50	—	·07	·20	·04	23
24	·04	·05	—	—	—	—	—	·39	—	·01	—	·15	24
25	·09	·01	—	—	—	·59	—	1·04	—	·01	·31	·60	25
26	—	·06	—	—	—	·06	—	·26	—	·43	·39	·37	26
27	—	·01	—	—	—	·03	·01	—	—	·32	·01	·44	27
28	—	·05	—	—	—	·06	·19	·17	·18	1·08	·77	·20	28
29	—	·04	—	—	—	·01	·07	·23	1·85	·04	·02	—	29
30	—		—	—	·50	·44	·03	·24	1·27	·50	—	—	30
31	·01		·07		—		·26	·29		·01		·01	31
Total	2·81	2·52	4·67	·08	1·65	3·48	1·10	7·26	3·40	4·24	2·54	3·63	YEAR'S TOTAL 37·38
Rain Days.	21	24	22	2	14	19	11	27	7	20	16	24	207

4·24 37·38

W. 7,500, XI. 12

FORM A.
BRITISH RAINFALL.

8 - JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Henmead Hall & H. 1186 3
in the County of Sussex
by Mrs Maxwell Campbell.

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Haywards Heath
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 3 ft. 5 in.
" " " " Sea Level about 360 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03	·39	·07	·21	·17	—	—	—	·04	·04	·17	·19	1
2	·05	·16	—	—	·09	—	·09	—	·01	·16	·13	·01	2
3	—	—	·07	·39	·38	—	—	—	·01	·09	—	·15	3
4	·47	—	·06	—	·07	—	·01	—	·85	·21	·13	·01	4
5	·14	·07	·02	—	—	·10	·09	—	·47	—	·15	·02	5
6	·02	·03	·10	—	·04	·15	·27	—	·08	·19	·10	·24	6
7	—	·30	·09	—	·09	·05	·11	—	—	·30	·15	—	7
8	·01	·06	·01	—	·15	·07	—	·12	—	·11	·01	·04	8
9	·01	·05	—	·01	·19	·01	·21	·04	·14	—	·04	·01	9
10	·02	—	—	·07	—	—	·62	·01	—	·03	·52	—	10
11	·73	—	—	·61	—	—	—	—	—	·75	·25	·01	11
12	—	—	—	—	·40	—	—	—	·01	—	1·15	—	12
13	·40	·01	·04	—	—	—	—	—	·11	·01	·23	—	13
14	·32	—	·07	·04	—	—	·42	·02	·18	·03	·24	·01	14
15	·21	·02	·21	·36	—	—	·22	—	·02	—	—	—	15
16	·16	—	·51	·17	—	—	·01	—	·54	—	—	—	16
17	·08	·06	·06	·12	—	—	·23	—	—	—	·01	·02	17
18	·01	—	·16	·19	—	—	·05	—	—	—	·10	—	18
19	·31	—	·08	—	—	·03	·11	—	·61	—	—	—	19
20	·72	—	·12	·15	—	·15	—	—	—	·61	·02	—	20
21	—	—	·26	·11	—	—	—	—	—	·53	·71	—	21
22	·36	—	·28	—	—	—	—	·07	·10	·07	·01	·01	22
23	—	—	·33	—	—	·03	—	·15	—	—	—	·81	23
24	·06	—	—	·03	—	·01	—	·01	—	·01	·03	—	24
25	—	·01	—	·21	—	—	—	—	—	—	—	·01	25
26	—	—	·11	·01	—	—	—	·09	—	·81	—	·20	26
27	—	—	·08	·08	·29	—	—	—	—	·02	—	—	27
28	·12	—	·30	·06	—	—	—	·03	·01	·14	·01	—	28
29	·08		·05	·36	·48	—	—	·23	—	·09	·01	·01	29
30	·59		—	·19	—	—	—	·28	—	·23	—	—	30
31	—		·10		—		—	·77		·23		—	31
Total	4·90	1·16	3·18	3·37	2·35	·60	2·44	1·82	3·18	4·66	4·17	1·75	YEAR'S TOTAL 33·58 ✓
Rain Days.	22	11	23	19	11	9	13	12	15	21	21	16	193 ✓

W.7,000, XI. 13

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL
5 JAN 1915

Kept at Henmead Hall
in the County of Sussex 3
by Mrs Maxwell-Campbell

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Haywards Heath
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 3 ft. 5 in.
" " " " Sea Level about 360 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	·02	·06	—	—	·01	·16	—	—	·07	·07	1
2	—	—	—	·01	—	·03	·07	·01	—	—	·12	·14	2
3	·01	—	·08	·13	·32	—	·02	·02	—	—	·01	·05	3
4	—	—	·01	·40	·11	—	·02	·08	—	—	·39	·43	4
5	·13	—	·09	·47	·07	·03	·13	·07	—	—	·09	—	5
6	—	·19	·01	·29	·05	·09	·06	·04	—	—	—	·48	6
7	—	·64	·18	·17	·01	·04	·17	—	—	—	—	·33	7
8	·15	·63	·48	·04	—	·06	·16	·18	—	—	—	·09	8
9	·29	—	·86	·21	—	—	—	·02	·20	—	·01	1·23	9
10	·05	·10	·01	·14	·12	—	—	—	·11	—	—	·02	10
11	—	·59	·44	·02	—	—	—	—	·19	—	·03	·53	11
12	—	·11	·10	—	—	—	·40	—	·51	·09	·02	·66	12
13	—	·62	·22	—	—	·02	—	—	·16	·04	·11	·59	13
14	—	·30	·15	—	—	—	·15	—	—	·38	·17	·88	14
15	—	·08	·30	—	—	—	·01	·05	—	—	·91	·01	15
16	—	·06	·01	—	—	—	·05	—	·10	—	·01	—	16
17	—	·33	·21	—	—	—	·01	—	·18	—	—	·26	17
18	—	·07	·19	—	—	—	—	—	—	—	—	·50	18
19	—	·16	·75	—	—	—	·24	—	—	—	·21	·13	19
20	—	·21	·13	—	—	·06	—	—	—	·01	—	·26	20
21	—	·77	·07	—	—	—	—	·06	—	·07	—	·03	21
22	—	·03	·02	—	·24	·07	·07	·05	—	·25	—	—	22
23	—	—	·21	—	·18	·12	—	·01	—	·03	—	·02	23
24	·01	—	·06	—	—	—	—	—	—	—	·27	—	24
25	·05	—	·29	—	—	—	—	·14	—	·32	·01	·02	25
26	—	—	·16	—	—	—	·04	·21	—	·18	·16	·66	26
27	·03	—	—	—	—	—	—	—	—	—	·08	·57	27
28	·01	·03	—	—	—	—	·49	—	—	·26	·31	·42	28
29	·16		·03	—	—	—	—	—	—	·58	·24	·01	29
30	·01		·15	—	—	—	—	—	—	·08	1·14	·34	30
31	·05		—		·13		·01	—		·01		·01	31
Total	·95	4·92	5·23	1·94	1·23	·52	2·11	1·10	1·45	2·30	4·36	8·74	YEAR'S TOTAL 34·85
Rain Days.	12	17	27	11	9	9	18	14	7	13	20	27	184 ✓

W.7,000, XI. 13

578

FORM A.
BRITISH RAINFALL.

Ex ML

REGISTER OF RAINFALL IN 1915

Kept at Henmead Hall. Cuckfield

in the County of Sussex.

by Mrs Maxwell Campbell.

3

Lat. .... Long. ....

Time of Observation 9. a. m.

Nearest Railway Station Haywards Heath

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 3 ft. 5 in.

" " " " Sea Level about 360 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·60	·35	·08	—	—	—	·05	—	·20	·04	·10	·25	1
2	·34	·17	·30	·13	·01	—	—	·15	·02	·14	—	·19	2
3	·34	—	·05	·22	·06	—	—	·10	·02	—	—	·67	3
4	·06	—	—	—	—	—	—	·15	—	·01	—	·57	4
5	·04	·55	—	—	—	—	—	·23	—	·01	—	·47	5
6	·68	·28	·08	·79	—	—	·52	—	—	—	·01	·08	6
7	·20	·41	·06	·02	—	—	·05	·01	—	—	—	·39	7
8	·02	·49	·01	—	—	—	·05	·02	—	—	·06	—	8
9	·01	·08	—	·25	—	·09	—	·03	—	—	·37	·78	9
10	·27	—	—	—	—	—	—	—	—	—	—	·53	10
11	—	—	·01	—	—	—	—	—	—	·01	·64	·10	11
12	·05	·18	—	·25	·35	—	—	·01	—	—	·64	—	12
13	·01	·79	—	—	1·97	—	—	—	·04	—	—	—	13
14	·02	·03	—	—	—	—	·17	·06	·09	·01	—	·61	14
15	·15	·05	—	—	·06	—	·31	·27	—	—	·13	·36	15
16	·01	·70	—	—	·05	—	1·01	·04	—	—	·05	·07	16
17	—	·47	—	—	1·32	—	—	·01	—	—	—	—	17
18	—	·03	·02	—	·15	—	—	—	—	—	·04	—	18
19	—	·09	—	—	·03	—	·01	—	—	·02	—	—	19
20	·36	—	—	·01	·02	—	—	—	—	—	—	·17	20
21	·15	—	—	—	—	—	—	—	—	·22	—	·02	21
22	·40	·01	·07	—	—	—	1·10	—	—	·02	—	·15	22
23	—	·09	·11	—	—	—	·17	—	·01	·33	—	·62	23
24	—	—	·01	·02	—	—	·31	—	·37	·53	—	·41	24
25	—	—	—	·02	—	—	·23	—	—	·02	—	·43	25
26	·01	·05	—	—	—	·08	·01	—	—	—	—	·71	26
27	—	·07	—	—	—	·02	·10	—	—	·58	—	·04	27
28	—	·07	—	—	—	·10	·03	—	1·36	·25	·01	—	28
29	—		—	—	—	·19	·91	·23	—	·01	·44	·02	29
30	·17		—	—	—	·20	·06	—	—	·23	·51	·03	30
31	·02		—		—		—	·36		·91		·27	31
Total	3·91	4·96	·80	1·71	4·02	·68	5·09	1·67	2·11	3·34	3·00	7·94	YEAR'S TOTAL 39·23
Rain Days.	21	20	11	9	10	6	17	14	8	17	12	24	169

W. 8,000. X. 15.

Ex 1 C J E

567

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
4 JAN 17

Kept at Henmead Hall·cuckfield
in the County of Sussex.
by Mrs Maxwell Campbell.

Lat. Long.
Time of Observation 9·a·m.
Nearest Railway Station Haywards Heath.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 3 ft. 5 in.
„ „ „ „ Sea Level about 360 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·14	·01	·01	—	·10	·03	—	—	·37	—	·45	·01	1
2	·40	·11	·18	—	·35	·01	·03	—	·01	·88	·03	—	2
3	·02	·68	·28	—	—	·01	·04	—	·22	·58	·85	—	3
4	·24	·14	·01	—	—	·65	—	—	·28	·03	·42	—	4
5	·05	·05	—	—	·20	·17	—	—	—	·08	·75	—	5
6	·01	·09	·04	·11	·05	·35	·35	—	—	·06	·74	—	6
7	—	·01	·55	—	·31	·15	—	—	—	·04	·67	·04	7
8	—	—	·01	—	·26	—	—	—	—	—	·01	·50	8
9	·01	—	—	—	·29	·06	·01	—	—	—	—	·10	9
10	—	·48	·05	·07	—	·15	·10	—	·02	·01	·01	·47	10
11	·02	·16	—	·24	—	·16	—	·01	—	—	—	·04	11
12	·04	·09	·17	·06	·16	·11	·14	—	—	·14	—	—	12
13	—	·25	·46	·09	·06	·02	—	·02	—	·03	·01	·07	13
14	—	·47	·09	—	·13	—	—	·05	—	·02	—	—	14
15	—	·08	·10	·01	—	—	—	·07	—	·01	—	·01	15
16	·02	·02	·30	·20	—	—	·07	·15	—	—	—	—	16
17	·31	·19	—	·23	—	—	—	·44	·55	1·15	—	—	17
18	·01	·09	—	·04	—	—	—	·32	·35	·17	·75	·05	18
19	·27	—	·12	·31	—	·03	—	·03	·09	—	·62	·13	19
20	·10	—	·14	·06	—	—	—	·02	—	—	·17	·58	20
21	·02	—	·17	—	—	—	·03	—	—	—	·01	·41	21
22	—	·01	—	—	—	—	—	—	—	·03	—	·66	22
23	·01	·09	·03	—	—	·05	—	—	—	·18	·05	·03	23
24	·01	—	·01	—	·09	·02	—	·01	—	·32	·07	·29	24
25	—	·56	·16	—	—	—	—	·86	·01	·05	·03	·01	25
26	·03	·35	—	—	—	·10	—	·05	·22	·29	—	—	26
27	·02	·06	1·03	—	—	·07	—	·06	·25	·50	—	·01	27
28	—	·50	·12	—	—	·39	—	·19	·19	·13	—	·19	28
29	—	·21	—	—	—	·36	—	·58	·06	·44	—	·36	29
30	—	X	—	—	·65	—	—	·03	—	·17	—	—	30
31	—	X	—	X	—	X	—	·01	X	·08	X	·01	31
Total	1·73	4·70	4·03	1·42	2·65	2·89	·77	2·90	2·62	5·39	5·64	3·97	YEAR'S TOTAL 38·71
Rain Days.	19	23	21	11	12	19	8	17	13	23	17	20	203

W. 8,000, VIII. 16

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

8 JAN 1918

Kept at Henmead Hall Cuckfield
in the County of Sussex.
by Mrs Maxwell Campbell.

Lat. Long.
Time of Observation 9. a.m.
Nearest Railway Station Haywards Heath
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 3 ft. 5 in.
" " " " Sea Level about 360 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	—	—	~~·01~~	~~·18~~	—	~~·01~~	—	~~1·31~~	~~·06~~	—	~~·06~~	~~·01~~	
1	—	—	·01	·18	—	·01	—	1·31	·06	—	·06	·01	1
2	—	—	—	·25	—	—	—	·04	—	·01	·21	—	2
3	·02	—	—	·10	—	—	·68	·33	—	·16	·01	—	3
4	—	·14	·17	—	—	—	·03	·28	—	·36	—	—	4
5	·40	—	·03	·20	—	—	—	·07	·49	·38	·05	—	5
6	—	—	·30	·01	—	·23	—	—	·26	—	·18	—	6
7	·28	—	—	—	—	—	·19	—	—	·46	—	·05	7
8	·11	—	—	·09	—	—	·29	·16	—	·26	·27	·32	8
9	·01	—	·06	·05	—	—	·08	·02	·02	·01	·01	·54	9
10	·16	—	·18	·03	—	·06	—	·13	·01	—	·01	·01	10
11	—	·01	·12	·45	—	—	—	·15	—	·57	—	—	11
12	·21	—	·03	·05	—	—	—	·12	—	·20	—	—	12
13	·03	—	·28	—	·05	—	—	·01	·03	·14	·01	·01	13
14	·03	—	·03	·15	—	—	—	·07	·01	—	—	—	14
15	·02	—	—	—	·01	—	·01	·07	—	·20	—	·05	15
16	·05	·10	—	·15	·09	—	—	—	—	·65	—	·95	16
17	·02	·01	—	·13	·09	—	·28	·10	·35	·33	—	—	17
18	—	·02	—	·12	·05	—	·17	·04	·30	—	—	—	18
19	·03	·21	·13	—	·02	·11	—	·27	·15	—	—	·01	19
20	—	·20	·02	—	·42	—	—	·07	·06	—	·01	·01	20
21	·02	—	·03	—	·01	—	—	—	—	·01	·02	—	21
22	—	—	—	—	—	·24	—	·22	—	·19	—	—	22
23	—	·25	—	—	·19	—	—	·15	—	—	—	·03	23
24	—	·11	—	—	—	·35	·02	·01	—	·17	·19	—	24
25	—	—	·03	—	—	—	—	—	—	·01	—	—	25
26	—	·06	·03	—	—	·10	—	·40	·08	—	·86	·01	26
27	—	—	—	—	·05	·03	—	1·19	—	—	—	·01	27
28	—	·01	·04	—	—	·70	—	·60	—	—	—	·04	28
29	—		·02	—	·08	—	·06	·02	—	·75	—	·08	29
30	—		·36	—	—	·03	·56	·37	·01	·05	·01	·02	30
31	·06		·04		—		·33	·04		·01		·08	31
Total	1·45	1·12	1·91	1·96	1·06	1·86	2·70	6·24	1·83	4·92	1·90	2·23	YEAR'S TOTAL 29·18
Rain Days.	15	11	19	14	11	10	12	26	13	20	14	17	182

W. 8,000, IX. 17.

FORM A.
BRITISH RAINFALL.

4 JAN 1915

CUCKFIELD
HILFIELD HOUSE
SUSSEX
1914 - 1918

REGIS

Kept at Hilfield Ho ... °7' ... a.m.

in the County of Cuck ... aywards Heath ... 5 in.

by Mrs A K ... Ground 1 ft. ... in.

Sea Level 300 ft. approximately

IMPORTANT NOTE ... the result entered to the previous day. If an Obse ... ersal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	0·01	0·11	—	—	0·01	0·14	—	—	0·08	0·03	1
2	—	—	—	0·02	—	0·04	0·08	0·01	—	—	0·16	0·19	2
3	—	—	0·10	0·24	0·37	—	0·02	0·08	—	—	—	0·63	3
4	—	—	0·01	0·34	0·14	—	0·02	0·10	—	—	0·39	0·43	4
5	0·13	0·01	0·10	0·46	0·07	0·03	0·14	0·05	—	—	0·65	0·01	5
6	—	0·13	0·01	0·35	0·04	0·10	0·08	0·04	—	—	—	0·46	6
7	—	0·61	0·18	0·26	0·01	0·07	0·15	—	—	—	—	0·28	7
8	0·16	0·54	0·42	0·04	0·01	0·07	0·10	0·11	—	—	—	0·06	8
9	0·27	—	0·91	0·14	—	—	—	0·01	0·19	—	—	1·30	9
10	0·04	0·11	—	0·15	0·11	—	—	—	0·10	—	—	0·03	10
11	—	0·48	0·40	0·04	0·03	—	—	—	0·20	—	0·03	0·56	11
12	—	0·12	0·11	—	—	—	0·45	—	0·52	0·09	0·02	0·66	12
13	—	0·55	0·22	—	—	0·01	—	—	0·16	0·02	0·10	0·62	13
14	—	0·24	0·16	—	—	—	0·13	—	—	0·35	0·19	0·68	14
15	—	0·08	0·22	—	—	—	—	0·03	—	—	0·97	—	15
16	—	0·07	0·01	—	—	—	0·06	—	0·08	—	—	—	16
17	—	0·29	0·17	—	—	—	—	—	0·18	—	—	0·25	17
18	—	0·08	0·25	—	—	—	—	—	—	—	—	0·45	18
19	—	0·14	0·78	—	—	—	0·27	—	—	—	0·22	0·09	19
20	—	0·26	0·14	—	—	0·09	—	—	—	—	—	0·30	20
21	—	0·81	0·08	—	—	—	—	0·08	—	0·07	—	0·05	21
22	—	0·03	0·02	—	0·28	0·04	0·07	0·04	—	0·26	—	—	22
23	—	—	0·20	—	0·12	0·26	—	—	—	0·03	—	0·02	23
24	—	—	0·03	—	—	—	—	—	—	—	0·26	—	24
25	0·05	—	0·27	—	—	—	—	0·13	—	0·30	0·01	0·02	25
26	—	—	0·14	—	—	—	0·06	0·18	—	0·20	0·15	0·60	26
27	0·03	—	—	—	—	—	—	—	—	—	0·08	0·55	27
28	0·01	0·03	—	—	0·01	—	0·49	—	—	0·25	0·30	0·52	28
29	0·16	✕	0·03	0·01	—	—	—	—	—	0·63	0·21	0·01	29
30	0·01	✕	0·13	—	—	—	—	—	—	0·08	1·04	0·35	30
31	0·03	✕	—	✕	0·12	✕	0·01	—	✕	0·01	✕	0·02	31
Total	0·89	4·58	5·10	2·16	1·31	0·71	2·14	1·03	1·43	2·29	4·26	8·57	YEAR'S TOTAL 34·47
Rain Days.	10	18	26	12	12	9	16	13	7	12	17	27	179

34·47

W.7,000, XI. 13

REGI 14

Form A.
British Rainfall.

4 JAN 1915

Kept at Hilfield House ~~W. W.~~

in the County of Cuckfield. Sussex

by Mrs A K O'Brien

Lat. 51° 0' Long. 0° 7'

Time of Observation 9 a.m.

Nearest Railway Station Haywards Heath.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 300. ft. approximately.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	0·01	0·11	—	—	0·01	0·17	—	—	0·08	0·03	1
2	—	—	—	0·02	—	0·04	0·08	0·01	—	—	0·16	0·19	2
3	—	—	0·10	0·24	0·37	—	0·02	0·08	—	—	—	0·63	3
4	—	—	0·01	0·34	0·14	—	0·02	0·10	—	—	0·39	0·43	4
5	0·13	0·01	0·10	0·46	0·07	0·03	0·14	0·05	—	—	0·65	0·01	5
6	—	0·13	0·01	0·35	0·04	0·10	0·08	0·04	—	—	—	0·46	6
7	—	0·61	0·18	0·26	0·01	0·07	0·15	—	—	—	—	0·28	7
8	0·16	0·54	0·42	0·04	0·01	0·07	0·10	0·11	—	—	—	0·06	8
9	0·27	—	0·91	0·14	—	—	—	0·01	0·19	—	—	1·30	9
10	0·04	0·11	—	0·15	0·11	—	—	—	0·10	—	—	0·03	10
11	—	0·48	0·40	0·04	0·03	—	—	—	0·20	—	0·03	0·56	11
12	—	0·12	0·11	—	—	—	0·45	—	0·52	0·09	0·02	0·66	12
13	—	0·55	0·22	—	—	0·01	—	—	0·16	0·02	0·10	0·62	13
14	—	0·24	0·16	—	—	—	0·13	—	—	0·35	0·19	0·68	14
15	—	0·08	0·22	—	—	—	—	0·03	—	—	0·97	—	15
16	—	0·07	0·01	—	—	—	0·06	—	0·08	—	—	—	16
17	—	0·29	0·17	—	—	—	—	—	0·18	—	—	0·25	17
18	—	0·08	0·25	—	—	—	—	—	—	—	—	0·45	18
19	—	0·14	0·78	—	—	—	0·27	—	—	—	0·22	0·09	19
20	—	0·26	0·14	—	—	0·09	—	—	—	—	—	0·30	20
21	—	0·81	0·08	—	—	—	—	0·08	—	0·07	—	0·05	21
22	—	0·03	0·02	—	0·28	0·04	0·07	0·04	—	0·26	—	—	22
23	—	—	0·20	—	0·12	0·26	—	—	—	0·03	—	0·02	23
24	—	—	0·03	—	—	—	—	—	—	—	0·26	—	24
25	0·05	—	0·27	—	—	—	—	0·13	—	0·30	0·01	0·02	25
26	—	—	0·14	—	—	—	0·06	0·18	—	0·20	0·15	0·60	26
27	0·03	—	—	—	—	—	—	—	—	—	0·08	0·55	27
28	0·01	0·03	—	—	0·01	—	0·49	—	—	0·25	0·30	0·52	28
29	0·16		0·03	0·01	—	—	—	—	—	0·63	0·21	0·01	29
30	0·01		0·13	—	—	—	—	—	—	0·08	1·04	0·35	30
31	0·03		—		0·12		0·01	—		0·01		0·02	31
Total	0·89	4·58	5·10	2·16	1·31	0·71	2·14	1·03	1·43	2·29	4·26	8·57	YEAR'S TOTAL 34·58
Rain Days.	10	18	26	12	12	9	16	13	7	12	17	27	179

3447

W.7,000, XI. 13

576

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.
4 - JAN 1916

Kept at Hilfield House Cuckfield
in the County of Sussex. 3
by Miss A K O'Brein

Lat. 51° 0' Long. 0° 7'
Time of Observation 9 a.m.
Nearest Railway Station Haywards Heath
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level ~~300~~ 301 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·64	0·32	0·12	—	—	—	0·07	—	0·19	0·04	0·17	0·29	1
2	0·32	0·15	0·31	0·15	0·02	—	—	0·12	0·01	0·13	—	0·24	2
3	0·29	—	0·05	0·23	0·08	—	—	0·08	0·04	—	—	0·59	3
4	0·12	—	—	—	—	—	—	0·07	—	0·01	—	0·53	4
5	0·06	0·61	—	—	—	—	—	0·20	—	0·01	—	0·49	5
6	0·66	0·29	0·10	0·77	—	—	0·48	—	—	—	—	0·12	6
7	0·19	0·40	0·09	0·03	—	—	0·04	—	—	—	—	0·35	7
8	0·03	0·52	0·01	—	—	—	0·04	0·02	—	—	0·08	0·01	8
9	0·01	0·08	—	0·27	—	0·12	—	0·03	—	—	0·47	0·75	9
10	0·27	—	—	—	—	—	—	—	—	—	—	0·53	10
11	0·01	—	0·01	—	—	—	—	—	—	0·02	0·63	0·06	11
12	0·05	0·18	—	0·22	0·38	—	—	0·06	—	—	0·58	0·01	12
13	0·01	0·71	—	—	2·01	—	—	—	0·05	—	—	—	13
14	0·03	0·03	—	—	—	—	0·16	0·02	0·09	—	—	0·49	14
15	0·24	0·05	—	—	0·07	—	0·34	0·24	—	—	0·13	0·31	15
16	0·01	0·74	—	—	0·07	—	1·07	0·13	—	—	0·04	0·11	16
17	—	0·46	—	—	1·47	—	—	0·02	—	—	—	—	17
18	—	0·09	0·01	—	0·16	—	—	—	—	—	0·05	0·02	18
19	—	0·04	—	—	0·02	—	—	—	—	0·02	—	—	19
20	0·35	—	—	0·03	0·02	—	—	—	—	—	—	0·17	20
21	0·13	—	—	—	—	—	0·01	—	—	0·18	—	0·03	21
22	0·36	—	0·07	0·02	—	—	0·99	—	—	0·03	—	0·15	22
23	—	0·09	0·13	—	—	0·01	0·10	—	0·02	0·37	—	0·56	23
24	—	—	0·03	—	—	—	0·26	—	0·38	0·52	—	0·57	24
25	—	—	—	0·03	—	—	0·25	—	—	0·03	—	0·40	25
26	—	0·05	—	—	—	0·08	0·02	—	—	—	—	0·70	26
27	—	0·04	—	—	—	0·02	0·16	—	—	0·54	—	0·05	27
28	—	0·08	—	—	—	0·12	0·07	—	1·42	0·24	—	—	28
29	—	×	—	—	—	0·25	0·82	0·37	—	—	0·44	0·01	29
30	0·16	×	—	—	—	0·24	0·03	—	—	0·29	0·37	0·03	30
31	0·03	×	—	×	—	×	—	0·40	×	0·89	×	0·31	31
Total	3·97	4·93	0·93	1·75	4·30	0·84	4·91	1·76	2·20	3·32	2·96	7·88	YEAR'S TOTAL 39·75
Rain Days.	21	19	11	9	10	7	17	13	8	15	10	24	167

W. 8,000. X. 15.

From 21st May to 1st October 9.am. 'S.T.' Exe JL

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
3 JAN 1917

Kept at Hilfield House Cuckfield

in the County of Sussex

by A K O'Brien.

Lat. 51° 0' Long. 0° 7'

Time of Observation 9.am.

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0·10	0·02	0·04	—	0·14	0·03	—	—	0·40	—	0·42	—	1
2	0·35	0·11	0·29	—	0·35	—	0·06	—	—	0·90	0·05	—	2
3	0·02	0·87	0·32	—	—	0·02	0·06	—	0·14	0·54	0·74	—	3
4	0·22	0·09	—	—	—	0·53	—	—	0·29	0·02	0·45	—	4
5	0·06	0·03	—	—	0·23	0·17	—	—	—	0·07	0·73	—	5
6	0·01	0·07	0·05	0·13	0·05	0·58	0·29	—	—	0·05	0·68	—	6
7	—	—	0·52	—	0·33	0·17	0·01	—	—	0·02	0·65	0·04	7
8	—	—	0·02	—	0·38	—	—	—	—	—	0·02	0·54	8
9	—	—		—	0·35	0·09	—	—	—	—	—	0·12	9
10	—	0·45	0·07	0·10	—	0·21	0·08	—	—	—	—	0·49	10
11	0·05	0·16	—	0·26	—	0·14	—	—	—	—	—	0·05	11
12	0·05	0·07	0·20	0·07	0·17	0·14	0·11	—	—	0·18	—	—	12
13	—	0·24	0·44	0·10	0·06	—	—	0·05	—	0·03	—	—	13
14	—	0·40	0·09	—	0·15	—	0·01	0·12	—	0·02	—	0·10	14
15	—	0·08	0·12	—	—	—	—	0·03	—	—	—	—	15
16	—	0·06	0·29	0·22	—	—	0·09	0·12	—	—	—	—	16
17	0·02	0·20	—	0·25	—	—	—	0·36	0·44	1·18	—	0·01	17
18	0·27	0·13	—	0·05	—	—	—	0·46	0·41	0·19	0·85	0·03	18
19	—	—	0·14	0·36	—	0·04	—	0·08	0·09		0·54	0·20	19
20	0·25	—	0·10	0·03	—	—	—	0·03	—	—	0·21	0·59	20
21	0·11	—	0·18	—	—	—	0·05	—	—	—	—	0·39	21
22	—	—	0·01	—	—	—	—	—	—	0·04	0·01	0·66	22
23	0·02	0·11	0·03	—	—	0·05	—	—	—	0·11	0·03	0·02	23
24	0·01	—	0·01	—	0·13	0·03	—	—	—	0·43	0·06	0·30	24
25	—	0·56	0·17	—	—	—	—	0·66	—	0·02	—	0·02	25
26	0·04	0·31	—	—	—	0·10	—	0·02	0·24	0·31	—	—	26
27	0·02	0·09	0·98	—	—	0·09	—	0·04	0·14	0·47	—	—	27
28	—	0·50	0·14	—	—	0·40	—	0·06	0·18	0·210	0·03	0·20	28
29	—	0·24	—	—	—	0·28	—	0·66	0·10	0·45	—	0·38	29
30	—	X	—	—	0·56	0·01	—	0·04	—	0·16	—	—	30
31	—	X	—	X	—	X	—	0·01	X	0·04	X	—	31
Total	1·60	4·79	4·21	1·57	2·90	3·08	0·76	2·94	2·43	5·43	5·47	4·14	YEAR'S TOTAL 39·12
Rain Days.	16	21	21	10	12	18	9	15	10	21	15	17	185

W. 8,000, VIII. 16

Ex DL 537

FORM A. BRITISH RAINFALL. 2 JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Hilfield House Cuckfield

in the County of Sussex

by A K O'Brein

Lat. 51° 0' Long. 0° 07'

Time of Observation 9 am.

Nearest Railway Station Haywards Heath

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 300. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	0·02	0·21	—	—	—	1·36	0·13	—	0·08	0·01	1
2	—	—	—	0·27	—	—	—	0·04	—	0·01	0·14	—	2
3	0·02	—	—	0·10	—	—	0·64	0·32	—	0·20	0·03	—	3
4	—	0·13	0·17	—	—	—	0·09	0·16	—	0·46	—	—	4
5	0·41	—	0·04	0·24	—	—	—	0·02	0·32	0·32	0·09	—	5
6	—	—	0·31	0·02	—	0·34	—	—	0·28	—	0·23	—	6
7	0·29	—	—	—	—	—	0·09	—	—	0·74	—	0·07	7
8	0·12	—	—	0·10	—	—	0·24	0·22	—	0·30	0·32	0·30	8
9	0·01	—	0·07	0·09	0·01	—	0·11	0·02	—	—	0·02	0·53	9
10	0·19	—	0·18	0·06	—	0·09	—	0·13	—	—	—	—	10
11	0·21	0·02	0·15	0·43	—	—	—	0·26	—	0·61	—	—	11
12	0·05	—	0·03	0·06	—	—	—	0·15	—	0·28	0·01	—	12
13	0·03	—	0·18	—	0·09	—	—	0·01	0·04	0·17	—	—	13
14	—	—	0·02	0·20	—	—	—	0·05	—	—	—	—	14
15	0·02	—	—	—	—	—	—	0·08	—	0·29	—	0·08	15
16	0·05	0·20	—	0·16	0·06	—	0·01	—	—	0·91	—	1·02	16
17	—	0·02	—	0·16	0·12	—	0·39	0·02	0·35	0·20	—	—	17
18	0·02	0·02	—	0·13	0·05	0·01	0·28	0·15	0·32	—	—	—	18
19	0·04	0·22	0·18	—	0·03	0·29	0·01	0·05	0·23	—	—	—	19
20	—	0·21	0·05	—	0·43	—	—	0·04	0·11	—	0·01	—	20
21	—	—	0·04	—	0·02	—	0·05	—	—	0·01	0·03	—	21
22	0·01	—	—	—	—	0·20	—	0·22	—	0·22	—	—	22
23	—	0·22	—	—	0·23	—	—	0·23	—	—	—	0·05	23
24	—	0·10	—	—	—	0·18	0·05	0·04	—	0·23	0·19	0·01	24
25	—	0·09	0·03	—	—	0·14	—	—	—	0·03	—	—	25
26	—	—	0·04	—	—	0·06	—	0·40	0·09	—	0·99	—	26
27	—	—	—	—	0·07	—	—	1·48	—	—	—	—	27
28	—	—	0·04	—	—	0·71	—	0·51	—	—	—	0·06	28
29	—	✕	0·02	—	0·05	—	0·10	0·03	—	1·13	—	0·11	29
30	—	✕	0·44	—	—	0·04	0·52	0·49	—	0·06	0·02	0·03	30
31	0·03	✕	0·08	✕	—	✕	0·25	0·02	✕	0·01	✕	0·06	31
Total	1·50	1·23	2·09	2·21	1·16	2·06	2·83	6·50	1·87	6·18	2·16	2·33	YEAR'S TOTAL 32·12
Rain Days.	15.	10	19	14	11	10	14	26	9	19	13	12	172

W. 8,000, IX. 17. From April 8th – Sept 16th 9.am. ST.

Exp Del

62

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL
3. 1. 19

Kept at Hilfield House Cuckfield.
in the County of Sussex.
by A K O'Brein.

Lat. 51 Long. 0°7'
Time of Observation 9 a.m.
Nearest Railway Station Haywards Heath
Diameter of Funnel of Rain Gauge 5" in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 300. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	0·01	0·02	0·01	—	—	0·01	—	—	0·30	0·16	1
2	—	0·02	—	0·03	—	—	—	0·41	—	—	0·26	0·27	2
3	—	—	0·10	0·12	0·30	—	—	0·19	—	0·03	0·41	0·03	3
4	—	0·23	0·02	0·01	—	—	—	0·08	0·44	—	1·06	0·02	4
5	—	0·04	0·05	—	0·03	—	—	0·14		0·13	—	0·02	5
6	0·22	0·24	—	0·23	0·21	—	—	0·15	—	0·05	—	0·04	6
7	0·03	0·16	—	0·17	0·05	—	—	0·03	0·17	0·06	0·08	—	7
8	—	0·04	—	—	—	—	—	—	0·45	0·04	0·10	0·12	8
9	0·03	—	—	0·15	—	0·11	0·13	—	0·68	0·36	—	0·47	9
10	—	—	—	0·05	—	0·04	0·38	—	0·65	0·17	0·01	0·23	10
11	—	—	—	0·02	—	—	0·21	—	0·29	0·22	0·08	0·15	11
12	—	0·14	—	—	0·21	—	0·24	—	0·15	0·02	—	0·02	12
13	0·22	—	—	—	0·11	—	0·20	—	0·20	—	—	0·04	13
14	0·31	—	0·05	—	0·31	0·07	0·12	—	0·41	0·38	—	0·11	14
15	1·64	—	—	0·30	—	0·13	1·45	—	—	—	—	0·19	15
16	0·29	—	—	0·06	—	0·19	0·03	—	0·20	—	—	—	16
17	0·25	—	—	0·15	—	0·93	0·56	0·01	—	—	—	0·34	17
18	0·45	—	—	—	—	0·30	—	—	0·39	—	—	0·07	18
19	0·10	—	0·06	0·03	—	0·18	0·04	—	—	0·03	—	0·03	19
20	0·06	0·24	—	0·67	—	0·04	0·41	—	0·21	0·24	—	—	20
21	0·28	—	—	0·99	—	—	0·20	—	0·55	0·25	0·01	0·05	21
22	0·11	—	—	—	0·22	—	0·28	—	0·76	0·01	—	0·30	22
23	0·15	—	—	0·05	0·01	—	0·73	0·04	0·10	—	—	0·02	23
24	—	0·30	S.T. —	0·02	—	0·09	0·16	—	0·33	—	0·04	—	24
25	0·01	—	—	0·24	—	—	0·09	0·20	—	0·04	—	0·01	25
26	—	—	—	—	—	—	0·50	—	0·03	0·05	0·18	0·22	26
27	—	0·16	0·01	0·05	—	—	0·19	0·22	0·10	—	0·17	0·08	27
28	—	—	0·40	0·01	0·04	0·02	—	—	—	0·02	0·21	0·01	28
29	0·01	X	—	—	—	—	—	—	0·80	—	0·02	0·02	29
30	—	X	0·48	—	—	—	—	—	0·05	0·16	—	0·10	30
31	—	X	—	X	—	X	—	—	X	0·07	X	0·01	31
Total	4·13	1·57	1·18	3·17	1:20	2·10	5·92	1·48	6·66	2·33	2·93	3·13	YEAR'S TOTAL 35·80
Rain Days.	16	10	9	20.	11	11	18	11	20.	19	14	27.	186

W, 6,500, VII. 18. w w d

566

FORM A.
BRITISH RAINFALL.

8 JAN 1917

REC

CUCKFIELD
UNION
SUSSEX
1916. 1919.

Kept at Cuckfield

in the County of Su

by E. Gosden

Rain Gauge ______ in.

above Ground ______ ft. ______ in.

„ Sea Level ______ ft.

IMPORTANT NO nd the result entered to the previous day. If an Observer universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. Nil

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			02						35		44		1
2	.52		.18		15		04			85	06		2
3	.01	88	22			02	05		12	59	77		3
4	.22					61			25	16	140		4
5	.04				52	21				10	72		5
6	.01	19	.01			35	28				67		6
7			45		38	13				01	73	03	7
8			03		23							46	8
9		19			28	07	01					11	9
10		44		20		15	14					42	10
11	.04			25		11						03	11
12			.18	06	15	10	11			16	16		12
13		48	48	06				02		04	02	09	13
14		41	06					08					14
15		07	11					02					15
16	.04		29	20			07	05					16
17	.31	18		24				32	55	1. 17			17
18		09						40	28	19	73		18
19	26		11	23		04		.08	07		60		19
20	.05		08									20	20
21	.07		17				05					51	21
22										03		42	22
23		06				05				11	03	58	23
24			03		10	02				34	06	02	24
25		40						75		08	03		25
26	06	40				09		04	19	32			26
27	.02		1. 0			07		05	13	54		27	27
28		46				31		12	18	18		23	28
29		22				30		64	07	44		37	29
30		╳			65			13		16			30
31		╳		╳		╳		04	╳	08	╳		31
Total	1. 65	4 28	3. 43	1. 24	2. 43	2. 63	.75	2 64	2. 19	5 55	5. 24	3. 74	YEAR'S TOTAL 35. 76
Rain Days.	13	13	18	7	8	16	8	14	10	19	12	14	152

W. 8,000, VIII. 16

566

FORM A.
BRITISH RAINFALL.
8 JAN 191

REC

Kept at Cuckfield Union

in the County of Sussex

by E. Gosden (Master)

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. Nil

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			02						35		44		1
2	.52		.18		12		04			85	06		2
3	.01	88	22			02	05		12	59	77		3
4	.22					61			25	16	40		4
5	.04				52	21				10	72		5
6	.01	19	01			35	28				67		6
7			45		38	13				01	73	03	7
8			03		23							46	8
9		~~19~~			28	07	01					11	9
10		44		20		15	14					42	10
11	04			25		11					,	03	11
12			18	06	15	10	11			16	~~16~~		12
13		48	48	06				02		04	~~[illegible]~~	09	13
14		41	06					08					14
15		07	11					02					15
16	.04		29	20			07	05					16
17	.31	18		24				32	55	1 17			17
18		09						40	28	19	73		18
19	26		11	23		04		08	07		60		19
20	.05		08									20	20
21	.07		17				05					51	21
22										03		42	22
23		06				05				11	03	58	23
24			03		10	02				34	06	02	24
25		40						75		08	03		25
26	06	40				09		04	19	32			26
27	02		1.0			07		05	13	54		27	27
28		46				31		12	18	18		23	28
29		22				30		64	07	44		37	29
30					65			03		16			30
31								04		08			31
Total	1.65	4.28	3.42	1.24	2.43	2.63	.75	2.64	2.19	5.55	5.24	3.74	YEAR'S TOTAL 35.76
Rain Days.	13	13	18	7	8	16	8	14	10	19	12	14	152

W. 8,000, VIII. 16

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Cuckfield Union
in the County of Sussex
by R. Blaxdale" Holmes

Lat 51·1 N Long 0·9 W
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft .... in.
" " " " Sea Level 389 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·30							·07		·11		·75	1
2	·18		·05						·02	·05	·07	·11	2
3	·32		·43						·14		·03	·29	3
4	·20		·42					·04	·04		·05	·22	4
5	·20		·90								·21	·50	5
6			·20								·01	·04	6
7	·06		·40								·02		7
8	·21												8
9	·50		·26								·16		9
10	·38		·24									·14	10
11			·27	·38							·05	·10	11
12	·44												12
13				·34									13
14	·58			·38					·21			·11	14
15	·25											·63	15
16		·45	·21										16
17		·26									·18	·11	17
18		·08	·05					·04			·08	·04	18
19			·48					·05			·09		19
20	·37		·04					·21					20
21	·07								·02		·02	·10	21
22									·44			·25	22
23									·25		·05		23
24									·01		·07		24
25				·10				·25			·06		25
26		·12							·08	·18	·11	·48	26
27	·80			·51				·36			·27		27
28				·09				·75			·63	·47	28
29			·30	·05				·69		·23	·27	·13	29
30		X		·20						·01		·76	30
31		X		X		X		·70	X	·01	X	·10	31
TOTAL	4.86	·91	4.25	2.05	~~imp~~	—	—	3.16	1.21	·59	2.33	5.33	YEAR'S TOTAL imp
Days with ·01 in. or more	15	4	14	8				10	9	6	19	19	

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

78

FORM A. 1. **METEOROLO** … **GANIZATION.**

RE … Ro….

CUCKFIELD
{WORKHOUSE}
SUSSEX

1920

Kept at Cuckfield …

in the County of Sus…

by E. Gosden

…ain Gauge……in.

…bove Ground……ft……in.

,, Sea Level……ft.

IMPORTANT NOTE. … entered to the previous day.

If an Observer prefers not to conform to this almost universal rule, … quested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04												1
2													2
3													3
4													4
5													5
6													6
7	·09												7
8													8
9	·10												9
10	·77												10
11	·29												11
12	·05												12
13	·30												13
14													14
15	·03												15
16													16
17													17
18	·03												18
19	·10												19
20	·09												20
21													21
22	·02												22
23													23
24	·01												24
25													25
26													26
27	·45												27
28	·49												28
29	·78												29
30	·03	×											30
31		×		×		×			×		×		31
TOTAL	3·67												YEAR'S TOTAL
Days with ·01 in. or more	17												

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

·04 12

79

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Cuckfield, Workhouse
in the County of Sussex
by E. Gosden R. [illegible]

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04												1
2													2
3													3
4													4
5													5
6													6
7	·09												7
8													8
9	·10												9
10	·77												10
11	·29												11
12	·05												12
13	·30												13
14													14
15	·03												15
16													16
17													17
18	·03												18
19	·10												19
20	·09												20
21													21
22	·02												22
23													23
24	·01												24
25													25
26													26
27	·45												27
28	·49												28
29	·78												29
30	·03	×											30
31		×		×		×			×		×		31
Total	3·67												Year's Total
Days with ·01 in. or more	17												

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

·04 12

Smale

REGI

DANNY PARK

SUSSEX

1911 – 1919

FORM A2. BRITISH RAINFALL.

2 - JAN 1912

Kept at Danny Pa

in the County of

by J. J. Brunn

in.

ound 1 ft. 3 in.

a Level 180 ft.

a.m

me Hassocks

stance 2 mis Direction N.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0	0	0	69	0	0	0	4	0	0	10	0	1
2	Snow W. 4	0	0	9	47	0	0	0	0	0	44	62	2
3	0	0	0	0	28	0	0	0	0	0	18	26	3
4	9	0	0	0	0	0	0	0	0	17	42	34	4
5	0	0	0	Snow-Water 40	0	0	0	0	0	135	2	7	5
6	62	0	7	0	0	0	0	0	0	0	6	96	6
7	0	0	0	0	0	0	0	0	0	19	99	55	7
8	9	0	20	0	0	0	0	0	0	0	82	32	8
9	17	0	28	0	0	0	0	0	0	0	27	19	9
10	0	9	0	0	0	0	0	0	0	0	13	87	10
11	56	0	6	0	10	0	0	0	0	0	159	0	11
12	3	0	Snow & Rain 58	0	0	0	0	0	0	0	10	0	12
13	0	0	Snow & Rain 12	0	11	0	0	0	44	6	0	37	13
14	0	9	3	0	38	0	0	0	0	0	0	73	14
15	0	6	14	0	0	0	0	0	0	0	0	4	15
16	0	0	0	0	0	44	0	0	0	0	122	32	16
17	0	0	0	0	0	7	0	0	0	0	114	23	17
18	0	10	0	0	0	2	0	0	0	0	145	64	18
19	0	0	0	0	0	9	0	0	21	53	3	21	19
20	2	0	0	3	0	0	0	23	27	11	0	135	20
21	0	38	0	0	0	0	0	0	0	83	0	43	21
22	4	0	19	0	0	25	0	4	0	79	0	78	22
23	0	38	0	0	0	107	0	0	37	37	7	42	23
24	0	0	Snow & Rain 9	0	0	11	0	31	0	24	0	53	24
25	0	0	0	12	0	23	0	0	12	13	0	6	25
26	0	0	11	47	4	0	2	0	5	27	0	28	26
27	0	70	44	5	0	16	0	0	0	48	Snow-Rain 6	21	27
28	0	36	7	19	0	0	0	7	0	0	0	2	28
29	0		0	3	0	4	54	0	26	60	0	0	29
30	0		0	4		0	0	5	0	45	10	3	30
31	0		0				0	0		0		0	31
Total	166	216	238	211	138	251	56	74	172	657	913	1083	TOTAL for year 4135
No. of Rain Days.	9 ~~8~~ Snow 1	- 8	~~14~~ 13	10 ~~9~~ Snow 1	6	10	2	6	7	15	18 Snow 1	26	130

6·57

41·75

W. 8,000, X. '11.

D made

REG

FORM A2.
BRITISH RAINFALL.
2 - JAN 1912

Kept at Danny [illegible], Hurstpierpoint

in the County of Sussex 3

by J J Bunney

RAIN GAUGE	Diameter of top 8 in.
	Height of top above Ground 1 ft. 3 in.
	" " " Sea Level 180 ft.

Time of Observation 9. a.m

Nearest Railway Station: Name Hassocks; Distance 2 miles; Direction N.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0	0	0	69	0	0	0	4	0	0	10	0	1
2	Snow W. 4	0	0	9	44	0	0	0	0	0	44	62	2
3	0	0	0	0	28	0	0	0	0	0	18	26	3
4	9	0	0	0	0	0	0	0	0	17	42	34	4
5	0	0	0	Snow-Water 40	0	0	0	0	0	135	2	7	5
6	62	0	7	0	0	0	0	0	0	0	0	96	6
7	0	0	0	0	0	0	0	0	0	19	99	55	7
8	9	0	20	0	0	0	0	0	0	0	82	32	8
9	17	0	28	0	0	0	0	0	0	0	27	19	9
10	0	9	0	0	0	0	0	0	0	0	13	87	10
11	56	0	6	0	10	0	0	0	0	0	159	0	11
12	3	0	Snow & Rain 58	0	0	0	0	0	0	0	10	0	12
13	0	0	Snow & Rain 12	0	11	0	0	0	44	6	0	37	13
14	0	9	3	0	38	0	0	0	0	0	0	73	14
15	0	6	14	0	0	0	0	0	0	0	0	4	15
16	0	0	0	0	0	44	0	0	0	0	122	32	16
17	0	0	0	0	0	7	0	0	0	0	114	23	17
18	0	10	0	0	0	2	0	0	0	0	145	64	18
19	0	0	0	0	0	9	0	0	21	53	3	21	19
20	2	0	0	3	0	0	0	23	27	11	0	135	20
21	0	38	0	0	0	0	0	0	0	83	0	43	21
22	4	0	19	0	0	25	0	4	0	79	0	78	22
23	0	38	0	0	0	107	0	0	37	37	7	42	23
24	0	0	Snow & Rain 9	0	0	11	0	31	0	24	0	53	24
25	0	0	0	12	0	23	0	0	12	13	0	6	25
26	0	0	11	47	4	0	2	0	5	27	0	28	26
27	0	70	44	5	0	16	0	0	0	48	Snow-Rain 6	21	27
28	0	36	7	19	0	0	0	7	0	0	0	2	28
29	0		0	3	0	7	54	0	26	60	0	0	29
30	0		0	4		0	0	5	0	43	10	3	30
31	0		0				0	0		0		0	31
Total	166	216	238	211	138	251	56	74	172	657	913	1083	TOTAL for year 4175
No. of Rain Days.	9 ~~8~~ Snow 1	- 8	~~14~~ 13	10 ~~9~~ Snow 1	6	10	2	6	7	15	18 Snow 1	26	130

W. 8,000, X. '11.

6.57

41.75

FORM A. BRITISH RAINFALL.
17 JAN 1913

REGISTER OF RAINFALL IN 1912

3X.-H38

Kept at Danny-Gardens Hurstpierpoint
in the County of Sussex 3
by J J Bunney

Lat. Long.
Time of Observation 9 a m
Nearest Railway Station Hassocks
Diameter of Rain Gauge 8. in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0	0	10	0	0	62	28	0	14	89	0	43	1
2	0	0	76	0	0	0	36	0	0	0	0	0	2
3	0	0	5	0	0	39	11	68	0	0	0	0	3
4	36	0	86	0	0	19	18.	4	0	0	29	3	4
5	34	25	22	0	0	0	0	53	0	0	11	0	5
6	76	12	0	0	0	3	0	89	0	0	0	16	6
7	0	16	0	0	38	71	0	37	0	0	0	22	7
8	77	0	31	0	0	19	0	8	0	0	0	6	8
9	3	46	7	0	0	0	0	52	0	0	0	24	9
10	2	11	9	0	0	0	8	31	0	0	6	43	10
11	6	66	0	0	0	0	0	3	0	0	0	23	11
12	0	16	6	0	12	0	0	32	0	3	0	2	12
13	0	0	9	0	0	0	5	0	0	0	7	32	13
14	0	5	3	0	9	0	0	37	0	8	0	6	14
15	0	0	9	0	14	68	0	23	0	0	0	25	15
16	23	7	48	0	14	15	0	11	0	13	3	0	16
17	37	0	64	0	0	16	0	17	0	0	21	46	17
18	18	0	56	0	0	0	0	15	0	6	0	16	18
19	0	0	40	0	0	0	7	29	0	0	0	0	19
20	4	0	94	0	0	0	0	5	0	63	5	0	20
21	6	32	50	0	11	0	0	23	0	38	3	0	21
22	8	113	13	0	0	0	0	20	0	0	0	4	22
23	3	25	43	0	0	0	0	22	0	16	0	9	23
24	8	5	0	0	0	0	0	5	0	13	21	0	24
25	18	0	0	0	0	56	0	116	0	3	33	63	25
26	0	0	0	0	0	0	0	12	0	32	49	53	26
27	0	0	0	0	0	13	0	0	0	11	0	31	27
28	0	9	0	0	0	9	37	19	28	102	119	48	28
29	0	4	0	0	0	0	9	82	253	8	0	0	29
30	0		0	0	49	0	5	81	143	52	0	2	30
31	0		3	0	0		32	22		0		0	31
Total	359	392	684	0	147	390	196	916	438	454	307	514	YEAR'S TOTAL 4803 ✓
Rain Days.	16	15.	21	0	7	12	~~10~~	27	4	15	~~13~~	21	160 ✓

11 12

W. 7,500, XI. 12

cnd by own stats 11.II.14

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

9 JAN 1914

Kept at Danny Park
in the County of Sussex 3
by J J Burnney

Lat. Long.
Time of Observation 9 a m
Nearest Railway Station Hassocks
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 180 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	4	61	24	17	0	13	0	0	0	6	18	16	1
2	6	26	0	15	0	0	8	0	3	57	29	0	2
3	2	0	7	34	41	0	0	0	5	3	0	0	3
4	63	0	4	0	0	0	0	0	147	21	17	0	4
5	21	11	0	0	7	41	(·09)	0	3	3	31	0	5
6	0	0	0	0	0	37	(·40)	0	0	31	14	25	6
7	0	64	7	0	5	17	7	0	0	27	24	0	7
8	3	6	0	0	29	9	0	29	0	25	7	6	8
9	0	4	0	0	27	0	0	0	22	0	4	2	9
10	0	0	0	3	0	0	79	0	0	13	70	0	10
11	141	0	0	52	0	0	0	0	0	81	48	0	11
12	0	0	0	0	54	0	0	0	0	0	138	0	12
13	62	0	0	0	0	0	0	0	20	0	18	0	13
14	67	0	24	0	0	0	206	0	8	0	20	0	14
15	41	0	37	82	0	0	26	0	5	0	0	0	15
16	32	0	59	24	0	0	0	0	23	0	0	0	16
17	11	0	0	13	0	0	38	0	0	0	0	0	17
18	0	0	23	32	0	0	9	0	0	0	19	0	18
19	40	0	11	0	0	0	0	0	72	0	0	0	19
20	48	0	14	14	3	14	3	0	0	89	4	0	20
21	0	0	15	14	0	0	0	0	23	114	118	0	21
22	32	0	23	0	0	0	0	~~6~~	0	3	0	0	22
23	0	0	17	0	0	0	0	5	0	0	0	105	23
24	13	0	0	9	0	0	0	11	0	0	13	0	24
25	0	0	0	24	0	0	0	0	0	0	3	0	25
26	0	0	11	0	0	0	0	7	0	91	0	28	26
27	0	2	14	9	0	0	0	0	0	4	0	0	27
28	8	0	40	0	0	0	0	0	0	0	3	0	28
29	21		0	40	83	0	0	13	0	36	0	0	29
30	132		0	23	0	0	0	43	0	23	0	0	30
31	2		15		0		0	95		14		0	31
Total	749	174	345	408	247	131	425 ✓	203 ✓	331	644	598	182	YEAR'S TOTAL 4437
Rain Days.	20	7	17	15	8	6	10 ✓	7 ✓	11	18	19	6	~~4434~~ 145

W.7,000, XI. 13

[illegible] 17.11.15

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

7 - JAN 1915

Kept at Danny Park Gardens Hurstpierpoint
in the County of Sussex 3
by J J Brunney

Lat. .... Long. ....
Time of Observation 9 a m
Nearest Railway Station Hassocks
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 180 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ☐

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0	0	0	13	0	0	0	14	0	0	0	7	1
2	0	0	0	2	0	3	2	3	0	0	17	0	2
3	0	0	7	14	41	0	7	0	0	0	0	0	3
4	0	0	0	48	0	0	3	10	0	0	3	48	4
5	19	0	8	60	4	1	14	3	0	0	0	0	5
6	0	16	0	27	10	13	0	7	0	0	0	79	6
7	0	65	21	21	6	11	7	0	0	0	0	28	7
8	10	99	63	6	0	25	6	0	0	0	0	14	8
9	12	0	98	16	3	3	0	0	0	0	0	132	9
10	11	16	3	21	13	0	0	0	0	0	6	3	10
11	0	86	96	4	0	0	0	0	42	0	0	47	11
12	0	14	13	0	0	0	49	0	63	0	0	79	12
13	0	123	33	0	0	0	0	0	21	3	10	36	13
14	0	41	17	0	0	0	8	0	3	31	47	67	14
15	0	14	38	0	0	0	0	21	0	0	116	3	15
16	0	7	18	0	0	0	11	0	23	0	11	0	16
17	0	81	0	0	0	0	3	0	41	0	0	38	17
18	0	9	43	0	0	0	0	0	0	0	0	71	18
19	0	23	125	0	0	0	34	0	0	0	23	22	19
20	0	24	16	0	0	8	11	0	0	0	0	37	20
21	0	69	12	0	0	0	0	0	0	16	0	3	21
22	0	7	6	0	14	8	4	0	0	57	0	0	22
23	0	0	26	0	3	109	0	2	0	3	0	0	23
24	0	0	9	0	0	0	0	0	0	0	11	0	24
25	7	0	31	0	0	0	0	31	0	63	0	0	25
26	3	0	12	0	0	0	3	0	0	0	19	106	26
27	0	0	0	0	0	0	0	0	0	9	9	114	27
28	0	5	0	0	0	0	37	0	0	47	42	61	28
29	20		4	0	0	0	0	0	0	63	22	0	29
30	2	╳	21	3	0	0	0	0	0	12	154	65	30
31	0	╳	0	╳	25	╳	0	0	╳	3	╳	3	31
Total	84	699	720	235	119	181	2.99	91	193	307	490	10.57 6	YEAR'S TOTAL 43.81
Rain Days.	8	17	23	12	9	9	15	8	6	21	14	22	154

W. 8,000. X. 14.

1.99

10.63

notified ~~24/6/16~~ ✓

corr fr auth 23.11.16 H.H.McC

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL.

5 JAN 1916

Kept at Danny Park Gardens

in the County of Sussex 3

by J J Bunney

Lat. ______ Long. ______

Time of Observation 9 a.m

Nearest Railway Station Hassocks

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level 180 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	86	46	2	0	0	0	0	0	142	2	13	33	1
2	34	34	41	0	5	0	0	14	2	29	0	24	2
3	40	0	6	7	0	0	0	3	4	0	0	56	3
4	6	0	0	24	0	0	0	0	0	2	0	56	4
5	4	68	0	0	0	0	0	34	0	0	5	83	5
6	71	32	6	79	0	0	47	3	0	0	0	34	6
7	35	72	0	4	0	3	7	0	0	0	0	36	7
8	6	74	0	0	0	0	21	0	0	0	0	4	8
9	4	23	0	21	0	13	0	0	0	0	61	113	9
10	34	0	0	0	0	0	0	0	0	11	0	68	10
11	3	0	7	0	0	0	0	0	0	0	123	4	11
12	8	13	0	18	41	0	0	0	0	0	133	0	12
13	0	76	0	0	207	0	0	0	0	0	11	131	13
14	7	4	0	0	0	0	0	0	13	0	0	0	14
15	26	6	0	0	5	0	27	73	0	0	0	73	15
16	7	113	0	0	8	0	176	26	0	0	0	9	16
17	0	74	0	0	139	0	0	0	0	0	0	0	17
18	0	16	0	0	35	0	0	0	0	0	7	0	18
19	0	9	0	0	3	0	0	0	0	0	0	0	19
20	26	0	0	0	10	0	0	0	0	0	0	18	20
21	0	0	9	0	0	0	0	0	0	29	0	3	21
22	Snow ½ 33	0	4	0	0	0	152	0	0	0	0	35	22
23	19	Snow ½ 10	5	15	0	0	3	0	0	26	0	68	23
24	0	0	8	0	0	0	0	0	3	66	0	48	24
25	0	0	0	0	0	0	29	0	32	11	0	63	25
26	0	17	0	0	0	3	0	0	0	0	0	104	26
27	0	7	0	0	0	10	0	0	0	94	0	0	27
28	0	6	0	0	0	22	36	0	178	36	0	0	28
29	0		0	0	0	0	0	22	0	0	106	0	29
30	21	X	0	0	0	0	0	0	0	41	54	5	30
31	2	X	0	X	0	X	0	14	X	86	X	38	31
Total	472	700	88	168	453	51	495 498	189	404	433	513	11.06	YEAR'S TOTAL ~~49.39~~ 50.75
Rain Days.	19 20 1.	19 ✓ ×	9	7	9	5	9	8	7	12	9	23	136 137

558

FORM A.
BRITISH RAINFALL.

26. JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Danny Park, Hurstpierpoint
in the County of Sussex
by J J Bunney

Lat. Long.
Time of Observation 9 a m
Nearest Railway Station Hassocks
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 180 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0	2	6	0	14	0	0	0	0	0	44	0	1
2	101	12	38	0	25	0	0	0	0	119	8	0	2
3	6	49	23	0	0	0	21	0	19	89	94	0	3
4	38	11	0	0	0	128	3	0	24	16	46	0	4
5	4	6	0	0	21	23	3	0	0	4	54	0	5
6	0	7	Snow &c. 9	0	9	12	61	0	0	9	53	0	6
7	3	0	Snow & R. 46	5	22	8	0	0	0	0	56	0	7
8	0	0	0	0	43	0	0	0	0	0	7	75	8
9	0	0	0	0	41	0	0	0	0	0	0	0	9
10	0	54	4	0	0	59	7	0	0	23	0	47	10
11	0	0	0	16	0	19	2	0	0	0	0	14	11
12	5	25	11	7	19	16	27	0	7	5	0	0	12
13	0	40	29	0	0	2	0	0	0	3	0	0	13
14	0	67	7	2	20	0	0	6	0	0	0	13	14
15	0	9	13	0	0	0	0	2	0	0	0	0	15
16	0	0	25	18	0	0	0	4	0	0	0	0	16
17	39	21	0	7	0	0	7	13	46	127	0	0	17
18	0	7	0	3	0	0	3	24	43	15	Snow Rain 89	0	18
19	83	0	15	23	0	5	0	0	0	0	74	0	19
20	27	0	14	0	0	0	0	0	0	0	38	73	20
21	0	0	24	0	0	0	9	0	0	0	3	41	21
22	0	0	2	0	0	0	0	0	0	02	4	81	22
23	0	Snow &c. 10	3	0	0	0	0	0	0	0	8	0	23
24	0	0	0	0	13	0	0	0	0	54	9	41	24
25	0	Snow &c. 80	48	0	0	0	0	47	0	15	0	0	25
26	0	Snow &c. 40	0	0	0	13	0	19	40	34	0	0	26
27	0	0	Snow Rain .87	0	0	2	0	5	16	55	0	0	27
28	0	Snow &c. 87	Snow .8	0	0	21	0	9	24	43	8	0	28
29	0	32	0	0	0	51	0	72	23	64	0	30	29
30	0		0	0	0	2	0	2	16	53	0	63	30
31	0		0		10		0	0		3		0	31
Total	306	559	406	81	240	361	141	203	260	733	595	478	YEAR'S TOTAL 4363
Rain Days.	9	~~14~~ 8	~~14~~ 4	8	11	14	9	11	10	19	16	10	135 ~~136~~

mistake here

W. 8,000, VIII. 16

1st made end fr auth 4.03 532

REGISTER OF RAINFALL IN 1917

FORM A. BRITISH RAINFALL. 1 FEB 1918

Kept at Danny Park Gardens
in the County of Sussex
by J J Bunney

Lat. Long.
Time of Observation 9 a m
Nearest Railway Station Hassocks
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 180 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0	0	0	Snow & Rain 26	0	0	0	194	16	0	3	0	1
2	0	0	0	do 25	0	0	0	6	0	0	0	0	2
3	0	0	0	do 18.	0	0	112	26	0	16	11	0	3
4	0	0	14	1	0	0	5	24	0	43	0	0	4
5	37	0	3	20	0	0	0	18	28	26	13	0	5
6	0	0	39	4	0	74	0	0	34	0	10	0	6
7	57	0	0	0	0	0	18	0	0	143	0	0	7
8	5	0	0	0	0	0	24	9	0	42	29	41	8
9	0	0	6	0	0	0	0	0	0	0	2	62	9
10	23	0	18	0	0	32	0	18	0	0	0	3	10
11	16	0	16	Snow & Rain 52	0	0	0	14	0	73	0	0	11
12	3	0	4	0	0	0	0	2	2	27	0	0	12
13	0	0	3	0	0	0	0	0	5	29	0	0	13
14	0	0	0	0	16	0	0	56	0	0	0	0	14
15	0	0	0	0	32	0	0	12	0	39	0	0	15
16	0	37	0	12	8	0	0	0	0	113	0	Snow & Rain 116	16
17	0	0	0	12	12	0	45	2	44	59	0	0	17
18	0	0	0	11	14	0	26	12	49	0	0	0	18
19	Snow & Rain 9	21	0	0	0	0	0	0	24	0	0	0	19
20	0	17	2	0	28	0	0	0	0	0	2	0	20
21	0	3	3	0	0	0	0	0	0	2	0	0	21
22	0	0	0	0	0	33	0	17	0	27	0	0	22
23	0	33	Snow & Rain 4	0	27	0	0	27	0	3	0	11	23
24	0	14	0	0	0	18	14	3	0	27	0	0	24
25	0	15	0	0	0	0	7	0	0	4	0	0	25
26	0	0	4	0	0	0	0	52	8	0	76	0	26
27	0	0	0	0	4	0	0	172	0	0	0	0	27
28	0	0	12	0	0	182	0	38	0	0	0	0	28
29	0		0	0	7	4	6	11	0	93	0	22	29
30	0	X	Snow & Rain 83	0	0	0	53	49	0	0	0	3	30
31	0	X	0	X	0	X	44	4	X	10	X	Snow 8	31
Total	150	140	2.11 215	181	148	343	356	766	2.10 246	776	146	2.66 ~~372~~	YEAR'S TOTAL 36.92 ~~38.01~~
Rain Days.	7	7	14	10	9	6	11	22	8	18	9	8	~~129~~

W. 8,000, IX. 17.

4.03.
This is my 35th Year record —
3.31

59

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

7. 1. 19

Kept at Danny - Hassocks
in the County of Sussex
by J J Bunney

Lat. Long.
Time of Observation 9 a m
Nearest Railway Station Hassocks
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 280 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

~~Date~~.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	0	0	0	~~0~~									
1	0	0	0	0	0	0	0	0	0	0	26	7	1
2	0	0	10	0	0	0	0	34	0	0	28	21	2
3	0	19	2	12	29	0	0	22	0	2	43	3	3
4	0	3	0	6	21	0	0	10	12	12	91	5	4
5	0	27	0	0	26	0	0	18	0	0	0	3	5
6	14	13	0	21	0	0	0	92	0	0	0	6	6
7	0	2	0	16	0	0	0	3	23	7	0	0	7
8	0	1	0	0	0	0	0	0	26	0	23	9	8
9	0	0	0	11	0	12	4	0	81	49	0	57	9
10	0	0	0	7	0	3	62	0	72	15	0	43	10
11	0	0	0	0	13	0	0	0	6	16	0	13	11
12	0	16	0	0	14	0	14	0	0	8	0	3	12
13	Snow Water 50	3	7	0	0	0	8	0	23	0	0	0	13
14	46	0	0	0	0	7	43	0	54	66	0	7	14
15	179	0	0	19	0	3	42	0	0	0	0	34	15
16	19	0	0	8	0	79	7	0	13	0	0	0	16
17	0	0	0	0	0	0	78	0	0	0	0	48	17
18	78	0	15	18	0	49	0	0	77	0	0	6	18
19	5	0	0	0	0	32	5	0	12	0	0	0	19
20	4	27	0	110	0	7	41	0	0	18	0	0	20
21	38	0	0	153	0	0	63	0	47	11	0	0	21
22	19	0	0	0	23	0	67	0	97	0	0	26	22
23	11	0	0	0	0	0	63	6	15	0	0	16	23
24	0	23	0	3	0	0	7	0	36	0	14	0	24
25	0	0	0	13	0	0	2	24	13	4	0	0	25
26	0	0	0	0	0	0	34	0	0	0	19	18	26
27	0	9	4	5	0	0	8	20	23	0	16	7	27
28	0	2	0	12	0	5	0	0	0	3	14	3	28
29	0		67	0	0	0	0	3	103	0	14	1	29
30	0	X	0	0	0	0	0	0	6	18	3	11	30
31	0	X	0	X	0	X	0	0	X	9	X	2	31
Total	473	144	105	414	129	197	5.48 538	232	739	238	284	352	YEAR'S TOTAL 3855 ~~3845~~
Rain Days.	11	11	6	15	~~6~~ 7	9	17	10	19	14	11	23	~~153~~ 152

W, 6,500, VII. 18. W W C

cnd for auth #511

500

2 JAN 20

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

Kept at Danny Gardens Hurstpierpoint

in the County of Sussex

by J. J. Bunney

Lat. ………… Long. …………

Time of Observation …………

Nearest Railway Station …………

Diameter of Funnel of Rain Gauge ………… in.

Height of top of Gauge above Ground ………… ft. ………… in.

" " " " Sea Level ………… ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	74	0	3	0	2	0	11	0	0	14	0	108	1
2	24	0	8	0	5	0	8	0	6	0	4	5	2
3	43	0	54	0	7	0	7	0	9	0	6	21	3
4	42	0	38	0	0	2	12	11	0	0	10	8	4
5	23	38	94	0	0	0	69	0	5	0	28	21	5
6	0	0	6	0	0	0	0	0	15	5	0	56	6
7	42	0	63	0	0	0	0	0	0	7	0	~~2~~0	7
8	37	0	14	0	0	0	0	0	0	0	20	~~0~~2	8
9	48	0	9	0	12	0	0	0	0	0	0	0	9
10	76	0	8	11 ~~0~~	0	0	0	0	0	0	0	17	10
11	7	0	33	49 ~~17~~	18	0	0	0	0	0	0	21	11
12	38	3	4	0 ~~49~~	0	0	17	0	0	0	8	0	12
13	6	0	0	32 ~~0~~	0	0	0	0	0	0	0	0	13
14	97	0	0	70 ~~32~~	0	0	8	0	44	0	0	32	14
15	17	9	13	8 ~~70~~	0	0	0	0	0	0	0	121	15
16	22	43	0	0 ~~8~~	0	0	0	0	0	0	8	0	16
17	0	27	2	0	0	0	0	0	0	0	10	7	17
18	0	7	9	0	0	0	0	0	2	0	0	5	18
19	9	62	143	0	0	0	41	27	0	0	19	7	19
20	123	9	7	0	0	89	17	28	0	0	0	0	20
21	8	73	0	0	0	0	5	0	0	0	0	8	21
22	0	0	0	0	0	0	27	0	92	0	3	21	22
23	0	0	0	0	0	0	0	0	28	0	5	2	23
24	0	4	0	18	0	3	9	0	0	18	10	4	24
25	7	0	0	0	0	0	0	71	0	0	0	7	25
26	0	17	0	10	0	0	0	0	11	0	53	76	26
27	50	3	0	0	0	0	0	0	0	0	42	2	27
28	0	0	40	72	0	0	0	89	0	0	78	43	28
29	6		0	0	0	0	0	77	0	26	26	21	29
30	0		2	31	0	2	0	48	0	7	48	78	30
31	8		9		0		2	0		2		19	31
TOTAL	807	295	~~549~~ 5.59	301	44	96	233	358	212	79	378	~~906~~ 7.12	YEAR'S TOTAL 40.74
Days with ·01 in. or more	22	12	20	9	5	4	13	7	9	7	17	25	150

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

✓

RE 11

DITCHLING

SUSSEX

1911 – 1920

FORM A2.
BRITISH RAINFALL.

17 JAN 1912

Kept at Ditchl

in the County of Sus

by Edward A.

…in.

…e Ground 1 ft. in.

…ea Level 220 ft.

Name [illegible] Hassocks

Distance 2 m Direction W.

IMPORTANT NOT… the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·04	00	00	·67 67	00	00	00	00	00	00	04	·01	1
2	00	00	00	·08	·37	00	00	00	00	00	42	·40	2
3	00	00	00	00	·31	00	00	·02	00	00	14	·19	3
4	·11	00	00	00	00	00	00	00	00	·19	31	·30	4
5	00	·01	00	snow ·35	00	00	00	00	00	·84	00	·06	5
6	·51	00	·07	00	00	00	00	00	00	00	00	·68	6
7	·07	00	00	00	00	00	00	00	00	·24	1·00	·36	7
8	·07	00	·21	00	00	00	00	00	00	00	71	·30	8
9	·19	00	00	·02	00	00	00	00	00	00	28	·11	9
10	00	·11	·18	·06	00	00	00	00	00	00	00	·55	10
11	·49	00	·05	00	·26	00	00	00	00	00	1·50	00	11
12	00	00	snow ·89	00	00	00	00	00	00	00	05	00	12
13	00	00	·07	00	·15	00	00	00	59	·06	00	·36	13
14	00	·08	·02	00	·20	00	00	00	00	00	00	·71	14
15	00	·04	·14	00	00	00	00	00	00	00	15	·03	15
16	00	00	00	00	00	·39	00	00	00	00	96	·20	16
17	00	00	00	00	00	00	00	00	00	00	97	·19	17
18	00	·09	·06	00	00	00	00	00	00	00	1·17	·46	18
19	00	00	00	00	00	·10	00	00	·20	·30	04	·20	19
20	·06	00	·02	00	00	00	00	·25	·33	·08	00	·93	20
21	00	·28	00	00	00	00	00	·05	00	·75	00	·27	21
22	·06	00	·20	00	00	·19	00	·03	00	·55	00	·72	22
23	00	·27	00	00	00	·96	00	00	·32	·37	07	·37	23
24	00	·18	00	00	00	·42	00	·14	00	·26	00	·32	24
25	00	00	snow ·20	·11	00	·12	00	·05	·08	·03	00	·05	25
26	00	00	·13	·26	·05	·15	00	00	00	·36	snow 16	·36	26
27	00	·40	·31	·04	00	00	00	00	·05	·47	05	·16	27
28	00	·25	00	·16	00	00	00	·03	00	00	01	00	28
29	00	~~00~~	00	·03	00	·06	·78	·03	·22	·50	00	00	29
30	00	~~00~~	00	·02	00	·08	00	·02	·01	·31	00	·02	30
31	00	~~00~~	00		00		00	00		00		00	31
Total	1·60	1·71	2·55	1·80	1·34	2·47	·78	·62	1·80	5·31	8·03	8·31	TOTAL for year 36·32
No. of Rain Days.	9	10	14	11	6	9	1	9	8	15	18	26	136

W. 8,000, X. '11.

RE 1

FORM A2.
BRITISH RAINFALL
17 JAN 1912

Kept at Ditchling

in the County of Sussex 3

by Edward A. Martin

RAIN GAUGE	Diameter of top	5 in.
	Height of top above Ground	1 ft. in.
	" " " Sea Level	220 ft.
Time of Observation		9 a.m.
Nearest Railway Station	Name	Hassocks
	Distance	2 m Direction W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April. ·67	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·04	00	00	·67	00	00	00	00	00	00	04	·01	1
2	00	00	00	·08	·37	00	00	00	00	00	42	·40	2
3	00	00	00	00	·31	00	00	·02	00	00	14	·19	3
4	·11	00	00	00	00	00	00	00	00	·19	31	·30	4
5	00	·01	00	snow ·35	00	00	00	00	00	·84	00	·06	5
6	·51	00	·07	00	00	00	00	00	00	00	00	·68	6
7	·07	00	00	00	00	00	00	00	00	·24	1·00	·36	7
8	·07	00	·21	00	00	00	00	00	00	00	71	·30	8
9	·19	00	00	·02	00	00	00	00	00	00	28	·11	9
10	00	·11	·18	·06	00	00	00	00	00	00	00	·55	10
11	·49	00	·05	00	·26	00	00	00	00	00	1.50	00	11
12	00	00	snow ·89	00	00	00	00	00	00	00	05	00	12
13	00	00	·07	00	·15	00	00	00	59	·06	00	·36	13
14	00	·08	·02	00	·20	00	00	00	00	00	00	·71	14
15	00	·04	·14	00	00	00	00	00	00	00	15	·03	15
16	00	00	00	00	00	·39	00	00	00	00	96	·20	16
17	00	00	00	00	00	00	00	00	00	00	97	·19	17
18	00	·09	·06	00	00	00	00	00	00	00	1·17	·46	18
19	00	00	00	00	00	·10	00	00	·20	·30	04	·20	19
20	·06	00	·02	00	00	00	00	·25	·33	·08	00	·93	20
21	00	·28	00	00	00	00	00	·05	00	·75	00	·27	21
22	·06	00	·20	00	00	·19	00	·03	00	·55	00	·72	22
23	00	·27	00	00	00	·96	00	00	·32	·37	07	·37	23
24	00	·18	00	00	00	·42	00	·14	00	·26	00	·32	24
25	00	00	snow ·20	·11	00	·12	00	·05	·08	·03	00	·05	25
26	00	00	·13	·26	·05	·15	00	00	00	·36	snow 16	·36	26
27	00	·40	·31	·04	00	00	00	00	·05	·47	05	·16	27
28	00	·25	00	·16	00	00	00	·03	00	00	01	00	28
29	00	~~00~~	00	·03	00	·06	·78	·03	·22	·50	00	00	29
30	00	—	00	·02	00	·08	00	·02	·01	·31	00	·02	30
31	00	—	00		00		00	00		00		00	31
Total	1·60	1·71	2·55	1·80	1·34	2·47	·78	·62	1.80	5.31	8·03	8·31	TOTAL for year 36·32
No. of Rain Days.	9	10	14	11	6	9	1	9	8	15	18	26	136

W. 8,000, X. '11.

Cov DL

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.
29 JAN 1913

Kept at Ditchling
in the County of Sussex 3
by Mr. G. J. Hope
(per E. A. Martin F.G.S.)

RAIN GAUGE
Pattern As before
Diameter of top 5 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level 220 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Hassocks
Distance 2 m. Direction W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·09	·01		·39	·10		·04	·89		·37	1
2			·37 ~~·09~~				·28						2
3		·04	·04 ~~·37~~			·25	·04	·65				·02	3
4	·32		·54 ~~·04~~			·14		·03			·21		4
5	·31	·16	·18 ~~·54~~					·37			·07	·04	5
6	·55	·15	~~·18~~		·03	·03		·53	·02			·14	6
7					·28	·63		·33				·18	7
8	·56	·46	·30			·05		·03				·05	8
9	·03	·07	·05			·30	·07	·46				·20	9
10		·10	·04			·01	~~·07~~	·44	~~·01~~	·01	·04	·32	10
11	·05	·53	·02					·01				·21	11
12		·11	·05		·14	·04		·31	~~·01~~	·01			12
13		·02	·07								·06	·24	13
14					·07			·34	~~·07~~	·07		·02	14
15		·03	·10		·15	·61					·01	·22	15
16	·28		·35		·07	·11		·15	~~·11~~	·11	·02		16
17	·28		·40			·09		·12			·20	·41	17
18	·09		·82					·07	~~·06~~	·06		·19	18
19	·05	·11	·41				·04	·37					19
20	·04	·01	·91				~~·04~~	·03	~~·50~~	·50	·06		20
21	·02	·16	·50		·05			·16	~~·27~~	·27	·03		21
22	·07	·66	·09					·24				·03	22
23	·50	·17	·42					·19	~~·10~~	·10	·16	·11	23
24	·03	·05						·29	~~·03~~	·03		·15	24
25	·10					·32		1·01		·02	·36	·61	25
26		·07				·06		·11		·39	·40	·33	26
27						·04				·27		·43	27
28		·07					·22	·18	·19	·89	1·11	·31	28
29		·04				·03	·21	·75	2·46	·05	·02		29
30					·49		·04	·50	1·51	·50			30
31							·29	·16	=				31
Total	3.28	3.01	5.45	·01	1·28	3.10	1·29	7.83	4.22	4.17	2.75	4.58	TOTAL for year 40.97
No. of Rain Days	16	19	20	1	8	16	9	26	5	16	14	21	171

7,000. X. '09.

FORM A.
BRITISH RAINFALL.

23 FEB 1914

REGISTER OF RAINFALL IN 1913

Ex. Hob

Kept at Ditchling

in the County of Sussex 3

by Edward A. Martin F.G.S.

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Hassocks

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 220 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·05	·53	·22	·15		15				·06	·15	·16	1
2	·05	·19			1.00		·10			·40	·27	·02	2
3	·02		·05	·33	·35					·01		·14	3
4	·54		·07		·03				1·21	·40	·14		4
5	·25	·07	·02			·18	·08		·31	·03	·60	·01	5
6		·03	·09		·07	·32	·30		·02	·35	·14	·25	6
7		·31	·07		·08	·09	·01			·16	·21	·01	7
8	·01	·03	·02		·19	·07	·09	·70		·21	·05	·02	8
9		·02		·01	·17		·61		·19	·01	·05		9
10				·10						·06	·66		10
11	1.07			·50						·75	·16		11
12		·01			·54						1.18		12
13	·56	·01	·02						·16		·19		13
14	·50		·15	·08			1·28	·03	·13	·06	·19		14
15	·26	·02	·33	·48			·28						15
16	·26		·58	·20			~~·3~~		·20				16
17	·08	·07	·02	·06			·38				·01	·02	17
18			·15	·30			·02				·20		18
19	·37		·10		·01		·16		·62				19
20	·38 ~~·37~~		·10			·30				·63	·05		20
21	~~·38~~		·15	·22						·75	·90		21
22	·31		·38	·15				·06	·09	·01			22
23	~~·37~~		·09			·02		·08				·81	23
24	·10							·02		·01	·07		24
25	~~·10~~	·01		·06									25
26			·10	·21			·01	·16		·85		·26	26
27			·18							·04			27
28	·09		·36	·05						·14			28
29	·21 ~~·09~~		·06	·09	·51			·18		·30	·01		29
30	·73 ~~·21~~		·10	·32				·39		·16			30
31				·18				·85		·22			31
Total	5.84	1.30	3.41.	3.49	2.95	1.13	3.32	2.47	2.93	5.61	5.23	1.70	YEAR'S TOTAL 39.38 ✓
Rain Days.	19	12	23	18	10	7	12	9	9	22	19	10	170 ✓

W.7,000, XI. 13

Ex LNSC

FORM A.
BRITISH RAINFALL.

5 - JAN

REGISTER OF RAINFALL IN 19 14

Kept at Ditchling

in the County of Sussex

by E. A. Martin

3

Lat. Long.

Time of Observation 9 am

Nearest Railway Station Hassocks

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 220 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			.02	.11		.04	.05	.15			.12	.15	1
2						~~.04~~	.06	.02			.20	.11	2
3			.10	.06	.35		.06	.05			.01		3
4	.02		.01	.38	.01	.02		.10			.49	.37	4
5	.18		.07	.41	.05	.09	.16	.03				.01	5
6		.10	.01 .16	.22	.07	.12		.07			.02	.69	6
7		.50	.60	.22	.04	.21	.08					.26	7
8	.10	.65	.85	.03		.07	.06	.15				.16	8
9	.15	.12	.04	.14					.11			1.39	9
10	.11	.11	.69	.19	.12	.03			.06		.01	.02	10
11		.50	.12	.06					.31	.04	.03	.65	11
12		.07	.27				.67		.45		.04	.75	12
13		.73	.16						.15	.32	.06	.67	13
14		.27	.29				.06				.19	.69	14
15		.09						.10			.94		15
16		.11					.09		.18				16
17		.70	.19				.03		.27			.41	17
18		.05	.39									.50	18
19		.15	1.08				.30			.02	.23	.21	19
20		.18	.09							.01		.31	20
21		.77	.07			.09				.10		.04	21
22		.11	.01		.05	.08	.06	.02		.55			22
23			.31		.01	.95						.01	23
24			.06								.10		24
25			.29					.07		.47	.02		25
26	.10		.16				.02	.20		.10	.17	.55	26
27	.02										.11	.72	27
28	.03	.04					.30			.42	.40	.48	28
29	.15		.04							.60	.20	.03	29
30	.01		.17	.02						.10	1.25	.48	30
31	.02				.23					.01		.03	31
Total	.89	5.25	6.25	1.84	.93	1.70	2.00	.96	1.53	2.74	4.59	9.69	YEAR'S TOTAL 38.37
Rain Days.	11	18	26	11	9	10	14	11	7	12	19	25	173

W. 8,000. X. 14.

570

FORM A.
BRITISH RAINFALL.
19. JAN 1916

REGISTER OF RAINFALL IN 19 15

Kept at Ditchling
in the County of Sussex 3
by Edwd. A. Martin

Lat. .... Long. ....
Time of Observation 9 am
Nearest Railway Station Hassocks
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. — in.
" " " " Sea Level as before ft. 220

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·65	·30	·06				·02	·05	·86	·08	·10	·27	1
2	·42	·24	·25	·12				·15	·02	·15		·20	2
3	·41		·03	·23	·07			·01	·05			·52	3
4	·09			·01				·02				·52	4
5	·03	·64						·18			·02	·59	5
6	·49	·40	·07	·61			·40					·30	6
7	·26	·55	·08	·05		·06	·05					·39	7
8	·04	·50					·15				·05	·02	8
9	·02	·32		·26		·19		·03			·57	·85	9
10	·30											·65	10
11	·01	·02	·02							·02	1·12		11
12	·03	·31			·30						1.00		12
13	·02	·81			1·76				·07				13
14	·05	·02					·10	·03	·06			·86	14
15	·16	·06			·06		·33	·67		·01	·15	·50	15
16		·88			·09		1.52	·48				·18	16
17		·38			1·50			·01				·02	17
18		·13			·24						·07		18
19	·01	·06											19
20	·22			·02	·05							·18	20
21	·13									·27		·02	21
22	·25	·01	·08	·06			1.07			·10		·30	22
23	·10	·09	·14			·02	·02		·03	·24		·65	23
24									·40	·60		·42	24
25			·05	·01			·23					·43	25
26		·16				·03						·81	26
27		·04				·02	·08			·75		·06	27
28		·07				·20			1.55	·31		~~·05~~	28
29		X					·93	·30		·03	·76	·03	29
30	·19	X				·02			·08	·24	·39	·04	30
31		X		X		X		·51	X	1·17	X	·22	31
Total	3.88	5.99	·78	1.37	4.07	·54	4.90	2.44	3.12	3.97	4.23	9.03	YEAR'S TOTAL 44·32
Rain Days.	21	21	9	9	8	7	12	12	9	13	10	25	156

W. 8,000. X. 15.

Exd C3E 559

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL.
6 JAN 1917

Kept at Ditchling
in the County of Sussex
by Edward A. Martin

Lat. .... Long. ....
Time of Observation 9 a.m.
Nearest Railway Station Hassocks
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level as before ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·07	·01			·16				·06		·45		1
2	·53	·08	·41		·35		·03			·84			2
3	·03	·30	·21				·03		·12	·59	·79		3
4	·25	·07				·82			·24	·11	·39		4
5	·04	·02			·17	·13	·01			·05	·52		5
6	·01	·10		·11	·01	·24	·50			·05	·35		6
7		·04	·71		·28	·06				·03	·53	·05	7
8		·04			·35						·11	·75	8
9					·34	·01						·20	9
10		·50	·03	·05		·49	·09			·15	·01	·47	10
11		·15		·23		·12						·07	11
12	·06	·06	·07	·04	·09	·13	·23			·05	·01		12
13	~~·27~~	·26	·23		·09		·01		·03				13
14	~~·01~~	·50	·21		·09			·06		·03		·16	14
15	~~·33~~	·07	·11	·03									15
16	·02 ~~·20~~	·02	·26	·13			·07	·04					16
17	·27 ~~·03~~	·18		·13			·03	·06	·35	·92			17
18	·01	·06		·03				·26	·34	·15	·73	·07	18
19	·33 ~~·02~~		·11	·31		·01		·03	·09		·92	·27	19
20	·20		·10	·03		·02					·32	·74	20
21	·03		·31				·04				·04	·36	21
22			·03							·03	·02	·74	22
23	·02	·24	·03			·09				·12	·07	·04	23
24			·01		·13					·37	·09	·44	24
25		·61	·29					·65	·01	·19	·05		25
26	·01					·36		·25	·30	·31		·03	26
27	·01	·84	·75			·04		·10	·19	·43		·17	27
28		·71	·10			·19		·10	·37	·20		·51	28
29		·27				·45		·74	·20	·62			29
30		✕			·19	·01		·02		·62			30
31		43 ✕		✕		✕		·03	✕	·03	✕		31
Total	1·89	5·13	3·97	1·09	2·25	3·17	1·04	2·33	2·30	5·89	5·40	5·07	YEAR'S TOTAL 39·53
Rain Days.	17 16	22	18	10	12	16	10	12	12	21	17	16	4 183 182

W. 8,000, VIII. 16

533

FORM A.
BRITISH RAINFALL.

24. JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Ditchling Sussex

in the County of

by E. A. Martin

Lat. Long.

Time of Observation before

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall ~~Observers,~~*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·02	·19				1·71	·13		·05	·02	1
2				·25			1·01	·04		·03	·19		2
3				·14			·09	·21		·10	·01		3
4			·25					·10		·20			4
5	·41	·25	·03	·05				·12	·32	·10	·06		5
6			·35	·05		·46			·33		·14	·01	6
7	·42						·16			1·10		·07	7
8	·08			·10			·16	·15		·27	·34	·35	8
9			·08				·17			·01	·03	·55	9
10	·22		·10	·06		·39		·19					10
11	·13		·14	·45				·15	·03	·62			11
12	·03		·01	·12				·12		·21	·01		12
13	·02		·23		·09			·02	·04	·31	·01		13
14			·02	·20				·66				·02	14
15	·02				·15			·13		·36		·08	15
16		·37		·14	·06					·76	·01	1·65	16
17				·13	·18		·37	·01	·36	·31			17
18	·03	·03		·12	·05		·21	·14	·34				18
19	·01	·17	·05		·04	·24			·20				19
20		·10	·05		·33		·01						20
21			·03		·04								21
22			·02			·46		·18		·24			22
23		·27			·21			·15		·05			23
24		·05				·12	·18	·06		·24	·03		24
25		·10	·05			·07	·03			·03			25
26			·04					·35	·05		·85		26
27					·04			1·25					27
28			·08			1·34		·40					28
29					·01		·10	·08		·47		·27	29
30		X	·61			·04	·57	·34		·08		·05	30
31	·10	X		X		X	·27		X	·02	X	·11	31
Total	1·47	1·34	2·16	2·00	1·20	3·12	3·33	6·56	1·80	5·61	1·73	3·18	YEAR'S TOTAL 33·50
Rain Days.	11	8	18	14 13	11	8	13	22	9	20	12	11	157

156

W. 8,000, IX. 17.

W. M. L.

60

FORM A.
BRITISH RAINFALL.
14 2 19

REGISTER OF RAINFALL IN 1918

Kept at Sillwood House Ditchling.

in the County of Sussex

by Edward A. Martin

Lat. as ~~Long.~~ before

Time of Observation 9 am

Nearest Railway Station Hassocks

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground as before ft. in.

" " " " Sea Level as before ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			05		01								1
2				02				30					2
3		01	10	08	41			10					3
4		10	02	09				05	06				4
5		6	04		03			34					5
6	09	21		19	25	01		53					6
7		11		15	16			02	15				7
8		02							18				8
9				10		10	10		64				9
10				08		06	52		75				10
11	04						20		05				11
12		(.14)			16		01		03				12
13	56				11		07		21				13
14	46		09		02	05	36		45				14
15	1.43			18		06	07		02				15
16				05		45	03		19				16
17	65			15			88						17
18	60					54			54				18
19	06		10	02		18							19
20	04			1.22		05	50		33				20
21	24	26		1.37			62		38				21
22	19				15		60		1.10				22
23	11			03			47	05	03				23
24		23		01		03	05		31				24
25	02			03			01	20					25
26							20		03				26
27		08	04	05			19	21	23				27
28			27	11									28
29									1.25				29
30			48						06				30
31	02												31
Total	4.53	1.26	1.19	3.93	1.30	1.56	4.88	1.80	7.04	2.18	2.47	2.78	YEAR'S TOTAL 34.92
Rain Days.	14	9 10	9	18	9	10	17	9	21				

Unfortunately in these three months, monthly totals only have been taken. The house was sublet, and the Gardener had only occasional access. I only heard of this in December.

E.A.M.

W, 6,500, VII. 18. w w c

Ex. Hob

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

24 JAN 20

Kept at Ditchling

in the County of Sussex

by E. A. Martin

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

„ „ „ „ Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	1.25									14	32	90	1
2							20	+					2
3			19		27				02			45	3
4						02				14			4
5			91	09	~~09~~								5
6								14	28			60	6
7							49						7
8	85	37	1.42		~~38~~						16		8
9													9
10			21		11						15		10
11	1.65												11
12			31	38	~~38~~		18						12
13	34				10								13
14				62	~~62~~		06						14
15	60		02						33	06 ~~08~~		1.06	15
16							02						16
17			16								15	60	17
18	40												18
19		95		27	03 ~~27~~						27		19
20								47	03	02			20
21						84	47				05		21
22	1.06	1.17	1.49									15	22
23							26						23
24							05		1.11		04	20	24
25						04				14			25
26				25	~~25~~						15		26
27								63	08			90	27
28		17		96	~~96~~								28
29	1.06		47							10	2.02	34	29
30				03	~~03~~			1.85					30
31			15					66		16		1.17	31
TOTAL	7.21	2.66	5.33	2.60	·51	·90	1.73	3.75	1.85	.76	3.31	6.37	YEAR'S TOTAL 36.98 ✓
Days with ·01 in. or more													

This Return was not taken day by day, but only when a visit was made to the site of rain-gauge. Sorry could not arrange otherwise.

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

475

FORM A. 1. No D.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

6 JUN

Kept at Sillwood House Ditchling

in the County of Sussex

by G. J. Hope

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

„ „ „ „ Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	4·78	·56	2·26	3·62	1·33	1·71	4·91	1·48	3·57	3·21	3·64	5·07	1
2													2
3													3
4													4
5													5
6													6
7													7
8													8
9													9
10													10
11													11
12													12
13													13
14													14
15													15
16													16
17													17
18													18
19													19
20													20
21													21
22													22
23													23
24													24
25													25
26													26
27													27
28													28
29													29
30		✕											30
31		✕		✕		✕			✕		✕		31
TOTAL													YEAR'S TOTAL
Days with ·01 in. or more													36·04
Days with ·04 in. or more													

(14,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

end 83

475

M A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

16 JUN 1921

Kept at Ditchling
in the County of Sussex
by Miss Tuppen

Lat. Long.
Time of Observation
Nearest Railway Station As Before
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
„ „ „ „ Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2													2
3													3
4													4
5													5
6													6
7													7
8													8
9													9
10													10
11													11
12													12
13													13
14													14
15													15
16													16
17													17
18													18
19													19
20													20
21													21
22													22
23													23
24													24
25													25
26													26
27													27
28													28
29													29
30		X											30
31		X		X		X			X		X		31
TOTAL	4.78	·56	2.26	3.52	1.33	1.71	4.91	1.48	3.57	3.21	3.64	5.07	YEAR'S TOTAL 36.04
Days with ·01 in. or more													
Days with ·04 in. or more													

Changed to Monthly Reading to
[illegible] be altered
and to Miss Tuppen
Silwood House
Ditchling
[illegible] Hill

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

S made

REGIST

EASTBOURNE
{ARUNDEL ROAD}
SUSSEX
1911-16, ~~17~~ 18-20

FORM A2.
BRITISH RAINFALL.
5 - JAN 1912

1

usher

Kept at "Glenthorne". aru
Eastbo
in the County of Sussex
by Miss Woodd

8 in.
ve Ground 1 ft. 6 in.
Sea Level 86 ft.
. a.m
Name Eastbourne
Distance ¼ mile Direction S

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·11	—	[illegible]	·70	—	—	—	·19	—	—	·05	—	1
2	·02	—	·01	·01	·29	—	—	—	—	·01	·30	·32	2
3	·05	—	—	—	·18	—	—	—	—	—	·06	·43	3
4	·09	—	·09	·23	—	—	—	—	—	·21	·32	·18	4
5	·23	·01	—	·05	—	—	—	—	—	·01	·07	·31	5
6	·08	—	[illegible]	·11	—	—	—	—	—	·15	—	·43	6
7	·16	—	[illegible]	·01	—	—	—	—	—	·67	1·17	·30	7
8	·19	—	·18	—	—	—	—	—	—	·01	1·07	·34	8
9	—	—	·01	·04	—	—	—	—	—	—	·90	·09	9
10	·81	·11	·06	·06	—	—	—	—	—	·02	·03	·64	10
11	·01	—	—	—	·04	—	—	—	—	—	1·50	·05	11
12	—	—	1·19	—	—	—	—	—	—	·03	·14	—	12
13	—	—	·09	—	·15	—	—	—	·23	·26	—	·24	13
14	—	·07	·01	—	·09	—	—	—	—	·01	—	·46	14
15	—	·04	·12	—	—	—	—	—	—	·02	·14	·31	15
16	·02	·04	—	—	—	·34	—	—	—	·01	·40	·13	16
17	·01	·13	—	—	—	·05	—	—	—	—	·05	·07	17
18	—	·02	·02	—	—	—	—	—	—	·02	·60	·37	18
19	—	—	—	—	—	—	—	—	·12	·26	·04	·15	19
20	·02	·17	·02	—	—	—	—	1·84	·34	·08	—	·55	20
21	·04	—	—	—	—	—	—	·01	—	·56	—	·14	21
22	·06	·24	·25	·05	—	·14	—	·69	—	·23	—	·59	22
23	·08	·35	·06	·01	—	1·06	—	—	·43	1·43	·02	·15	23
24	·03	·06	—	—	—	·16	·07	·10	—	·27	—	·41	24
25	—	—	·20	·13	—	·04	—	—	·08	·06	—	·02	25
26	—	·45	·17	·31	—	·14	—	—	—	·30	·15	·42	26
27	—	·27	·20	·05	—	—	—	—	·05	·66	·01	·16	27
28	·02		—	·21	—	—	—	—	—	—	·02	·01	28
29	—		—	—	—	·15	·23	—	·43	·53	·01	·01	29
30	—		—	·05	—	·13	—	—	—	·23	—	·02	30
31	—		—		—		—	—		—		·01	31
Total	2·03	1·96	2·78	2·02	·75	2·21	·30	2·83	1·68	6·04	7·05	7·31	TOTAL for year 36·96
No. of Rain Days	18	13	19	15	5	9	2	5	7	24	21	29	167

9,000, IX. '10.

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.
5 - JAN 1912

Kept at "Glenthorne" Arundel Road
Eastbourne
in the County of Sussex 5

by Miss Woodd

RAIN GAUGE
Pattern Glaisher
Diameter of top 8 in.
Height of top above Ground 1 ft. 6 in.
" " " Sea Level 86 ft.

Time of Observation 9. a. m

Nearest Railway Station
Name Eastbourne
Distance ¼ mile Direction S

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·11	—	·01	·70	—	—	—	·19	—	—	·05	—	1
2	·02	—	·01	·01	·29	—	—	—	—	·01	·30	·32	2
3	·05	—	—	—	·18	—	—	—	—	—	·06	·43	3
4	·09	—	·09	·23	—	—	—	—	—	·21	·32	·18	4
5	·23	·01	—	·05	—	—	—	—	—	·01	·07	·31	5
6	·08	—	[illegible]	·11	—	—	—	—	—	·15	—	·43	6
7	·16	—	[illegible]	·01	—	—	—	—	—	·67	1·17	·30	7
8	·19	—	·18	—	—	—	—	—	—	·01	1·07	·34	8
9	—	—	·01	·04	—	—	—	—	—	—	·90	·09	9
10	·81	·11	·06	·06	—	—	—	—	—	·02	·03	·64	10
11	·01	—	—	—	·04	—	—	—	—	—	1·50	·05	11
12	—	—	1·10	—	—	—	—	—	—	·03	·14	—	12
13	—	—	·09	—	·15	—	—	—	·23	·26	—	·24	13
14	—	·07	·01	—	·09	—	—	—	—	·01	—	·46	14
15	—	·04	·12	—	—	—	—	—	—	·02	·14	·31	15
16	·02	·04	—	—	—	·34	—	—	—	·01	·40	·13	16
17	·01	·13	—	—	—	·05	—	—	—	—	·05	·07	17
18	—	·02	·08	—	—	—	—	—	—	·02	·60	·37	18
19	—	—	—	—	—	—	—	—	·12	·26	·04	·15	19
20	·02	·17	·02	—	—	—	—	1·84	·34	·08	—	·55	20
21	·04	—	—	—	—	—	—	·01	—	·56	—	·14	21
22	·06	·24	·26	·05	—	·14	—	·69	—	·23	—	·59	22
23	·08	·35	·06	·01	—	1·06	—	—	·43	1·43	·02	·15	23
24	·03	·06	—	—	—	·16	·07	·10	—	·27	—	·41	24
25	—	—	·20	·13	—	·04	—	—	·08	·06	—	·02	25
26	—	·45	·17	·31	—	·14	—	—	—	·30	·15	·42	26
27	—	·27	·20	·05	—	—	—	—	·05	·66	·01	·16	27
28	·02		—	·21	—	—	—	—	—	—	·02	·01	28
29	—		—	—	—	·15	·23	—	·43	·53	·01	·01	29
30	—		—	·05	—	·13	—	—	—	·23	—	·02	30
31	—		—		—		—	—		—		·01	31
Total	2·03	1·96	2·78	2·02	·75	2·21	·30	2·83	1·68	6·04	7·05	7·31	TOTAL for year 36·96
No. of Rain Days	18	13	19	15	5	9	2	5	7	24	21	29	167

9,000, IX. '10.

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.

7. JAN 1913

Ex. Hob

Kept at "Glenthorn" Arundel Road Eastbourne
in the County of Sussex 5
by Miss Woodd

Lat. Long.
Time of Observation 9 a m
Nearest Railway Station Eastbourne
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 86 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01	—	·03	·01	—	·10	·14	·03	·20	·50	·01	·19	1
2	—	·07	·13	—	—	·53	·20	—	—	—	—	—	2
3	—	—	·03	—	—	·25	·03	·13	·06	—	·02	—	3
4	·31	—	·52	—	—	·56	—	·02	—	·01	·21	—	4
5	·25	·27	·06	—	—	·22	—	·10	—	—	·08	·02	5
6	·69	·17	—	—	—	·02	—	1·03	—	—	·01	·11	6
7	—	·01	—	—	·31	·53	—	·28	—	—	·01	·04	7
8	·72	·18	·15	—	—	·02	·02	·64	—	—	—	·02	8
9	·02	·05	—	—	—	—	·06	·27	—	—	—	·07	9
10	·01	·04	—	—	·01	·13	—	·05	—	·01	·10	·45	10
11	·05	·30	—	—	—	·12	—	·06	—	·01	—	·19	11
12	—	·15	·02	—	—	—	—	·73	—	—	—	·08	12
13	—	·04	·04	—	—	—	·11	—	—	—	·08	·19	13
14	—	—	·01	—	·05	—	—	·10	—	·08	·01	·01	14
15	—	·08	·09	—	·16	·69	—	·03	—	—	—	·33	15
16	·14	·02	·26	—	·14	·17	—	·22	—	·13	·01	—	16
17	·48	·01	·39	—	·01	·10	—	·08	—	—	·04	·08	17
18	·05	·02	·47	—	—	—	—	·73	—	·04	·01	·29	18
19	·10	·21	·36	—	—	·04	·04	·21	—	—	·04	—	19
20	·01	·01	·61	—	—	—	—	·03	—	·76	·06	—	20
21	·01	·22	·17	—	·08	—	·05	·35	—	·55	·06	—	21
22	·08	·42	·07	—	—	·01	—	·36	—	·02	—	·03	22
23	·37	·27	·45	—	—	—	—	·35	—	·21	·21	·03	23
24	·12	·07	·01	—	—	—	·05	·32	—	·10	—	·20	24
25	·50	·02	—	—	—	·43	·04	·93	—	·02	·41	·44	25
26	·02	·08	—	—	—	—	·04	—	—	·25	·21	·81	26
27	—	·02	—	—	—	—	—	·08	—	·16	·63	·66	27
28	—	·07	—	—	—	·02	·34	·11	—	—	·07	·10	28
29	—	·01	—	—	—	—	·18	—	1·45	·20	—	—	29
30	—		—	—	·51	·11	—	·05	1·47	·18	—	—	30
31	—		·03		—		·10	·21		—		—	31
Total	3·94	2·81	3·90	·01	1·27	4·05	4·40	7·50	3·18	3·23	2·28	4·34	YEAR'S TOTAL 37·91
Rain Days.	19	25	20	1	8	18	14	27	4	17	20	21	194

W. 7,500, XI. 12

REGISTER OF RAINFALL IN 19/3

FORM A.
BRITISH RAINFALL.

6-JAN 1914

Kept at Glenthorne. Arundel Rd
Eastbourne
in the County of Sussex
by Miss Gertrude J Wooda

5

Lat. 50·46 Long. 0·17E
Time of Observation 9. a. m
Nearest Railway Station Eastbourne
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 86 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02	·58	·08	·12	—	·02	—	—	—	·06	·12	·18	1
2	·04	·18	—	—	—	—	·08	—	·10	·02	·15	·07	2
3	—	—	·05	·29	·21	—	—	—	—	·01	—	·24	3
4	·19	—	·10	—	·02	·01	·09	—	·83	·20	·27	—	4
5	·07	—	·05	—	—	·31	·06	—	·22	·09	·41	·03	5
6	—	·02	·16	—	·04	·16	·09	—	—	·72	·37	·16	6
7	—	·21	·11	—	·02	·04	·12	—	—	·11	·20	—	7
8	—	·06	—	—	·10	·03	—	·19	—	·20	·07	·04	8
9	—	·14	—	·01	·11	—	·06	—	·14	—	·02	·03	9
10	·07	—	—	·02	—	·02	·30	—	—	·23	·78	—	10
11	1·05	—	—	·65	—	—	—	—	—	·65	·01	·02	11
12	—	—	—	—	·31	—	—	—	—	·01	·58	·02	12
13	·75	·02	·03	—	—	—	—	·02	·06	—	·29	—	13
14	·20	—	·10	·04	—	—	·18	·02	·25	·03	·06	·01	14
15	·20	—	·36	·34	—	—	·30	—	·12	—	·02	·03	15
16	·21	—	·63	·23	—	—	—	—	·13	—	·01	—	16
17	·16	·05	—	·02	—	—	·21	·02	—	—	·04	·02	17
18	·08	—	·06	·17	·03	—	·04	—	—	—	·17	—	18
19	·07	—	·11	—	·13	—	·12	·02	·20	—	—	—	19
20	·31	—	·03	·15	—	·10	—	—	—	·30	·02	—	20
21	—	—	·03	·42	—	—	—	—	·01	·80	·72	—	21
22	·35	—	·07	—	·03	—	—	—	·05	—	·01	—	22
23	·03	—	·01	—	—	—	·05	·02	—	—	—	·81	23
24	·11	—	·02	—	—	·02	~~0~~	—	—	·01	·09	—	24
25	—	·01	—	·28	—	—	·01	—	—	—	—	—	25
26	—	·01	·12	—	—	—	·02	·21	—	1·03	—	·43	26
27	—	·01	·08	—	—	—	—	—	—	·09	—	—	27
28	·11	—	·27	·09	—	—	—	·24	·02	·24	—	—	28
29	·16		·05	·50	·03	—	—	·02	—	—	·02	—	29
30	·56		—	·30	·08	—	—	·35	·02	·09	—	—	30
31	·03		·23		—		—	1·28		·27		·02	31
Total	4·75	1·29	2·75	3·63	1·11	·71	1·73	2·39	2·15	5·16	4·43	2·11	YEAR'S TOTAL 32·21
Rain Days.	21	11	22	16	12	9	15	11	13	20	22	15	187

W.7,000, XI. 13

corly mn. stats 19·11·15 –W LMcC

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

6 - JAN 1915

Kept at "Glenthorne" Arundel Rd Eastbourne

in the County of Sussex 5

by Miss G. J. Wooda

Lat. Long.

Time of Observation 9. a. m

Nearest Railway Station Eastbourne

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 86 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	·02	·02	—	—	·03	·04	—	—	·08	·01	1
2	—	—	—	—	—	·01	·20	·01	—	—	·10	·13	2
3	—	—	·17	·04	·21	—	·01	—	—	—	—	·03	3
4	·04	—	·01	·34	—	—	—	·12	—	—	·33	·45	4
5	·19	—	·19	·37	·01	—	·16	·01	—	—	—	—	5
6	—	·04	—	·20	·03	·10	—	·09	—	—	·02	·50	6
7	·15	·37	·25	·03	·01	·20	·16	—	—	—	—	·37	7
8	·11	·28	·33	·01	—	·17	·08	·01	—	—	·01	·08	8
9	·15	—	·45	·10	·01	—	—	·01	·22	—	—	1·28	9
10	·06	·05	—	·15	·16	—	—	—	·04	—	—	·02	10
11	—	·40	·43	·07	·02	—	—	—	·27	—	·07	·51	11
12	—	·10	—	—	—	·08	·29	—	·53	·04	·04	·44	12
13	—	·39	·23	—	—	·09	—	—	·23	·03	·11	·57	13
14	—	·08	·10	—	—	·01	—	·03	·02	·65	·25	·37	14
15	—	·08	·40	—	—	—	·06	·10	·07	·04	·39	·01	15
16	—	·32	—	—	—	—	·07	—	·11	—	—	—	16
17	—	·36	·20	—	—	—	·03	—	·11	—	—	·11	17
18	—	·11	·22	—	—	—	—	—	—	·06	—	·47	18
19	—	·31	·56	—	—	—	·17	—	—	·04	·18	·35	19
20	—	·10	·16	—	—	·04	·01	—	—	·05	—	·67	20
21	—	·72	·07	—	—	—	—	—	—	·05	—	·03	21
22	—	·05	—	—	·01	·27	·29	·03	—	·07	—	·01	22
23	—	—	·79	—	—	·11	·06	·01	—	—	—	·01	23
24	—	—	·09	·01	·04	—	—	—	—	·01	·21	—	24
25	·20	—	·18	—	—	—	—	·12	—	·33	·02	—	25
26	·02	—	·04	—	—	—	—	·88	—	·12	·16	·61	26
27	·01	—	—	—	—	—	—	·02	·01	—	·14	·38	27
28	·03	—	—	—	—	—	—	—	—	·74	·46	·33	28
29	·15	·04	·03	·01	—	—	—	—	—	·41	·08	·03	29
30	·02	╳	·11	—	—	—	~~·30~~ (·01)	—	—	·09	1·36	·13	30
31	·01	╳	—	╳	·31	╳	—	—	╳	—	╳	·10	31
Total	1·14	3·80	5·03	1·35	·81	1·08	1·63 ✓	1·48	1·61	2·73	4·01	8·00	YEAR'S TOTAL 32·67 ✓
Rain Days.	13	17	22	12	10	10	15	14	10	15	18	27	183 ✓

W. 8,000. X. 14.

610

FORM A.
BRITISH RAINFALL.
10 JAN 1916

Eastbourne

REGISTER OF RAINFALL IN 1915

Kept at "Glenthorne" Arundel Rd. Eastbourne
in the County of Sussex 5
by Miss G. J. Woodd

Lat. 50·46 N Long. 17
Time of Observation 9. a. m
Nearest Railway Station Eastbourne
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 86 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ☐

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·66	—	·06	—	—	—	—	—	·49	·07	·59	·21	1
2	·76	·23	·31	·18	·02	—	—	·07	·10	—	·11	·23	2
3	·32	—	·06	·34	·23	—	—	·14	—	—	—	—	3
4	·07	·01	—	—	—	—	—	—	—	—	—	·34	4
5	·07	·27	·01	·28	—	—	—	·05	—	—	—	·70	5
6	·91	·20	·10	·54	—	—	·01	—	—	—	—	·19	6
7	·35	·31	·06	·02	—	—	·04	—	—	—	—	·31	7
8	·04	·31	·04	—	·03	·34	·32	—	—	—	·03	·07	8
9	·02	·24	—	·19	—	—	—	—	—	—	·64	1·11	9
10	·32	·01	—	—	—	·10	—	—	—	—	—	·67	10
11	·01	·10	—	—	—	—	—	—	—	—	—	—	11
12	·08	·31	—	·25	·37	—	—	—	—	·05	·92	—	12
13	·01	·70	—	—	1·60	—	—	—	·09	—	·58	·01	13
14	·05	·07	—	—	—	—	·50	·39	—	—	—	·50	14
15	·09	·02	—	—	·10	—	·08	·02	—	—	—	·27	15
16	·01	·68	—	·05	·16	—	·06	·04	—	—	·27	—	16
17	—	·49	—	—	1·12	—	—	·01	—	—	—	·22	17
18	—	·08	—	—	—	—	—	—	—	—	·04	·02	18
19	—	·02	—	—	—	—	—	—	—	—	—	—	19
20	·48	—	—	·07	—	—	—	—	—	—	—	·20	20
21	·11	·01	—	—	—	—	—	—	—	—	—	·03	21
22	·03	—	·08	—	—	—	·89	—	—	·41	—	·18	22
23	·04	·06	·07	—	—	·04	—	—	—	—	—	1·07	23
24	—	·02	·08	·02	—	—	—	—	·26	·08	—	·42	24
25	—	—	—	·03	—	—	·17	—	—	1·23	—	—	25
26	—	·05	—	—	—	—	—	—	—	—	—	·60	26
27	—	·01	—	—	—	·11	·09	—	—	·44	—	·50	27
28	—	·04	—	—	—	·31	—	—	·87	·32	—	—	28
29	—	X	—	—	—	—	—	·15	—	—	·30	·03	29
30	·37	X	—	—	·03	—	—	—	—	·21	·32	·02	30
31	·07	X	—	X	—	X	—	—	X	·80	X	·18	31
Total	4·87	4·24	·87	1·97	3·66	·90	2·16	·87	1·81	3·61	3·80	8·08	YEAR'S TOTAL 36·84
Rain Days.	22	23	10	11	9	5	9	8	5	9	10	24	145

W. 8,000. X. 15.

~~W~~ DL 601

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

11 JAN 1917

Kept at "Glenthorne" Arundel Road Eastbourne
in the County of Sussex
by Miss G. J Wooda

Lat. 50·46 Long. 17
Time of Observation 9 a m
Nearest Railway Station Eastbourne
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 86 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·07	~~·03~~	—	—	·23	·06	—	—	·02	—	·99	—	1
2	·41	·03	·20	—	·30	·01	—	—	—	·94	·01	—	2
3	·02	·25	·07	—	—	·09	·12	—	·15	·01	—	—	3
4	·13	·03	—	—	—	·31	—	—	·32	·25	—	—	4
5	·04	·02	—	—	·17	·60	—	—	—	·12	·79	·01	5
6	·01	·08	—	·03	·07	·18	·33	—	—	·06	·29	—	6
7	·02	—	·58	·33	·33	—	—	—	—	·05	·41	·06	7
8	·01	·12	—	—	·34	—	—	—	—	—	·06	·32	8
9	—	·01	—	—	·27	—	—	—	—	—	—	·17	9
10	—	·60	—	·11	—	·27	·04	—	—	—	·01	·29	10
11	·05	·16	·04	·18	—	·15	—	—	—	—	—	·16	11
12	·05	·10	·19	·05	·17	·18	·12	—	—	·15	—	—	12
13	—	·18	·10	·01	·02	·02	·01	·08	·10	·02	·01	·12	13
14	—	·50	·06	—	·20	—	—	·46	—	·07	—	·35	14
15	·01	·23	·05	—	—	—	—	—	—	—	—	—	15
16	·02	·04	·16	·36	—	—	·10	·03	—	—	—	—	16
17	·31	·14	—	·07	—	—	·08	—	·43	·79	—	—	17
18	·06	·07	—	—	—	—	—	·08	·22	·22	1·07	—	18
19	·13	—	·08	·29	—	—	—	·02	·10	—	1·36	·15	19
20	·04	·02	·13	·13	—	—	—	—	—	—	·16	—	20
21	·04	—	·33	·13	—	—	—	—	—	—	·14	·65	21
22	—	·04	·07	·03	—	—	—	—	—	—	·02	—	22
23	·03	·11	·13	—	—	·20	—	—	—	—	·05	·60	23
24	—	—	·03	—	·20	—	—	—	—	·38	·19	·40	24
25	—	·64	·17	—	—	·01	—	·50	—	·37	—	·01	25
26	·02	·53	—	—	—	·07	—	—	·02	·09	—	·17	26
27	·01	·17	·66	—	—	·17	—	·07	·13	·68	—	·01	27
28	·02	·56	·03	—	—	·22	—	·18	·24	·45	—	·33	28
29	—	·16	—	—	—	·31	—	·43	·04	·82	—	·53	29
30	—	X	·01	—	—	—	—	·06	—	·23	—	·01	30
31	—	X	—	X	—	X	—	—	X	·33	X	—	31
Total	1·50	4·79	3·09	1·72	2·30	2·85	·80	1·91 1·91	1·77	6·03	5·56	4·34	YEAR'S TOTAL 36·66 36·66
Rain Days.	21	24	19	12	11	16	7	10	11	19	15	18	183

W. 8,000, VIII. 16

W JL cod by own stats

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL

9.1.19

Kept at Woodside. 7 Arundel Rd, Eastbourne
in the County of Sussex
by Miss G. J. Woodd

Lat. .... Long. ....
Time of Observation 9. a. m
Nearest Railway Station Eastbourne
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. .... in.
" " " " Sea Level 86 – 96 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·32	—	—	—	·08	—	—	│	—	—	·02		1
2	—	·02	—	—	—	—	—	│	—	·02	·68	·27	2
3	—	—	—	·19	—	—	—	│	—	—	—	·01	3
4	—	·06	—	—	·43	—	—	│	·14	·02	·82	·04	4
5	—	·34	·06	—	·04	—	—	·50	·04	·02	—	—	5
6	—	·14	—	·12	·15	—	—	·18	—	·03	·14	·06	6
7	·33	·06	—	—	·33	—	—	·21	—	·03	—	·06	7
8	—	·09	—	·02	·10	·02	—	·10	·14	—	·24	·19	8
9	~~·33~~	—	—	·18	—	·23	·25	—	·68	—	·02	·18	9
10	—	—	—	—	—	·10	·11	—	·43	·14	—	·09	10
11	—	—	—	—	—	—	·07	—	·67	·87	—	·01	11
12	·01	—	—	—	—	—	·03	—	│	·02	—	·03	12
13	·27	—	·04	—	—	—	·21	—	│	—	—	·12	13
14	—	·20	—	—	—	·09	·17	—	│	·42	—	·20	14
15	1·69	—	—	—	—	—	—	—	│	—	—	·23	15
16	·35	—	·10	—	—	—	·20	—	│	·02	—	·07	16
17	·41	—	—	·13	—	·19	·24	·04	│	—	—	—	17
18	·16	—	—	—	—	·26	·01	—	·98	·02	—	—	18
19	·16	—	·15	·10	—	—	—	—	·88	·07	·08	·03	19
20	·02	·14	—	·77	—	·07	1·24	·02	·34	·50	·01	·24	20
21	·06	—	·02	·75	—	—	—	—	·65	·07	—	·04	21
22	·12	—	—	—	·35	—	·85	—	·33	·02	—	—	22
23	·10	—	—	·05	—	—	·39	—	—	—	—	—	23
24	—	·07	—	—	—	—	·01	—	·27	—	·06	~~·22~~	24
25	·02	—	—	·03	—	—	·01	·52	—	—	·01	~~·22~~	25
26	—	—	—	—	—	—	·38	—	·13	·02		·22	26
27	·02	—	·05	·11	—	—	·19	·33	·17	—	│	·18	27
28	—	—	·25	—	·09	—	·01	—	—	·05	│	·03	28
29	·01	—	—	·10	—	—	—	—	·87	—	│	—	29
30	—	✕	·55	—	—	—	—	·03	·04	·15	·54	·14	30
31	—	✕	·02	✕	—	✕	·07	·02	✕	·07	✕	—	31
Total	4·05	1·12	1·24	2·55	2·57	·96	4·44	1·95	6·76	2·56	2·62	2·44	YEAR'S TOTAL 33·26
Rain Days.	16	9	9	12	8	7	18	12?	18?	19	12?	21	161

W, 6,500, VII. 18. W W C

ent for auth ~~XF~~ RL 5'34

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

FEB 20

Kept at Woodside Jarvis Rd.
in the County of Eastbourne Sussex
by Gertrude J Woodd (Miss)

Lat. 50·46N Long. 17
Time of Observation 9 a.m
Nearest Railway Station Eastbourne
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 96 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·34	—	—	—	—	—	—	—	—	·22	·02	·32	1
2	·19	—	·02	—	—	—	·03	—	—	·07	·03	·82	2
3	·22	·12	·88	—	·42	—	·03	—	·14	—	·02	·32	3
4	·33	·11	·56	—	—	—	—	·08	·03	—	—	·12	4
5	·10	·37	1·11	—	—	—	·05	—	—	—	·21	—	5
6	·27	~~·06~~	·05	—	·02	—	—	—	·01	·02	·02	—	6
7	·08	—	·45	—	—	—	—	—	—	—	—	—	7
8	·29	—	·07	—	—	—	—	—	—	—	·07	·61	8
9	·30	—	·11	—	·30	—	—	—	—	—	·27	—	9
10	·38	—	·46	—	—	—	—	—	—	—	—	—	10
11	·33	—	·11	—	—	—	—	—	—	—	—	·18	11
12	·13	—	·02	—	—	—	—	—	—	·26	·03	—	12
13	·02	—	·03	—	—	—	·14	—	—	—	—	·02	13
14	·45	—	—	—	—	—	—	—	·04	·02	—	—	14
15	·27	—	·01	—	—	—	·05	—	—	—	·02	—	15
16	·19	·63	—	—	—	—	—	—	—	—	·14	·35	16
17	—	·33	—	—	—	—	—	—	—	—	·26	—	17
18	—	·01	—	—	—	—	—	—	·02	—	·37	—	18
19	·04	—	·72	—	—	—	·36	—	—	—	—	·06	19
20	·54	—	·16	—	—	·01	·19	·44	—	—	·05	—	20
21	·03	—	·11	—	—	·40	—	—	—	—	·03	·30	21
22	—	·37	—	—	—	—	·08	—	·63	—	·13	—	22
23	—	—	—	—	—	—	·27	—	·14	—	—	·09	23
24	—	—	—	x	—	·02	·03	·14	·02	·08	·83	·30	24
25	·08	·10	—		—	—	—	·22	—	—	·52	—	25
26	·24	·30	·05	x	—	—	—	·08	—	—	~~1·20~~	·11	26
27	·37	—	—	x	—	—	—	—	—	—	1·20	·57	27
28	—	—	—	x	—	—	—	·99	—	—	·55	·02	28
29	—		·40	·99	—	—	—	·26	—	·23	—	·60	29
30	·02		—	x	—	—	—	·39	—	·11	1·35	·20	30
31	·10		—		—		—	—		·13		·30	31
TOTAL	~~5·46~~ 5·31	2·34	5·32	·99	·74	·43	1·23	2·60	1·03	1·14	6·12	5·29	YEAR'S TOTAL ~~32·69~~ 32·54
Days with ·01 in. or more	24	9	18	(5)	3	3	10	8	8	9	20	18	~~133~~

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

503

12 JAN 1921

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920

Kept at Woodside 7 Arundel Rd Eastbourne

in the County of Sussex

by Gertrude J Woodd

Lat. 50·46N Long. 0·17 E

Time of Observation 9 a.m

Nearest Railway Station Eastbourne

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 87 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ☐

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·16	—	—	·10	—	—	·01	—	—	—	—	·23	1
2	·07	—	·15	·04	—	—	·15	—	·14	·41	—	·13	2
3	—	·01	—	—	—	—	—	·55	—	·05	—	·13	3
4	—	·08	·02	·01	—	—	—	—	—	—	—	—	4
5	—	—	·01	—	—	—	1·26	·08	·05	—	—	·05	5
6	—	—	·22	—	—	—	·31	·06	—	·03	—	·07	6
7	—	—	—	·21	—	—	·46	—	—	—	—	·07	7
8	—	—	—	·04	—	—	·03	—	—	·01	—	—	8
9	·09	·02	·02	—	—	—	·51	—	—	—	—	—	9
10	·70	·18	·12	·07	—	·35	·01	—	—	—	—	·02 snow	10
11	·45	—	·14	·34	—	·10	·12	—	—	—	—	—	11
12	·02	·02	·04	·14	·04	·01	·31	—	—	—	—	—	12
13	·29	·08	·31	·02	—	·21	—	—	—	·04	·12	—	13
14	·02	·02	·41	·34	—	—	—	—	—	·36	—	—	14
15	·20	·02	·04	—	·03	·03	—	—	—	·75	·33	—	15
16	·02	·01	·04	·11	·13	—	—	—	·94	—	—	—	16
17	—	·01	—	·02	·08	·06	—	—	·44	—	·15	—	17
18	·10	·01	—	·01	·03	—	·05	1·14	·40	·01	—	·07	18
19	·06	·01	—	·24	—	—	—	·02	·14	—	—	·13	19
20	·07	·08	—	·08	—	—	—	·10	·79	—	—	—	20
21	—	—	—	·02	—	·09	—	·02	·28	—	—	·57	21
22	—	—	—	·34	—	—	·12	—	·01	—	—	·49	22
23	·08	—	—	·02	—	—	·01	—	·01	—	—	·63	23
24	·03	—	·06	—	·02	—	·32	—	·01	—	—	·[illegible] 12	24
25	·08	—	—	·01	·01	—	—	—	—	—	—	[illegible]	25
26	—	—	·20	·14	—	—	·22	—	—	—	·02	·02	26
27	·34	·04	~~·06~~	·16	—	—	—	—	—	—	·27	·32	27
28	·28	·03	·06	·05	·24	·07	—	—	—	—	·52	·10	28
29	·50	—	·06	—	·01	—	·31	—	—	—	·13	·12	29
30	·03	╳	·04	·10	—	—	—	—	·27	—	·23	·34	30
31	·01	╳		╳	—	╳	·08	—	╳	·72	╳	·32	31
TOTAL	3·60	·62	~~1·80~~ 1·94	2·64	·59	·92	4·28	1·97	3·48	2·38	1·77	3·87	YEAR'S TOTAL ~~27·92~~ 28·06
Days with ·01 in. or more	21	15	17	23	9	8	17	7	12	9	8	19	165
Days with ·04 in. or more	15	5	14	15	4	6	11	5	9	6	7	17	~~124~~ 117

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

EASTBOURNE

SUSSEX

1911 - 12

FORM A2.
BRITISH RAINFALL.

23 APR 1912

R 1911

Kept at Eastbou

in the County of

by S. R.

owden Gauge

5 in.

ve Ground 1 ft. – in.

Sea Level 39 ft.

9 a.m

Name Eastbourne

Distance ¼ mile Direction N.E

IMPORTANT NOT d the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·12	–	–	·72	–	–	[illegible]	·16	–	–	·07	–	1
2	·02	–	–	–	·29	–	–	–	–	–	·28	·30	2
3	·04	–	–	–	·16	–	–	–	–	–	·06	·41	3
4	·09	–	·09	·23	–	–	–	–	–	·19	·26	·19	4
5	·15	–	–	·08	–	–	–	–	–	·03	·05	·24	5
6	·22	–	–	·16	–	–	–	–	–	·15	–	·51	6
7	·07	–	–	–	–	–	–	–	–	·64	1.11	·30	7
8	·15	·02	·13	–	–	–	–	–	–	–	·95	·37	8
9	·21	–	·01	·03	–	–	–	–	–	–	·82	·06	9
10	–	·12	·02	·06	–	–	–	–	–	–	·04	·60	10
11	·86	–	·01	–	·05	–	–	–	–	–	1.40	·04	11
12	·02	–	1.16	–	–	–	–	–	–	·03	·22	–	12
13	–	–	·10	–	·13	–	–	–	·36	·25	–	·20	13
14	–	·06	·02	–	·11	–	–	–	–	·01	–	·40	14
15	–	·04	·11	–	–	–	–	–	–	–	·10	·30	15
16	–	–	–	–	–	·39	–	–	–	–	·40	·10	16
17	–	·03	·02	–	–	·01	–	–	–	–	·08	·06	17
18	–	·12	·07	–	–	–	–	–	–	·01	·61	·35	18
19	–	–	–	–	–	·05	–	–	·05	·28	·03	·18	19
20	·01	–	–	–	–	–	·[illegible]	·89	·35	·09	–	·53	20
21	·02	·15	–	–	–	–	–	–	–	·60	–	·15	21
22	·04	–	·31	·04	–	·13	[illegible]	·42	–	·30	–	·66	22
23	·07	·26	·05	–	–	1.15		–	·39	1.92	–	·13	23
24	·02	·34	–	–	–	·23	·04	·12	–	·29	–	·35	24
25	–	·05	·22	·13	–	·02		–	·10	·06	–	·02	25
26	–	–	·16	·27	–	·15		–	–	·32	·10	·35	26
27	–	·42	·20	·04	–	–		–	·04	·67	–	·14	27
28	–	·28	–	·21	–	–		–	–	·01	·01	·01	28
29	–		–	–	–	·15	·20	–	·50	·49	–	–	29
30	–		–	·05	–	·11	–	–	–	·20	–	·01	30
31	–		–	–	–	–	–	–	–	–		–	31
Total	2.11	1.89	2.68	2.02	0.74	2.39	·24	1.59	1.79	6.54	6.59	6.96	TOTAL for year 35·54
No. of Rain Days.	16	12	16	12	5	10	2	4	7	20	18	27	149

8,000, X. '11.

R

FORM A2.
BRITISH RAINFALL.

23 APR. 1912

wden Gauge

Kept at Eastbourne

in the County of Sussex 5

by S. R. Henderson

RAIN GAUGE { Diameter of top 5 in.
Height of top above Ground 1 ft. – in.
" " " Sea Level 39 ft.

Time of Observation 9 a.m

Nearest Railway Station { Name Eastbourne
Distance ¼ mile Direction N.E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·12	–	–	·72	–	–	~~[illegible]~~	·16	–	–	·07	–	1
2	·02	–	–	–	·29	–	–	–	–	–	·28	·30	2
3	·04	–	–	–	·16	–	–	–	–	–	·06	·41	3
4	·09	–	·09	·23	–	–	–	–	–	·19	·26	·19	4
5	·15	–	–	·08	–	–	–	–	–	·03	·05	·24	5
6	·22	–	–	·16	–	–	–	–	–	·15	–	·51	6
7	·07	–	–	–	–	–	–	–	–	·64	1.11	·30	7
8	·15	·02	·13	–	–	–	–	–	–	–	·95	·37	8
9	·21	–	·01	·03	–	–	–	–	–	–	·82	·06	9
10	–	·12	·02	·06	–	–	–	–	–	–	·04	·60	10
11	·86	–	·01	–	·05	–	–	–	–	–	1.40	·04	11
12	·02	–	1.16	–	–	–	–	–	–	·03	·22	–	12
13	–	–	·10	–	·13	–	–	–	·36	·25	–	·20	13
14	–	·06	·02	–	·11	–	–	–	–	·01	–	·40	14
15	–	·04	·11	–	–	–	–	–	–	–	·10	·30	15
16	–	–	–	–	–	·39	–	–	–	–	·40	·10	16
17	–	·03	·02	–	–	·01	–	–	–	–	·08	·06	17
18	–	·12	·07	–	–	–	–	–	–	·01	·61	·35	18
19	–	–	–	–	–	·05	–	–	·05	·28	·03	·18	19
20	·01	–	–	–	–	–	~~·89~~	·89	·35	·09	–	·53	20
21	·02	·15	–	–	–	–	–	–	–	·60	–	·15	21
22	·04	–	·31	·04	–	·13	~~[illegible]~~	·42	–	·30	–	·66	22
23	·07	·26	·05	–	–	1.15		–	·39	1.92	–	·13	23
24	·02	·34	–	–	–	·23	·04	·12	–	·29	–	·35	24
25	–	·05	·22	·13	–	·02		–	·10	·06	–	·02	25
26	–	–	·16	·27	–	·15		–	–	·32	·10	·35	26
27	–	·42	·20	·04	–	–		–	·04	·67	–	·14	27
28	–	·28	–	·21	–	–		–	–	·01	·01	·01	28
29	–		–	–	–	·15	·20	–	·50	·49	–	–	29
30	–		–	·05	–	·11	–	–	–	·20	–	·01	30
31	*		*	*	–	*	–	–	*	–		–	31
Total	2.11	1.89	2.68	2.02	0.74	2.39	·24	1.59	1.79	6.54	6.59	6.96	TOTAL for year 35·54
No. of Rain Days.	16	12	16	12	5	10	2	4	7	20	18	27	149

3,000, X. '11.

cod by Stavely bros 24.IV.13

REGISTER OF W RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.

14 APR 1913

Kept at Eastbourne

in the County of Sussex 5

by S. R. Henderson for the Medical Officer of Health

Lat. 50° 46′ N Long. 0° 17′ E.

Time of Observation 9 a.m

Nearest Railway Station

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 36 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	0.0	–	·03	–	·01	·11	·10	·02	·11	·50	–	·17	1
2	–	·08	·14	–	–	·75	·18	–	–	·02	–	–	2
3	·02	–	·03	–	–	·27	·03	·12	·07	–	·02	–	3
4	·30	–	·46	–	–	·56	–	·02	–	–	·22	–	4
5	·25	·35	·05	–	–	·26	0·0	·10	–	–	·09	–	5
6	·66	·13	–	–	·05	·13	–	·85	–	–	·01	·08	6
7	–	·02	–	–	·31	·41	0·0	·25	~~·01~~	–	–	·03	7
8	·68	·17	·15	–	–	·01	–	·46	·01	–	–	–	8
9	·02	·04	–	·03	–	–	·05	·23	–	–	–	·07	9
10	–	·03	–	–	–	–	–	·10	–	–	·09	·48	10
11	·04	·31	–	–	·02	·12	–	·06	–	–	–	·19	11
12	–	·14	·02	–	–	·07	–	·76	–	–	–	·08	12
13	–	·03	·04	–	–	–	·10	·03	–	–	·07	·19	13
14	–	–	–	–	·06	–	–	·13	–	·05	·01	–	14
15	–	·07	·10	–	·17	·69	–	·14	–	–	–	·30	15
16	·15	·01	·20	–	·21	·31	–	·29	–	·10	·01	–	16
17	·48	–	·34	–	–	·10	–	·09	–	–	·03	·11	17
18	·04	–	·51	–	–	–	·01	·95	–	·03	–	·22	18
19	·10	·23	·28	–	–	·02	·01	·24	–	–	·03	–	19
20	–	·01	·65	–	–	–	·02	·03	–	·71	·06	–	20
21	–	·20	·19	–	·07	–	–	·32	–	·50	·06	–	21
22	0·07	·46	·03	–	–	–	·04	·31	–	·02	–	·05	22
23	0·38	·27	·41	–	–	·03	–	·39	–	·20	·20	·03	23
24	0·10	·06	–	–	–	–	–	·22	–	·10	–	·18	24
25	·46	–	–	–	–	·35	·04	·76	–	·02	·38	·47	25
26	·02	·09	–	–	–	–	–	·06	–	·23	·24	·30	26
27	–	·01	–	–	–	–	·03	–	–	·15	·13	·55	27
28	–	·05	–	–	–	·02	·42	·10	·04	·47	·63	·10	28
29	–	·01	–	–	–	–	·18	·13	1·41	·23	·06	–	29
30	–		·02	–	·50	·26	·01	·07	1·29	·41	–	–	30
31	–		·03		–		·11	·30		–		–	31
Total	3·77	2·77	3·68	0·03	1·40	4·47	1·33	7·47	2·93	3·74	2·34	3·60	YEAR'S TOTAL 37·53
Rain Days.	16	22	19	1	9	18	15	29	6	16	18	18	187

W. 7,500, XI. 12

81

FORM A2.
BRITISH RAINFALL.
23 JAN 1912

EASTBOURNE
OCKLYNGE
CEMETERY
SUSSEX
1911 - 1918

REG

Kept at Ocklynge

in the County of B

by C. Montague

in.

Ground ft. in.

ea Level ft.

ame

stance Direction

IMPORTANT NOTE. he result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1								·20			·04		1
2											·31		2
3											·06	·77	3
4										·23	·22	·22	4
5											·06	·31	5
6												·45	6
7										·78	1·09		7
8											·96	·69	8
9											·80	·22	9
10												·56	10
11											1·42	·04	11
12										·02	·14	·02	12
13									·22	·27		·25	13
14												·48	14
15											·12	·24	15
16					·29						·32	·13	16
17											·08	·07	17
18											·54	·35	18
19					·05				·16		·04		19
20								1·06	·26	·29		·78	20
21										·47		·26	21
22					·07			1·46		·19		·52	22
23					·99				·42	1·11		·16	23
24					·12		·06	·09		·28		·34	24
25									·06	·06			25
26					·04						·17	·41	26
27									·03	·87		·17	27
28					·08						·02	·01	28
29					·19		·28		·38				29
30					·12					·69		·01	30
31													31
Total					1·95		·34	2·81	1·53	5·26	6·39	7·46	TOTAL for year
No. of Rain Days					9		2	4	7	~~15~~ 12	17	28	

9,000, IX. '10.

81

REG

FORM A2.
BRITISH RAINFALL.
23 JAN 1912

Kept at Ocklynge Cemetery, Eastbourne

in the County of ~~Hampshire~~ Sussex 5

by C. Montague Wood

RAIN GAUGE
Pattern
Diameter of top .... in.
Height of top above Ground .... ft. .... in.
" " " Sea Level .... ft.

Time of Observation

Nearest Railway Station
Name
Distance .... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1								·20			·04		1
2											·31		2
3											·06	·77	3
4										·23	·22	·22	4
5											·06	·31	5
6												·45	6
7										·78	1·09		7
8											·96	·69	8
9											·80	·22	9
10												·56	10
11											1·42	·04	11
12										·02	·14	·02	12
13									·22	·27		·25	13
14												·48	14
15											·12	·24	15
16					29						·32	·13	16
17											·08	·07	17
18											·54	·35	18
19					·05				·16		·04		19
20								1·06	·26	·29		·78	20
21										·47		·26	21
22					·07			1·46		·19		·52	22
23					·99				·42	1·11		·16	23
24					·12		·06	·09		·28		·34	24
25									·06	·06			25
26					·04						·17	·41	26
27									·03	·87		·17	27
28					·08						·02	·01	28
29					·19		·28		·38				29
30					·12					·69		·01	30
31													31
Total					1·95		·34	2·81	1·53	5·26	6·39	7·46	TOTAL for year
No. of Rain Days					9		2	4	7	~~15~~ 12	17	28	

9,000, IX. '10.

8L ✓

REGISTER OF RAINFALL IN 1912

FORM A2. BRITISH RAINFALL. 23 JAN 1913

63

Kept at Ocklynge Cemetery, Eastbourne

in the County of Sussex 5

by C. M. Wood

RAIN GAUGE: Pattern
Diameter of top ……… in.
Height of top above Ground ……… ft. ……… in.
" " " Sea Level ……… ft.

Time of Observation

Nearest Railway Station: Name
Distance ……… Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1						·09	·13	—	·12	·48		·21	1
2			·17			·33	·21						2
3	·01		·02			·38	·02	·16	·04				3
4	·27		·44			·42		·03			·23		4
5	·25	·37	·06			·23		·11			·06		5
6	·72	·19			·05	·05		1·02				·10	6
7		·02	·01		·26	·57		·29				·05	7
8	·71	·20	·15			·04		·62					8
9	·02	·05		·01			·01	·23				·07	9
10								·08			·07	·43	10
11	·04	·35				·13		·01				·20	11
12		·16				·13		·73			·01	·02	12
13			·04				·17	·02			·07	·14	13
14		·04	·08		·08			·11		·06		·01	14
15		·07	·07		·15	·66		·02				·31	15
16	·18		·27		·10	·18		·22		·12	·01		16
17	·52		·37			·08		·08			·03	·07	17
18	·05	·01	·47				·02	·50				·26	18
19	·09	·25	·37			·02	·03	·22		·03	·03		19
20		·01	·60					·01		·79	·06		20
21	·01	·20	·13		·06		·04	·31		·56			21
22	·09	·11	·07					·35		·01	·05		22
23	·37	·66	·47					·50		·31	·19	·04	23
24	·14	·08					·05	·23					24
25	·44					·42		·82		·18	·39	·67	25
26	·01	·07					·02	·05		·21	·18	·21	26
27		·01					·03			·18	·13	·52	27
28		·05					·27	·10	(·07)	·55	·68	·12	28
29							·12	·09	(1·50) 1·57	·19			29
30			·04		·47	·12			1·44	·28	·01		30
31							·09	·25					31
Total	3·92	2·90	3·83	·01	1·17	3·85	1·21	7·16	3·17	3·95	2·20	3·43	TOTAL for year 36·80
No. of Rain Days.	17	20	18	1	7	16	14	27	5	14	16	18	173

W. 8,000, X. '11.

88 ✓

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

86

22 JAN 1914

Kept at Ocklynge Cemetery, Eastbourne
in the County of Sussex
by C. M. Wood

5

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01	·63	·08	·14		·01				·06	·15	·19	1
2	·04	·15					·07		·10	·02	·15	·05	2
3			·07	·23	·21							·24	3
4	·24		·08			·01	·10		·84	·22	·22		4
5	·01		·03			·33	·05		·22	·09	·39	·03	5
6		·01	·10		·02	·12	·10		·03	·69	·29	·17	6
7		·19	·11			·02	·15			·11	·26		7
8		·16			·12			·28		·25	·03	·04	8
9		·02			·07		·11		·13		·01	·01	9
10	·05						·31			·20	·80		10
11	·96			·65						·63		·01	11
12					·35						·58		12
13	·69		·01					·02	·02		·23		13
14	·25		·07	·02			·19	·02		·03	·13		14
15	·17		·28	·38	·02		·36		·31		·02	·02	15
16	·19		·57	·13					·14		—		16
17	·19	·03					·22	·01			·05	·01	17
18	·07		·09	·15			·04				·13		18
19	·07		·03		·11		·10	·01	·23				19
20	·29			·19		·10				·50			20
21				·39	·02					·83	·70		21
22	·37		·05				·02		·05				22
23	·03						·02	·02				·82	23
24	·09			·02							·09		24
25		·01		·22									25
26			·12				·02	·19		·96		·30	26
27			·08							·10			27
28	·11		·25	·07				·30		·23			28
29	·14		·04	·51	·01			·03			·01		29
30	·47			·31	·07			·55	·01	·09			30
31	·05		·15					1·08		·23			31
Total	4·49	1·20	2·21	3·41	1·00	·59	1·86	2·51	2·08	5·24	4·24	1·89	YEAR'S TOTAL 30·72
Rain Days.	21	8	18	14	10	6	15	11	12	17	18	12	162

W. 7,500, XI. 12

82

69

FORM A.
BRITISH RAINFALL.
28 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Ocklynge Cemetery, Eastbourne

in the County of Sussex 5

by C. M. Wood

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1							.01	.04			.08		1
2							.20				.11	.12	2
3			.13	.06	.20								3
4	.01			.35				.12			.33	.31	4
5	.17		.16	.29			.19						5
6		.01	.03	.16	.03	.09		.06				.50	6
7	.12	.33	.18			.19	.15					.30	7
8	.10	.25	.22	.03		.20	.10					.04	8
9	.15		.43	.09					.29			1.36	9
10	.05	.06		.18	.13							.01	10
11		.41	.40	.08					.27		.04	.49	11
12		.05	.14			.07	.26		.50	.04		.47	12
13		.32	.22			.12			.18		.11	.55	13
14		.07	.06						.05	.65	.28	.33	14
15	.01	.03	.33				.04	.12	.04	.02	.42		15
16		.32					.07		.07				16
17		.37	.19				.01		.14			.09	17
18		.07	.21				.01			.05		.38	18
19		.27	.59				.14			.03	.27	.31	19
20		}	.14			.02	.01			.04		.61	20
21		} .81	.07							.06		.03	21
22		.04				.43	.30	.02		.07			22
23			.63			.09	.06			.01			23
24			.14		.03						.14		24
25	.17		.21					.12		.33	.02		25
26	.02		.03					.45		.09	.14	.62	26
27								.01			.23	.39	27
28	.02	.02								.69	.43	.33	28
29	.12									.42	.10	.03	29
30			.09							.08	1.38	.16	30
31					.31							.09	31
													YEAR'S TOTAL
Total	.94	3.43	4.60	1.24	.70	1.21	1.55	.94	1.54	2.58	4.08	7.52	30.33
Rain Days.	11	17	21	8	5	8	14	8	8	14	15	22	158

W.7,000, XI. 13

81

ackd by B. 23.11.16

612
67

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

Kept at Ocklynge Cemetery, Eastbourne
in the County of Sussex
by C. M. Wood

5
W. H.

Lat. ________ Long. ________
Time of Observation ________
Nearest Railway Station ________
Diameter of Rain Gauge ________ in.
Height of top of Gauge above Ground ________ ft. ________ in.
" " " " Sea Level ________ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ________

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·66	·22	·06						·40		·12	·23	1
2	·72	·23	·31	·17				·04	·11	·07		·25	2
3	·35		·05	·34	·23			·06				·54	3
4	·05				·01							·30	4
5	·06	·26		·27				·05				·74	5
6	·90	·25	·08	·52			·04					·19	6
7	·33	·36	·07	·02								·35	7
8	·03	·43					·32				·05		8
9		·26		·20		·27	·06				·69	1·22	9
10	·31					·14						·72	10
11		·09									1·02	·01	11
12	·07	·27		·27	·36					·05	·48		12
13		·75			1·61								13
14	·04	·06					·52	·50	·14			·48	14
15	·08	·01			·10		·16				·31	·25	15
16		·62		·05	·13		1·16	·07			·01	·04	16
17		·48			1·10		·04						17
18		·11			·08						·03	·03	18
19													19
20	·41			·04	·17							·21	20
21										·46		·02	21
22	·10		·07				·89					·30	22
23		·08	·07							·12		1·01	23
24									·26	1·23		·40	24
25	·02		·10	·03			·19					·27	25
26		·04				·21						·69	26
27		·01				·11	·09			·47			27
28		·03				·09			·98	·31			28
29					·01			·13		·26	·32	·01	29
30	·38	×								·86	·31	·01	30
31	·02	×		×		×		·04	×	·64	×	·17	31
Total	4·53	4·56	·81	1·91	3·80 ~~3·18~~	·82	3·47	·89	1·89	4·47	3·34	8·44	YEAR'S TOTAL 38·93 ~~38·31~~
Rain Days.	17	19	8	10	10	5	10	7	5	10	10	24	135

W. 8,000. X. 14.

8h Eze 8h 603

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

Kept at Ocklynge Cemetery Eastbourne

in the County of Sussex

by C. M. Wood

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.07		.01		.27	.05					.81		1
2	.37	.01	.19		.25					.96	x		2
3		.23	.08			.07	.10		.14	.26	x .30		3
4	.09					.25			.34	.10	.50		4
5	.03				.16	.51				.02	.26		5
6		.08	.08	.34	.07	.11	x			.03	.29		6
7		.03	.51		.33		x .35			.05	.34	x	7
8		.02			.31						.15	x .41	8
9					.26							x	9
10		.60		.08		.32	.08					x .53	10
11	.04	.10	.05	.15		.17				.01		.22	11
12	.04	.25	.17	.05	.15	.20	.03			.09			12
13		.16	.13		.05			.14	.04	.02		.09	13
14		.50			.15			.41				.33	14
15		.27	.08					.01					15
16			.13	.33			.09						16
17	.34	17		.07			.08		x	.75			17
18	.06	.10						.08	x 1.12	.22	1.00		18
19	.20		.09	.26				.01	.08		1.01	.22	19
20	.09		.13	.13							.11	.48	20
21	.03		.36	.10						.02	.08	.66	21
22	.02		.07									.61	22
23	.02	.08	.13			x		.11			.04	.03	23
24	.02	.06			.30	x .17	.03			.37	x	.39	24
25		.64	.17					.50		.24	x .25		25
26		.57				.02			.01	.10		.17	26
27	.02	.13	.66			.23		.07	.11	.48			27
28		.63				.22		.13	.24	.53		x	28
29		.17				x		.49	.06	.66		x .78	29
30						x .27		.05		.24			30
31										.27			31
Total	1.44	4.80	3.04	1.51	2.30	2.59	.76	2.00	2.14	5.42	5.14	4.92	YEAR'S TOTAL 36.06
Rain Days.	15	20	17	9	11	15	8	11	10	20	15	16	165

W. 8,000. X. 15.

8L ✓

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.
20 FEB 1918

Kept at Ocklynge Cemetery, Eastbourne
in the County of Sussex
by C. M. Wood

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1								1·51	·02		·07	·05	1
2				·25				·08		·20			2
3				·10			·29	·24		·23			3
4			·08				·06			·21			4
5	·51		·19	·10		·06			·61	·30			5
6			·11			·56			·21		·21		6
7	·48						·10			·31			7
8	·07			·38			·10	·29		·47	·68	·52	8
9			·15				·02			·06			9
10	·23			·10		·94							10
11	·27	·06	·32	·10				·17		·48			11
12				·06				·36		·63		·03	12
13	·04		·24		·06			·05	·04		·02		13
14				·23			·01	·59		·51		·01	14
15										·21			15
16		·10		·07	·22					·14		1·03	16
17	·03			·13	·16		·34		·28	·39			17
18				·08	·10		·24	·08	·13				18
19		·26	·08		·02				·19				19
20		·13	·02		·63	·03							20
21	·01		·03				·65						21
22		~~·39~~	·09			·15		·14		·40			22
23		·39			·22			·11				·09	23
24		·07						·07		·42	·03		24
25		·11	·02					·04					25
26						·02		·88	·10		·98		26
27								1·29		·10			27
28			·08			1·93	·14	·44					28
29			·03				·28	·05		·22		·09	29
30	·02		·19		—		·64	–		·30	·01		30
31	·09		·07				·35	·29		·12		·11	31
Total	1·75	1·12	1·70	1·60	1·41	3·69	3·22	6·68	1·58	5·70	2·00	1·93	YEAR'S TOTAL 32·38
Rain Days.	10	7	16	12	7	7	13	19	8	20	7	9	135

310

W.7,000, XI. 13

82

95

FORM A.
BRITISH RAINFALL.

27.1.19

REGISTER OF RAINFALL IN 1918

Kept at Ocklynge Cemetery, Eastbourne

in the County of Sussex

by C. M. Wood

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		–		·01	–								1
2													2
3		·03		·19									3
4				·03									4
5		·35	·06										5
6	·23	·07		·16									6
7	·03	·10		·09									7
8				·02									8
9				·18									9
10				·04									10
11													11
12		·18											12
13													13
14	·35		·14										14
15	1·34			·04									15
16	·40			·07									16
17	·32			·09									17
18	·16			·02									18
19	·06		·14										19
20		·12		1.06									20
21	·22			·63									21
22	·09												22
23	·14												23
24		·17											24
25													25
26				·02									26
27		·04		·12									27
28			·28	·09									28
29				·08									29
30		X	·56										30
31		X	·02	X		X			X		X		31
Total	3·34	1·06	1·20	2·94									YEAR'S TOTAL
Rain Days.	12	8	6	18									

W. 8,000, VIII. 16

EASTBOURNE
STAVELEY CROFS
SUSSEX
1911- 1916

FORM A2.
BRITISH RAINFALL.
13 FEB 1912

REC

Kept at Staveley Crofs
in the County of Sussex
by James Weston

1
m
5 in.
Ground 1 ft. 6 in.
Sea Level 110 ft.
a.m.
Name Eastbourne
Distance 1 mile Direction N.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·11			·74	·28			·19			·07		1
2	·03		·02		·16					·07	·31	·29	2
3	·04	·07						·02			·06	·41	3
4	·10		·10	·21						·19	·27	·16	4
5	·15	·025		·06						·03	·06	·30	5
6	·18			·14						·16		·42	6
7	·06		·02							·65	1·09	·29	7
8	·18	·04	·11								1·00	·27	8
9	·31		·01	·04							·76	·08	9
10		·13	·02	·06						·02	·06	·60	10
11	·82	—			·06					~~·27~~	1·37		11
12			1·24			·02			·07	·02	·18	·04	12
13			·11		·15				·35	·27		·21	13
14		·08	·02		·11							·41	14
15		·04	·15			·38				·07	·11	·30	15
16			·01			·02					·41	·12	16
17	·02	·02	·04								·07	·06	17
18		·13	·08			·05				·02	·61	·35	18
19									·05	·25	·04	·20	19
20	·02		·025					1·02	·41	·11		·54	20
21	·04	·15								·58		·17	21
22	·05		·30	·05		·13		·25		·31		·66	22
23	·07	·25	·06	·02		1·06			·40	1·77	·02	·12	23
24	·02	·30				·18	·045	·13		·27		·40	24
25	·01	·04	·21	·12		·03			·11	·08		·02	25
26			·16	·24		·11				·33	·11	·34	26
27		·40	·20	·04					·07	·72		·15	27
28	·01	·27		·21							·02	·01	28
29						·15	·23		·49	·45		·01	29
30			·01	·05		·13			·01	·21	·01		30
31												·01	31
Total	2·10	1·88	2·89	1·98	·76	2·26	·27	1·61	1·90	6·46	6·63	7·04	TOTAL for year 35·78
No. of Rain Days.	18	14	20	13	5	11	2	5	9	21	20	28	166

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
13 FEB 1912

RE

Kept at Staveley Cross - Eastbourne

in the County of Sussex 5

by James Weston

RAIN GAUGE
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. 6 in.
" " " Sea Level 110 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Eastbourne
Distance 1 Mile Direction N.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ☐

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·11			·74	·28			·19			·07		1
2	·03		·02		·16					·01	·31	·29	2
3	·04	·07						·02			·06	·41	3
4	·10		·10	·21						·19	·27	·16	4
5	·15	·025		·06						·03	·06	·30	5
6	·18			·14						·16		·42	6
7	·06		·02							·65	1·09	·29	7
8	·18	·04	·11								1·00	·27	8
9	·21		·01	·04							·76	·08	9
10		·13	·02	·06						·02	·06	·60	10
11	·82	—			·06					~~[illegible]~~	1·37		11
12			1·24			·02			·01	·02	·18	·04	12
13			·11		·15				·35	·27		·21	13
14		·08	·02		·11							·41	14
15		·04	·15			·38				·01	·11	·30	15
16			·01			·02					·41	·12	16
17	·02	·02	·04								·07	·06	17
18		·13	·08			·05				·02	·61	·35	18
19									·05	·25	·04	·20	19
20	·02		·025					1·02	·41	·11		·54	20
21	·04	·15								·58		·17	21
22	·05		·30	·05		·13		·25		·31		·66	22
23	·07	·25	·06	·02		1·06			·40	1·77	·02	·12	23
24	·02	·30				·18	·045	·13		·27		·40	24
25	·01	·04	·21	·12		·03			·11	·08		·02	25
26			·16	·24		·11				·33	·11	·34	26
27		·40	·20	·04					·07	·72		·15	27
28	·01	·27		·21							·02	·01	28
29						·15	·23		·49	·45		·01	29
30			·01	·05		·13			·01	·21	·01		30
31												·01	31
Total	2·10	1·88	2·89	1·98	·76	2·26	·27	1·61	1·90	6·46	6·63	7·04	TOTAL for year 35·78
No. of Rain Days.	18	14	20	13	5	11	2	5	9	21	20	28	166

W. 8,000, X. '11.

FORM A.
BRITISH RAINFALL.

17 JAN 1913

REGISTER OF Ex RAINFALL IN 1912

Kept at Staveley Cross - Eastbourne

in the County of Sussex 5

by James Winton

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Eastbourne

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 110 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	·01		·03	·01	·02	·13	·13	·02	·12	·5		·16	1
2		·06	·15			·52	·27	·		·02			2
3	·02	·02	·03			·25	·04	·12	·06				3
4	·33		·43			·58		·04			·20		4
5	·22	·25	·05			·25		·1			·13		5
6	·68	·15			·05	·01		·81			·02	·08	6
7		·03			·33	·61		·24				·03	7
8	·69	·17	·15			·01	·02	·34				·01	8
9	·02	·05		·05			·05	·24				·05	9
10	·05	·03		·01				·07			·07	·52	10
11		·29			·03	·17		·07				·16	11
12		·15	·02			·05		·82			·01	·08	12
13		·05	·05				·21				·07	·19	13
14					·05		·02	·19			·01	·01	14
15		·09	·09		·19	·75		·03				·32	15
16	·15	·03	·19		·15	·15		·25	~~·11~~	·11	·01		16
17	·53		·36			·12		·08			·03	·11	17
18	·04	·02	·47				·02	·95	~~·04~~	·04	·01	·19	18
19	·07	·20	·29			·03	·05	·18			·03	·01	19
20	·02	·03	·66		·02			·03	~~·72~~	·72	·06		20
21	·01	·21	·18		·08		·05	·32	~~·57~~	·57	·07		21
22	·08	·43	·02					·34	~~·01~~	·01		·02	22
23	·39	·27	·39			·04		·49		·22	·19	·02	23
24	·1	·07	·01				·09	·23		·1		·17	24
25	·51	·02				·34		·71		·01	·38	·46	25
26	·02	·08					·04	·08		·21	·24	·27	26
27		·02					·04			·12	·17	·55	27
28		·06				·02	·41	·08	·03	·47	·58	·07	28
29		·02					·19	·1	1·23	·2	·08		29
30			·03		·52	·19	·01	·06	1·28	·36	·01		30
31	·03						·12	·28					31
Total	3·97	2·80	3·60	·07	1·44	4·22	1·76	7·27	2·72	3·61	2·37	3·48	YEAR'S TOTAL 37·31
Rain Days.	20	25	19	3	10	18	17	28	5	15	20	21	201

W..7,500, XI. ·12

FORM A.
BRITISH RAINFALL.
29 JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Staveley Cross - Eastbourne
in the County of Sussex 5
by James Weston

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Eastbourne
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 110 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01	·54	·05	·15	·01	·02				·1	·1	·2	1
2	·03	·18					·09		·09	·01	·12	·09	2
3			·07	·32	·12							·16	3
4	·13		·08		·08	·01	·1		·29	·19	·18	·01	4
5	·12		·05			·45	·06		·2	·07	·46	·03	5
6		·02	·11		·03	·12	·09		·07	·65	·26	·16	6
7		·22	·14		·02	·02	·11			·13	·17		7
8		·03			·11	·06		·07		·1	·05	·03	8
9		·14			·1		·07		·2		·01	·03	9
10	·06			·02		·02	·2			·07	·75		10
11	·81	·01		·74				·01		·83		·01	11
12					·32					·01	·65	·02	12
13	·81		·03					·03	·07		·17		13
14	·19		·1	·03			·16	·02	·26	·05	·11		14
15	·24		·47	·3	·03		·26		·12		·02	·02	15
16	·22		·61	·25					·14				16
17	·17	·06		·05			·17	·02			·03	·01	17
18	·08		·04	·18			·05				·18		18
19	·07		·13		·15		·18	·03	·21				19
20	·24		·03	·13		·1				·45	·01		20
21			·04	·4	·01					·79	·71		21
22	·34		·09		·02		·03		·07		·01		22
23	·02					·03	·04	·02				·78	23
24	·1		·01	·03		·02					·15		24
25				·31							·01	·01	25
26		·01	·12	·01			·02	·2		1·08		·48	26
27			·06							·09			27
28	·12		·29	·09				·03		·25			28
29	·18		·05	·61	·02			·17			·02		29
30	·56			·32	·08			·35	·02	·08		·01	30
31	·06		·24					1·37		·22			31
Total	4·56	1·21	2·81	3·94	1·1	·85	1·63	2·32	2·34	5·17	4·17	2·05	YEAR'S TOTAL 32·15
Rain Days.	21	9	21	17	14	10	15	12	12	18	21	16	186

W.7,000, XI. 13

[illegible]

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
8 - JAN 1915

Kept at Staveley Cross - Eastbourne

in the County of Sussex 5

by James Weston

Lat. .... Long. ....

Time of Observation 9 a.m

Nearest Railway Station Eastbourne

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 1 in.

" " " " Sea Level 110 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ☐

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·01		·01	·03	·05			·08		1
2							·2				·09	·13	2
3			·16	·03	·24							·04	3
4	·01		·02	·3				·11			·31	·47	4
5	·2		·23	·37	·01	·09	·13	·08					5
6		·03		·16	·07	·34						·48	6
7	·2	·37	·24	·02	·09	·15	·17					·4	7
8	·11	·24	·32	·03	·02		·11				·01	·13	8
9	·17		·46	·08					·34			1·23	9
10	·08	·04		·13	·18				·02		·03	·03	10
11		·34	·38	·08	·07		·33		·26		·07	·45	11
12		·09	·15			·05			·5	·02	·05	·45	12
13	·01	·37	·23			·07		·03	·26	·03	·11	·65	13
14		·16	·12				·01		·01	·8	·24	·37	14
15			·4				·05	·11	·04	·04	·35		15
16		·32					·05		·1				16
17		·25	·19				·03		·09			·07	17
18		·13	·22							·03		·43	18
19		·29	·52				·12			·04	·27	·32	19
20		·1	·17			·03				·04		·63	20
21		·62	·07							·05		·05	21
22		·04			·02	·07	·3	·03		·08			22
23			·79	·01	·01	·1	·02			·02		·01	23
24			·13		·04					·02	·16		24
25	·16		·17					·08		·28	·01		25
26	·05		·06				·01	·29		·14	·13	·56	26
27	·01							·01		·02	·12	·3	27
28	·04	·03			·01					·63	·45	·36	28
29	·14		·01	·03						·4	·05	·07	29
30	·02	╳	·12							·09	1·33	·1	30
31	·01	╳		╳	·28	╳	·04		╳		╳	·1	31
Total	1·21	3·42	5·16	1·25	·92	·91	1·60	·79	1·62	2·73	3·86	7·83	YEAR'S TOTAL 31·30
Rain Days.	14	16	22	12	12	9	15	9	9	17	18	24	177

W. 8,000. X. 14.

613

FORM A.
BRITISH RAINFALL.
27 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Staveley Cross - Eastbourne
in the County of Sussex 5
by James Weston

Lat. Long.
Time of Observation 9 a.m
Nearest Railway Station Eastbourne
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 1 in.
" " " " Sea Level 110 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·68	·2	·06					·03	·45	·01	·1	·21	1
2	·61	·18	·27	·17	·02			·04	·05	·05		·26	2
3	·3			·4	·23			·1	·01			·6	3
4	·1			·01	·03						·03	·32	4
5	·05	·27		·3				·04				·6	5
6	·78	·2	·07	·57			·06					·17	6
7	·35	·28		·02			·02					·3	7
8	·06	·17	·08				·37				·05	·08	8
9	·04	·31		·26		·24					·55	1·04	9
10	·29		·02			·11		·01				·72	10
11		·1					·01				·84	·01	11
12	·07	·29		·29	·31					·02	·6		12
13	·01	·71			1·6				·06				13
14	·05	·06					·58	·05	·09			·42	14
15	·08	·01			·12		·01	·03			·21	·25	15
16	·01	·52		·05	·16		·97	·02					16
17		·5			1·08		·06					·24	17
18		·05			·08						·06	·01	18
19		·01											19
20	·49			·07	·14					·02		·18	20
21	·13									·29		·05	21
22	·03		·09			·01	·75					·18	22
23	·02		·07			·03	·01			·08		1·04	23
24		·08	·01	·01					·27	1·25		·63	24
25			·09	·04			·18			·03		·31	25
26		·03					·1					·61	26
27						·29				·31		·02	27
28		·05				·16			·78	·31			28
29						·01		·16		·34	·27	·03	29
30	·35	X								·95	·18	·02	30
31	·02	X		X		X		·04	X	·59	X	·19	31
Total	4·52	4·02	·76	2·19	3·77	·95	3·12	·52	1·71	4·25	2·89	8·49	YEAR'S TOTAL 37·19
Rain Days.	21	19	9	12	10	7	12	10	7	13	10	26	156

W. 8,000. X. 15.

Esd RW 60a

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL.
7. FEB 1917

Kept at Staveley Cross - Eastbourne
in the County of Sussex
by James Weston

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Eastbourne
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·06				·18	·06			·02	·01	1·16		1
2	·36	·03	·21		·22	·02				·96	·01		2
3	·01	·2	·09			·03	·1		·16	·22	·35		3
4	·12	·09				·27			·3	·11	·42		4
5	·03	·01		·03	·14	·61				·05	·31		5
6		·09	·08	·32	·05	·18	·26			·03	·32		6
7	·01		·55		·32	·02	·05			·04	·3	·06	7
8		·13	·01		·26						·09	·26	8
9					·27							·19	9
10		·48		·1		·18	·04			·01		·25	10
11	·05	·23	·03	·18		·24						·18	11
12	·06	·1	·23	·1	·15	·19	·08	·01		·07		·02	12
13		·17	·09		·1	·03	·01	·1	·04	·03		·14	13
14		·57	·06		·19			·37		·04		·36	14
15		·22	·06	·01									15
16	·02	·05	·18	·39			·11	·03				·02	16
17	·25	·19		·07			·04		·5	·7	·01		17
18	·06	·08						·08	·24	·22	1·09	·04	18
19	·2	·01	·1	·3					·09		1·22	·1	19
20	·13	·01	·1	·16		·07					·12	·45	20
21	·04		·3	·14							·23	·47	21
22	·03	·05	·07	·01		·03				·01	·02	·57	22
23	·02	·11	·1			·1	·02	·07			·04	·02	23
24			·07		·25			·53		·37	·21	·39	24
25	·03	·68	·14			·01		·	·01	·41	·13		25
26	·01	·53	·04			·07		·03	·02	·08		·19	26
27	·02	·13	·67			·12		·2	·1	·64			27
28		·59	·03			·18		·46	·2	·68		·29	28
29		·16				·25		·06	·08	·59		·49	29
30		×	·01					·08		·21		·01	30
31		×		×		×			×	·24	×		31
Total	1·51	4·91	3·22	1·81	2·13	2·66	·71	2·02	1·76	5·72	6·03	4·5	YEAR'S TOTAL 36·98
Rain Days.	19	24	22	12	11	19	9	12	12	22	17	20	199

W. 8,000, VIII. 16

Section **A** for the entry of D

EASTBOURNE

{WILMINGTON SQUARE}

SUSSEX

1911-20

tion No. 528

METFORM 1090
(*Rev. Feb. 1965*)

REGIS

11

Kept at EASTBOURNE , WILM

in the County of SUSSEX

Diameter of funnel of gauge

Height of top of gauge above ground

Height of ground above sea level

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	12			72				16			07			1
2	02				29						28	30		2
3	04				16						06	41		3
4	09		09	23						19	26	19		4
5	15			08						03	05	24		5
6	22			16						15		51		6
7	07									64	111	30		7
8	15	02	13								95	37		8
9	21		01	03							82	06		9
10		12	02	06							04	60		10
11	86		01		05						140	04		11
12	02		116							03	22			12
13			10		13				36	25		20		13
14		06	02		11					01		40		14
15		04	11								10	30		15
16						39					40	10		16
17		03	02			01					08	06		17
18		12	07							01	61	35		18
19						05			05	28	03	18		19
20	01							89	35	09		53		20
21	02	15								60		15		21
22	04		31	04		13		42		30		66		22
23	07	26	05			115			39	192		13		23
24	02	34				23	04	12		29		35		24
25		05	22	13		02			10	06		02		25
26			16	27		15				32	10	35		26
27		42	20	04					04	67		14		27
28		28		21						01	01	01		28
29		X				15	20		50	49				29
30		X		05		11				20		01		30
31		X		X		X			X		X			31
TOTAL	2·11	1·89	2·68	2·02	0·74	2·39	0·24	1·59	1·79	6·54	6·59	6·96	Year's Total 35·54	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side. †Spare column, no entries required, except year's total.

(*Signed*) (P.T.O.)

Section **A** for the entry of Daily Observations ation No. 528

METEOROLOGICAL OFFICE

METFORM 1090
(Rev. Feb. 1965)

REGISTER OF RAINFALL IN 19~~6~~11

Kept at EASTBOURNE, WILMINGTON SQUARE

COPY

in the County of SUSSEX

Diameter of funnel of gauge..........in.

Height of top of gauge above ground..........ft..........in.

Height of ground above sea level..........ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	12			72				16			07			1
2	02				29						28	30		2
3	04				16						06	41		3
4	09		09	23						19	26	19		4
5	15			08						03	05	24		5
6	22			16						15		51		6
7	07									64	111	30		7
8	15	02	13								95	37		8
9	21		01	03							82	06		9
10		12	02	06							04	60		10
11	86		01		05						140	04		11
12	02		116							03	22			12
13			10		13				36	25		20		13
14		06	02		11					01		40		14
15		04	11								10	30		15
16						39					40	10		16
17		03	02			01					08	06		17
18		12	07							01	61	35		18
19						05			05	28	03	18		19
20	01							89	35	09		53		20
21	02	15								60		15		21
22	04		31	04		13		42		30		66		22
23	07	26	05			115			39	192		13		23
24	02	34				23	04	12		29		35		24
25		05	22	13		02			10	06		02		25
26			16	27		15				32	10	35		26
27		42	20	04					04	67		14		27
28		28		21						01	01	01		28
29		X				15	20		50	49				29
30		X		05		11				20		01		30
31		X		X		X			X		X			31
TOTAL	2·11	1·89	2·68	2·02	0·74	2·39	0·24	1·59	1·79	6·54	6·59	6·96	Year's Total 35·54	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side. †Spare column, no entries required, except year's total.

(*Signed*).......... (P.T.O.)

Section **A** for the entry of Daily Observations

Station No. 528

METEOROLOGICAL OFFICE

METFORM 1090
(Rev. Feb. 1965)

REGISTER OF RAINFALL IN 19612

Kept at EASTBOURNE, WILMINGTON SQUARE

in the County of SUSSEX

COPY

Diameter of funnel of gauge..........in.

Height of top of gauge above ground..........ft..........in.

Height of ground above sea level..........ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1			03		01	11	10	02	11	50		17		1
2		08	14			75	18			02				2
3	02		03			27	03	12	07		02			3
4	30		46			56		02			22			4
5	25	35	05			26		10			09			5
6	66	13			05	13		85			01	08		6
7		02			31	41		20				03		7
8	68	17	15			01		45	01					8
9	02	04		03			05	23				07		9
10		03						10			09	48		10
11	04	31			02	12		06				19		11
12		14	02			07		76				08		12
13		03	04				10	03			07	19		13
14					06			13		05	01			14
15		07	10		17	69		14				30		15
16	15	01	20		21	31		29		10	01			16
17	48		34			10		09			03	11		17
18	04		51				01	95		03		22		18
19	10	23	28			02	01	24			03			19
20		01	65				02	03		71	06			20
21		20	19		07			32		50	06			21
22	07	46	03				04	31		02		05		22
23	38	27	41			03		39		20	20	03		23
24	10	06						22		10		18		24
25	46					35	04	76		02	38	47		25
26	02	09						06		23	24	30		26
27		01					03			15	13	55		27
28		05				02	42	10	04	47	63	10		28
29		01					18	13	141	23	06			29
30		X	02		50	26	01	07	129	41				30
31		X	03	X		X	11	30	X		X			31
TOTAL	3·77	2·77	3·68	0·03	1·40	4·47	1·33	7·47	2·93	3·74	2·34	3·60	Year's Total 37·53	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side.

†Spare column, no entries required, except year's total.

(*Signed*)..........(P.T.O.)

Section **A** for the entry of Daily Observations

Station No. 528

METEOROLOGICAL OFFICE

METFORM 1090
(Rev. Feb. 1965)

REGISTER OF RAINFALL IN 19~~6~~13

Kept at EASTBOURNE, WILMINGTON SQUARE

COPY

in the County of SUSSEX

Diameter of funnel of gauge..........in.
Height of top of gauge above ground..........ft..........in.
Height of ground above sea level..........ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	01	50	06	12		02				07	11	18		1
2	03	19					07		09	01	15	06		2
3			07	31	12							12		3
4	15		07		02		10		84	18	18	02		4
5	14		05			35	06		20	08	47	02		5
6		03	12		03	16	08		06	70	24	15		6
7		24	12		02	02	10			14	17			7
8					10	02		11		09	03	03		8
9		16			10		03		15			03		9
10	06						31			11	72			10
11	86	01		74						78		01		11
12				01	31					01	58	02		12
13	72		03					02	05		19			13
14	27		10	04			18	01	27	03	12			14
15	17		48	33	03		20		08		02	03		15
16	25		57	23					16					16
17	17	07		04			18	02			02	01		17
18	08		07	19			03				17			18
19	09		14		14		12	02	23					19
20	25		03	12		08				42	01			20
21			04	43	01					75	74			21
22	36		11				02		05	01	01			22
23	03					02		01				78		23
24	11			03		01					12	01		24
25				31										25
26		01	13				01	22		102		50		26
27			11							08				27
28	12		24	10				17		24				28
29	16	X	05	47	03			02			01			29
30	57	X		28	08			31	01	08		02		30
31	77	X	29	X		X		130	X	24	X			31
TOTAL	5·37	1·21	2·88	3·75	0·99	0·68	1·49	2·21	2·19	5·04	4·06	1·99	Year's Total 31·86	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side. †Spare column, no entries required, except year's total.

(*Signed*)...(P.T.O.)

Section A **for the entry of Daily Observations** **Station No.**

METEOROLOGICAL OFFICE

METFORM 1090
(*Rev. Feb. 1965*)

REGISTER OF RAINFALL IN ~~196~~ 1914

Kept at Eastbourne
in the County of
Diameter of funnel of gauge in.
Height of top of gauge above ground ft. in.
Height of ground above sea level ft.

Col 4.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	—	—	—	—	—	04	04	—	—	07	01		1
2	—	—	—	—	—	—	27	—	—	—	11	11		2
3	—	—	17	03	24	—	01	—	—	—	—	04		3
4	02	—	02	32	—	—	—	11	—	—	32	50		4
5	18	—	21	37	—	—	13	—	—	—	—	—		5
6	—	03	03	18	—	10	—	10	—	—	—	50		6
7	18	37	22	02	03	25	16	—	—	—	—	38		7
8	10	25	32	02	01	06	12	—	—	—	—	10		8
9	15	—	46	08	—	—	—	—	19	—	—	115		9
10	06	06	—	12	18	—	—	—	—	—	02	04		10
11	—	17	39	09	06	—	—	—	30	—	08	54		11
12	—	09	16	—	—	05	26	—	51	01	04	46		12
13	02	38	23	—	—	08	—	—	26	04	12	68		13
14	—	08	12	—	—	—	02	03	01	67	26	38		14
15	—	08	40	—	—	—	05	12	06	03	42	01		15
16	—	34	—	—	—	—	05	—	04	—	—	—		16
17	—	29	21	—	—	—	03	—	18	—	—	06		17
18	—	39	20	—	—	—	—	—	—	03	—	44		18
19	—	27	55	—	—	—	15	—	—	04	14	34		19
20	—	10	18	—	—	05	01	—	—	04	—	62		20
21	—	61	07	—	—	01	—	—	—	04	—	05		21
22	—	03	—	—	02	09	32	02	—	10	—	—		22
23	—	—	80	—	01	10	03	—	—	01	—	—		23
24	—	—	10	01	04	—	—	—	—	01	19	—		24
25	18	—	18	—	—	—	—	08	—	31	01	—		25
26	03	—	05	—	—	—	—	32	—	12	14	56		26
27	—	—	—	—	—	—	—	01	—	01	10	35		27
28	03	03	—	—	01	—	—	—	—	66	46	31		28
29	15	X	—	02	—	—	—	—	—	39	04	08		29
30	01	X	11	—	—	—	—	—	—	08	132	10		30
31	—	X	—	X	27	X	—	—	X	—	X	09		31
TOTAL	111	357	518	126	87	79	165	83	155	259	384	790	Year's Total 3114	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side. †Spare column, no entries required, except year's total.

(*Signed*) (P.T.O.)

Section **A** for the entry of Daily Observations

Station No. 528

METEOROLOGICAL OFFICE

Metform 1090
(*Rev. Feb. 1965*)

REGISTER OF RAINFALL IN 1965

Kept at EASTBOURNE WILMINGTON SQUARE

in the County of SUSSEX

COPY

Diameter of funnel of gauge .... in.

Height of top of gauge above ground .... ft. .... in.

Height of ground above sea level .... ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	67	10	05					07	48	01	09	21		1
2	64	19	29	15	02			03	06	05		27		2
3	36		06	36	22			19	01			57		3
4	03			03	02						02	32		4
5	05	28		27				02				54		5
6	82	19	08	56			10					17		6
7	34	28	01	02			03					30		7
8	05	19	01				31				04	06		8
9	01	27		18		30					61	98		9
10	28					09					[illegible]	72		10
11	01	09	01								87	01		11
12	07	29		23	28					02	59			12
13	01	79			188				04		01			13
14	03	07			01		53	08	08			44		14
15	08	02			10		02	02			22	28		15
16		53		05	14		96	02			01	05		16
17		55			110		04					22		17
18		05			08						02	01		18
19		01												19
20	49			05	14							16		20
21	10									28		06		21
22	03		09			01	77					17		22
23	02	07	05			03	01			04		104		23
24			01	01					25	124		48		24
25			09	02			17			03		44		25
26		03				24						64		26
27		01				04	10			30		02		27
28		04				15			75	35				28
29		X			01			15		27	25	02		29
30	38	X								93	18	02		30
31	01	X		X		X		04	X	71	X	19		31
TOTAL	4·48	4·05	0·75	1·93	4·00	0·86	3·04	0·62	1·67	4·23	2·91	8·39	Year's Total 36·93	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side.

†Spare column, no entries required, except year's total.

(*Signed*) .... (P.T.O.)

Section A **for the entry of Daily Observations**

Station No. 310007

METEOROLOGICAL OFFICE

METFORM 1090
(Rev. Feb. 1965)

REGISTER OF RAINFALL IN 1916

Kept at Eastbourne

1916.

in the County of

Diameter of funnel of gauge in.

Height of top of gauge above ground ft. in.

Height of ground above sea level ft.

COPY.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
MM	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~		
1	1·7	–	02	–	46	–	–	–	–	–	61	–		1
2	93	07	49	–	70	16	–	–	–	133	296	–		2
3	02	41	23	–	-	22	33	–	50	112	06	–		3
4	32	23	–	–	02	17	–	–	02	68	81	–		4
5	08	04	–	10	33	52	–	–	76	13	149	–		5
6	02	19	14	81	14	179	78	–	–	13	70	–		6
7	03	06	113	–	80	17	02	–	–	27	74	–		7
8	–	42	05	–	65	04	–	–	–	–	84	14		8
9	–	02	–	–	74	–	01	–	–	–	–	105		9
10	–	116	–	24	–	38	01	–	–	02	–	21		10
11	10	68	07	24	–	16	05	–	–	04	–	68		11
12	12	24	38	33	33	53	24	–	–	–	–	32		12
13	–	45	40	–	10	32	–	02	–	32	–	02		13
14	–	152	14	–	45	–	–	118	15	–	02	41		14
15	–	24	14	–	–	–	–	03	–	1·1	–	88		15
16	–	33	32	98	–	–	27	–	–	–	–	–		16
17	68	40	02	18	–	–	12	07	–	68	–	–		17
18	13	23	02	–	–	–	–	–	182	141	62	08		18
19	53	02	18	73	–	–	–	27	42	64	260	28		19
20	36	04	13	36	–	19	–	–	03	–	30·6	03		20
21	04	–	76	32	–	–	–	–	–	–	51	131		21
22	04	13	16	04	04	–	–	–	–	–	16	153		22
23	03	15	23	–	–	33	04	05	–	03	05	152		23
24	02	10	11	–	39	04	–	17	–	57	13	–		24
25	04	155	45	–	–	–	–	44	–	82	53	111		25
26	–	136	08	–	–	03	–	71	05	40	06	20		26
27	03	36	176	–	–	31	–	03	24	51	–	28		27
28	–	165	07	–	–	16	–	27	–	225	–	04		28
29	–	38	–	–	–	48	–	115	65	110	–	84		29
30	–	X	02	–	–	67	–	39	–	118	–	122		30
31	–	X	–	X	–	X	–	10	X	58	X	03		31
TOTAL	36·9	1243	750	433	515	667	18·7	488	464	143·2	1595	1218	Year's Total 9361	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side. †Spare column, no entries required, except year's total.

(Signed) (P.T.O.)

om p.M. WD

600

FORM A.
BRITISH RAINFALL.

20 MAY 1917

REGISTER OF RAINFALL IN 1916. (Millimetres)

Kept at Eastbourne (Wilmington Square)
in the County of Sussex
by S. R. Henderson for the M. O. H.

Lat. Long.
Time of Observation 9. 0. a.m.
Nearest Railway Station L. B. & S. C.
Diameter of Funnel of Rain Gauge 5" in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 36 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. (–)

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	1.7	–	0.2	–	4.6	–	0.2	–	0.1	–	6.4	–	1
2	9.3	0.7	4.9	–	7.0	–	–	–	–	0.3	29.3	–	2
3	0.2	4.1	2.3	–	–	1.1	3.1	–	–	23.9	0.3	–	3
4	3.2	2.3	–	–	0.2	1.7	0.2	–	5.2	5.6	8.7	–	4
5	0.8	0.4	–	1.0	3.3	6.9	–	–	7.4	2.8	12.1	–	5
6	0.2	1.9	1.4	8.1	1.4	14.5	6.5	–	0.2	1.3	8.2	–	6
7	0.3	0.6	11.3	trace	8.0	5.1	1.5	–	–	0.8	8.0	–	7
8	–	4.2	0.5	–	6.5	0.4	–	–	–	1.9	7.4	1.4	8
9	–	0.2	–	–	7.4	–	0.1	–	–	–	2.0	6.0	9
10	–	11.6	–	2.4	–	–	0.1	–	–	0.2	–	5.9	10
11	1.0	6.8	0.7	2.4	–	5.4	–	–	–	0.4	–	6.0	11
12	1.2	2.4	3.8	3.3	3.3	3.5	2.7	–	–	–	–	4.4	12
13	–	4.5	4.0	trace	1.0	4.5	0.2	0.2	–	2.3	–	0.5	13
14	–	15.2	1.4	–	4.[illegible]	0.5	–	3.1	1.5	0.9	0.2	3.4	14
15	–	2.4	1.4	trace	trace	–	–	9.0	–	1.1	–	9.2	15
16	–	3.3	3.2	9.8	–	–	2.5	–	–	–	–	0.3	16
17	6.8	4.0	0.2	1.8	–	–	1.4	0.7	–	–	–	–	17
18	1.3	2.3	0.2	trace	–	–	–	–	12.5	20.7	0.2	–	18
19	5.3	0.2	1.8	7.3	–	–	–	2.7	6.2	6.2	28.4	0.8	19
20	3.6	0.4	1.3	3.6	–	–	–	trace	4.0	0.4	32.4	3.1	20
21	0.4	–	7.6	3.2	–	1.9	–	–	–	–	3.3	12.6	21
22	0.4	1.3	1.6	0.4	–	–	–	–	–	–	5.2	14.0	22
23	0.3	1.5	2.3	–	0.4	0.8	0.4	[illegible]	–	0.3	0.2	16.5	23
24	0.2	1.0	1.1	–	5.9	2.9	–	2.2	–	–	1.4	0.5	24
25	0.4	15.5	4.5	–	–	–	–	–	–	9.3	5.3	11.1	25
26	–	13.6	0.8	–	–	0.3	–	11.5	–	8.6	0.8	–	26
27	0.3	3.6	17.6	–	–	1.7	–	–	0.5	2.0	–	4.8	27
28	–	16.5	0.7	trace	–	2.8	–	2.0	2.4	15.6	–	0.4	28
29	–	3.8	–	–	–	4.8	–	5.6	5.0	16.2	–	7.7	29
30	–	╳	0.2	–	–	6.7	–	9.5	1.5	16.3	–	12.9	30
31	–	╳	–	╳	–	╳	–	2.2	╳	5.8	╳	0.3	31
								·01	–	6.4	–	(–)	YEAR'S TOTAL
Total	36.9	124.3	75.0	43.3	51.6	66.5	18.9	~~48.7~~	~~46.4~~	~~142.9~~	~~159.8~~	121.8	936·05
Rain Days.	19	27	25	11	13	18	~~12~~ 10	48.8 11	46.3 ~~12~~ 11	149.3 24	153.4 18	21	~~211~~ 208

W. 8,000, VIII. 16

✓

REGISTER OF RAINFALL IN 1917.

FORM A. BRITISH RAINFALL.

Kept at Eastbourne

in the County of Sussex

by W. G. Willoughby Esq. M.D.

Lat. 50° 46′ N Long. 0° 17 E

Time of Observation 9.0 a.m

Nearest Railway Station L. B. & S. C. 16. JAN 18

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 36 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

(Millimetres)

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	0·4	–	2·5	–	–	0·2	39·8	0·6	–	3·8	1·3	1
2	–	–	–	3·2	–	–	–	1·6	–	8·4	5·6	–	2
3	–	0·1	–	2·6	–	–	7·5	3·4	–	4·3	0·1	–	3
4	–	1·7	3·3	–	–	1·7	–	4·1	–	8·8	–	–	4
5	–	0·5	1·1	1·7	–	16·8	–	–	8·2	7·1	–	–	5
6	13·2	–	2·7	7·2	trace	trace	–	–	10·0	0·3	6·1	0·1	6
7	12·1	–	–	–	–	trace	2·4	–	0·3	9·2	0·1	4·8	7
8	2·6	–	–	8·4	–	–	1·8	1·4	0·1	12·7	20·4	10·3	8
9		–	2·9	0·8	–	20·8	trace	–	–	1·7	1·1	14·5	9
10	(4·0)	–	3·0	1·1	–	0·1	–	2·6	–	0·2	–	0·2	10
11	6·8	1·2	3·1	45	trace	–	–	0·5	–	9·0	–	–	11
12	0·3	–	0·4	2·1	1·6	–	–	5·8	–	13·5	–	0·1	12
13	0·9	–	5·1	–	–	–	–	1·2	0·5	9·0	–	trace	13
14		–	0·3	4·1	–	–	0·6	7·8	–	1·6	–	–	14
15		–	–	–	3·6	–	–	4·2	–	1·5	–	0·4	15
16	0·6	1·8	–	1·9	5·1	–	–	–	–	4·9	–	26·9	16
17	–	0·7	–	–	1·8	–	7·3	0·2	6·3	6·0	–	0·5	17
18	0·5	0·8	–	35	1·2	1·9	6·7	–	2·8	–	–	–	18
19	–	6·4	2·1	1·1	13·6	0·4	–	–	4·2	–	–	–	19
20	–	3·7	0·4	–	0·6	trace	–	–	0·1	–	0·2	–	20
21	–	0·2	0·7	–	–	2·4	12·6	–	–	0·8	–	1·8	21
22	0·3	–	2·3	–	5·5	–	–	3·7	–	6·5	–	0·2	22
23	–	8·7	–	–	–	–	–	1·4	–	0·2	–	0·6	23
24	–	0·7	–	–	–	–	6·6	1·5	–	7·6	1·0	0·7	24
25	–	2·5	0·9	–	–	0·5	0·8	0·4	–	1·6	–	–	25
26	–	–	–	–	–	1·6	–	20·9	2·1	–	26·4	0·2	26
27	–	–	–	–	–	42·7	–	27·9	–	4·2	0·2	0·1	27
28	–	–	2·8	–	–	0·6	4·0	15·2	–	0·1	–	1·0	28
29	–	✕	–	–	–	–	4·7	2·9	–	6·0	–	1·3	29
30	0·3	✕	2·6	–	–	–	16·4	5·2	–	8·9	0·3	0·6	30
31	0·5	✕	7·0	✕	–	✕	6·0	–	✕	0·6	✕	6·4	31
Total	42·1	29·4	42·7	39·2	33·0	89·5	77·6	151·7	35·2	136·7	65·3	72·0	YEAR'S TOTAL 812·4
Rain Days.	12	~~14~~ 13	17	14	~~10~~ 8	~~14~~ 10	~~15~~ 14	21	~~11~~ 9	~~26~~ 25.	~~12~~ 10	~~21~~ 17	190

W. 8,000, IX. 17.

Exd

92

FORM A.
BRITISH RAINFALL

18 2.19

(Millimetres)

REGISTER OF RAINFALL IN 1918

Kept at Eastbourne (Wilmington Square)
in the County of Sussex
by W. G. Willoughby Esq M. D.

Lat. 50° 46′ N Long. 0 17′ E
Time of Observation 9. 0. A. M.
Nearest Railway Station L. B. & S. C.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 36 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	2·0	0·2	0·3	1·0	-	-	-	1·8	-	-	1·8	2·0	1
2	-	0·6	0·1	0·1	-	-	-	8·2	-	-	16·8	6·0	2
3	-	0·1	1·0	3·8	10·0	-	-	2·3	-	0·7	6·5	0·9	3
4	0·1	1·2	0·7	1·5	1·4	-	-	1·7	4·0	-	13·5	0·1	4
5	-	8·3	0·3	-	4·5	-	-	3·1	-	0·8	0·2	0·6	5
6	8·7	3·3	-	2·7	8·7	-	-	8·2	2·3	-	1·3	1·5	6
7	2·2	2·4	-	2·0	1·1	0·2	-	1·8	14·4	1·3	0·2	0·2	7
8	-	0·3	-	-	-	-	-	-	5·1	-	4·0	1·1	8
9	1·2	0·2	-	4·3	-	2·5	4·6	-	9·8	7·3	-	3·0	9
10	-	-	-	0·9	-	5·8	2·7	-	3·1	1·7	-	3·5	10
11	-	-	-	-	-	-	1·5	-	14·4	12·8	2·1	1·8	11
12	-	5·2	0·1	-	65	-	0·2	-	2·3	7·8	-	1·2	12
13	8·3	-	0·6	-	2·0	-	4·5	-	6·7	-	-	1·0	13
14	3·2	-	2·9	-	-	1·6	6·0	-	11·7	8·7	-	2·7	14
15	355	-	-	1·0	-	0·7	-	-	0·1	0·2	-	5·0	15
16	6·1	-	-	1·5	-	-	6·3	-	0·2	-	-	-	16
17	9·5	-	-	1·0	-	2·4	5·6	0·2	-	-	-	5·0	17
18	3·7	-	-	-	-	5·0	-	-	16·0	1·7	-	1·3	18
19	1·7	-	3·6	0·2	-	-	-	-	1·0	1·8	-	0·3	19
20	0·3	2·9	-	20·0	-	1·2	27·5	trace	7·0	9·4	-	-	20
21	4·7	-	-	16·4	-	-	-	-	15·0	6·1	-	0·5	21
22	2·9	-	-	0·3	11·0	-	17·0	-	5·6	-	-	7·0	22
23	2·6	-	-	0·5	-	-	9·0	0·3	0·2	-	-	1·3	23
24	-	4·0	-	0·5	-	0·5	-	-	6·6	-	1·8	0·2	24
25	-	-	-	-	-	-	0·2	11·5	-	1·0	-	0·2	25
26	0·3	-	-	0·7	-	-	6·8	0·2	3·0	0·3	1·8	4·8	26
27	0·3	1·4	0·3	3·3	-	-	4·3	8·1	7·1	0·5	2·0	4·3	27
28	0·3	-	6·8	3·0	2·3	-	-	0·2	-	0·2	6·8	0·6	28
29	0·3	X	-	2·3	-	-	-	-	20·6	-	1·2	0·1	29
30	0·1	X	11·9	-	-	-	-	0·3	0·8	5·5	-	7·2	30
31	0·3	X	0·2	X	-	X	-	0·3	X	2·5	X	0·2	31
Total	94·3	30·1	28·8	67·0	47·5	19·9	96·2	48·2	157·0	70·3	60·0	63·6	YEAR'S TOTAL 782·9
Rain Days.	~~22~~ 20	~~13~~ 12	~~13~~ 11	~~21~~ 20	9	9	14	~~16~~ 15	~~23~~ 22	19	14	~~29~~ 27	~~[illegible]~~ 192

W. 6,500, VII. 18. w w c

RB only for all. 532

19 MR 20

FORM A. 2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Eastbourne [M.O.]

in the County of Sussex

by The Medical Officer of Health

Lat. 50°46′ Long. 0°17′E

Time of Observation 9h–18h G.M.T.

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 35 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	10·2	0·7	0·2	-	1·8	-	0·5	-	-	4·9	1·1	18·1	1
2	4·2	0·2	0·4	0·2	1·0	-	0·7	-	-	2·1	1·8	8·2	2
3	5·4	-	22·9	-	2·8	-	-	-	2·8	-	0·7	9·5	3
4	8·0	2·5	10·8	-	-	-	1·1	1·9	-	-	2·5	2·4	4
5	0·2	10·5	27·3	-	-	-	-	-	-	-	2·8	13·1	5
6	7·7	-	1·1	-	-	-	-	-	-	-	0·5	1·7	6
7	1·8	-	9·2	-	-	-	-	-	-	0·2	1·8	-	7
8	6·0	-	2·4	-	-	-	-	-	-	-	-	-	8
9	7·3	-	1·9	0·2	5·5	-	-	-	-	-	6·6	-	9
10	9·9	-	2·8	1·6	-	-	-	-	-	-	0·1	0·5	10
11	7·5	-	3·4	15·6	1·5	-	-	-	-	-	-	4·6	11
12	3·5	-	0·2	0·1	0·1	-	3·1	-	-	12·9	0·6	-	12
13	0·9	0·1	0·5	5·1	-	-	0·3	-	-	-	-	0·2	13
14	10·1	-	-	8·9	-	-	0·8	-	1·2	0·4	-	1·3	14
15	4·4	0·5	0·4	1·6	-	-	-	-	-	-	1·0	5·3	15
16	4·2	17·3	-	-	-	-	-	-	-	-	3·6	0·3	16
17	-	7·0	-	-	-	-	-	-	-	-	6·3	0·9	17
18	-	0·4	0·7	-	-	-	-	0·3	0·3	-	2·7	0·6	18
19	0·7	5·2	19·1	-	-	0·3	8·2	4·6	0·3	-	7·1	0·2	19
20	10·5	2·2	5·2	-	-	9·8	4·4	3·7	-	-	-	0·6	20
21	1·6	12·3	0·1	-	-	-	2·1	-	-	-	1·0	2·1	21
22	-	0·4	0·1	-	-	-	5·3	-	11·4	-	1·0	5·8	22
23	-	-	-	-	-	0·4	0·7	-	3·2	-	0·5	0·7	23
24	-	2·0	-	5·5	-	0·2	-	1·1	-	1·4	17·3	7·2	24
25	2·2	0·2	-	-	-	-	-	5·6	0·2	-	0·2	1·3	25
26	6·7	7·1	4·5	0·9	-	-	-	2·6	0·9	-	12·2	12·0	26
27	7·8	-	1·2	15·8	-	-	-	4·8	-	-	30·1	0·3	27
28	-	-	9·4	6·2	-	-	-	19·9	-	-	15·5	15·6	28
29	0·9	×	-	0·1	-	-	-	5·0	-	7·1	4·4	5·0	29
30	-	×	0·3	6·2	-	0·1	-	11·8	-	2·6	3·5	7·9	30
31	1·4	×	-	×	-	×	0·1	-	×	2·0	×	1·4	31
TOTAL	122·1	68·6	124·1	68·0	12·7	10·8	27·3	61·3	20·3	33·6	124·9	126·8	YEAR'S TOTAL 800·5 ~~794·7~~
Days with 0·2 mm. or more	24	15	21	12	5	4	11	11	8	9	24	27	171

800·5

(44,284). Wt.21,958—218. 500. 10/19. Gp.132. A.&E.W.

Copied from M.O. Form 3202

Form A. 2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Wilmington Square Eastbourne
in the County of Sussex
by W. G. Willoughby Esq M D

Lat 50°46 Long 0° 17' E
Time of Observation 9 am + 6 p.m
Nearest Railway Station L. B + S. C. R
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 36 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. 5·1

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	10·2	0·7	0·2	–	1·8	–	0·5	–	–	4·9	1·1	18·1	1
2	4·2	0·2	0·4	0·2	1·0	–	0·7	–	–	2·1	1·8	8·2	2
3	5·4	–	22·9	–	2·8	–	–	–	2·8	–	0·7	9·5	3
4	8·0	2·5	10·8	–	–	–	1·1	1·9	–	–	2·5	2·4	4
5	0·2	10·5	27·3	–	–	–	–	–	–	–	2·8	13·1	5
6	7·7	–	1·1	–	–	–	–	–	–	–	0·5	1·7	6
7	1·8	–	9·2	–	–	–	–	–	–	0·2	1·8	–	7
8	6·0	–	2·4	–	–	–	–	–	–	–	–	–	8
9	7·3	–	1·9	0·2	5·5	–	–	–	–	–	6·6	–	9
10	9·9	–	2·8	1·6	–	–	–	–	–	–	0·1	0·5	10
11	7·5	–	3·4	15·6	1·5	–	–	–	–	–	–	4·6	11
12	3·5	–	0·2	0·1	0·1	–	3·1	–	=	12·9	0·6	–	12
13	0·9	0·1	0·5	5·1	–	–	0·3	–	–	–	–	0·2	13
14	10·1	–	–	8·9	–	–	0·8	–	1·2	0·4	–	1·3	14
15	4·4	0·5	0·4	1·6	–	–	–	–	–	–	1·0	5·3	15
16	4·2	17·3	–	–	–	–	–	–	–	–	3·6	0·3	16
17	–	7·0	–	–	–	–	–	–	–	–	6·3	0·9	17
18	–	0·4	0·7	–	–	–	–	0·3	0·3	–	2·7	0·6	18
19	0·7	5·2	19·1	–	–	0·3	8·2	4·6	0·3	–	7·1	0·2	19
20	10·5	2·2	5·2	–	–	9·8	4·4	3·7	–	–	–	0·6	20
21	1·6	12·3	0·1	–	–	–	2·1	–	–	–	1·0	2·1	21
22	–	0·4	0·1	–	–	–	5·3	–	11·4	–	1·0	5·8	22
23	–	–	–	–	–	0·4	0·7	–	3·2	–	0·5	0·7	23
24	–	2·0	–	5·5	–	0·2	–	1·1	–	1·4	17·3	7·2	24
25	2·2	0·2	–	–	–	–	–	5·6	0·2	–	0·2	1·3	25
26	5·7	7·1	4·5	0·9	–	–	–	2·6	0·9	–	12·2	12·0	26
27	7·8	–	1·2	15·8	–	–	–	4·8	–	–	30·1	0·3	27
28	–	–	9·4	6·2	–	–	–	19·9	–	–	15·5	15·6	28
29	0·9	–	–	0·1	–	–	–	5·0	–	7·1	4·4	5·0	29
30	–	✕	0·3	6·2	–	0·1	–	11·8	–	2·6	3·5	7·9	30
31	1·4	✕	–	✕	–	✕	0·1	–	✕	2·0	✕	1·4	31
Total	122·1	68·6	124·1	68·0	12·7	10·8	27·3	61·3	20·3	33·6	124·9	126·8	Year's Total 800·5
Days with 0·2 mm. or more	24	15	21	12	5	4	11	11	4	9	22	[illegible]	171

(44,284). Wt.21,958—218. 500. 10/19. Gp.132. A.&E.W.

[illegible] and SA 501

FORM A. 2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Eastbourne

in the County of Sussex

by S. R. Henderson & W. W. Brown for the Medical Officer of Health.

Lat. 50° 46′ N Long. 0° 17′ E

Time of Observation 9h & 18h G.M.T.

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level 35 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	5.1	-	-	0.8	1.4	-	3.6	-	-	10.1	0.2	7.3	1
2	-	-	2.6	1.0	0.2	-	0.3	13.4	3.6	1.1	-	2.5	2
3	-	-	-	-	-	-	-	-	-	0.4	-	1.8	3
4	-	2.3	-	0.9	-	-	18.7	1.7	-	0.6	-	-	4
5	-	-	0.2	0.3	0.5	-	8.3	2.4	1.4	-	-	2.6	5
6	-	-	5.3	-	6.4	-	10.4	-	-	-	-	-	6
7	2.1	-	-	3.1	0.1	-	1.4	-	-	-	-	1.7	7
8	0.6	-	-	3.3	3.9	-	16.2	-	-	0.1	-	-	8
9	8.3	0.3	0.6	-	0.5	0.9	0.2	-	-	-	-	-	9
10	21.1	4.6	3.8	1.2	-	1.6	3.5	-	-	-	-	-	10
11	11.2	-	3.7	8.7	-	1.2	7.6	-	-	-	-	0.7	11
12	2.4	0.6	0.7	3.9	1.1	6.9	0.3		-	-	0.3	0.1	12
13	8.0	1.8	8.7	0.8	-	0.1	-	-	0.8	1.0	1.4	-	13
14	-	0.6	10.2	7.9	-	0.7	-	-	0.3	5.6	7.7	-	14
15	4.7	0.2	1.2	-	0.4	-	-	-	23.6	18.7	3.7	-	15
16	0.5	-	1.9	1.2	4.0	1.8	-	-	13.5	-	1.5	1.2	16
17	1.3	-	-	1.0	2.5	-	1.5	-	6.5	0.1	-	0.6	17
18	2.0	-	-	0.1	27	-	-	27.5	12.7	-	-	1.3	18
19	1.1	-	-	5.4	-	-	-	0.7	0.8	-	-	2.6	19
20	2.7	3.7	-	1.7	-	25.1	-	2.0	24.4	-	-	-	20
21	-	-	-	0.7	-	-	3.5	-	7.3	-	-	11.0	21
22	-	-	-	8.3	-	-	-	-	0.2	-	-	10.3	22
23	-	-	-	-	-	-	7.4	0.8	-	-	-	15.7	23
24	0.3	-	1.5	-	-	-	-	-	0.3	0.1	-	2.6	24
25	-	0.2	0.2	0.1	0.6	-	5.0	-	-	-	-	-	25
26	2.2	-	5.3	3.2	-	-	1.1	-	-	-	0.2	0.6	26
27	8.7	0.9	0.1	3.2	-	1.9	2.1	-	-	-	6.1	8.6	27
28	6.6	0.7	2.6	1.7	6.2	-	5.5	-	-	-	21.1	2.2	28
29	13.6	0.1	1.7	1.1	0.3	-	-	-	-	-	8.1	2.9	29
30	0.8	X	1.0	0.9	-	-	1.8	-	6.3	-	5.3	6.5	30
31	0.1	X	2.7	X	-	X	-	-	X	17.4	X	8.7	31
TOTAL	103.4	16.0	54.0	60.5	30.8	40.2	98.4	48.5	101.7	55.2	55.6	91.5	YEAR'S TOTAL 755.8
Days with 0·2 mm. or more	~~20~~ 16	~~11~~ [illegible]	~~18~~ [illegible]	~~22~~ [illegible]	~~14~~	~~8~~	~~19~~	~~7~~	~~14~~	~~8~~	~~11~~	~~20~~	~~172~~
					8	6	16	5	9	6	8	17	125

(44,284). Wt.21,958—248. 500. 10/19. Gp.132. A.&E.W.

Copied from M 3202.

501

FORM A. 2. **METEOROLOGICAL OFFICE—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

Kept at Eastbourne

in the County of Sussex

by Dr W. G. Willoughby
Medical Officer of Health

Lat. 50° 46′ N. Long. 0° 14′ E

Time of Observation 18 hr & 9 hr.

Nearest Railway Station Eastbourne

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 35 ft.

IMPORTANT NOTE—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	5.1	–	–	0.8	1.4	–	3.6	–	–	10.1	0.2	7.3	1
2	–	–	2.6	1.0	0.2	–	0.3	13.4	3.6	1.1	–	2.5	2
3	–	–	–	–	–	–	–	–	–	0.4	–	1.8	3
4	–	2.3	–	0.9	–	–	18.7	1.7	–	0.6	–	–	4
5	–	–	0.2	0.3	0.5	–	8.3	2.4	1.4	–	–	2.6	5
6	–	–	5.3	–	6.4	–	10.4	–	–	–	–	–	6
7	2.1	–	–	3.1	0.1	–	1.4	–	–	–	–	1.7	7
8	0.6	–	–	3.3	3.9	–	16.2	–	–	0.1	–	–	8
9	8.3	0.3	0.6	–	0.5	0.9	0.2	–	–	–	–	–	9
10	21.1	4.6	3.8	1.2	–	1.6	3.5	–	–	–	–	–	10
11	11.2	–	3.7	8.7	–	1.2	7.6	–	–	–	–	0.7	11
12	2.4	0.6	0.7	3.9	1.1	6.9	0.3	–	–	–	0.3	0.1	12
13	8.0	1.8	8.7	0.8	–	0.1	–	–	0.8	1.0	1.4	–	13
14	–	0.6	10.2	7.9	–	0.7	–	–	0.3	5.6	7.7	–	14
15	4.7	0.2	1.2	–	0.4	–	–	–	23.6	18.7	3.7	–	15
16	0.5	–	1.9	1.2	4.0	1.8	–	–	13.5	–	1.5	1.2	16
17	1.3	–	–	1.0	2.5	–	1.5	–	6.5	0.1	–	0.6	17
18	2.0	–	–	0.1	2.7	–	–	27.5	12.7	–	–	1.3	18
19	1.1	–	–	5.4	–	–	–	0.7	0.8	–	–	2.6	19
20	2.7	3.7	–	1.7	–	25.1	–	2.0	24.4	–	–	–	20
21	–	–	–	0.7	–	–	3.5	–	7.3	–	–	11.0	21
22	–	–	–	8.3	–	–	–	–	0.2	–	–	10.3	22
23	–	–	–	–	–	–	7.4	0.8	–	–	–	15.7	23
24	0.3	–	1.5	–	–	–	–	–	0.3	0.1	–	2.6	24
25	–	0.2	0.2	0.1	0.6	–	5.0	–	–	–	–	–	25
26	2.2	–	5.3	3.2	–	–	1.1	–	–	–	0.2	0.6	26
27	8.7	0.9	0.1	3.2	–	1.9	2.1	–	–	–	6.1	8.6	27
28	6.6	0.7	2.6	1.7	6.2	–	5.5	–	–	–	21.1	2.2	28
29	13.6	0.1	1.7	1.1	0.3	–	–	–	–	–	8.1	2.9	29
30	0.8	×	1.0	0.9	–	–	1.8	–	6.3	–	5.3	6.5	30
31	0.1	×	2.7	×	–	×	–	–	×	17.4	×	8.7	31
TOTAL	103.4	16.0	54.0	60.5	30.8	40.2	98.4	48.5	101.7	56.2	55.6	91.5	YEAR'S TOTAL 755.8
Days with 0·2 mm. or more	20	11	18	22	14	8	19	7	14	8	11	20	172
Days with 1·0 mm. or more	16	4	14	16	8	6	16	5	9	6	8	17	125

(44.284). 10/19. (52,639). Wt.10,000—359. 1000. 7/20. Gp.132. A.&E.W.

Dl

RE

EAST GRINSTEAD

SUSSEX

1911 - 1916

FORM A2.
BRITISH RAINFALL.
23 JAN 1912

Kept at East Gri

in the County of E. Su

by Mr. G. Mitch

8 in.

Ground 2 ft. 2 in.

Sea Level 420 ft.

Name

Distance Direction

IMPORTANT NOTE. Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03			·45				·02			·04	·01	1
2	·07		·01	·12	·42		·02				·16	·37	2
3					·26						·16	·24	3
4	·10	·02	·03	·25					·02	·63	·43	·43	4
5		·02		·06						·50	·02	·14	5
6	·41		·03	·01							·01	·75	6
7	·06									·38	·69	·54	7
8	·13		·15								·58	·33	8
9	·26		·02	·02							·21	·12	9
10		·09	·13	·03								1·14	10
11	·43		·06								1·27		11
12			·67						·02		·12	·01	12
13			·15		·16				·60	·05		·33	13
14		·07	·01		·16							·75	14
15		·04	·24								·15	·05	15
16						·27					·98	·23	16
17			·04			·08					1·61	·27	17
18		·18	·10								1·32	·59	18
19						·09			·19	·35	·25	·20	19
20	·02		·02	·02				·33	·07	·05		1·07	20
21	·02	·26						·10	·01	·65		·15	21
22	·04	·01	·35			·20		·26		·22		·52	22
23	·01	·32				·88			·35	·16	·03	·32	23
24		·17				·05	·04	·02		·72		·43	24
25		·03	·16	·05		·15		·03	·07		·03		25
26			·13	·29	·20	·49				·32	·11	·20	26
27		·39	·15	·40					·09	·55	·03	·11	27
28		·35		·20				·06			·05	·01	28
29				·19		·16	·50		·20	·44			29
30				·10				·16	·02	·44		·02	30
31					·06								31
Total	1·58	1·95	2·45	2·19	1·26	2·37	·56	·98	1·64	5·46	8·25	9·33	TOTAL for year 38·02
No. of Rain Days	12	13	18	14	6	9	3	8	11	14	21	27	156

9,000, IX. '10.

RE

FORM A2.
BRITISH RAINFALL.
23 JAN 1912

7

Kept at East Grinstead
in the County of E. Sussex
by Mr. G. Mitchell

RAIN GAUGE
Pattern
Diameter of top 8 in.
Height of top above Ground 2 ft. 2 in.
" " " Sea Level 420 ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.03			.45				.02			.04	.01	1
2	.07		.01	.12	.42		.02			—	.16	.37	2
3					.26						.16	.24	3
4	.10	.02	.03	.25					.02	.63	.43	.43	4
5		.02		.06						.50	.02	.14	5
6	.41		.03	.01							.01	.75	6
7	.06									.38	.69	.54	7
8	.13		.15								.58	.33	8
9	.26		.02	.02							.21	.12	9
10		.09	.13	.03								1.14	10
11	.43		.06								1.27		11
12			.67						.02		.12	.01	12
13			.15		.16				.60	.05		.33	13
14		.07	.01		.16							.75	14
15		.04	.24								.15	.05	15
16						.27					.98	.23	16
17			.04			.08					1.61	.27	17
18		.18	.10								1.32	.59	18
19						.09			.19	.35	.25	.20	19
20	.02		.02	.02				.33	.07	.05		1.07	20
21	.02	.26						.10	.01	.65		.15	21
22	.04	.01	.35			.20		.26		.22		.52	22
23	.01	.32				.88			.35	.16	.03	.32	23
24		.17				.05	.04	.02		.72		.43	24
25		.03	.16	.05		.15		.03	.07		.03		25
26			.13	.29	.20	.49				.32	.11	.20	26
27		.39	.15	.40					.09	.55	.03	.11	27
28		.35		.20				.06			.05	.01	28
29				.19		.16	.50		.20	.44			29
30				.10				.16	.02	.44		.02	30
31					.06								31
Total	1.58	1.95	2.45	2.19	1.26	2.37	.56	.98	1.64	5.46	8.25	9.33	TOTAL for year 38.02
No. of Rain Days	12	13	18	14	6	9	3	8	11	14	21	27	156

9,000, IX. '10.

82

FORM A2.
BRITISH RAINFALL.
90

23 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at East Grinstead

in the County of Sussex 7

by G. Mitchell

RAIN GAUGE
Pattern
Diameter of top in.
Height of top above Ground ft. in.
" " " Sea Level ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01		·21			·08	·12		·02	·85		·28	1
2		·01	·54			·03	·28		·01	·02			2
3		·03	·06			·28		·39	·02			·03	3
4	·25	·02	·72		·07	·17		·05			·23	·01	4
5	·22	·04	·19					·36			·08	·04	5
6	·58	·07			·04			·57				·09	6
7					·15	·43		·40				·17	7
8	·32	·51	·38			·04		·05			·01	·07	8
9	·01	·16	·02	·04		·25	·08	·15		·01		·16	9
10		·09						·21	·01		·09	·32	10
11	·05	·44	·04			·03		·10	·03	·01		·32	11
12	·01	·24	·07		·23	·04		·24			·02	·06	12
13		·02	·02							·01	·16	·09	13
14			·03		·04			·26		·08		·01	14
15	·02	·02	·09		·19	·76						·38	15
16	·29	·01	·22		·30	·03		·13		·07	·08		16
17	·32		·60			·04		·10			·16	·10	17
18	·19		·30	·02				·10		·06	·01	·15	18
19	·08	·17	·15				·07	·24			·01		19
20	·02	·03	·64				·02	·39		·52	·05		20
21		·07	·32					·06		·14	·05		21
22	·05	·58	·10				·01	·23		·01		·01	22
23	·32	·29	·40		·01			·44		·16	·20	·05	23
24	·02	·04				·25	·02	·16			·45	·21	24
25	·06	·01				·34		·84			·44	·67	25
26		·04				·02		·35		·34		·44	26
27			·01			·04	·01			·34		·36	27
28		·04				·06	·21	·16	·12	1·19	1·14	·29	28
29		·06				·02	·07	·28	2·12	·09	·02		29
30					·43	·54	·10	·09	1·86	·43			30
31	·01		·06				·32	·14					31
Total	2·83	2·99	5·17	·06	1·46	3·45	1·31	6·49	4·19	4·33	3·20	4·31	TOTAL for year 39·79
No. of Rain Days.	19	23	22	2	9	19	12	26	8	17	17	23	197

W. 8,000, X: '11.

82

93

FORM A.
BRITISH RAINFALL

22 JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at East Grinstead

in the County of Sussex

by G. Mitchell

7

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·04	·35	·11	·44	·08				·08	·07	·14	·21	1
2	·06	·21		·01			·12		·02	·06	·14	·02	2
3			·09	·35	·34					·03		·19	3
4	·51		·10	·02	·04		·02		·06	·13	·12	·02	4
5	·20	·08	·03		—	·09	·11		·44	·03	·14	·04	5
6	·10	·06	·09		·02	·18	·19		·06	·24	·04	·16	6
7		·32	·02		·09	·07	·07			·64	·11		7
8		·09	·02		·19	·08				·38	·06	·03	8
9		·13		·02	·15	·01	·08		·12		·04		9
10	·01			·09			·45			—	·49		10
11	·67			·43						·86	·63	·01	11
12					·07	—					1·00		12
13	·21		·03				—	·04	·04		·28		13
14	·30		·10	·09			1·27	·02	·20	·15	·36		14
15	·20	·02	·28	·41			·27		·10				15
16	·27		·64	·34	—		·03		·13		—		16
17	·08	·01	·05	·09			·36		·01		·02	·01	17
18			·17	·29			·06				·15		18
19	·38		·15				·08		·49	·01			19
20	1·03		·07	·10		·10			·02	·64	·04		20
21	·02		·19	·05					·09	·46	1·00		21
22	·33		·34				·03	·03		·04			22
23			·28			·04		·13					23
24	·05			·07		·04	—	·06			·09	·67	24
25				·23									25
26			·12	·02			·02	·16		·85		·37	26
27	·02		·04	·06	·49					·09			27
28	·13		·41	·08				·06		·19			28
29	·07		·04	·48	·21			·22		·07			29
30	·65			·12				·24		·30			30
31			·13					·53		·25			31
Total	5·33	1·27	3·50	3·79	1·68	·61	3·16	1·49	1·86	5·49	4·85	1·73	YEAR'S TOTAL 34·76
Rain Days.	21	9	23	21	10	8	15	10	14	20	18	11	180

W. 7,500, XI. 12

88

cordley ann stats 20.11.15

REGISTER OF RAINFALL IN 1914

77

FORM A.
BRITISH RAINFALL.

28 JAN 1915

Kept at East Grinstead

in the County of Sussex

by G. Mitchell

7

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·02				·16			·04	·10	1
2						·04	·19				·18	·21	2
3			·09	·04	·31			·04			·01		3
4			·02	·41	·06		·22	·04			·29	·34	4
5	·15		·05	·44	·18	·02		·16			·02		5
6		·17		·22	·04	·20	·12	·05			·02	·51	6
7		·84	·46	·24	·02	·04	·15					·38	7
8	·14	·77	·55			·21	·07	·24					8
9	·38		1·11	·30					·19			1·20	9
10		·12	·05	·11	·07				·06		·01	·06	10
11		·72	·56	·04					·26		·06	·38	11
12	·01	·12	·09				·33		·36		·02	·88	12
13		·80	·28			·06			·13	·03	·12	·82	13
14		·51	·29				·21			·34	·16	·76	14
15	·02	·13	·29				·12	·02			1·13	·04	15
16		·05	·12						·09				16
17		·57	·22				·01		·26			·25	17
18		·19	·10									·64	18
19		·11	·75				·20			·05	·26	·16	19
20		·36	·21			·06			·03	·03		·17	20
21		·83	·08					·07		·05		·03	21
22		·03			·31	·06	·11	·04		·34			22
23			·38		·15	·05						·03	23
24			·01							·02	·18		24
25	·09		·33					·08		·43	·02	·04	25
26			·05				·02	·27		·07	·25	·77	26
27										·01	·07	·73	27
28	(·05) ·05	·02								·17	·68	·58	28
29	·16		·02							·59	·33		29
30	·03		·19							·10	1·38	·43	30
31	·06				·23							·02	31
Total	1·09	6·34	6·30	1·82	1·37	·74	1·75	1·17	1·38	2·23	5·23	9·53	YEAR'S TOTAL 38·95
Rain Days.	10	17	24	9	9	9	12	11	8	13	20	24	166

W.7,000, XI. 13

8l

666
74

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1915

Kept at East Grinstead
in the County of Sussex
by G. Mitchell

7

Lat. ________ Long. ________
Time of Observation ________
Nearest Railway Station ________
Diameter of Rain Gauge ________ in.
Height of top of Gauge above Ground ________ ft. ________ in.
" " " " Sea Level ________ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·75	·19							·20	·02	·13	·41	1
2	·15	·20	·25	·15	·02			·29		·05		·09	2
3	·29		·03	·19	·07			·16	·05			·52	3
4	·10									·05		·77	4
5	·03	·71						·22		·05	·02	·48	5
6	·50	·25	·05	·79			·46					·15	6
7	·37	·56				·01	·05					·43	7
8	·02	·84	·07				·06	·06			·01		8
9		·10		·16		·36		·08			·46	·78	9
10	·44					·02						·59	10
11											·65	·03	11
12	·04	·13		·21	·35			·19		·05	·89		12
13		·84			1·78				·02			·02	13
14	·02	·05					·12	·03	·03			·56	14
15	·33				·05		·15	·23			·24	·46	15
16		·81		·01	·05		1·29	·11				·10	16
17		·65			1·17		·03					·01	17
18		·09	·03		·32						·04		18
19		·17					·05			·07			19
20	·28			·03	·05							·21	20
21	·20	·01					·02			·06		·06	21
22	·34	·19	·03				1·08					·22	22
23		·12	·12				·02		·05	·36		·48	23
24		·01	·01	·01		·02	·56		·22	·38		·64	24
25				·08			·11			·03		·46	25
26		·09	·01			·03	·02					·61	26
27						·05	·13			·49		·07	27
28		·17				·08	·02		1·17	·41			28
29							·17	·21			·51		29
30	·11	X				·50				·09	·80	·08	30
31	·11	X		X		X		·46	X	·74	X	·35	31
Total	4·08	6·18	·60	1·63	3·86	1·07	4·34	2·04	1·74	2·85	3·75	8·58	YEAR'S TOTAL 40·72
Rain Days.	17	20	9	9	9	8	17	11	7	14	10	25	156

W. 8,000. X. 14.

Dh

Ese Dh

656
72

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

Kept at East Grinstead
in the County of Sussex
by G. Mitchell

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·20		·01		—								1
2	·58	·18	·19										2
3	·01	1·04	·32										3
4	·24	·10		·15									4
5		·06											5
6	·01	·24	·19	·31									6
7	·10	·02	·67										7
8													8
9			·13	—									9
10		·28		·07									10
11	·03	·16		·19									11
12	·04	·08		·06									12
13		·30	·31	·09									13
14		·49	·13										14
15		·11	·16										15
16		·03	·17	·15									16
17	·30	·16	·15										17
18		·10		·02									18
19	·28			·26									19
20	·14		·11	·25									20
21	·01		·70										21
22			·05										22
23	·02	·43	·03										23
24			·07										24
25		·80	·29										25
26	·03	·30	·02										26
27			·80										27
28		·45	·22										28
29		·16											29
30		X											30
31		X		X		X			X		X		31
Total	1·99	5·49	4·72	1·55									YEAR'S TOTAL
Rain Days.	14	20	20	10									

W. 8,000. X. 15.

EAST ~~GR~~INSTEAD
{HIGHFIELDS}
SUSSEX

1912 & 1914 - 1920

FORM A.
BRITISH RAINFALL
2 - JAN 1913

RE 12

Kept at East-Gr ng. 0
9 am
in the County of S h E. Grinstead.
5 in.
by E. Mas above Ground == ft. 9 in.
,, Sea Level 400 ft. T

IMPORTANT NO nd the result entered to the previous day. If an O universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·07		·21			·10	·13		·01	·92		·24	1
2		·03	·47			·02	·28		·01	·02		·01	2
3			·06			·22	·01	·32	·02			·02	3
4	·23	·04	·71		·04	·15		·03			·19	·01	4
5	·18	·04	·21					·33			·07	·03	5
6	·49	·08			·03			·55				·08	6
7					·12	·39		·32				·15	7
8	·27	·46	·30			·03		·07			·01	·03	8
9	·02	·15	·03	·02		·27		·13				·13	9
10		·08		·03			·07	·20	·01		·08	·31	10
11	·05	·40	·04		·21	·02		·02	·03			·25	11
12	·01	·21	·05			·04		·22			·16	·06	12
13		·01	·03									·06	13
14			·03		·04			·21		·06		·02	14
15	·02	·03	·09		·21	·68		·01				·32	15
16	·25	·01	·18		·32	·03		·10		·06	·07		16
17	·32		·46			·03		·08			·13	·09	17
18	·14		·30					·06		·05	·02	·16	18
19	·07	·16	·16				·04	·34			·02		19
20	·02	·04	·57			·01	·02	·17		·49	·04		20
21		·06	·24		·01			·05		·14	·05		21
22	·05	·47	·11				·02	·21				·01	22
23	·34	·23	·40					·31		·12	·16	·05	23
24	·03	·04			·01	·23	·01	·16				·16	24
25	·06			~~·06~~		·29		·78			·38	·52	25
26		·04		~~·27~~		·01		·38		·33	·30	·33	26
27				~~·36~~		·03	·01			·28		·25	27
28		·05		~~·16~~		·06	·19	·23	·08	·99	·97	·22	28
29		·06		~~·26~~		·04	·06	·24	1·98	·08	·02		29
30			·07	~~·06~~	·42	·47	·12	·08	1.52	·40			30
31							·28	·10					31
Total	2.56	2·69	4.72	·05 ~~1.22~~	1.41	3·12	1.24	5.70	3·66	3.94	2·67	3.51	YEAR'S TOTAL 35·27
Rain Days.	18	21	21	~~8~~2	10	20	13	27	8	13	16	24	193

W. 7,500, XI. ·12

RE [redacted] 2

g. 0

FORM A.
BRITISH RAINFALL.
2 - JAN 1913

Kept at East-Gri

in the County of Sussex

by E. Mason

Time of Observation 9 am

Nearest Railway Station E: Grinstead

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground — ft. 9 in.

" " " " Sea Level 400 ft. T

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·07		·21			·10	·13		·01	·92		·24	1
2		·03	·47			·02	·28		·01	·02		·01	2
3			·06			·22	·01	·32	·02			·02	3
4	·23	·04	·71		·04	·15		·03			·19	·01	4
5	·18	·04	·21					·33			·07	·03	5
6	·49	·08			·03			·55				·08	6
7					·12	·39		·32				·15	7
8	·27	·46	·30			·03		·07			·01	·03	8
9	·02	·15	·03	·02		·27		·13				·13	9
10		·08		·03			·07	·20	·01		·08	·31	10
11	·05	·40	·04		·21	·02		·02	·03			·25	11
12	·01	·21	·05			·04		·22			·16	·06	12
13		·01	·03									·06	13
14			·03		·04			·21		·06		·02	14
15	·02	·03	·09		·21	·68		·01				·32	15
16	·25	·01	·18		·32	·03		·10		·06	·07		16
17	·32		·46			·03		·08			·13	·09	17
18	·14		·30					·06		·05	·02	·16	18
19	·07	·16	·16				·04	·34			·02		19
20	·02	·04	·57			·01	·02	·17		·49	·04		20
21		·06	·24		·01			·05		·14	·05		21
22	·05	·47	·11				·02	·21				·01	22
23	·34	·23	·40					·31		·12	·16	·05	23
24	·03	·04			·01	·23	·01	·16				·16	24
25	·06			~~·06~~		·29		·78			·38	·52	25
26		·04		~~·27~~		·01		·38		·33	·30	·33	26
27				~~·36~~		·03	·01			·28		·25	27
28		·05		~~·16~~		·06	·19	·23	·08	·99	·97	·22	28
29		·06		~~·26~~		·04	·06	·24	1·98	·08	·02		29
30			·07	~~·06~~	·42	·47	·12	·08	1·52	·40			30
31							·28	·10					31
Total	2·56	2·69	4·72	·05 ~~1·22~~	1·41	3·12	1·24	5·70	3·66	3·94	2·67	3·51	YEAR'S TOTAL 35·27
Rain Days.	18	21	21	~~1~~2	10	20	13	27	8	13	16	24	193

W. 7,500, XI. ·12

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
7 - JAN 1915

Kept at East Grinstead (Highfields)

in the County of Sussex 7

by G Mason

Lat. 51·8 N Long. 0°

Time of Observation 9 a

Nearest Railway Station E. Grinstead

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·02	·04				·14			·05	·08	1
2						·03	·20				·17	·16	2
3			·08	·05	·29			·04					3
4			·02	·33	·04			·04			·28	·27	4
5	·13		·07	·40	·17	·03	·20	14			·02		5
6		15	·02	·18		·15	·12	·04			·01	41	6
7		·74	·37	·21	·02	·03	·10					·36	7
8	·10	·67	·42			·15	·07	17				·15	8
9	·35		1·09	·22				31	28			1·15	9
10	·01	·07	·03	·12	·06				05			·03	10
11		·67	·52	·04		·01			19		05	34	11
12	·01	·17	·07						·38	·01	02	50	12
13	·01	·02	·23			·06	26		·11	·01	10	1·16	13
14		·32	·24				15			·31	15	·60	14
15	·02	·10	·27				13	·01			1·02	·12	15
16	·01	03	06				·02		·08				16
17		·57	21				·01		·18			20	17
18		·13	·19									·56	18
19		·11	56				·22			·03	·23	·15	19
20		·31	20			·08			·03	·03		·12	20
21		·75	·08					·09		·05		·03	21
22		·02			·27	·07	·08	·03		·33			22
23			34		·14	·08				~~·35~~		·05	23
24			·01							·02	·18		24
25	·06		·31					·07		·38		·04	25
26			·05				·03	·21		·06	22	65	26
27	·02									~~·26~~	·05	62	27
28	·03	·02			·02					·30	·65	53	28
29	·15		·02							·56	26		29
30			·28							·08	1·24	·43	30
31	·04				·21							·02	31
Total	·94	5·45	5·76	1·59	1·22	·69	1·59	1·29	1·30	2·17	4·70	8·73	YEAR'S TOTAL 35·43
Rain Days.	13	17	26	9	9	10	13	12	8	13	17	25	172

W.7,000, XI. 13

665

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

8 JAN 1

Kept at Highfields, East Grinstead

in the County of Sussex 7

by G. Mason

Lat. 51 8 N Long. 0

Time of Observation 9 am

Nearest Railway Station E. Grinstead

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·63	·17	·03		·01				19	02	12	28	1
2	·67	·16	·20	·14	~~·01~~			·29		05		68	2
3	·32		·03	·18	·07			15	05			52	3
4	05							01		05		67	4
5	·02	·70						13		04		44	5
6	·47	·23	·07	·67			·40					11	6
7	·27	·48	·07				·03					40	7
8	02	·71	·01	·02			·07	05			02		8
9	·01	·08		·16		·30		06			41	75	9
10	·38					·01						57	10
11			·01								50	02	11
12	·04	·12		·21	·33			21		04	40	01	12
13		·81			1·74				01				13
14	·01	·04	·01				·12	02	04			54	14
15	·23	·01			·05		·14	20			18	38	15
16		83		·03	·05		~~F~~ 1·14	·08				11	16
17		51			1·19		F·02	08				01	17
18		·08	·03		·28						08		18
19		·17			·01		·04			06			19
20	·25			·04	04							20	20
21	·17						·02			06		·05	21
22	·36	·20	·03				93					22	22
23		·12	·10			·01	04		04	33		50	23
24			·01	·02		~~0~~	66		22	31		65	24
25				·06			12			04		68	25
26		·08				·02	02					55	26
27		03	·02			·05	12			50		04	27
28		07				·08	02		1·08	33			28
29						·01	26	18			42	01	29
30	13					·48				09	78	05	30
31	·06							·47		·71		30	31
Total	3·59	5·60	·62	1·53	3·77	·96	4·12	1·86	1·63	2·63	2·91	7·94	YEAR'S TOTAL 37·16
Rain Days.	18	20	13	10	10	8	17	13	7	14	9	26	165

W. 8,000. X. 14.

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
9 JAN 1917

Kept at Highfields
in the County of East-Grinstead Sussex
by Geo. Mason

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Funnel of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ☐

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	25				·20	01		~~18~~	·18	05	41		1
2	57	14	Snow ·17		·35		03			53	04		2
3	01	70	Snow ·28				03	~~19~~	·19	47	80		3
4	20	08				51		~~22~~	·22	·06	45		4
5	01	05		14	24	10				12	52		5
6	03	17		·31	03	·28	30			08	79		6
7	10	02	Snow ·42		31	08				02	72		7
8					18							·82	8
9	02		·37 Snow		38		01					14	9
10		22	Snow ·12	07			25				01	24	10
11	02	20		15		07							11
12	03	10		05	13	16	15	·01		06			12
13		30	27	09	01	04	20	·07		06			13
14		53	09		·14							14	14
15		10	15				01	34		06		Snow 06	15
16	02	·02	18	15			16	12					16
17	26	17		02				07	30	1.03			17
18	02	·01		02				41	23	48	Snow 69		18
19	26		16	28		·09		01	05		51	Snow 14	19
20	10		10	17							17	59	20
21	01		52				31			~~01~~	01	34	21
22	01		Snow ·05							~~10~~ 01		62	22
23	01	·25	Snow ·04			11				~~29~~ 10	08	07	23
24			Snow ·07	~~02~~	·06	02				~~17~~ 29	07	28	24
25		1.07	24	~~06~~		01		48		~~28~~ 17	04		25
26	·04	·32	·04			12			1·02	~~33~~ 28			26
27	02		·68			18		48	12	~~05~~ 33			27
28		41	Snow ·15			14		07	19	~~50~~ 05	02	·17	28
29		45				39		75	05	~~33~~ 50		30	29
30					15			05		33			30
31										27		01	31
Total	1·99	5·31	4·04	1·45	2·18	2·31	1·45	2·86	1·55	5·35	5·33	3·92	YEAR'S TOTAL 37·74
Rain Days.	20	20	19	11	12	16	10	12	10	22	16	14	182

W. 8,000, VIII. 16

625

✓ [illegible]

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.
4. JAN 1918

Kept at East Grinstead, (Highfields)
in the County of Sussex
by G. Mason

Lat. .... Long. ....
Time of Observation 9. am
Nearest Railway Station E. Grinstead
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 400. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				·30 sn				1.50	·20		·08	·02	1
2				·18 sn				·14			·27		2
3				·12 sn			·57	·48		·22	·06		3
4		·13 sn					·25	·16		·25			4
5	·25		·08	·40 sn		·01		·09	·66	·25	·10		5
6			·10	·04 sn		·28			·46		·10		6
7	·43						·05			·35		·04	7
8	·09 sn			·10			·48	·39		·38	·38	·28	8
9			·02 sn	·06 sn			·12	·05			·03	·61	9
10	·12 sn		·16	·11		·03		·15					10
11	·14	·04	·13	·38 sn				·12	·10	·47			11
12	·02	·01 sn	·05					·19		·25	·02		12
13	·02		·14		·04				·02	·12			13
14			·02	18				·09	·02				14
15	·10 sn							·12		·15		·08	15
16	·06 sn	·10		·21	·05		·30			·77		·80 sn	16
17				·12 sn	·31		·17	05	·34	·33			17
18	·02			·09	·02	·23	·17	·08	·42	·03			18
19	·05	·10	·21		·02	·24		·08	·14				19
20		·09	·07 sn		·65		·03	·03	·02				20
21			·04 sn	·03		·01					·06		21
22			·04 sn			·28		·16		·19			22
23		·14			·30			·26					23
24		·03				·23	·01	·05		·21	·03	·10	24
25		·10	08			·01							25
26			·02 sn					·56	·05		·77		26
27								·75				·01 sn	27
28			·05			·82		·42				·07 sn	28
29			·07		·63	·09	·15	·06		·83		·17	29
30	·01 sn	X	·35 sn			·02	1.18	·24		03		(·02)	30
31	·05 sn	X	·14	X		X	·52	06	X		X	(·07)	31
Total	1·36	·74	1·77	2.32	2.02	2.25	3.94	6.28	2.43	4.83	1.90	2.27 ✓	YEAR'S TOTAL 32.11
Rain Days	13	9	18	14	8	12	13	25	11	16	11	12	162 ✓

3·97

W. 8,000, IX. 17.

142

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.
6.1.19

Kept at Highfields, East Grinstead

in the County of Sussex

by G Mason

Lat. Long.

Time of Observation 9 am

Nearest Railway Station East Grinstead

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
					~~·05~~			~~·02~~			~~·23~~		
1			·07		·03			·01			·23	·07	1
2		·05		·03	~~·49~~			·22			·14	·21	2
3			12	·07	·49			·03	~~·15~~	·04	·48	·01	3
4		·24	·03	·02	~~·07~~			·05	·15		·95		4
5		·56			·07			·13	38	·08		·05	5
6	·20	29		21	·07			·66	·10	·03	~~·08~~	·03	6
7	·02	·14		·08	·07	·01		·02	·20	·12	·08	·02	7
8		·12							·27	·04	·13	·10	8
9				06		·03	·12		·56	·22		·37	9
10				05		·03	·60		·35	·18		·34	10
11	·02						·47		~~·11~~	·29	·08	·28	11
12		13			18		·02		·11	·62		·01	12
13	·15	·07			·08		·07		·08			·04	13
14	·23					·10	·08		·33	·22		·10	14
15	1·27		·03	·36		·09	1·32					·25	15
16	·39			07		18	·02		·18				16
17	·15			·11		·07	·49	·02				·33	17
18	·48					·23			·47			·09	18
19	·12		·06	·03		·32	·04		·03			·02	19
20	·07	·13		·90		·07	·41		23	·30			20
21	23	·07	~~·04~~	·62			·11		·39	·16		·01	21
22	13		~~·04~~		·15		·30		·63			·19	22
23	12			·07	·11		·58	·04	·25				23
24		·23		11		·04					·04		24
25	·07			·08			·13	·14		·03	·01		25
26							·67		·02	·04	·05	·19	26
27		·10	·03	·07			·27	·17	·05		·10	·03	27
28			28	·04				·01			·18	·01	28
29									·70				29
30			43						·07	·11		·21	30
31			03							·05			31
Total	3.59	1.51	1.02	2.92	1.35	1.11	5.70	·95	5.55	1.93	2.47	2.96	YEAR'S TOTAL 31·06
Rain Days.	15	12	9	18	9	11	17	12	21	16	12	23	175

W. 6,500, VII. 18. w w c

580

JAN 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Highfields, East Grinstead
in the County of Sussex
by G. Mason

Lat. 51.8 Long. 0
Time of Observation 9 am
Nearest Railway Station E Grinstead
Diameter of Funnel of Rain Gauge 4 in.
Height of top of Gauge above Ground 1 ft — in.
" " " " Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·41	·04	·02		·05		·06			·15	·08	·97	1
2	·17	·01	·05		18		·05		·02	·04	·06	20	2
3	·43		31		·01		·19		16		·05	26	3
4	·22		49			·04	·17	·04	·05		·05	09	4
5		27	85						01		·19	35	5
6	·14		05									·03	6
7			57								·04	~~02~~	7
8	·55		·08								15	~~25~~	8
9	·36		·06	·03	02							~~09~~	9
10	·32		·16	01								·99	10
11	·18		·32	32	03		·31					·05	11
12	05		·02	05			·25				04		12
13		02		40								04	13
14	75			32					27	08		05	14
15	26	·04	·08	03								30	15
16	12	29									07	01	16
17		29	·03	01							18	06	17
18		08	·06					·05	03		11	03	18
19	·01	22	50			·10	28	·11	02		07		19
20	46	12	10			·70	18	·25					20
21	02	50	·02				·04				02	·05	21
22		·02			~~15~~	·01	·20		45		02	22	22
23					~~11~~				38		02	03	23
24				19		·02	·06	·09		·07	17	02	24
25	09							·23				01	25
26	06	17	·10	11				·01	08		11	46	26
27	56			64				36			08	02	27
28			·24	02			·03	·73			42	25	28
29	·07			01		02		52		23	02	09	29
30			01	21		·03		61		·04	26	74	30
31	·11		01				·01			·04		01	31
TOTAL	5·34	2.21	4.11	2.35	·29	·92	1.83	3.00	1.47	·65	2.21	4·43	YEAR'S TOTAL 28·81
Days with ·01 in. or more	21	13	22	14	5	7	13	11	10	7	21	25	169

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

67 MR

547

8 JAN 1921

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Highfields, East Grinstead

in the County of Sussex

by G. Mason

Lat. 57.8 Long. 0

Time of Observation 9 am

Nearest Railway Station East Grinstead

Diameter of Funnel of Rain Gauge ~~4~~ in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.01			13	.07		20			.29		.21	1
2			.14		.04		.07	.30	.05	28		.12	2
3	08				.11					.07		.06	3
4		.07		.19			92	15		.08		.01	4
5			.05		.01		.56	.11	.04			.03	5
6			.12		.12		.29					.02	6
7	.03			.20	.06		.25					.01	7
8				.02	.02		.58						8
9	23	.05		.02	.10		.04						9
10	66	.13	.05	.04		.06	.38				.02		10
11	21		.05	21	.01	.02	.22					.12	11
12	.05			27		.33							12
13	.25	.03	.25	.01							11		13
14			.41	41		.04			.10	.15	.37		14
15	.02		.04	16					98	.16	13		15
16			.01	.03	.06				.18				16
17				.01	.20				1.32		~~12~~	12	17
18	.02				.07			99	74		~~12~~	12	18
19				.53		.02			.01		~~.03~~	.03	19
20	14	.21		22		.49			13		~~.01~~	.01	20
21				.04			.66		.36			19	21
22	.02			.22					.10			.33	22
23							.39					.23	23
24	.01		.04					~~.09~~	.02	~~.07~~	.01	.04	24
25		.01	.03				.31	~~.23~~	.02				25
26	.03		.08					~~.01~~				.05	26
27	.45	.01		19		.08	.03	~~36~~			.49	.25	27
28	.48		.15	.05	14		.17	~~73~~			.10	.01	28
29	.71		.08	.12				~~.52~~			.18	.24	29
30	.01					.08	.25	~~61~~	20		.36	.22	30
31	.02		.12							43		.30	31
Total	3.43	.51	1.62	3.07	1.01	1.12	5.46	155 ~~4.10~~	~~1.55~~ ~~4.25~~ 4.25	1.46	1.77	2.72	Year's Total 27.97
Days with ·01 in. or more	19	7	15	20	13	8	16	4	14	7	9	22	154
Days with ·04 in. or more	10	4	13	15	10	6	14	4	11	7	7	15	116

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

~~583~~ —

(BROCKHUST OBS)
SUSSEX
EAST GRINSTEAD.

1911 – 20

INFALL IN 1911

FORM A2.
BRITISH RAINFALL.
4 - JAN 1912

RAIN GAUGE
Pattern Snowdon
Diameter of top 8 in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level 435 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name L.B.&S.C.R. East Grinstead
Distance abt. 2 miles by road Direction W

ured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1								·02	—	—	·04	—	1
2								—	—	—	15	·36	2
3								02	—	—	13	24	3
4								—	·02	·53	43	41	4
5								—	—	55	03	10	5
6								—	—	—	02	72	6
7								—	—	41	63	62	7
8								—	—	—	64	32	8
9								—	—	—	18	10	9
10								—	—	—	—	94	10
11								—	—	—	1·24	—	11
12								—	02	—	13	02	12
13								—	75	08	01	31	13
14								—	—	—	—	70	14
15								—	—	—	18	08	15
16								—	—	—	67	19	16
17								—	—	—	1·34	25	17
18								—	—	—	1·45	50	18
19								—	15	33	19	20	19
20								32	08	07	01	99	20
21								07	02	54	01	15	21
22								20	—	20	01	59	22
23								—	34	14	03	24	23
24								01	—	79	—	42	24
25								04	05	—	01	01	25
26								—	—	29	10	20	26
27								—	09	49	04	11	27
28								05	—	—	07	—	28
29								—	18	41	01	—	29
30								42	02	37	—	03	30
31								—		01		—	31
Total								1·15	1·72	5·21	7·75	8·80	TOTAL for year
No. of Rain Days.								9	11	15	26	26	

W. 8,000, X. '11.

INFALL IN 1911

FORM A2.
BRITISH RAINFALL.
4 - JAN 1912

Kept at Brockhurst, East Grinstead

in the County of Sussex

by F. J. Hanbury, F.L.S.

7

RAIN GAUGE
Pattern Snowdon
Diameter of top 8 in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level 435 ft.

Time of Observation 9 a.m.

Nearest Railway Station
L.B.&S.C.R.
Name East Grinstead
Distance abt. 2 miles by road Direction W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1								·02	—	—	·04	—	1
2								—	—	—	15	·36	2
3								02	—	—	13	24	3
4								—	·02	·53	43	41	4
5								—	—	55	03	10	5
6								—	—	—	02	72	6
7								—	—	41	63	62	7
8								—	—	—	64	32	8
9								—	—	—	18	10	9
10								—	—	—	—	94	10
11								—	—	—	1·24	—	11
12								—	02	—	13	02	12
13								—	75	08	01	31	13
14								—	—	—	—	70	14
15								—	—	—	18	08	15
16								—	—	—	67	19	16
17								—	—	—	1·34	25	17
18								—	—	—	1·45	50	18
19								—	15	33	19	20	19
20								32	08	07	01	99	20
21								07	02	54	01	15	21
22								20	—	20	01	59	22
23								—	34	14	·03	24	23
24								01	—	79	—	42	24
25								04	05	—	01	01	25
26								—	—	29	10	20	26
27								—	09	49	04	11	27
28								05	—	—	07	—	28
29								—	18	41	01	—	29
30								42	02	37	—	03	30
31								—	∼	01	∼	—	31
Total								1·15	1·72	5·21	7·75	8·80	TOTAL for year
No. of Rain Days.								9	11	15	26	26	

1913

Kept at Brockhurst, East Grinstead
Observatory

in the County of Sussex 7

by F. J. Hanbury, F.L.S.

Rain Gauge { Diameter of top 8 in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level 435 ft.

Time of Observation 9 a.m.

Nearest Railway Station { Name East Grinstead
Distance 1½ m Direction W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01	—	·22	—	—	·08	·12	—	·01	·91	—	·27	1
2	—	·02	·48	—	—	·04	·26	·01	·01	·02	—	·01	2
3	·01	·04	·06	—	—	·23	·01	·31	·02	—	—	·02	3
4	·18	—	·66	—	·07	·16	—	·01	—	—	·16	·01	4
5	·21	·03	·22	—	—	—	—	·32	—	—	·11	·05	5
6	·55	·09	·01	—	·03	—	—	·35	—	—	—	·10	6
7	—	·01	·01	—	·13	·40	—	·36	—	·01	—	·15	7
8	·32	·46	·37	—	—	·02	—	·13	—	—	—	·05	8
9	·02	·15	·04	·04	—	·18	·07	·02	—	—	—	·15	9
10	·01	·10	·01	—	—	—	—	·25	·02	·01	·10	·32	10
11	·04	·47	·03	—	·01	·03	—	·02	·04	—	—	·26	11
12	·01	·21	·05	—	·22	·04	—	·20	—	—	·02	—	12
13	·01	·02	·03	—	—	—	—	—	—	—	·16	·09	13
14	—	—	·04	—	·03	—	—	·18	—	·06	—	·02	14
15	·02	·03	·08	—	·18	·62	—	—	—	·01	·01	·35	15
16	·25	·02	·18	—	·32	·11	—	·13	—	·09	·07	—	16
17	·42	—	·57	—	—	·04	—	·08	—	—	·17	·09	17
18	·16	—	·34	·06	—	—	·01	·07	—	·05	—	·19	18
19	·08	·17	·19	—	—	·01	·09	·24	—	·01	·04	—	19
20	·02	·04	·68	—	—	·01	·03	·35	—	·49	·05	—	20
21	·01	·05	·33	—	·01	—	—	·05	—	·13	·06	—	21
22	·05	·48	·14	—	—	—	·02	·18	—	·01	—	·02	22
23	·34	·25	·36	—	·01	·01	—	·36	·01	·13	·18	·06	23
24	·03	·04	·01	—	—	·23	·03	·18	—	—	—	·17	24
25	·07	·02	—	—	—	·30	—	·86	—	—	·39	·49	25
26	—	·02	—	—	—	·01	—	·45	—	·34	·38	·41	26
27	—	·01	·02	—	—	—	·02	—	—	·28	—	·30	27
28	—	·06	—	—	—	·10	·17	·11	·08	1·06	1·13	·24	28
29	—	·04	—	·01	—	·01	·07	·28	1·80	·13	·03	—	29
30	—	—	—	—	·41	·42	·07	·14	1·90	·50	—	—	30
31	·03	—	·05	—	—		·32	·12	—	·01	—	—	31
Total	2·85	2·83	5·18	0·11	1·42	3·05	1·29	5·76	3·89	4·25	3·06	3·82	TOTAL for year ✓
No. of Rain Days.	23	24	26	3	11	21	14	27	9	19	16	23	37·51 216

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1913.

FORM A.
BRITISH RAINFALL.
1 JAN 191

Kept at Brockhurst Observatory, East Grinstead.

in the County of Sussex

by F. J. Hanbury, F.L.S.

7

Lat. 51° 7' 27" Long. 0° 0' 34" East

Time of Observation 9 a.m.

Nearest Railway Station E. Grinstead L.B.& S.C.

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 435 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·04	·37	·12	·38	·13	—	—	—	·02	·06	·12	·17	1
2	·06	·20	—	—	·01	—	·10	—	·02	·09	·09	·01	2
3	—	—	·05	·47	·41	—	—	—	—	·04	—	·13	3
4	·48	—	·05	·02	·03	—	·02	—	·07	·17	·11	·02	4
5	·22	·07	·03	—	—	·09	·11	—	·44	·02	·16	·03	5
6	·08	·05	·11	—	·02	·13	·15	—	·08	·17	·05	·15	6
7	—	·27	·02	—	·04	·09	·02	—	—	·63	·06	·01	7
8	—	·08	·02	·01	·25	·07	—	·02	—	·36	·07	·04	8
9	—	·06	—	·02	·11	·01	·08	—	·11	—	·04	·02	9
10	·02	—	—	·09	—	—	·58	—	—	—	·50	—	10
11	·72	—	—	·40	·01	—	—	—	—	·80	·63	·02	11
12	—	·01	·01	—	·09	·01	—	—	—	—	·95	—	12
13	·19	—	·03	—	—	—	—	·04	·03	·02	·27	—	13
14	·30	—	·07	·12	—	—	× 2·25	·02	·17	·15	·27	—	14
15	·18	·02	·34	·33	—	—	·32	—	·16	—	·01	·02	15
16	·28	—	·63	·36	—	—	—	—	·15	—	—	—	16
17	·05	·03	·06	·06	—	—	·38	—	—	—	—	·02	17
18	·01	—	·11	·21	—	—	·02	—	—	—	·10	—	18
19	·32	—	·16	—	—	·01	·12	—	·54	—	—	—	19
20	·92	—	·18	·09	—	·12	—	—	—	·60	·02	—	20
21	·03	—	·19	·07	—	—	—	—	—	·45	·77	—	21
22	·33	—	·34	·01	·01	—	·03	·04	·09	·12	—	—	22
23	—	—	·48	—	—	·03	·01	·11	·02	—	—	·72	23
24	05	—	·01	·06	—	·04	—	·06	—	—	·06	—	24
25	—	·02	—	·22	—	—	—	—	—	·01	·01	·02	25
26	—	—	·12	·02	—	—	·01	·19	—	·85	—	·25	26
27	·01	·01	·05	·05	·57	—	—	—	—	·09	—	—	27
28	·14	—	·43	·08	—	—	—	—	·01	·21	—	—	28
29	·10	—	·04	·43	·16	—	—	·21	—	·06	—	—	29
30	·59	—	·01	·15	—	—	—	·24	—	·26	—	—	30
31	—	—	·06	—	—	—	—	·57	—	·25	—	—	31
Total	5·12	1·19	3·72	3·65	1·84	0·60	4·20	1·50	1·91	5·41	4·29	1·63	YEAR'S TOTAL 35·06
Rain Days.	22	12	26	22	13	10	15	10	14	21	19	15	199

W.7,000, XI. 13

REGISTER OF RAINFALL IN 1914

Exc Mg

FORM A.
BRITISH RAINFALL.
1 JAN 191

Kept at Brockhurst Observatory, East Grinstead

in the County of Sussex

by F. J. Hanbury Esq. (Obs. W. S. Franks, F.R.A.S.)

7

Lat. 51° 7' 27" E. Long. 0° 0' 34" (= 2·21 s)

Time of Observation 9.0 a.m.

Nearest Railway Station East Grinstead, L.B.&S.C.

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 435 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	·03	·06	—	—	—	·19	—	—	·04	·13	1
2	·03	·01	—	—	—	·04	·36	·02	—	—	·22	·21	2
3	—	—	·11	·03	·31	—	·01	·08	—	—	·02	·03	3
4	—	—	·03	·35	·06	—	·01	·06	—	—	·29	·34	4
5	·13	—	·08	·44	·23	·02	·20	·16	—	—	—	—	5
6	—	·17	—	·19	·05	·14	·17	·06	—	—	·04	·46	6
7	·01	·72	·42	·21	·03	·02	·14	—	—	—	·01	·40	7
8	·13	·67	·44	—	—	·17	·08	·18	—	—	—	·16	8
9	·37	—	1·06	·23	—	—	—	·02	·17	—	—	1·20	9
10	·01	·09	·08	·13	·08	—	—	—	·01	—	—	·07	10
11	—	·70	·58	·06	—	·01	—	—	·24	—	—	·37	11
12	·02	·08	·09	—	—	—	·34	—	·40	—	·08	1·05	12
13	·02	·63	·26	—	—	·05	—	—	·13	·05	·13	·85	13
14	—	·30	·26	—	—	—	·19	—	·01	·33	·13	·80	14
15	02	·07	·33	—	—	—	·12	·02	—	—	·97	·01	15
16	·01	·05	·09	—	—	—	—	—	·09	—	·01	—	16
17	—	·53	·25	—	—	—	·02	—	·21	—	—	·27	17
18	—	·17	·18	—	—	—	—	—	—	—	—	·58	18
19	—	·15	·67	—	—	—	·19	—	—	·02	·25	·15	19
20	—	·28	·22	—	—	·07	·01	—	—	·02	—	·16	20
21	—	·88	·10	—	—	—	—	·04	—	·05	—	·08	21
22	—	·04	—	—	·25	·06	·09	·06	—	·31	—	·01	22
23	—	—	·34	—	·23	·12	·02	·01	—	·02	—	·05	23
24	—	·01	·03	·01	·01	—	—	—	—	·02	·19	—	24
25	·08	—	·34	—	—	—	—	·07	—	·41	·02	·08	25
26	·01	—	·04	—	—	—	·03	·25	—	·07	·24	·68	26
27	·03	—	—	—	—	—	—	·01	·03	—	·07	·63	27
28	·02	·04	—	—	·01	—	—	—	—	·17	·66	·61	28
29	·16	X	·03	—	—	—	—	—	—	·70	·25	—	29
30	·02	X	·21	—	—	—	—	—	—	·09	1·32	·43	30
31	·03	X	—	X	·24	X	·02	—	X	—	X	·09	31
Total	1·10	5·59	6·27	1·71	1·50	0·70	2·00	1·23	1·29	2·26	4·94	9·90	YEAR'S TOTAL 38·49
Rain Days.	17	19	25	10	11	10	17	15	9	13	19	27	192

W. 8,000. X. 14.

Brockhurst Observatory
1915 Jany. 1

To Dr. H. R. Mill,

Dear Sir,

I regret to say that, owing to circumstances beyond my control, all meteorological readings were suspended after October 31, 1915. On my return to the Observatory about the middle of December, Mr. H. suggested that we had better recommence the meteorological readings with the New Year. With the present shortage of labour it was impossible to get a deputy during my absence.

Yours faithfully
W. S. Franks

---

ex ✓ JS

664

FORM A.
BRITISH RAINFALL.

3 - JAN 1916

INFALL IN 1915

7

Lat. 51°7′27″ N. Long. 0°0′34″ E
Time of Observation 9 a.m.
Nearest Railway Station E. Grinstead, L.B.&S.C.
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 435 ft.

easured daily at 9 a.m. and the result entered to the conform to this almost universal rule, he is earnestly January of the following year in the space provided structions for the measurement of rain, particulars as to the British Rainfall *Observers,"* sent post-free on application to N.W.

Jan. 1, following.

							July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
							—	—	0·45	0·02			1
							—	0·25	·01	·05			2
							—	·16	·06	—			3
							—	·05	—	·06			4
							—	·13	—	·03			5
							0·55	·01	—	—			6
							·04	—	—	—			7
							·05	·03	—	—			8
							—	·07	·01	—			9
							—	—	—	—			10
11	—	·01	·01	—	—	—	—	—	—	—			11
12	·05	·12	—	·28	·27	—	—	·13	·01	·04			12
13	·02	·92	—	·01	1·93	—	—	—	·02	—			13
14	·03	·06	·02	—	—	—	·12	·04	·05	—			14
15	·21	—	—	—	·05	—	·14	·21	—	—			15
16	·02	·92	—	·03	·02	—	1·17	·10	—	—			16
17	—	·58	—	—	1·24	—	·02	—	·01	—			17
18	—	·17	·03	—	·34	—	—	—	—	—			18
19	·01	·15	—	—	·01	—	·04	—	—	·05			19
20	·29	—	—	·04	·05	—	—	—	—	—			20
21	·18	—	—	—	—	—	·02	—	—	·06			21
22	·40	·21	·04	·01	—	—	·95	—	—	·01			22
23	·02	·10	·11	—	—	·02	·05	—	·06	·27			23
24	—	·05	·02	·02	—	—	·65	—	·21	·38			24
25	—	—	—	·07	—	—	·16	—	·01	·04			25
26	·02	·10	—	—	—	·06	·01	—	—	—			26
27	—	·06	·03	—	—	·05	·15	—	—	·45			27
28	·01	·09	—	—	—	·12	·03	—	1·14	·42			28
29	—	—	·01	—	—	·02	·36	·18	—	—			29
30	·13	×	—	—	—	·59	—	—	—	·12			30
31	·08	×	—	×	—	×	—	·25	×	·82	×		31
Total	4·14	6·30	0·78	1·83	4·03	1·39	4·51	1·61	2·04	2·82	(3·25)	(8·25)	YEAR'S TOTAL 40·95
Rain Days.	23	22	16	14	10	9	17	13	12	15	10	25	186

Meteorological readings suspended after Oct 31, but will be resumed on Jany. 1, 1916

W. 8,000. X. 15.

Nov + Dec estimated from surrounding stations - 8/3/39

664

FORM A.
BRITISH RAINFALL.

3 - JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Brockhurst, East Grinstead
in the County of Sussex
by F. J. Hanbury

7

Lat. 51°7′27″ N. Long. 0°0′34″ E
Time of Observation 9 a.m.
Nearest Railway Station E. Grinstead, L.B.S.C.
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 435 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·75	0·19	0·05	—	—	—	—	—	0·45	0·02			1
2	·16	·18	·23	0·15	0·03	—	—	0·25	·01	·05			2
3	·28	·01	·04	·23	·09	—	—	·16	·06	—			3
4	·11	—	·01	·01	—	—	—	·05	—	·06			4
5	·04	·75	·01	·01	—	—	—	·13	—	·03			5
6	·46	·26	·08	·75	—	—	0·55	·01	—	—			6
7	·39	·52	·07	—	—	0·08	·04	—	—	—			7
8	—	·75	·02	·03	—	—	·05	·03	—	—			8
9	·07	·10	—	·19	—	·39	—	·07	·01	—			9
10	·41	—	—	—	—	·06	—	—	—	—			10
11	—	·01	·01	—	—	—	—	—	—	—			11
12	·05	·12	—	·28	·27	—	—	·13	·01	·04			12
13	·02	·92	—	·01	1·93	—	—	—	·02	—			13
14	·03	·06	·02	—	—	—	·12	·04	·05	—			14
15	·21	—	—	—	·05	—	·14	·21	—	—			15
16	·02	·92	—	·03	·02	—	1·17	·10	—	—			16
17	—	·58	—	—	1·24	—	·02	—	·01	—			17
18	—	·17	·03	—	·34	—	—	—	—	—			18
19	·01	·15	—	—	·01	—	·04	—	—	·05			19
20	·29	—	—	·04	·05	—	—	—	—	—			20
21	·18	—	—	—	—	—	·02	—	—	·06			21
22	·40	·21	·04	·01	—	—	·95	—	—	·01			22
23	·02	·10	·11	—	—	·02	·05	—	·06	·27			23
24	—	·05	·02	·02	—	—	·65	—	·21	·38			24
25	—	—	—	·07	—	—	·16	—	·01	·04			25
26	·02	·10	—	—	—	·06	·01	—	—	—			26
27	—	·06	·03	—	—	·05	·15	—	—	·45			27
28	·01	·09	—	—	—	·12	·03	—	1·14	·42			28
29	—	—	·01	—	—	·02	·36	·18	—	—			29
30	·13	✕	—	—	—	·59	—	—	—	·12			30
31	·08	✕	—	✕	—	✕	—	·25	✕	·82	✕		31
Total	4·14	6·30	0·78	1·83	4·03	1·39	4·51	1·61	2·04	2·82	(3·25)	(8·25)	YEAR'S TOTAL 40·95
Rain Days.	23	22	16	14	10	9	17	13	12	15	10	25	186

Meteorological readings suspended after Oct. 31, but will be resumed on Jany 1, 1916

W. 8,000. X. 15.

Nov + Dec estimated from surrounding stations – 8/3/39

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1916

Kept at Brockhurst Observatory, E. Grinstead
in the County of Sussex
by F. J. Hanbury Edge (Observer – W. S. Franks, F.R.A.S.)

Lat. 51°7′27″N. Long. 0°0′34″E
Time of Observation 9 a.m.
Nearest Railway Station East Grinstead, L.B.&S.C.R.
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level ± 435 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·16	—	·02	—	·25	·01	—	—	·17	·05	·44	—	1
2	·50	·17	·20×	—	·39	·03	·03	—	·03	·52	·02	—	2
3	—	·81	·29×	—	—	·02	·05	—	·12	·42	·80	—	3
4	·18	·14	·01	·15	—	·55	—	—	·25	·11	·50	—	4
5	·01	·02	—	·03	·22	·09	·02	—	·01	·11	·74	·02	5
6	·01	·16	·10×	·30	·06	·34	·27	—	·01	·05	·85	—	6
7	·10	·02	·53×	—	·35	·19	·03	—	—	·04	·80	·04	7
8	—	—	·20×	—	·17	—	—	—	—	—	·01	·70	8
9	·01	—	—	—	·34	·01	—	—	—	—	—	·18	9
10	—	·22	·12	·08	—	·30	·20	—	—	·02	·01	·22	10
11	·03	·21	·02	·19	—	·08	—	—	—	—	—	·02	11
12	·05	·09	—	·06	·12	·18	·11	·01	—	·06	·01	—	12
13	—	·28	·33	·11	·02	·03	·21	·02	—	·05	·01	—	13
14	—	·54	·16	·01	·15	—	—	·04	—	·03	—	·11	14
15	—	·10	·17	—	—	—	—	·31	—	·03	—	·08	15
16	·02	·03	·18	·16	—	—	·18	·28	—	—	—	—	16
17	·28	·15	—	·05	—	—	—	·23	·28	1·06	—	—	17
18	·01	·12	—	·03	—	—	—	·37	·31	·54	·65	·03	18
19	·20	·02	·16	·33	—	·09	—	—	·09	—	·56	·18	19
20	·12	—	·09	·12	—	·02	—	—	—	—	·21	·68	20
21	·02	—	·68	—	—	—	·27	—	—	—	·02	·37	21
22	·01	·02	·07	·01	—	—	—	—	—	·01	·01	·71	22
23	·01	·20×	·04	—	—	·10	·02	·01	—	·21	·10	·06	23
24	—	—	·02	—	·07	·02	—	·01	—	·27	·09	·32	24
25	—	·68×	·20	—	·02	·03	—	·62	—	·27	·04	—	25
26	·06	·30×	·07	—	—	·16	—	·04	·02	·32	—	—	26
27	·02	—	·70	—	—	·28	—	·27	·10	·40	—	·02	27
28	—	·45×	·24×	—	—	·23	—	·02	·17	·10	·03	·16	28
29	—	·18	—	—	—	·33	—	·77	·08	·54	—	·30	29
30	—	X	—	—	·30	—	—	·07	—	·26	—	—	30
31	—	X	—	X	—	X	—	·02	X	32	X	·02	31
Total	1·80	4·91	4·60	1·63	2·46	3·09	1·39	3·09	1·64	5·79	5·90	4·22	YEAR'S TOTAL 40·52
Rain Days.	19	22	23	14	13	21	11	16	13	24	20	19	215

W. 8,000, VIII. 16 ×snow ×snow

Exp DL

626

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.
3. JAN 18

Kept at Brockhurst Observatory, East Grinstead
in the County of Sussex
by F. J. Hanbury F.L.S. Observer – W. S. Franks, F.R.A.S.

Lat. N 51°7′27″ Long. E 0°0′34″
Time of Observation 9.0 a.m.
Nearest Railway Station East Grinstead, L.B.&S.C.
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 435 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	·05*	·01	·32*	—	—	—	1·73	·27	—	·09	·03	1
2	—	—	—	·28*	—	—	—	·16	—	·01	·78	—	2
3	—	—	—	·13*	—	—	·33	·46	—	·08	·05	—	3
4	—	·20*	·15*	·04	—	—	·41	·19	—	·38	—	—	4
5	·25	—	·04	·30*	—	·01	—	·11	·52	·27	·06	—	5
6	—	—	·10	·08*	—	·30	—	—	·43	·01	·09	—	6
7	·45	—	—	—	—	—	·03	—	—	·38	—	·04	7
8	·08	—	—	·09	—	—	·43	·47	—	·39	·42	·32	8
9	—	—	·05	·08*	—	—	·14	·06	—	—	·04	·70	9
10	·18	—	·15	·09*	—	·01	—	·20	—	—	·02	·02	10
11	·16*	—	·15	·32*	—	—	—	·16	·09	·55	—	—	11
12	·06	·04	·04	·08*	—	—	—	·25	—	·20	·02	—	12
13	·03	—	·13	—	·06	—	—	·02	·01	·14	—	·01	13
14	—	—	·02	·16	—	—	—	·07	·02	—	—	—	14
15	·07*	—	—	—	—	—	—	·27	—	·16	—	·09	15
16	·05*	·10	—	·26	·05	—	·19	—	—	·74	·02	·85*	16
17	·04*	·02	—	·09	·34	—	·15	·02	·36	·32	—	—	17
18	·04	·02	—	·10	·04	·08	·14	·14	·36	·03	—	—	18
19	·03	·09	·25	—	·03	·29	—	·17	·17	—	—	—	19
20	—	·11	·09*	—	·68	—	·03	·03	·04	—	·04	—	20
21	—	·01	·05*	·02	·01	·01	—	—	—	·05	·03	·03	21
22	—	—	·07*	—	—	·45	—	·13	—	·15	—	—	22
23	—	·16	—	—	·28	—	—	·27	—	—	—	·05	23
24	—	·05	—	—	—	·10	·02	·13	·01	·21	—	·06	24
25	—	·11	·09	—	—	·25	·01	—	—	—	—	—	25
26	—	—	·05*	—	—	·01	—	·50	·05	—	·81	—	26
27	—	—	·02	—	—	—	—	1·28	—	—	—	—	27
28	—	·01	·06	—	—	·90	·02	·48	—	—	—	·07*	28
29	—	X	·07	—	·80	·07	·13	·07	·01	·85	—	·27*	29
30	—	X	·32	—	—	·02	1·16	·30	—	·06	—	·04	30
31	·05*	X	·15	X	—	X	·36	·03	X	·01	X	—	31
Total	1·49	0·97	2·06	2·44	2·29	2·50	3·55	7·70	2·34	4·99	1·87	2·58	YEAR'S TOTAL 34·78
Rain Days.	13	13	21	16	9	13	15	26	13	20	13	14	186

W. 8,000, IX. 17.

* Snow

143

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

8. 1.

Kept at Brockhurst Observatory
East Grinstead
in the County of Sussex
by F. J. Hanbury

Lat. N. 51°7′27″ Long. E 0°0′34″
Time of Observation 9. 0 a.m.
Nearest Railway Station East Grinstead (S.B.&S.)
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 435 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·04	·04	—	—	—	—	—	—	—	—	·27	·06	1
2	—	·04	·02	·09	—	—	—	·24	—	—	—	·20	2
3	—	—	—	·09	·62	—	—	·03	—	·05	·61	—	3
4	—	·26	·16	·03	·02	—	—	·06	·25	—	·96	·06	4
5	—	·09	·02	—	·08	—	—	·12	·36	·09	—	·03	5
6	·22	·17	—	·24	·17	—	—	·16	·16	—	—	·05	6
7	·04	·13	—	·06	·08	·02	—	·02	·14	·10	·08	·05	7
8	—	·12	—	·01	—	—	—	—	·25	·03	·18	·12	8
9	·05	·01	—	·07	—	·03	·07	—	·65	·28	—	·38	9
10	—	—	—	·06	—	·08	·38	—	·36	·19	·02	·30	10
11	·02	—	—	·02	—	—	·38	—	—	·27	·08	·17	11
12	—	·12	·01	—	·11	—	·35	—	·14	·04	—	·02	12
13	·27	·02	—	—	·14	—	·10	—	·08	—	—	·04	13
14	·23	—	·03	—	·02	·10	·11	—	·28	·24	—	·10	14
15	1·20	—	—	·42	—	·10	1·41	—	·02	—	—	·27	15
16	·18	—	—	·09	—	·24	·09	—	·19	—	—	—	16
17	·33	—	—	·14	—	·05	·63	·03	—	—	—	·33	17
18	·48	—	·01	—	—	·29	·01	—	·50	·04	—	·10	18
19	·12	—	·06	·05	—	·18	·05	—	·05	·05	·03	·03	19
20	·07	·15	—	1·00	—	·03	·44	—	·26	·23	—	—	20
21	·23	·02	—	·90	—	—	·13	—	·44	·10	—	—	21
22	·15	—	—	·02	·30	—	·18	—	·62	—	·03	·27	22
23	·12	—	—	·03	·11	—	·78	·04	·14	—	·02	—	23
24	—	·27	—	·14	—	·06	·02	—	·25	—	·04	—	24
25	·02	—	—	·03	—	·02	·06	·30	—	·03	·02	—	25
26	—	—	—	—	—	—	·85	—	·03	·06	·09	·23	26
27	·01	·11	—	·11	—	—	·14	·17	·06	·02	·10	·04	27
28	—	—	·36	·04	·09	—	—	—	—	·02	·20	·03	28
29	—	X	—	·02	—	—	—	—	·78	·02	·02	·02	29
30	—	X	·45	—	—	—	—	·02	·02	·11	·02	·20	30
31	—	X	—	X	—	X	—	—	X	·03	X	·03	31
Total	3·78	1·55	1·12	3·66	1·74	1·20	6·18	1·19	6·03	2·00	2·77	3·13	YEAR'S TOTAL 34·35
Rain Days.	18	14	9	22	11	12	19	11	23	20	17	24	200

W. 6,500, VII. 18. W W C

581

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919

Kept at Brockhurst Observatory, East Grinstead

in the County of Sussex

by F. J. Hanbury, F.L.S.

Lat. N 51°7′27″ Long. E 0°0′34″

Time of Observation 9.0 a.m.

Nearest Railway Station East Grinstead, L.B.&S.C.

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

„ „ „ „ Sea Level 435 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	**Jan.**	**Feb.**	**March**	**April**	**May**	**June**	**July**	**August**	**Sept.**	**Oct.**	**Nov.**	**Dec.**	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·45	·05×	·05	—	·07	—	·06	—	—	·15	·07	·90	1
2	·25	—	·03	—	·18	—	·06	—	·06	·05	·09	·22	2
3	·47	—	·34	—	·02	—	·25	—	·18	—	·07	·29	3
4	·24	·18	·51	—	—	·08	·13	·05	·08	—	·05	·10	4
5	—	·18×	·77	—	—	—	—	—	·02	—	·19	·38	5
6	·16	·16×	·06	—	—	—	—	—	—	·02	—	·04	6
7	·12	—	·60	—	—	—	—	—	—	—	·04	—	7
8	·47	—	·12	—	—	—	—	—	·02	—	·02	—	8
9	·45	—	·04	·04	·05	—	—	—	—	—	·16	—	9
10	·29	—	·11	·03	—	—	—	—	—	—	·02	·12	10
11	·19	—	·45	·32	·04	—	·20	—	—	—	—	·10	11
12	·03	—	·03	·05	—	—	·36	—	—	·05	·04×	—	12
13	·04	·03	—	·43	—	—	·01	—	·01	—	—	·10	13
14	·74	—	—	·47	—	—	·07	—	·27	·06	—	·10	14
15	·28	·05	·07	·05	—	—	—	—	—	·02	·03	·43	15
16	·22	·48	—	—	—	—	—	—	—	—	·07×	·04	16
17	—	·26	·03	·02	—	—	—	—	—	—	·19	·07	17
18	—	·10	·06	—	—	—	—	·03	·04	—	·11	·05	18
19	·04	·25	·59	—	—	·05	·33	·09	—	·02	·10	—	19
20	·48	·14	·11	—	—	·80	·07	·23	—	—	—	·02	20
21	·09	·55	·04×	—	—	·02	·04	—	—	—	·04	·05	21
22	—	·03	·02	—	—	—	·20	—	·44	·03	·03	·23	22
23	—	—	—	—	—	·03	·02	—	·27	—	·03	·05	23
24	—	—	—	·18	—	·02	·05	·09	·02	·07	·12	·04	24
25	·04	—	—	—	·02	—	·03	·23	—	—	—	·02	25
26	—	·18	·12	·09	—	—	—	·03	·09	—	·06	·62	26
27	·35×	·02	·02	·62×	—	—	·02	·31	—	—	·04×	·02	27
28	·30×	—	·18×	·35	—	—	·02	·83	—	—	·43	·30	28
29	·22		·14×	·03	—	·05	—	·50	—	·28	·09	·09	29
30	—		—	—	—	·03	—	·65	—	·04	·24	·94	30
31	—		·03×		—		·02	—		·05		·05	31
Total	5·92	2·66	4·52	2·68	0·38	1·08	1·94	3·04	1·50	0·84	2·33	5·37	Year's Total 32·26 ✓
Days with ·01 in. or more	22	15	24	13	6	8	18	11	12	12	24	26	191 ✓

(44,283). Wt.21,958—218. 7500. 10/19. **Gp.132.** A.&E.W.

× Snow

2nd 970

548

3 JAN 1921

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Brockhurst Observatory, East Grinstead
in the County of Sussex
by F. J. Hanbury Esq.

Lat. N. 51° 7′ 27″ Long. 0° 0′ 34″ E
Time of Observation 9. 0 a.m.
Nearest Railway Station East Grinstead, L.B.&S.C.
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 435 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·06	—	—	·22	·08	—	·35	—	—	·46	—	·33	1
2	—	—	·13	—	·03	—	·01	·31	·05	·21	—	·13	2
3	·03	—	—	—	·08	—	—	—	—	·09	—	·09	3
4	—	·09	·02	·18	—	—	1·20	·13	·01	·06	—	·03	4
5	—	—	·06	·01	·02	—	·58	·10	·03	—	·02	·04	5
6	—	—	·15	—	·14	—	·23	—	—	·01	—	·03	6
7	·05	·02	—	·19	·08	—	·24	—	·01	—	—	·02	7
8	—	·01	—	·03	·04	—	·68	·01	—	·02	—	·01	8
9	·26	·04	—	·03	·10	—	·07	—	—	—	—	—	9
10	·95	·17	·06	·05	—	·07	·35	—	—	—	·03	·03*	10
11	·17	—	·06	·22	—	·08	·33	—	—	—	—	·07*	11
12	·08	·02	·01	·36	·02	·35	—	—	—	·01	·02	—	12
13	·26	·02	·28	—	—	·01	—	—	·02	—	·09	—	13
14	—	·01	·52	·41	—	·05	—	—	·11	·13	·43	·02*	14
15	·03	·01	·05	·22	—	—	—	—	·70	·28	·14	—	15
16	·01	—	·02	·02	·03	—	—	—	·37	·02	—	·02*	16
17	·02	·01	—	·02	·19	—	—	—	1·25	—	·02	·13	17
18	·03	—	·02	·01	·12	—	—	1·05	·96	—	·02	·12	18
19	·13	·01	—	·49	—	—	—	—	·01	—	·02	·04	19
20	·06	·19	—	·23	—	·51	—	—	·09	—	—	·02	20
21	—	—	—	·04	—	—	·73	—	·40	—	·01	·28	21
22	·03	—	—	·25	—	—	—	—	·07	·01	—	·36	22
23	—	—	—	·01	—	—	·41	·02	—	—	—	·31	23
24	·03	·02	·08	—	—	—	—	—	—	·02	—	·08	24
25	—	·01	·03	·01	—	—	·28	—	02	—	·03	—	25
26	·05	—	·09	·04	·01	—	—	—	—	·02	·02	·05	26
27	·60	·04	·01	·20	—	·08	·02	—	—	—	·50	·33	27
28	·57	·02	·15	·06	·15	—	·16	—	—	—	·13	·03	28
29	·92	—	·09	·13	·01	—	—	—	·02	·01	·20	·30	29
30	·03		—	—	—	·07	·21	—	·21	—	·43	·20	30
31	·04		·02		·01		—	—		·50		·48	31
Total	4·41	0·69	1·85	3·43	1·11	1·22	5·85	1·62	4·33	1·85	2·11	3·55	YEAR'S TOTAL = 32·02 inches
Days with ·01 in. or more	22	16	19	24	16	8	16	6	17	15	16	26	= 201
Days with ·04 in. or more	14	5	12	16	9	7	14	4	10	7	7	17	= 122 (* snow)

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

EAST GRINSTEAD
SHOVELSTRODE
SUSSEX
1912 - 1913

FORM A.
BRITISH RAINFALL.
6 JAN 1913

REG

Kept at Shovelstro 0:01 E

30 am

in the County of East East Grinstead

5 in.

by Capt Batte e Ground 2 ft. 6 in.

Sea Level 320 ft.

IMPORTANT NOT the result entered to the previous day. If an Obs universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	–	·21	–	–	·06	·09	–	·01	·85	–	·27	1
2	–	–	·57	–	–	·04	·20	·02	·06	·02	–	~~·2~~ –	2
3	·01		·07	–	–	·21	·08	·35	·02	–	–	·02	3
4	·18	·08 snow	·68	–	·07	·17	–	·01	–	–	·15	–	4
5	·18		·23	–	–	–	–	·31	–	–	·12	·05	5
6	·53	·08	·01	–	·04	–	–	·36	–	–	–	·10	6
7	–	–	–	–	·14	·42	–	·37	–	–	–	·13	7
8	·29	·46	·34	–	–	·03	–	·08	–	–	–	·04	8
9	–	·13	·02	·05	–	·20	–	·08	–	–	–	·14	9
10	–	·07	–	–	·01	–	–	·17	·01	–	·07	·33	10
11	·04	·42	–	–	–	·04	–	·12	·03	–	–	·21	11
12	–	·20	·05	–	·21	·05	–	·21	–	–	–	·03	12
13	–	·02	·04	–	–	–	–	–	–	–	·18	·09	13
14	–	–	·03	–	·06	–	–	·21	–	–	–	–	14
15	·01	·01	·10	–	·17	·74	–	–	–	·08	–	·33	15
16	·21	–	·18	–	·27	·08	–	·12	–	–	·28	–	16
17	·39	–	·53	–	–	·04	–	·08	–	–	– ~~23~~	·08	17
18	·21	–	·34	·06	–	–	·03	·09	–	–	–	·18	18
19	·08	·14	·19	–	–	–	·06	·26	–	·19	·02	–	19
20	·04	·04	·58	–	–	–	–	·37	–	·46	·03	–	20
21	–	·06	·32	–	·01	–	·01	·04	–	–	·05	–	21
22	·05	·50	·18	–	–	–	–	·16	–	–	–	–	22
23	·34	·24	·33	–	·05	·01	–	·40	–	–	·17	·05	23
24	·02	·04	–	–	–	·17	–	·14	–	–	–	·17	24
25	·06	·02	–	–	–	·28	·60	·89	–	–	·22	·48	25
26	–	·03	–	–	–	~~28~~ –	–	·26	–	·37	·61	·45	26
27	–	–	–	–	–	·02	·20	–	–	·27	–	·32	27
28	–	·06	·02	–	–	~~02~~ –	·19	·11	·07	1·03	·97	·22	28
29	–	·04	–	·02	–	·09	·06	·26	1·78	·10	–	–	29
30	–		–	–	·43	·23	·31	·08	1·69	·54	–	–	30
31	–		·05		–		·11	·10		–		–	31
Total	2·64	2·64	5·07	·13	1·46	2·88	1·94	5·65	3·67	3·85	2·82	3·69	YEAR'S TOTAL 36·44 ✓
Rain Days.	16	21	22	3	11	19	12	27	8	10	12	20	180 ✓

W. 7,500, XI. 12

REG[illegible] IN 1912

FORM A.
BRITISH RAINFALL.
6 - JAN 1913

Kept at Shovelstrode - East Grinstead
in the County of East Sussex
by Capt Bartley

Lat. 51·07 N Long. 0·01 E
Time of Observation 8·30 a m
Nearest Railway Station East Grinstead
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. 6 in.
" " " " Sea Level 320 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	–	·21	–	–	·06	·09	–	·01	·85	–	·27	1
2	–	–	·57	–	–	·04	·20	·02	·06	·02	–	~~·2~~ –	2
3	·01		·07	–	–	·21	·08	·35	·02	–	–	·02	3
4	·18	·08	·68	–	·07	·17	–	·01	–	–	·15	–	4
5	·18	snow	·23	–	–	–	–	·31	–	–	·12	·05	5
6	·53	·08	·01	–	·04	–	–	·36	–	–	–	·10	6
7	–	–	–	–	·14	·42	–	·37	–	–	–	·13	7
8	·29	·46	·34	–	–	·03	–	·08	–	–	–	·04	8
9	–	·13	·02	·05	–	·20	–	·08	–	–	–	·14	9
10	–	·07	–	–	·01	–	–	·17	·01	–	·07	·33	10
11	·04	·42	–	–	–	·04	–	·12	·03	–	–	·21	11
12	–	·20	·05	–	·21	·05	–	·21	–	–	–	·03	12
13	–	·02	·04	–	–	–	–	–	–	–	·18	·09	13
14	–	–	·03	–	·06	–	–	·21	–	–	–	–	14
15	·01	·01	·10	–	·17	·74	–	–	–	·08	–	·33	15
16	·21	–	·18	–	·27	·08	–	·12	–	–	·28	–	16
17	·39	–	·53	–	–	·04	–	·08	–	–	– ~~·23~~	·08	17
18	·21	–	·34	·06	–	–	·03	·09	–	–	–	·18	18
19	·08	·14	·19	–	–	–	·06	·26	–	·19	·02	–	19
20	·04	·04	·58	–	–	–	–	·37	–	·46	·03	–	20
21	–	·06	·32	–	·01	–	·01	·04	–	–	·05	–	21
22	·05	·50	·18	–	–	–	–	·16	–	–	–	–	22
23	·34	·24	·33	–	·05	·01	–	·40	–	–	·17	·05	23
24	·02	·04	–	–	–	·17	–	·14	–	–	–	·17	24
25	·06	·02	–	–	–	·28	·60	·89	–	–	·22	·48	25
26	–	·03	–	–	–	~~·28~~ –	–	·26	–	·31	·61	·45	26
27	–	–	–	–	–	·02	·20	–	–	·27	–	·32	27
28	–	·06	·02	–	–	~~·02~~ –	·19	·11	·07	1·03	·97	·22	28
29	–	·04	–	·02	–	·09	·06	·26	1·78	·10	–	–	29
30	–		–	–	·43	·23	·31	·08	1·69	·54	–	–	30
31	–		·05		–		·11	·10		–		–	31
Total	2·64	2·64	5·07	·13	1·46	2·88	1·94	5·65	3·67	3·85	2·82	3·69	YEAR'S TOTAL 36·44
Rain Days.	16	21	22	3	11	18	12	27	8	10	12	20	180

W. 7,500, XI. ·12

REGISTER OF RAINFALL IN 19/3

FORM A.
BRITISH RAINFALL.
5 - JAN 1914

Kept at Shovelstrode East Grinstead
in the County of Sussex
by Captain S. Bartley.

7

Lat. 51·07 N Long. 0·01 E
Time of Observation 9 am
Nearest Railway Station East Grinstead
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. 6 in.
" " " " Sea Level 320 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1	·02	·37	·12	·28	·08	-	-	-	·06	-	·17	·16	1
2	·05	·19	-	·07	-	-	·09	-	·05	-	-	-	2
3	-	-	-	·39	·32	-	-	-	-	·12	-	·13	3
4	·40	-	·12	·01	-	-	-	-	·05	·15	·09	-	4
5	·27	·06	-	-	-	-	·12	-	·40	·05	·14	-	5
6	·02	·03	·14	-	-	·17	·15	-	·05	·31	·08	·15	6
7	-	·26	·02	-	·08	·10	-	-	-	·35	·10	-	7
8	-	·64	-	-	·16	-	-	·15	-	·25	·01	·02	8
9	-	·09	-	-	·07	-	·08	-	·09	-	·02	-	9
10	-	-	-	·10	-	-	·60	-	-	-	·45	-	10
11	-	-	-	·37	-	-	-	-	-	·74	·60	-	11
12	·57	-	-	-	-	-	-	-	-	-	·99	-	12
13	·20	-	·03	-	-	-	-	-	·07	-	·23	-	13
14	·23	-	·11	·11	-	-	1·76	-	·16	·14	·27	-	14
15	·15	-	·30	·32	-	-	·36	-	·06	-	-	-	15
16	·23	-	·67	·37	-	-	-	-	·15	-	-	-	16
17	·05	-	-	·14	-	-	·34	-	-	-	-	-	17
18	-	-	·15	·20	-	-	-	-	-	-	·15	-	18
19	·45	-	·17	-	-	-	-	-	·45	-	-	-	19
20	·64	-	·15	·08	-	·11	-	-	-	·55	·03	-	20
21	·02	-	·12	·08	-	-	-	-	-	·56	·80	-	21
22	·32	-	·28	-	-	-	·02	·06	·08	-	-	-	22
23	-	-	·47	-	-	·01	·02	·08	-	-	·04	·65	23
24	-	-	-	·05	-	-	-	-	-	-	-	-	24
25	-	-	-	·22	-	-	-	-	-	-	-	-	25
26	-	-	·12	-	-	-	-	·15	-	·83	-	·25	26
27	·05	-	-	·04	·41	-	-	-	-	·10	-	-	27
28	·13	-	·45	·07	-	-	-	·28	-	·20	-	-	28
29	·08		·05	·40	·14	-	-	·01	-	·05	-	-	29
30	·60		-	·14	-	-	-	·23	-	·21		-	30
31	-		·07		-			·49		·16		-	31
Total	4·48	1·04	3·54	3·44	1·26	·39	3·54	1·45	1·67	4·77	4·14	1·36	YEAR'S TOTAL 31·08
Rain Days.	19	7	18	19	7	4	10	8	12	16	16	6	142

EAST ~~HO~~ATHLY
OLD WHYLY
SUSSEX
1912 - 1916.

R… 1912

FORM A.
BRITISH RAINFALL.
17 JAN 1913

Kept at Old Whyl… …g. …n Uckfield.

in the County of Suss… …7 a.m.

…5 in.

by H. C. Harbora… …above Ground 1 ft. 0 in.

Sea Level 160 ft.

NOTE.—Rain should be meas… Full instructions for the measurement of rain and particulars as to the … organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·00			·00	·01	·46						·32	1
2	·00	·07	·30	·00	·00		~~·38~~	·38					2
3	·01			·00	·00								3
4	·27			·00	·01	·47							4
5			·88	·00	·09			·71					5
6	·68			·00	·03			·84					6
7	·00			·00	·30	·77	·16	·23				·22	7
8	·53	·44		·00	·00			·02					8
9			·20	·06	·00			·15					9
10				·00	·00	·01		·54					10
11				·00		·10	·21						11
12				·00	·05								12
13		·74		·00									13
14	·03		·08	·00	·08	·03				1·95		·85	14
15				·00		·68							15
16			·44	00									16
17	·38		·42 ~~·44~~	00									17
18	·02		·43	00	·20		·06	·85			·29	1·13	18
19			·31	00									19
20	·06		·80	00									20
21		·33	·40	00	·04								21
22		·50	·11	00		·06					·38		22
23			·39	00				1·41					23
24			·00	00			·16						24
25	·59		·00	00									25
26			·00	00							·87		26
27		·28	·00	00		·39				1·97			27
28			·00	00			·20					2·18	28
29		·15	·00	00				2·18	2·36				29
30		X	·03	00	·41	·03	·18				·39		30
31		X	·00	~~00~~ X		X			X	1·20	X		31
Total	2·57	2·51	4·79	·06	1·13	3·00	·97	7·31	2·36	5·12	1·93	4·70	TOTAL for year 36·45
No. of Rain Days	9	7	13	1	9	10	6	10	1	3	4	5	

a Blank means no observation taken

1,000, IX. '10.

EDWARD STANFORD. 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

R[illegible]12

FORM A.
BRITISH RAINFALL.
17 JAN 1913

Kept at Old Whyly- East Hoathly-

in the County of Sussex.

by H. C. Harbord-

Lat. Long.

Nearest Railway Station Uckfield.

Time of Observation 9 a.m.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " Sea Level 160 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·00			·00	·01	·46						·32	1
2	·00	·07	·30	·00	·00		~~·38~~	·38					2
3	·01			·00	·00								3
4	·27			·00	·01	·47							4
5			·88	·00	·09			·71					5
6	·68			·00	·03			·84					6
7	·00			·00	·30	·77	·16	·23				·22	7
8	·53	·44		·00	·00			·02					8
9			·20	·06	·00			·15					9
10				·00	·00	·01		·54					10
11				·00		·10	·21						11
12				·00	·05								12
13		·74		·00									13
14	·03		·08	·00	·08	·03				1·95		·85	14
15				·00		·68							15
16			·44	00									16
17	·38		·42 ~~·44~~	00									17
18	·02		·43	00	·20		·06	·85			·29	1·13	18
19			·31	00									19
20	·06		·80	00									20
21		·33	·40	00	·04								21
22		·50	·11	00		·06					·38		22
23			·39	00				1·41					23
24			·00	00			·16						24
25	·59		·00	00									25
26			·00	00							·87		26
27		·28	·00	00		·39				1·97			27
28			·00	00			·20					2·18	28
29		·15	·00	00				2·18	2·36				29
30		X	·03	00	·41	·03	·18				·39		30
31		X	·00	~~00~~ X		X			X	1·20	X		31
Total	2·57	2·51	4·79	·06	1·13	3·00	·97	7·31	2·36	5·12	1·93	4·70	TOTAL for year 36·45
No. of Rain Days	9	7	13	1	9	10	6	10	1	3	4	5	

a Blank means no observation taken

1,000, IX. '10.

EDWARD STANFORD. 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

S. made

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
29 JAN 1914

Kept at Old Tohyly - East Hoathly
in the County of Sussex 4
by H. C. Harbord

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Uckfield
Diameter of Rain Gauge 5. in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 160 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02									·10	·38		1
2		·50								·05			2
3					·19								3
4									1·75	·21		·29	4
5						·12							5
6		·65				·16							6
7			·20			·12							7
8						·00	·65			·98	·96	·22	8
9					·35								9
10							·42						10
11	1·34									·99			11
12				1·57	·28								12
13											2·72		13
14			·25										14
15	1·08						1·36						15
16													16
17				1·04			·38				·13		17
18	·37			·34									18
19	·36		1·26	·00					1·50				19
20				·11									20
21				·17	·04		·09				·90		21
22			·32	·00								·05	22
23	·94			·00						1·18			23
24		·18		·04		·26		·27					24
25	·11			·18								·74	25
26							·02						26
27					·09				·14				27
28													28
29					·20					1·29			29
30			·55									·28	30
31	1·00			·88				1·50			·12	·00	31
Total	5·22	1·33	2·58	4·33	1·15	·66	2·92	1·77	3·39	4·80	5·21	1·58	YEAR'S TOTAL 34·94
Rain Days.			I am a little doubtful about the reading for March 30.										

1,000, XI. '12

EDWARD STANFORD, Ltd., 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Blanks mean no observation taken

Price 2d.

[illegible] made 2/3/15

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL. 5 - JAN 1915

Kept at Old Whyly East Hoathly

in the County of Sussex 4

by H. C. Harbord

Lat. Long.

Time of Observation 9 a.m

Nearest Railway Station Uckfield

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 160 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·04			1·26						1
2							·19						2
3				·02	·27							1·31	3
4			·10	·32		·02							4
5			·12	·38			·23						5
6			~~·63~~	·18	·06	·08							6
7				·07									7
8			·63				·24						8
9			·67	·07		·30						3·03	9
10					·08								10
11			·52	·17									11
12		1·66				·03	·36					1·25	12
13			·56			·18							13
14		1·08	·23						1·42		·83	1·19	14
15			·25										15
16													16
17	·47		·15										17
18		·60	·47									·82	18
19		·10	1·18										19
20						·13	·33					·45	20
21		1·05	·12					·34					21
22		·10			·14								22
23			·52				·15						23
24					·02								24
25			·19						·27				25
26													26
27													27
28													28
29			·11								2·94	1·89	29
30			·09										30
31	·35	·04	·00		·28					2·46		·32	31
Total	·82	4·63	5·91	1·25	·85	·74	2·76	·34	1·69	2·46	3·77	10·26	YEAR'S TOTAL 35·48
Rain Days.	Monthly totals first five months correct. Other monthly totals only useful for addition Wavy line means drought. Blank means no observation.												

1,000, XI. '12
EDWARD STANFORD, Ltd., 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.
Price 2d.

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.
4 MAY 1916

Kept at Old Whyly - East - Hoathly
in the County of Sussex
by H. C. Harbord.

Lat. Long.
Time of Observation
Nearest Railway Station Uckfield
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. · in.
" " " " Sea Level 160 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
1915

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·21								·96		1
2								·77					2
3		·62		·35									3
4										1·42		2·63	4
5													5
6		·70		·70									6
7	2·08												7
8			·41	·04			·78						8
9	·04												9
10									1·15			2·84	10
11													11
12													12
13					1·98						2·36		13
14	·42	2·22		·32									14
15													15
16							2·09					·98	16
17		1·21			1·47				·17				17
18		·49											18
19													19
20					·48	·22							20
21							1·24	·72					21
22			·09										22
23			·11										23
24	·53	·19											24
25													25
26						·04							26
27				·07								3·06	27
28													28
29													29
30		X				·50							30
31		X		X		X			X	2·21	X	·39	31
Total	3·07	5·43	·82	1·48	3·93	·76	4·11	1·49	1·32	3·63	3·32	~~10·10~~ 9·90	YEAR'S TOTAL 39·26
Rain Days.													

W. 8,000. X. 14.

Exd CSE

576

FORM A. BRITISH RAINFALL.

19. APR. 1917

REGISTER OF RAINFALL IN 1916

Kept at Old Whyly East Hoathly

in the County of Sussex

by H. C. Harbord

Lat. Long.

Time of Observation

Nearest Railway Station Uckfield

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 160 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1													1
2			7.40										2
3													3
4												2.32	4
5													5
6													6
7				·36				·88	·96				7
8						1.65	1.80						8
9											6.57		9
10													10
11													11
12					1.72								12
13													13
14										2·69			14
15													15
16													16
17													17
18													18
19								·36					19
20													20
21													21
22													22
23													23
24				1.10									24
25													25
26								1·72					26
27													27
28													28
29													29
30		X										4·96	30
31		X	3.39	X		X			X		X		31
Total			10.79	1.46	1.72	1.65	1.80	2·96	·96	2·69	6·57	7·28	YEAR'S TOTAL 37·88
Rain Days.													

W. 8,000, VIII. 16

Co. for ...

ELSTED

SUSSEX

1911- 1920

RE

FORM A2.
BRITISH RAINFALL.

-1 MAY 1912

Kept at Telegrap

in the County of West

by Earl Ru

...uary

in.

Ground ft. 4 in.

Sea Level 625 ft.

Name Elsted

Distance 2½ Direction N.N.W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 0

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·35		·10		·10		·12				1
2	·05			·25				·15			·09	·10	2
3				·15	·52						·20	·40	3
4					·30			·14			·15	·05	4
5	·10		·05	·10						·05	·18	·56	5
6										·25			6
7	·48		·10								·15	1·05	7
8	·10									·38	·63	·05	8
9	·08		·25								·24	·48	9
10	·15										·07	·30	10
11		·18	·35									·65	11
12	·65										1·46		12
13			·50								·16	·05	13
14					·34				·20	·27		·47	14
15		·10			·17							·64	15
16			·05								·20	·07	16
17		·05				·72					·85	·30	17
18						·10					·52	·35	18
19			·08			·12				·03	·32	·62	19
20		·24				·17			·60	·18		·38	20
21	·10	·03	·08						·12	·04		·95	21
22		·30				·10			·18	·64		·14	22
23	·18		·07			·53				·20		·62	23
24		·21	·05			·43				·74	·09	·15	24
25	·05	·25	·03					·45		1·80		·95	25
26	·10	·07		·18	1·82		·95		·05			·08	26
27				·41						·32		·45	27
28		·70	·53	·17			·12		·05	·15	·05	·15	28
29				·32				·16	·23				29
30						·17				·52			30
31										·50			31
Total	2·04	·35 2·48	2·14	·10 1·68	3·15	·10 2·44	1·07	·12 1·02	1·43	6·07	5·36	10·01	TOTAL for year 38·89
No. of Rain Days.	11	11	12	8	5	9	2	5	7	15	16	25	126

W. 8,000, X. '11.

Cor. for

RE

FORM A2.
BRITISH RAINFALL.

1 MAY 1912

Kept at Telegraph House
50°57′ N.
0° 51′ W
in the County of West Sussex
by Earl Russell

RAIN GAUGE
Pattern Ordinary
Diameter of top 5 in.
Height of top above Ground ft. 4 in.
" " " Sea Level 625 ft.
Time of Observation 10 a.m.
Nearest Railway Station Name Elsted
Distance 2½ Direction N.N.W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 0

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·35		·10		·10		·12				1
2	·05			·25				·15			·09	·10	2
3				·15	·52						·20	·40	3
4					·30			·14			·15	·05	4
5	·10		·05	·10						·05	·18	·56	5
6										·25			6
7	·48		·10								·15	1·05	7
8	·10									·38	·63	·05	8
9	·08		·25								·24	·48	9
10	·15										·07	·30	10
11		·18	·35									·65	11
12	·65										1·46		12
13			·50								·16	·05	13
14					·34				·20	·27		·47	14
15		·10			·17							·64	15
16			·05								·20	·07	16
17		·05				·72					·85	·30	17
18						·10					·52	·35	18
19			·08			·12				·03	·32	·62	19
20		·24				·17			·60	·18		·38	20
21	·10	·03	·08						·12	·04		·95	21
22		·30				·10			·18	·64		·14	22
23	·18		·07			·53				·20		·62	23
24		·21	·05			·43				·74	·09	·15	24
25	·05	·25	·03					·45		1·80		·95	25
26	·10	·07		·18	1·82		·95		·05			·08	26
27				·41						·32		·45	27
28		·70	·53	·17			·12		·05	·15	·05	·15	28
29				·32				·16	·23				29
30						·17				·52			30
31										·50			31
Total	2·04	·35 2·48	2·14	·10 1·68	3·15	·10 2·44	1·07	·12 1·02	1·43	6·07	5·36	10·01	TOTAL for year 38·89
No. of Rain Days.	11	11	12	8	5	9	2	5	7	15	16	25	126

W. 8,000, X. '11.

made

REGISTER OF RAINFALL IN 1912

cod by other gauge 5.11.13

FORM A. BRITISH RAINFALL. 21 JAN 1913

Kept at Telegraph House

in the County of West Sussex 2

by Earl Russell

Lat. 50°57'N. Long. 0° 51' W.

Time of Observation 9 a.m.

Nearest Railway Station Elsted

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 627 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1						·62	·13			·71		·40	1
2						·07	·32	·01					2
3						·22		·64	·02				3
4						·23		·07			·17		4
5						—		·79			·02		5
6								·35				·19	6
7						·88		·25				·15	7
8						·05		·12					8
9						·04	·05	·06				·39	9
10								·24			·21	·41	10
11								·22				·22	11
12						·22	·14						12
13							·33	·24			·07	·20	13
14								·07		·10		·08	14
15						·56						·42	15
16								·37		·12	·10		16
17						·05		·33				·19	17
18								·24				·10	18
19						·01	·09	·85					19
20						·07		·05		·45	·04		20
21								·25	—	·22			21
22								·32				·10	22
23						·07		·68		·01	·27	·11	23
24								·35				·25	24
25						·56		·75		·03	·29	·78	25
26								·14		·59	·44	·23	26
27						·16	·14			·28		·68	27
28						·10	·47	·31	·13	× (·78)	·47	·36	28
29						·06	·18	·31	1·95	·16	·05		29
30					·25	·05	·08	·03	1·36	·20			30
31							·42	·28					31
Total					~~·25~~	4·02	2·35	8·32	3·46	(365) ~~2·87~~	2·13	5·26	YEAR'S TOTAL
Rain Days.						18	11	27	4	12	11	18	

× It is regretted that this discrepancy has only just been discovered, & is not now capable of explanation. R

W. 7,500, XI. ·12

[illegible]

FORM A2.
BRITISH RAINFALL.
21 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Telegraph House

in the County of West Sussex 2

by Earl Russell

RAIN GAUGE
Pattern Snowdon Copper Standard Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level 627 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Elsted
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 0

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·18			·62	·15			·71		·42	1
2			·45	·05		·07	·32	·01					2
3			·09			·21		·65	·02				3
4	·25		·64			·23		·05			·18		4
5	·45	·15	·22					·79			·02		5
6	·53				·18			·35				·21	6
7		·10			·25	·88		·25				·15	7
8	·64	·45	·32			·05		·12					8
9		·30	·26			·04	·04	·06				·40	9
10		·15						·24			·15	·41	10
11	·10	·35	·13									·27	11
12		·20	·20			·21	·14	·21					12
13		·07	·10				·33	·22			·06	·25	13
14								·06		·09		·08	14
15	·05	·10	·20		·12	·54						·42	15
16	·15		·57		·10			·39		·12	·10		16
17	·53		·30			·05		·35				·20	17
18	·15		·27					·26				·10	18
19	·10	·15	·12			·01	·08	·83					19
20		·10	·55			·07		·05		·35	·04		20
21		·40	·12		·40			·23		·20			21
22	·05	·84	·08					·32				·10	22
23	·63	·38	·33			·06		·62		·01	·30	·13	23
24	·25	·12						·40				·25	24
25						·60		·75		·03	·29	·78	25
26		·12						·13		·59	·44	·22	26
27		·05				·18	·13			·30		·72	27
28		·06				·10	·51	·32	·12	·78	·48	·39	28
29		·08				·06	·17	·33	1·90	·15	·05		29
30					·25	·05	·08	·08	1·36	·14			30
31			·10				·44	·30					31
Total	3·88	4·17	5·23	·05	1·30	4·03	2·39	8·37	3·40	3·47	2·11	5·50	TOTAL for year 43·90
No. of Rain Days.	13	19	20	1	6	18	11	27	4	12	11	18	160

W. 8,000, X. '11.

Smader

cord. by own stats 10·11·14

REGISTER OF RAINFALL IN 1913

FORM A2.
BRITISH RAINFALL.
17 JAN 1914

Kept at Telegraph House,

in the County of W. Sussex

by Earl Russell

~~×f~~ 2 RL

RAIN GAUGE
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground ...... ft. ...... in.
" " " Sea Level ...... ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name ......
Distance ...... Direction ......

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·06	·48	·22	·02	·09				·45		·28	·15	1
2	·06	·14		·05			·09		·07	·22	·13		2
3	·21		·11	·18	·57					·05		·30	3
4	·53		·13		·46		(·02)		·70	·30	·21	·06	4
5	·37	·08	·03			·20	·04		·12		·22	·03	5
6		·07	·09		·05	·21	·49			·65	·11	·30	6
7		·39	·17		·18	·12	·25			·38	·17		7
8		·08	·02		·33	·02		·14		·47		·09	8
9		·07			·05		·14		·22		·09	·01	9
10	·02			·08			·34				·40		10
11	1·21			·36						·58	·26	·02	11
12					·96						·43		12
13	·40		·13					·04	·08		·17		13
14	·26		·14	·01			·44	·03		·02	·26		14
15	·43	·10	·32	·57			·24		·13		·02		15
16	·21		·54	·25			·04		·23				16
17	·09		·02	·10			·07				·04		17
18			·23	·20			·01				·14		18
19	·33		·09			(·20)	·06		·22				19
20	·23		·36	·14						1·34	·05		20
21			·20	·24						·30	·67		21
22	·34		·26					·13	·21			·01	22
23	·01		·06			·08		·12				·90	23
24	·10			·11							·09		24
25				·32									25
26			·05	·03				·13		·59		·36	26
27	·14		·27	·13						·08			27
28			·21	·12						·20			28
29	·05		·08	·58	·41			·14		·12	·02		29
30	·78		·	·08				·21		·22			30
31	·01		·11					·94		·12			31
Total	5·84	1·41	3·84	3·52	3·10	·83	2·23	1·88	2·43	5·64	3·76	2·23	TOTAL for year 36·71
No. of Rain Days.	21	8	23	19	9	~~5~~6	~~12~~13	9	10	16	19	11	164

W. 8,000, X. '11.

Ex. Mill

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL.

18 JAN 1915

Kept at Telegraph House

in the County of West Sussex 2

by Earl Russell

Lat. 50° 57' N. Long. 0° 51' W

Time of Observation 9 a.m.

Nearest Railway Station Elsted

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. · in.

" " " " Sea Level 625 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·02					·21			·06	·10	1
2						·02	·03	·09			·21	·13	2
3			·08	·04	·40		·05	·21				·03	3
4			·03	·33	·20			·21			·33	·21	4
5	·11		·12	·53	·10	·02	·21	·01			·05		5
6		·21		·30	·13	·08		·02				·64	6
7	·01	·66	·20	·15	·02		·25					·35	7
8	·07	·61	·52	·04	·01	·10	·04	·40				·05	8
9	·07		1·05					·02	·38			1·73	9
10		·19		·13	·22				·25				10
11	·03	·64	·66		·05	·02	·33		·19		·13	·76	11
12		·14	·15				·47		·55	·06	·01	·68	12
13		·60	·16						·23	·03	·14	·97	13
14		·47	·24			·16				·45	·30	·30	14
15		·08	·27				·10	·42		·02	·80		15
16							·06		·28				16
17		·84	·13						·18			·62	17
18			·28									·50	18
19		·15	·50				1·27				·16	·22	19
20		·49	·22			·01						·37	20
21		·60	·06							·22		·02	21
22		·04			·02	·14	·09	·07		·23			22
23		·21	·37			·16				·06			23
24			·08		·01						·24		24
25	·05		·17					·23		·53	·03	·08	25
26								·39		·10	·29	·78	26
27	·04										·15	·48	27
28	·02	·05	·01		·22		·11			·43	·49	·60	28
29	·24		·20							·30	·19	·01	29
30	·03	X	·16	·05						·18	·98	·64	30
31	·03	X		X	·04	X	·11		X	·28	X		31
Total	·70	5·98	5·68	1·57	1·42	·71	3·22	2·28	2·06	2·89	4·56	10·29	YEAR'S TOTAL 41·24
Rain Days.	11	16	23	8	12	9	13	12	7	13	14	23	164

W. 8,000. X. 14.

REGISTER OF RAINFALL IN 1914

FORM A2.
BRITISH RAINFALL.
18 JAN 1915

Kept at Telegraph House

in the County of West Sussex 2

by Earl Russell

RAIN GAUGE
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. - in.
" " " Sea Level 625 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Elsted
Distance — Direction -

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·02					·21			·06	·10	1
2						·02	·03	·09			·21	·13	2
3			·08	·04	·40		·05	·21				·03	3
4			·03	·33	·20			·21			·33	·21	4
5	·11		·12	·53	·10	·02	·21	·01			·05		5
6		·21		·30	·13	·08		·02				·64	6
7	·01	·66	·20	·15	·02		·25					·35	7
8	·07	·61	·52	·04	·01	·10	·04	·40				·05	8
9	·07		1·05					·02	·38			1·73	9
10		·19		·13	·22				·25				10
11	·03	·64	·66		·05	·02	·33		·19		·13	·76	11
12		·14	·15				·47		·55	·06	·01	·68	12
13		·60	·16						·23	·03	·14	·97	13
14		·47	·24			·16				·45	·30	·30	14
15		·08	·27				·10	·42		·02	·80		15
16							·06		·28				16
17		·84	·13						·18			·62	17
18			·28									·50	18
19		·15	·50				1·27				·16	·22	19
20		·49	·22			·01						·37	20
21		·60	·06							·22		·02	21
22		·04			·02	·14	·09	·07		·23			22
23		·21	·37			·16				·06			23
24			·08		·01						·24		24
25	·05		·17					·23		·53	·03	·08	25
26								·39		·10	·29	·78	26
27	·04										·15	·48	27
28	·02	·05	·01		·22		·11			·43	·49	·60	28
29	·24		·20							·30	·19	·01	29
30	·03		·16	·05						·18	·98	·64	30
31	·03				·04		·11			·28			31
Total	·70	5·98	5·68	1·57	1·42	·71	3·12	2·28	2·06	2·89	4·56	10·27	TOTAL for year 41·24
No. of Rain Days.	11	16	23	8	12	9	13	12	7	13	17	23	164

W. 8,000, X. '11.

524

FORM A2.
BRITISH RAINFALL.
18. JAN. 1916

REGISTER OF RAINFALL IN 1915

Kept at Telegraph House

in the County of West Sussex 2

by Earl Russell

RAIN GAUGE
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. · in.
" " " Sea Level 625 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Elsted
Distance 2½ Direction N. 35° E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·61	·29	·03					·08	·56	·11	·07	·52	1
2	·38	·29	·35	·08				·11	·14	·07		·23	2
3	·60		·17	·17	·09				·02			·60	3
4	·06							·03				·67	4
5	·03	·54						·12				·57	5
6	·73	·22		·82			·86	·03				·28	6
7	·30	·56		·01	·09		·12					·48	7
8	·02	1·15					·13	·03				·03	8
9	·03	·08		·17		·19		·08			·60	·93	9
10	·30	·26										·30	10
11	·05		·08								1·08		11
12	·09	·28		·18	·46						·58		12
13	·06	·65			1·71				·12				13
14	·07						·10	·17	·06			1·30	14
15	·22						·15	·14				·60	15
16		·85			·33		1·37					·12	16
17		·45			·92		1	·03					17
18		·19			·17						·09		18
19		·08			·10		·06						19
20	·40			·03	·12							·09	20
21	·01	·04					·03			·37		·09	21
22		·13	·15				1·20					·32	22
23	1·04	·20	·10				·33		·25	·33		·78	23
24		·04					·11		·62	·53		·41	24
25			·03	·03			·20					·24	25
26		·10				·17	·22					·91	26
27		·01				·08			·03	·54			27
28		·11				·13			·52	·37			28
29						·77		·08			·53	·09	29
30	·19					·18				·65	·81	·05	30
31								·48		1·45		·30	31
Total	5·19	6·52	·91	1·49	3·99	1·52	4·88	1·38	2·32	4·42	3·76	9·91	TOTAL for year
No. of Rain Days.	19	21	7	8	9	6	13	12.	9	9	7	23	46·29

W. 8,000, X. '11.

143

524

67 MX

REGISTER OF RAINFALL IN 1915

FORM A2. BRITISH RAINFALL.
18 JAN 1916

Kept at Telegraph House

in the County of West Sussex 2

by Earl Russell

RAIN GAUGE { Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. - in.
" " " Sea Level 625 ft.

Time of Observation 9 a.m.

Nearest Railway Station { Name Elsted
Distance .... Direction ....

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·61	·29	·03					·08	·56	·11	·07	·52	1
2	·38	·29	·35	·08				·11	·14	·07		·23	2
3	·60		·17	·17	·09				·02			·60	3
4	·06							·03				·67	4
5	·03	·54						·12				·57	5
6	·73	·22		·82			·86	·03				·28	6
7	·30	·56		·01	·09		·12					·48	7
8	·02	1·15					·13	·03				·03	8
9	·03	·08		·17		·19		·08			·60	·93	9
10	·30	·26										·30	10
11	·05		·08								1·08		11
12	·09	·28		·18	·46						·58		12
13	·06	·65			1·71				·12				13
14	·07						·10	·17	·06			1·30	14
15	·22						·15	·14				·60	15
16		·85			·33		1·37					·12	16
17		·45			·92		1	·03					17
18		·19			·17						·09		18
19		·08			·10		·06						19
20	·40			·03	·12							·09	20
21	·01	·04					·03			37		·09	21
22		·13	·15				1·20					·32	22
23	1·04	·20	·10				·33		·25	·33		·78	23
24		·04					·11		·62	·53		·41	24
25			·03	·03			·20					·24	25
26		·10			~~·17~~	·17	·22					·91	26
27		·01			~~·08~~	·08			·03	·54			27
28		·11			~~·13~~	·13			·52	·37			28
29						·77		·08			·53	·09	29
30	·19					·18				·65	·81	·05	30
31								·48		1·45		·30	31
Total	5·19	6·52	·91	1·49	3·99	1·52	4·88	1·38	2·32	4·42	3·76	9·91	TOTAL for year
No. of Rain Days.	19	21	7	8	9	6	13	12	9	9	7	23	46·29

W. 8,000, X. '11.

143

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

3 SEP 1917

Kept at Telegraph House
in the County of West Sussex
by Earl Russell

Lat. .... Long. ....
Time of Observation 9 a.m.
Nearest Railway Station Elsted
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 625 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·12	·03			·20				·31	·17	·41		1
2	·48	·17	·10		·29				·11	·76	·04		2
3	·02	·40	·08		·15				·11	·87	·64		3
4	·19	·14				·63			·20		·41		4
5		·06				·27				·12	·60		5
6		·13			·10	·16	·55			·19	·58		6
7	·03			·04	·13	·35					·91		7
8			·56		·50						·04	·43	8
9					·28								9
10		·55	·05	·04					·06		·04	·07	10
11	·02	·05		·20		·18				·03		·12	11
12	·03	·08		·03			·29			·12		·05	12
13		·30	·09					·06		·03			13
14		·57	·06	·07				·09					14
15		·15	·35					·20		·04			15
16	·04		·29	·10			·10	·20					16
17	·35	·25		·10				·43	·27				17
18		·13	·04	·12				·06	·25	1·25		·19	18
19	·25		·12	·16					·12	·04	·37	·03	19
20	·16		·50	·09							·60		20
21			·28									·96	21
22			·02							·13			22
23		·08		·02		·26				·03	·03	·63	23
24					·23			·07		·37		·04	24
25		·06	·25					·25	·46	·03	·19	·40	25
26	·04							·33	·31	·44	·06		26
27		1·01	·69					·10	·10	·46			27
28		·58	·04					·09	·33	·37			28
29		·26				·60		1·28	·19	·41	·05	·39	29
30					·07					·28		·37	30
31								·08		·18		·04	31
Total	1.73	5.00	3.52	·97	1.95	2.45	·94	3·24	2·82	6·32	4·97	3·72	YEAR'S TOTAL 37.63
Rain Days.	12	19	16	11	9	7	3	13	13	21	15	13	152

W.7,000, XI. 13

510

FORM A2.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1916

Kept at Telegraph House

in the County of West Sussex

by Earl Russell

RAIN GAUGE
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. - in.
" " " Sea Level 625 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Elsted
Distance 2¾ Direction NNE

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·12	·03			·20				·31	·17	·41		1
2	·48	·17	·10		·29				·11	76	·04		2
3	·02	·40	·08		·15				·11	·87	·64		3
4	·19	·14				·63			·20		·41		4
5		·06			"	·27				·12	·60		5
6		·13			·10	·16	·55			·19	·58		6
7	·03			·04	·18	·35					·91		7
8			·56		·60						·04	·43	8
9					·28								9
10		·55	·05	·04					·06		·04	·07	10
11	·02	·05		·20		·18				·03		·17	11
12	·03	·08		·03			·29			·12		·05	12
13		·30	·09					·06		·03			13
14		·57	·06	·07				·09					14
15		·15	·35					·20		·04			15
16	·04		·29	·10			·10	·20					16
17	·35	·25		·15				·40	·27				17
18		·13	·04	·12				·66	·25	1·25		·19	18
19	·25		·12	·16					·12	·04	·37	·03	19
20	·16		·50	[illegible]							·60		20
21			·28									·96	21
22			·02							·13			22
23		·08		·02		·26				·03	·03	·63	23
24					·23			·07		·37		·04	24
25		·06	·25					·25	·46	·03	·19	·40	25
26	·04							·33	·31	·44	·06		26
27		1·01	·69					·10	·10	·46			27
28		·58	·04					·09	·33	·37			28
29		·26				·60		1.28	·19	·41	·05	·39	29
30					·04					·28		·37	30
31								·08		·18		·04	31
Total	1.73	6.00	3.52	·97	1.95	2.45	·94	3.24	2.82	6.32	4·97	3.72	TOTAL for year 37.63
No. of Rain Days.	12	19	16	11	9	7	3	13	13	21	15	13	

W. 8,000, X. '11.

157

492

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

10 JAN 1918

Kept at Telegraph House

in the County of West Sussex

by Earl Russell

Lat. 50° 57' Long. 0° 51' W.

Time of Observation 9 a.m.

Nearest Railway Station Elsted

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. ' in.

" " " " Sea Level 625 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·17					1·58	·06		·05		1
2			·02					·08			·11		2
3			[illegible]				·60	·21		·19 ~~·04~~	·18		3
4	·02							·37		·31			4
5			·24			·05		·42	·13	·35	·10		5
6			·21	1·50 ~~1·50~~					·03	·06	·13		6
7					[illegible]		·12			·52		·14	7
8	·44						·39	·12		·40	·35	·37	8
9	·28		·04					·05	·03	·06	·05	·12	9
10			·46	·14	·02	·03		·26			·01		10
11	·30		·25 ~~·46~~			·40		·07	·06	·40			11
12	·15		·31 ~~·25~~	·46				·05		·32			12
13			·31					·07		·22			13
14			~~·31~~					·19					14
15			·27		·26		·07	·04		·20		·08	15
16		·42		·15	·12		·17			·99	·05	·01	16
17		·05		·18	·17		·18	·18	·54	·20			17
18		·04					·28	·04	·46	·03			18
19		·24	·27					·06	·48				19
20		·14			·69	·04			·07				20
21											·03		21
22						·12		·16		·11			22
23	·03	·21			·11			·22		·04		·05	23
24		·14				·10	07			·29		·08	24
25		·04								·03			25
26								·16	·16		·37		26
27					·50			1·75					27
28			·30			3·54		·27					28
29			·10		·71	·10	·13	·03		·40		·09	29
30		✕	·37			~~·10~~	·85 ~~[illegible]~~	·22		·01	·02	·01	30
31		✕	·08	✕		✕	·26	·05	✕	·05	✕		31
Total	1.22	1.28	340	243	258	4.38	312	6.65	202	518	145	·95	YEAR'S TOTAL 3466
Rain Days.	6	8	15	5	8	8	11	24	10	21	12	9	137

W. 8,000, VIII. 16

3.11

26

FORM A.
BRITISH RAINFALL.
28.1.19

REGISTER OF RAINFALL IN 1918

Kept at Telegraph House
in the County of West Sussex
by Earl Russell

Lat. 50°57′N. Long. 0°57 W.
Time of Observation 9 a.m.
Nearest Railway Station Elsted.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 625 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1								·06			·54	·09	1
2				·07				·64			·41	·35	2
3		·07	·05	·10	·48			·46			·31	·01	3
4		·14	·06	·03				·10	·11		·70	·06	4
5		·12	·14		·16			·30	·01	·20		·03	5
6	·20	·20			·07			·11	·01	·04		·10	6
7		·11		·49	·45			·06	·21			·05	7
8		·11							·13	·11		·05	8
9		·04		·17		·10	·44		·75	·30		1·03	9
10				·10			·35		·57	·08		·36	10
11				·01			·29		·06	·47	·10	·10	11
12		·25			·25		·36		·06			·09	12
13					·11		·37		·42			·09	13
14	·72		·09		·06	·14	·15		·50	·21		·12	14
15	1·68			·25			·21		·03			·28	15
16	·01		·03	·09		·13			·47				16
17	·66			·17			·15					·31	17
18	·60					·64	·08		·81			·14	18
19	·10		·13			·18	·24					·04	19
20	·03	·32		·47		·04	·15	·05	·24	·04			20
21	·30	·12		·07		·01	·78		·24	·11		·13	21
22	·21	·02			·22		·70		·24			·32	22
23	·18				·09		·43					·04	23
24		·30		·01		·04	·03		·24		·19		24
25				·21			·21	·36		·03			25
26				·01			1·10		·10		·12	·21	26
27		·31	·08						·10		·12	·04	27
28			·34	·01							·26	·07	28
29			·04						1·06			·02	29
30			·60						·02	·11			30
31			·07							·19			31
Total	4·69	2·11	1·63	2·26	1·89	1·28	6·04	2·14	6·38	1·89	2·75	4·13	YEAR'S TOTAL 37·19
Rain Days.	11	13	11	16	9	8	17	9	22	12	9	25	162

W.7,000, XI. 13

466

REGISTER OF RAINFALL IN 1919

FORM A.
BRITISH RAINFALL.

16 JAN 20

Kept at T. H. TELEGRAPH HOUSE, CHICHESTER.
in the County of West Sussex
by Earl Russell

Lat. 50°57′ N. Long. 0°51′ W.
Time of Observation 9 a.m.
Nearest Railway Station Elsted
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 625 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·60						·26		[illegible]			1·05	1
2	·40		·05		·13		·13		·04		·07	09 ·08	2
3	·45		·65		·03				·08			·38	3
4	·36	·77	·50				·17		·09		·14	·07	4
5			1·14				·39		·23		·19	·36	5
6	·46		·20		·10							·10	6
7	·12		·78										7
8	·24		·18										8
9	·29		·18	·56	·03						·19		9
10	·96			·08								·48	10
11	·31		·09	·29	·14		·12					·09	11
12	·05		·01	·08			·09						12
13	·10		·04	·38									13
14	·68			·35					·56			·21	14
15	·20	·45		·14								1·31	15
16	·08	·83									·18		16
17		·18									·18	·05	17
18		·16									·16	·03	18
19	·18	·55	1·50				·43				·09	·02	19
20	·90	·09	·04			·50	·03					·05	20
21	·05	·66					·09						21
22		·04					·14		·53			·26	22
23												·05	23
24						·05				·34	·23	·10	24
25	·03	·08				·04		†				·05	25
26		·24		·20				·89	·17		·14	·75	26
27			·13	·50				·75			·12	·06	27
28				·01				·90			·47	·50	28
29				·01				·43		·08		·20	29
30		✕		·22		·09		·32			·69	·96	30
31		✕		✕		✕			✕		✕	·11	31
Total	6·46	4·05	5·49	3·02	·43	·68	1·85	3·29	1·70	·42	2·85	7·33	YEAR'S TOTAL 37·57
Rain Days.	19	11	14	12	5	4	10	?7	7	2	13	24	

† 1st record for 10 days

W. 8,000, IX. 17.

Ex. And

441

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

12 JAN 1921

Kept at Telegraph House
in the County of West Sussex
by Earl Russell

Lat. 50°57′ N. Long. 0° 51′ W
Time of Observation 9 a.m.
Nearest Railway Station Elsted
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. ′ in.
„ „ „ „ Sea Level 625 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·07			·14	·20		·56			·65	·22	·32	1
2			·08	·04	·09		·03	·24	·06	·11		·24	2
3	·12			·05	·04		·11			·46		·05	3
4		·11					·84	·37		·46		·0[illegible]	4
5			·19	·06			·90	·16		·17			5
6			·19		·37		·45					·06	6
7	·07			·19	·02		·26			·01			7
8				·08	·15		·27						8
9	·29	·12		·09	·22	·05	·06						9
10	·95	·30	·15	·02		·29	·36						10
11	·29		·07	·66		·01	·31						11
12	·08	·10		·36		·56					·05		12
13	·20	·03	·29								·08		13
14			·56	·43					·16	·03	80 ·80		14
15	·08	·05	·	·21	·03				·79	·41	·15		15
16			·07	·17					·16				16
17	·03				·22				·41				17
18	·13			·01	·18			·84	·10			·23	18
19	·07			·28					·04			·06	19
20	·09	·04		·28		·72						·05	20
21				·03			·80		·16			·27	21
22	·08			·42								·40	22
23							·49	·10				·60	23
24	·04		·19	·04							·05	·30	24
25					·08		·83						25
26	·09		·49	·02		·07					·02		26
27	·66	·04		·25		·10						·45	27
28	·49	·02	·16		·05		·15				·03	·06	28
29	·66		·11	·12							·37	·47	29
30	·09	✕				·03	·07		·16		·26	·37	30
31	·07	✕	·37	✕		✕			✕	1·11	✕	·28	31
Total	4.65	.81	2.92	3.95	1.65	1.83	6.49	1.71	2.04	3.41	2.03	4.27	Year's Total 35.76 ✓
Days with ·01 in. or more	21	9	13	22	12	8	16	5	9	9	10	17	151 ✓
	20	7	13	18	10	6	15	5	9	7	8	17	135

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

ERIDGE CASTLE GNS.

SUSSEX

1911-20

FORM A2.
BRITISH RAINFALL.

2 - JAN 1912

REGIS 911

ound

Kept at Eridge Cas p Five ins

bove Ground two ft. — in.

in the County of Susse ,, Sea Level 400 ft.

9 a.m

by Mr. A Wils

Name Eridge

Distance 2 mi Direction SW

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	4	"	"	74	"	"	"	6	"	"	7	"	1
2	6	"	"	6	35	"	5	"	"	"	17	31	2
3	9	8	"	"	29	"	"	"	"	"	18	21	3
4	33	"	9	7	"	"	"	"	"	104	46	23	4
5	3	"	5	"	"	"	"	"	"	42	"	11	5
6	36	"	"	29	"	"	"	"	"	2	"	84	6
7	5	"	11	"	"	"	"	"	"	46	38	41	7
8	14	"	3	"	"	"	"	"	"	"	139	24	8
9	21	"	11	5	"	"	"	"	"	"	12	13	9
10	"	15	6	8	"	"	"	"	"	"	4	95	10
11	59	"	57	"	"	"	"	"	"	"	151	"	11
12	"	"	37	"	"	"	"	"	"	"	8	"	12
13	"	"	"	"	18	"	"	"	51	23	3	30	13
14	"	6	3	"	16	"	"	"	"	"	"	65	14
15	"	4	10	"	"	"	"	"	"	"	16	3	15
16	"	"	"	"	"	22	"	"	"	"	86	22	16
17	"	"	2	"	"	"	"	"	"	"	95	24	17
18	"	16	"	"	"	"	"	"	"	"	89	58	18
19	"	"	43	"	"	8	"	"	19	41	23	12	19
20	"	"	"	"	"	"	"	32	28	14	"	81	20
21	"	24	34	"	"	"	"	5	"	126	"	15	21
22	"	"	"	"	"	14	"	14	"	31	"	71	22
23	"	41	"		"	116	"	"	24	18	6	31	23
24	"	15	"	"	"	52	7	"	"	47	"	49	24
25	"	3	"	"	"	16	"	56	11	"	3	"	25
26	"	"	69	39	"	18	"	"	"	43	3	24	26
27	"	38	25	40	"	"	"	"	12	48	15	6	27
28	"	41	"	17	"	"	"	"	"	"	3	"	28
29	"		"	25	"	13	21	"	23	44	"	"	29
30	"		"	"	"	"	"	"	"	39	"	"	30
31	"		"		"		"	"		"		"	31
Total	1-90	2.11	3.30	2.50	.98	2.59	33	1.13	1.68	6.68	7.82	8.38	TOTAL for year 39.40
No. of Rain Days	10.	11.	15.	10.	4.	8.	.3.	.5.	.7	.15.	21	23	132

9,000, IX. '10.

REGISTER OF RAINFALL IN 1911

FORM A2. BRITISH RAINFALL.
2 - JAN 1912

Kept at Eridge Castle Gardens
in the County of Sussex
by Mr. A Wilson

RAIN GAUGE
Pattern Round
Diameter of top five ins
Height of top above Ground two ft. — in.
" " " Sea Level 400 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Eridge
Distance 2 miles Direction S.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	4	"	"	74	"	"	"	6	"	"	7	"	1
2	6	"	"	6	35	"	5	"	"	"	17	31	2
3	9	8	"	"	29	"	"	"	"	"	18	21	3
4	33	"	9	7	"	"	"	"	"	104	46	23	4
5	3	"	5	"	"	"	"	"	"	42	"	11	5
6	36	"	"	29	"	"	"	"	"	2	"	84	6
7	5	"	11	"	"	"	"	"	"	46	38	41	7
8	14	"	3	"	"	"	"	"	"	"	139	24	8
9	21	"	11	5	"	"	"	"	"	"	12	13	9
10	"	15	6	8	"	"	"	"	"	"	4	95	10
11	59	"	57	"	"	"	"	"	"	"	151	"	11
12	"	"	37	"	"	"	"	"	"	"	8	"	12
13	"	"	"	"	18	"	"	"	51	23	3	30	13
14	"	6	3	"	16	"	"	"	"	"	"	65	14
15	"	4	10	"	"	"	"	"	"	"	16	3	15
16	"	"	"	"	"	22	"	"	"	"	86	22	16
17	"	"	2	"	"	"	"	"	"	"	95	24	17
18	"	16	"	"	"	"	"	"	"	"	89	58	18
19	"	"	43	"	"	8	"	"	19	41	23	12	19
20	"	"	"	"	"	"	"	32	28	14	"	81	20
21	"	24	34	"	"	"	"	5	"	126	"	15	21
22	"	"	"	"	"	14	"	14	"	31	"	71	22
23	"	41	"	"	"	116	"	"	24	18	6	31	23
24	"	15	"	"	"	52	7	"	"	47	"	49	24
25	"	3	"	"	"	16	"	56	11	"	3	"	25
26	"	"	29	39	"	18	"	"	"	43	3	24	26
27	"	38	25	40	"	"	"	"	12	48	15	6	27
28	"	41	"	17	"	"	"	"	"	"	3	"	28
29	"		"	25	"	13	21	"	23	44	"	"	29
30	"		"	"	"	"	"	"	"	39	"	"	30
31	"		"		"		"	"		"		"	31
Total	1-90	2.11	3-30	2-50	-98	2-59	33	1-13	1-68	6-68	7-82	8-38	TOTAL for year 39.40
No. of Rain Days	10.	11.	15.	10.	4.	8.	3.	5.	7.	15.	21	23	132

9,000, IX. '10.

Ex DL

REGISTER OF RAINFALL IN 1912

FOR A2.

BRITISH RAINFALL.
2 JAN 1913

Kept at Eridge Castle Gardens

in the County of Sussex 7

by Mr. A. Wilson

RAIN GAUGE
Pattern Round
Diameter of top Five ins.
Height of top above Ground ~~two~~ one ft. — in.
" " " Sea Level 400 ft.

Time of Observation 9. a.m.

Nearest Railway Station
Name Eridge
Distance 2 miles Direction S.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	"	"	21	"	"	13	14	"	4	93	"	34	1
2	"	"	45	6	"	"	36	"	"	"	"	1	2
3	"	"	3	"	"	22	6	19	5	"	2	5	3
4	23	"	87	"	2	30	"	3	"	"	7	3	4
5	18	20	24	"	"	7	"	27	"	"	26	"	5
6	57	18	"	"	"	"	"	46	"	"	3	15	6
7	"	"	"	"	20	47	"	49	"	"	"	22	7
8	38	47	34	"	"	17	"	24	"	"	"	7	8
9	"	15	"	"	"	"	19	29	"	"	"	18	9
10	"	9	"	6	"	"	"	16	"	"	8	35	10
11	5	51	24	"	16	"	"	"	4	"	"	34	11
12	"	14	6	"	"	9	"	26	"	"	"	2	12
13	"	"	5	"	"	"	"	"	"	"	22	13	13
14	"	"	3	"	3	"	"	8	"	5	"	3	14
15	"	3	9	"	"	65	"	"	"	"	"	53	15
16	24	4	26	"	21	53	"	17	"	7	7	"	16
17	36	"	59	"	11	6	"	9	"	"	20	34	17
18	13	"	34	"	"	"	"	21	"	6	2	17	18
19	5	24	53	"	"	"	6	57	"	"	3	"	19
20	"	4	76	"	"	"	"	15	"	48	7	"	20
21	"	7	79	"	6	"	"	17	"	24	8	"	21
22	11	68	17	"	"	"	"	20	"	"	"	"	22
23	48	41	34	"	24	"	"	34	"	14	14	10	23
24	7	3	"	"	"	4	"	19	"	"	"	18	24
25	12	2	"	"	"	37	"	76	"	"	41	74	25
26	"	6	"	"	"	"	"	64	"	34	46	52	26
27	"	"	"	"	"	"	"	"	"	29	"	43	27
28	"	10	"	"	"	3	14	9	5	102	56	54	28
29	"	8	"	"	"	"	15	78	202	22	"	"	29
30	"		"	"	38	"	9	14	156	39	"	"	30
31	"		2		"		29	13		"		2	31
Total	2.97	3.54	6.21	.12	1.41	31.3	1.48	7.10	3.76	4.23	2.72	6.48	TOTAL for year 42.15
No. of Rain Days.	13	19.	20.	2	.9.	13.	9.	25.	6.	12.	16.	22.	166

W. 8,000, X. '11.

Cor'd for month 11.II.14

REGISTER OF RAINFALL IN 1913

FO[illegible] A. BRITISH RAINFALL. 3 - JAN 1914

Kept at Eridge Castle Gardens

in the County of Sussex

by Mr. A. Wilson

7

Lat. Long.

Time of Observation 9. A.M

Nearest Railway Station Eridge

Diameter of Rain Gauge Five in. –

Height of top of Gauge above Ground one ft. — in.

" " " " Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1	4	33	13	22	2	"	"	"	"	10	18	14	1
2	13	27	"	"	"	"	18	"	4	8	11	"	2
3	"	"	6	63	26	"	"	"	"	7	"	31	3
4	33	"	11	4	"	"	3	"	"	16	9	3	4
5	40	6	3	"	"	9	11	"	72	13	19	5	5
6	3	2	12	"	"	19	6	"	2	62	20	9	6
7	"	33	4	"	"	10	"	"	"	18	8	2	7
8	2	4	5	3	19	6	"	32	"	44	7	3	8
9	"	5	"	"	9	"	"	7	"	"	3	4	9
10	3	"	"	4	"	"	31	"	"	"	81	"	10
11	74	"	"	44	"	"	"	"	"	73	31	"	11
12	"	"	"	"	11	"	"	"	"	"	133	"	12
13	48	"	10	"	"	"	"	"	10	"	26	"	13
14	38	"	17	9	"	"	104	2	19	15	13	"	14
15	22	"	23	64	"	"	34	"	3	"	"	"	15
16	27	"	78	48	"	"	"	"	33	"	"	"	16
17	8	"	6	14	"	"	35	"	4	"	"	"	17
18	2	"	17	27	"	"	4	"	"	"	16	5	18
19	23	"	13	"	"	"	11	"	20	"	"	"	19
20	61	"	8	10	"	42	"	"	"	42	4	"	20
21	2	"	28	9	"	"	"	"	"	64	89	"	21
22	36	"	36	"	"	"	6	4	10	"	"	"	22
23	2	"	21	"	"	"	4	5	2	"	"	"	23
24	6	"	"	4	"	"	"	4	"	"	5	72	24
25	"	"	"	28	"	"	"	"	"	"	"	"	25
26	"	"	15	"	"	"	"	16	"	116	"	"	26
27	"	6	9	"	20	"	"	"	"	15	"	33	27
28	14		26	10	"	"	"	"	"	35	"	"	28
29	18	"	5	39	144	"	"	19	"	11	"	"	29
30	76		"	34	"	"	"	17	"	16	"	"	30
31	"		4		"		"	68		14		"	31
Total	5.55	1.16^{6}	3.70 3.70	4.36	2.31	86	2.67	1.74	1.79	5.79	493	181	YEAR'S TOTAL 3667
Rain Days.	23	8	23	18	7	5	12	10	11	18	14	11	163

W. 7,500, XI. 12

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

2 - JAN 1915

Exc MG.

Kept at Eridge Castle Gardens
in the County of Sussex 7
by Mr A. Wilson

Lat. Long.
Time of Observation 9 A.M.
Nearest Railway Station Eridge
Diameter of Rain Gauge Five in.
Height of top of Gauge above Ground one ft. — in.
" " " " Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	"	"	"	14	"	"	"	5	"	"	"	22	1
2	"	"	"	3	"	3	20	4	"	"	21	26	2
3	"	"	18	"	34	"	"	"	"	"	"	4	3
4	"	"	"	42	5	"	"	"	"	"	33	35	4
5	11	"	8	48	15	"	21	7	"	"	"	"	5
6	"	12	"	18	6	15	"	8	"	"	"	58	6
7	"	92	46	38	"	"	11	"	"	"	"	49	7
8	"	75	52	"	"	10	"	13	"	"	"	8	8
9	13	"	124	32	"	"	"	"	14	"	"	156	9
10	29	12	6	12	12	"	"	"	11	3	"	6	10
11	"	61	64	6	"	"	"	"	10	"	8	46	11
12	"	6	9	"	"	"	16	"	33	"	"	78	12
13	"	88	41	"	"	"	"	"	12	6	"	74	13
14	"	46	25	"	"	"	"	"	"	35	21	23	14
15	"	6	44	"	"	"	7	"	"	"	69	16	15
16	"	11	6	"	"	"	5	"	11	"	"	"	16
17	"	62	34	"	"	"	"	"	21	"	"	45	17
18	"	17	26	"	"	"	"	"	"	"	"	91	18
19	"	15	126	"	"	"	48	"	"	8	29	17	19
20	"	35	8	"	"	3	"	"	"	4	"	32	20
21	"	103	7	"	"	"	"	28	"	6	"	5	21
22	"	9	"	"	"	7	11	4	"	46	"	"	22
23	"	"	44	"	9	"	"	"	"	"	"	4	23
24	"	"	9	"	7	"	"	"	"	"	14	"	24
25	15	"	27	"	"	"	"	5	"	42	3	12	25
26	"	"	10	"	"	"	"	30	"	11	34	64	26
27	"	"	"	"	"	"	"	4	"	"	14	79	27
28	"	3	"	"	"	"	"	"	"	18	36	61	28
29	19		4	"	"	"	"	"	"	94	39	"	29
30	"		14		"	"	"	"	"	12	176	26	30
31	"		"		30		"	"		"		7	31
Total	87	6.53	7.52	2.13	1.18	.38	1.39	1.08	1.12	2.85	4.97	10.44	YEAR'S TOTAL 40.46
Rain Days.	5	17	23	9	8	5	8	10	7	12	13	26	143

W.7,000, XI. 13

1060

FORM A.
BRITISH RAINFALL
4 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Eridge Castle Gardens
in the County of Sussex 7
by Wm. A. Wilson

Lat. Long.
Time of Observation 9. a.m
Nearest Railway Station Eridge
Diameter of Rain Gauge Five in. —
Height of top of Gauge above Ground one ft. — in.
" " " " Sea Level 400. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	78	19	3	"	"	"	"	24	36	4	36	36	1
2	36	27	26	15	"	"	"	21	"	6	"	14	2
3	33	"	3	22	13	"	"	9	14	"	"	54	3
4	6	"	"	"	"	"	"	4	"	"	"	68	4
5	4	48	"	9	"	"	"	13	"	4	9	72	5
6	57	14	"	71	"	"	18	"	"	"	"	15	6
7	26	57	5	"	"	2	6	"	"	"	"	52	7
8	3	87	"	"	"	"	30	4	"	"	5	"	8
9	4	18	"	17.	"	15	"	6	"	"	64	77	9
10	41	"	"	"	"	6	"	"	"	"	"	59	10
11	"	3	3	"	"	"	"	"	"	"	67	18	11
12	7	17	"	28	28	"	"	"	"	"	98	"	12
13	3	106	"	" [illegible]	194	"	"	"	3	"	"	"	13
14	5	7	"	"	"	"	15	"	4	"	"	37	14
15	24	"	"	"	9	"	12	8	"	"	12	64	15
16	"	81	"	4	14	"	131	30	"	"	"	8	16
17	"	73	"	" [illegible]	139	"	4	14	"	"	"	11	17
18	3	20	"	"	38	"	"	"	"	"	"	2	18
19	"	6	"	"	"	"	"	"	"	2	"	"	19
20	27	"	"	8	26	"	"	"	"	"	"	18	20
21	13	"	"	" [illegible]	"	"	"	"	"	3	"	9	21
22	"	7	6	[illegible] "	"	"	126	"	"	"	"	32	22
23	16	"	8	"	"	"	13	"	9	38	"	57	23
24	"	"	11	5	"	3	14	"	20	39	"	76	24
25	"	"	3	3	"	"	26	"	"	3	"	21	25
26	"	26	"	" [illegible]	"	"	"	"	"	"	"	66	26
27	"	"	"	" 8	"	"	6	"	"	48	"	4	27
28	"	23	"	"	"	9	"	"	139	42	"	"	28
29	"		"	"	"	3	34	20	"	"	91	3	29
30	15	╳	"	"	"	34	"	"	"	16	39	4	30
31	4.	╳	"	╳	"	╳	"	53	╳	107	╳	33	31
Total	4.0.5	6.39	.68	1.8.2	4.61	7.2	4.35	2.06	2.75	3.12	4.21	9.10	YEAR'S TOTAL 43·36
Rain Days.	20.	19.	9.	10.	.8.	7.	13	12	7	12	9	26	151

W. 8,000. X. 14.

4 RI

651

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
[illegible] JAN 1917

Kept at Eridge Castle Gardens
in the County of Sussex.
by Wm. A. Wilson

Lat. Long.
Time of Observation 9. a.m
Nearest Railway Station Eridge
Diameter of Funnel of Rain Gauge Five in. —
Height of top of Gauge above Ground one ft. — in.
„ „ „ „ Sea Level 400. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	21.	3	6	„	62	„	„	„	17	16	33	„	1
2	53	15	32	„	27	„	7	„	„	32	„	„	2
3	2	92	27	„	„	„	„	„	9	48	62	„	3
4	29	6	4	2	„	69	„	„	21	5	64	„	4
5	3	3	„	3	18	7	„	„	„	14	61	„	5
6	2	21	„	47	6	25	44	„	„	12	83	„	6
7	6	4	„	„	38	37	5	„	„	8	71	3	7
8	„	„	„	„	18	„	„	„	„	„	„	53	8
9	„	„	104	„	48	5	„	„	„	„	„	32	9
10	„	30	10	6	„	46	17	„	„	„	„	22	10
11	5	15	2	18	„	23	„	„	„	„	„	3	11
12	6	11	„	6	19	19	13	„	„	8	„	„	12
13	„	26	31	8	6	5	22	3	„	5	„	„	13
14	„	57	„	„	18	„	„	6	„	4	„	30	14
15	„	9	19	„	„	„	„	„	„	„	„	„	15
16	„	3	15	14	„	„	15	4	„	„	„	„	16
17	27	13	„	8	„	„	3	36	28	122	„	„	17
18	3	9	3	4	„	„	„	51	21	61	72	„	18
19	31	4	9	27	„	15	„	„	14	2	93	10	19
20	16	„	3	11	„	„	„	3	„	„	4	78	20
21	3	„	60	3	„	„	32	„	„	„	2	31	21
22	„	„	15	„	„	„	„	„	„	3	13	63	22
23	4	„	6	„	„	28	„	„	„	7	11	9	23
24	„	„	5	„	12	11	„	„	„	41	3	33	24
25	„	„	46	„	„	„	„	103	„	6	2	„	25
26	3	„	4	„	„	8	„	8	„	31	„	„	26
27	„	„	86	„	„	34	„	6	12	46	„	„	27
28	„	„	15	„	„	41	„	4	13	9	3	22	28
29	„	159	5	„	„	38	„	59	6	56	„	34	29
30	„	×	„	„	11	„	„	16	„	26	„	„	30
31	„	×	„	×	„	×	„	2	×	3	×	3	31
Total	2.14	4.80	5.07	1.57	2.83	4.11	1.58	3.06	1.41	5.65	5.77	4.26	YEAR'S TOTAL 42.25
Rain Days.	16	18	22	13	12	16	9	13.	9.	23	15.	15	181

W. 8,000. X. 15.

621

FORM A.
BRITISH RAINFALL.
5 JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Eridge Castle Gardens
in the County of Sussex
by Mr. A. Wilson

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Eridge L.B. & S.C.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground one ft. — in.
" " " " Sea Level 400. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	"	"	"	14	"	"	"	181	64	"	9	3	1
2	"	"	"	30	"	"	"	23	"	"	7	"	2
3	"	"	"	24	"	"	44	58	"	16	11	"	3
4	"	"	3	"	"	"	31	7	"	52	"	"	4
5	"	"	21	22	"	"	"	19	34	20	10	"	5
6	24	"	6	5	"	24	"	"	9	3	22	"	6
7	"	"	"	"	"	"	14	"	"	56	"	6	7
8	48	"	"	13	"	"	33	3	"	35	44	17	8
9	8	"	4	15	"	"	20	6	"	"	2	105	9
10	13	"	14	17	"	"	"	12	"	"	"	3	10
11	21	"	21	26	"	"	"	14	6	58	"	"	11
12	7	"	4	20	"	"	"	11	"	27	"	"	12
13	6	"	13	"	3	"	"	4	2	26	"	"	13
14	"	"	5	16	"	"	"	14	3	"	4	"	14
15	"	"	"	"	18	"	"	28	"	22	"	11	15
16	"	41	"	34	14	"	"	"	"	68	"	"	16
17	"	"	"	7	52	"	6	"	28	40	"	"	17
18	23	6	"	13	6	"	18	17	25	3	"	"	18
19	2	12	16	2	3	20	38	15	22	"	"	86	19
20	"	11	7	"	95	"	4	"	4	"	4	32	20
21	"	"	4	3	2	"	"	"	"	2	3	"	21
22	"	"	13	"	"	64	"	16	"	14	"	"	22
23	"	14	"	"	33	"	"	26	"	4	"	"	23
24	"	2	"	"	"	6	"	4	"	22	6	14	24
25	"	12	6	"	"	5	"	"	"	"	4	"	25
26	"	"	3	"	"	"	"	29	3	"	95	"	26
27	"	"	"	"	"	"	"	148	"	"	"	"	27
28	"	"	4	"	"	157	"	51	"	"	"	"	28
29	"		"	"	41	4	19	7	"	92	"	33	29
30	"	X	35	"	"	3	71	18	"	4	"	7	30
31	"	X	10	X	"	X	48.	3.	X	3.	X	"	31
Total	152	98	189	261	267	283	346	714	200	563	221	317	YEAR'S TOTAL 36.11. 36.11
Rain Days.	9	7	18	16	10	8	12	24	11	19	13	11	158.

W. 8[illegible], VIII. 16

FORM A.
BRITISH RAINFALL.
J. 1. 19

REGISTER OF RAINFALL IN 1918.

Kept at Eridge Castle Gardens
in the County of Sussex
by Mr. A. Wilson

Lat. ...... Long. ......
Time of Observation 9. a.m.
Nearest Railway Station Eridge L. B & S C R.
Diameter of Funnel of Rain Gauge Five in. —
Height of top of Gauge above Ground [illegible] ft. — in.
" " " " Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	"	"	"	2	"	"	"	"	"	"	24	6	1
2	"	5	11	"	"	"	"	26	2	"	43	24	2
3	"	"	12	11	44	"	"	5	"	6	37	4	3
4	"	21	"	"	3	"	"	7	23	"	82	3	4
5	"	9	"	"	15	"	"	16	6	19	"	4	5
6	24	24	"	28	22	"	"	27	81	4	"	7	6
7	"	15	"	12	9	3	"	4	12	"	6	"	7
8	8	6	"	"	"	"	"	"	21	"	19	13	8
9	"	"	"	12	"	"	20	"	68	36	"	38	9
10	"	"	"	9	"	15	63	"	48	18	4	26	10
11	"	"	"	2	"	"	28	"	4	59	9	10	11
12	"	12	"	"	18	"	26	"	8	14	"	4	12
13	10	"	"	"	17	"	13	"	10	"	"	5	13
14	32	"	"	"	"	8	16	"	28	22	"	8	14
15	148	"	8	33	"	17	9	"	4	"	"	23	15
16	"	"	"	13	"	14	6	"	11	"	"	"	16
17	54	"	"	26	"	"	103	4	"	"	"	43	17
18	58	"	"	2	"	29	"	"	64	8	"	11	18
19	17	"	4	8	"	"	4	"	"	15	"	3	19
20	7	19	"	116	"	5	76	"	27	47	"	2	20
21	21	"	"	95	"	"	7	"	54	6	"	"	21
22	15	2	"	"	22	"	47	"	118	"	"	17	22
23	11	"	"	8	4	"	44	14	4	"	"	4	23
24	"	27	"	9	"	"	7	"	23	"	6	"	24
25	3	"	"	"	"	"	4	37	"	"	4	"	25
26	"	"	"	6	"	"	81	8	6	6	7	23	26
27	"	18	2	11	"	"	11	19	4	"	8	4	27
28	"	3	62	14	"	4	"	3	"	3	21	4	28
29	"		"	7	"	"	"	"	87	"	4	2	29
30	"	X	42	"	"	"	"	"	"	9	"	15	30
31	"	X	"	X	"	X	"	"	X	4	X	5	31
Total	4.08	1.61	1.41	4.24	1.54	.095	5.65	1.70	7.13	2.76	2.74	3.08	YEAR'S TOTAL 36.89
Rain Days.	13	12	7	20	9	8	18	12	23	16	14	26	178

577

REGISTER OF RAINFALL IN 1919

FORM A.
BRITISH RAINFALL.

Kept at Eridge Castle Gardens
in the County of Sussex
by Wm. A. Wilson

Lat. Long.
Time of Observation 9 A.M.
Nearest Railway Station Eridge L.B.&S.C Ry.
Diameter of Funnel of Rain Gauge Five ins.
Height of top of Gauge above Ground Two ft. — in.
" " " " Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	24	"	3	"	4	"	24	"	"	7	4	92	1
2	84	"	6	"	19	"	31	"	"	10	22	21	2
3	29	"	35	"	5	"	42	"	21	"	12	26	3
4	30	40	44	"	"	4	6	5	5	"	7	12	4
5	12	17	109	"	"	"	"	"	3	"	10	36	5
6	14	"	6	"	"	"	"	"	"	2	4	4	6
7	48	"	76	"	"	"	"	"	"	4	8	"	7
8	64	"	8	"	"	"	"	"	"	"	5	"	8
9	66	"	5	31	6	"	"	"	"	"	24	"	9
10	18	"	15	6	"	"	"	"	"	"	11	9	10
11	15	"	29	30	4	"	6	"	"	"	"	6	11
12	3	"	3	4	"	"	49	"	"	2	"	"	12
13	92	3	"	45	"	"	"	"	"	2	"	10	13
14	26	"	"	84	"	"	6	"	22	5	"	8	14
15	31	3	2	4	"	"	"	"	"	"	"	20	15
16	"	38	"	"	"	"	"	"	"	"	13	4	16
17	"	32	3	4	"	"	"	"	"	"	16	7	17
18	3	9	8	"	"	"	"	4	2	"	18	5	18
19	33	20	59	"	"	6	23	6	"	"	6	"	19
20	6	17	16	"	"	74	19	29	"	"	"	3	20
21	"	56	5	"	"	"	5	"	"	"	3	6	21
22	"	6	6	"	"	"	21	"	39	"	4	21	22
23	"	"	"	"	"	"	6	"	28	"	5	7	23
24	6	"	"	21	"	3	"	6	"	6	11	8	24
25	4	"	"	"	"	"	4	32	"	"	"	"	25
26	14	10	9	16	"	"	16	3	7	"	6	66	26
27	22	3	8	122	"	"	"	29	"	"	7	2	27
28	18	"	6	6	"	"	2	66	"	"	72	24	28
29	13		12	7	"	"	"	71	"	24	6	16	29
30	10	X	5	21	"	3	"	65	"	9	28	107	30
31	"	X	3	X	"	X	"	"	X	4	X	7	31
Total	6.66	2.54	4.81	4.01	.38	.90	2.60	3.16	1.27	.75	3.02	5.27	YEAR'S TOTAL 35.37
Rain Days.	25.	13.	25.	14.	5.	5.	15	11	8	11	23	25.	180

6 x 948

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Eridge Castle Gardens
in the County of Sussex
by Mr. A. Wilson.

Lat. Long.
Time of Observation 9. a.m.
Nearest Railway Station Eridge L.B. & S.C. Ry.
Diameter of Funnel of Rain Gauge Five in.
Height of top of Gauge above Ground 2. ft. — in.
" " " " Sea Level 400. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	7	"	"	17	8	"	"	"	"	76	"	39	1
2	"	"	18	"	4	"	26	32	4	27	"	27	2
3	"	3	"	"	3	"	"	"	"	6	"	6	3
4	"	10	"	9	"	"	69	15	"	3	"	4	4
5	"	"	4.	"	3	"	43	7	"	"	"	5	5
6	"	"	20.	"	17	"	28	"	"	"	"	"	6
7	10	"	"	7	15	"	12	"	"	"	"	"	7
8	"	"	"	4	8	"	26	"	"	"	"	"	8
9	28.	4	"	3	10	"	5	"	"	"	"	"	9
10	84	17.	7	17	"	8	21	"	"	"	5	"	10
11	29	"	6	22	"	6	53	"	"	"	"	"	11
12	8	6	"	24	4	59	"	"	"	"	"	"	12
13	27	3	24	3	"	"	"	"	"	"	11	"	13
14	"	2	49	41	"	4	"	"	12	15	46	"	14
15	4	3	6.	32	"	"	"	"	67	17	21	"	15
16	"	"	3.	4	32	"	"	"	14	"	"	21	16
17	5.	"	"	8	22	"	"	"	73	"	"	22	17
18	6	"	5	2	11	"	"	109	48	"	"	8	18
19	11.	"	"	22	"	"	"	"	4.	"	"	3	19
20	5	23.	"	24	"	40	"	"	21	"	"	37	20
21	3.	"	"	"	"	"	69	"	24	"	"	34	21
22	3.	"	"	22	"	"	"	"	1.4	"	"	31	22
23	"	"	"	"	"	"	48	"	"	"	"	13	23
24	4	"	8	"	"	"	"	"	4	"	"	"	24
25	"	3.	4	4	2	"	29	"	3	"	"	11	25
26	10	"	18	4	"	"	2	"	"	"	6	35	26
27	56	6	2	17	"	4	4	"	"	"	41	4	27
28	41	"	23	2	17	"	14	"	"	"	17	"	28
29	121	"	8	16	"	"	"	"	"	"	15	28	29
30	4		"	"	"	"	15	"	17	"	55.	26	30
31	6		3		"		"	"		37		46	31
TOTAL	4.72	.80.	2.08.	3.04.	1.56.	1.21	4.64	1.63	3.05	1.81	2.17	4.00	YEAR'S TOTAL 30.71
Days with ·01 in. or more	21	11	17.	22.	14.	6.	16	4.	13.	7.	9.	19	159
	19	8	14	18	11	6	15	4	12	6	9	18	13.5

(44,283). Wt.21958—218. 7500. 10/19. Gp.132. A.&E.W.

FORM A.
BRITISH RAINFALL.

14 MAR 1914

REGISTE

ERIDGE GREEN
DANEGATE
SUSSEX
1913-17, 19

Kept at Danegate, Erid

in the County of Sussex

by Sir Horace Walp

n.

ft. 6 in.

~~3~~ 400 ft.

NOTE.—Rain should be measured daily at 9 … s for the measurement of rain and particulars as to the British Rainfall … post-free on application to Dr. H. R. MILL, 62, Camden Square, London

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1												0·11	1
2												0·01	2
3												0·24	3
4												0·01	4
5												0·02	5
6												0·08	6
7											# 0·14	0·01	7
8											—	0·03	8
9											—	0·01	9
10											0·98	—	10
11											0·15	—	11
12											1·17	0·01	12
13											0·30	—	13
14											0·07	—	14
15											—	—	15
16											—	—	16
17											—	0·02	17
18											0·14	—	18
19											—	—	19
20											0·03	—	20
21											0·93	—	21
22											—	—	22
23											—	0·67	23
24											0·02	—	24
25											—	—	25
26											—	0·31	26
27											—	—	27
28											—	—	28
29											—	—	29
30												—	30
31													31
Total											~~3·93~~	1.53 ✓	TOTAL for year
No. of Rain Days												13 ✓	

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

Eridge

REGISTE

FORM A.
BRITISH RAINFALL.
14 MAR 1914

Kept at Dangate Eridge

in the County of Sussex

by Sir Horace Walpole

Nearest Railway Station Eridge
Time of Observation 9 Am.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 6 in.
" " " Sea Level ~~3~~ 400 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1												0·11	1
2												0·01	2
3												0·24	3
4												0·01	4
5												0·02	5
6												0·08	6
7											# 0·14	0·01	7
8											—	0·03	8
9											—	0·01	9
10											0·98	—	10
11											0·15	—	11
12											1·17	0·01	12
13											0·30	—	13
14											0·07	—	14
15											—	—	15
16											—	—	16
17											—	0·02	17
18											0·14	—	18
19											—	—	19
20											0·03	—	20
21											0·93	—	21
22											—	—	22
23											—	0·67	23
24											0·02	—	24
25											—	—	25
26											—	0·31	26
27											—	—	27
28											—	—	28
29											—	—	29
30											—	—	30
31													31
Total											~~3·93~~	1.53 ✓	TOTAL for year
No. of Rain Days												13 ✓	

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

FORM A.
BRITISH RAINFALL.

2 - JAN 1915

REGISTER OF RAINFALL IN 1914

[illegible]

Kept at Danegate · Eridge Green

in the County of Sussex

by Sir Horace Walpole

Lat. 51·5 Long. 0·15

Time of Observation 9 A.m.

Nearest Railway Station Eridge

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 10 in.

" " " " Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	—	·16	—	—	·01	·04	—	—	·06	·10	1
2	—	—	·01	·01	—	·03	·18	·02	—	—	·13	·26	2
3	—	—	·17	—	·36	—	·02	—	—	—	—	·02	3
4	·01	—	·01	·37	·06	—	—	·04	—	—	·35	·30	4
5	·11	—	·08	·53	·12	·02	·19	·09	—	—	—	—	5
6	—	·10	·08	·16	·03	·14	—	·08	—	—	·04	·53	6
7	—	·79	·40	·34	—	·02	·06	—	—	—	—	·40	7
8	·12	·62	·50	—	—	·05	·05	—	—	—	—	·10	8
9	·30	—	1·17	·28	—	—	—	·13	·12	—	—	1·35	9
10	·01	·10	·04	·11	·11	—	—	—	—	—	—	·12	10
11	—	·53	·68	·05	—	—	—	—	·25	—	·04	·44	11
12	—	·07	·08	—	—	—	·18	—	·41	—	—	·73	12
13	·01	·73	·41	—	—	·03	—	—	·12	·96	·11	·69	13
14	—	·45	·19	—	—	—	—	—	—	·37	·21	·34	14
15	—	·04	·42	—	—	—	·15	·01	—	—	·68	—	15
16	·01	·11	·06	—	—	—	·07	—	·11	—	—	—	16
17	—	·76	·39	—	—	—	·02	—	·20	—	—	·32	17
18	—	·10	·44	—	—	—	—	—	—	—	—	·71	18
19	—	·09	1·05	—	—	—	·42	—	—	·06	·27	·20	19
20	—	·25	·07	—	—	·02	—	—	—	·02	—	·40	20
21	—	1·01	·06	—	—	—	—	·22	—	·04	—	·04	21
22	—	·08	—	—	·12	·23	·09	·04	—	·46	—	—	22
23	—	—	·44	—	·12	·08	—	—	—	·01	—	·04	23
24	—	—	·09	—	·01	—	—	—	—	—	·18	—	24
25	·09	—	·30	—	—	—	—	·04	—	·37	·03	—	25
26	—	—	·04	—	—	—	—	·27	—	·13	·31	·71	26
27	·01	—	·01	—	—	—	—	·03	—	—	·11	·68	27
28	·02	·03	—	—	—	—	—	—	—	·26	·33	·54	28
29	·19		·01	—	—	—	—	—	—	·75	·41	—	29
30	—		·17	—	—	—	—	—	—	·09	1·67	·25	30
31	·07		—		0·35		·01	—		—		·04	31
Total	·95	5·86	7·37	2·01	1·28	·62	1·45	1·01	1.21	2·62	4·93	9·36	YEAR'S TOTAL 38·67
Rain Days.	12	17	27	9	9	9	13	12	6	12	16	24	166

W.7,000, XI. 13

658

FORM A.
BRITISH RAINFALL.
3 JAN 1916

REGISTER OF RAINFALL IN 1915

7

Kept at Danegate. Eridge Green
in the County of Sussex
by Sir Horace Walpole

Lat. 51·5 Long. 0·15
Time of Observation 9 A.M.
Nearest Railway Station Eridge
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 10 in.
" " " " Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·72	·20	·03	—	—	—	—	·15	·27	·04	·24	·29	1
2	·32	·26	·30	·13	—	—	—	·17	—	·05	—	·14	2
3	·31	—	·03	·20	·12	—	—	·11	·09	—	—	·53	3
4	·05	—	—	—	—	—	—	·10	—	—	—	·67	4
5	·03	·47	—	·13	—	—	—	·15	—	·03	·07	·64	5
6	·59	·13	·02	·70	—	—	·19	·01	—	—	—	·22	6
7	·28	·51	·04	—	—	—	·05	—	—	—	—	·36	7
8	·03	·72	—	·02	—	—	·18	·02	—	—	·04	·01	8
9	·02	·27	—	·12	—	·11	—	·05	—		·64	·84	9
10	·44	—	—	—	—	·06	—	—	—	—	—	·56	10
11	—	·04	—	—	—	—	·41	—	—	—	·63	·11	11
12	·07	·18	—	·27	·29	—	—	—	—	—	1·29	—	12
13	·03	·96	—	—	1·98	—	—	—	·01	—	—	—	13
14	·05	·04	·01	—	—	—	·11	—	·05	—	—	·75	14
15	·18	—	—	—	·06	—	·02	·09	—	—	·13	·59	15
16	—	·87	—	·05	·15	—	1·39	·24	—	—	·08	·03	16
17	—	·53	—	—	1·20	—	·41	·06	—	—	—	·11	17
18	·01	·17	·01	—	·32	—	—	—	—	—	·04	—	18
19	—	·07	—	—	—	—	—	—	—	·01	—	—	19
20	·27	—	—	·09	·30	—	—	—	—	—	—	·18	20
21	·13	—	—	—	—	—	—	—	—	·02	—	·09	21
22	·10	·05	·03	—	—	—	1·41	—	—	—	—	·33	22
23	·03	·19	·06	—	—	—	·08	—	·07	·31	—	·51	23
24	—	·02	·06	·03	—	·02	·16	—	·22	·27	—	·78	24
25	—	—	—	·01	—	—	·36	—	—	—	—	·11	25
26	·02	·14	—	—	—	·01	—	—	—	—	—	·69	26
27	—	·09	—	—	—	—	·06	—	—	·49	—	·07	27
28	—	·14	—	—	—	·19	—	—	1·40	·37	—	—	28
29	—	—	—	—	·02	—	·11	·28	—	—	·91	—	29
30	·17	✕	—	—	—	·76	—	—	—	·13	·35	·03	30
31	·05	✕		✕		✕		·29	✕	1·13	✕	·29	31
Total	3·90	5·96	·59	1·75	4·44	1·06	4·14	1·63	2·41	2·85	4·42	8·93	YEAR'S TOTAL 41·78
Rain Days.	22	21	10	11	9	6	14	13	7	11	11	25	160

W. 8,000. X. 15.

648

FORM A.
BRITISH RAINFALL.
3 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Danegate. Eridge Green

in the County of Sussex

by Sir Horace Walpole

Lat. 51·5 Long. 0·15

Time of Observation 9 A.M.

Nearest Railway Station Eridge

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 10 in.

" " " " Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·20	·01	·02		·57	·02			·20	·10	·35		1
2	·60	·14	·38		·23		·01			·34			2
3	·01	·71	·25				·02		·08	·54	·61		3
4	·28	·17	·03	·01		·72			·21	·07	·65		4
5		·12	·04	·01	·19	·16				·16	·66		5
6	·01	·13	·13	·38	·05	·21	·52			·09	·73		6
7	·08	·01	·82		·31	·20				·03	·88	·02	7
8					·22							·56	8
9			·02		·40	·05						·32	9
10		·28	·06	·06		·31	·11					·23	10
11	·06	·20		·16		·17						·02	11
12	·04	·12		·03	·17	·18	·18			·08			12
13		·30	·31	·09	·02	·03	·10	·03		·02			13
14		·57	·04		·15			·05				·19	14
15		·11	·16	·01				·14		·03		·08	15
16	·01	·02	·14	·14			·12						16
17	·29	·13		·08			·02	·30	·25	·97			17
18	·02	·10	·01	·02				·44	·22	·59	·64		18
19	·28	·04	·08	·23		·11			·13		·95	·14	19
20	·17		·04	·18							·02	·69	20
21	·04		·65	·02			·32					·29	21
22			·12			·01				·03	·01	·71	22
23	·02	·18	·09			·19				·07	·13	·04	23
24			·03		·13	·03				·40	·13	·36	24
25		·61	·31					·91		·09	·02		25
26	·03	·43	·05			·05		·04		·28	·02		26
27	·01		·75			·65		·08	·13	·45			27
28		·54	·14			·71		·07	·17	·13	·01	·27	28
29		·30				·44		·70	·05	·60		·35	29
30		X			·08			·17		·26			30
31		X		X		X		·02	X	·01	X	·01	31
Total	2·15	5·22	4·67	1·42	2·52	4·24	1·40	2·95	1·44	5·34	5·81	4·24	YEAR'S TOTAL 41·40
Rain Days.	17	22	24	14	12	18	9	12	9	22	15	16	190

W. 8,000. X. 15.

619

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

2 JAN 1918

Kept at Danegate, Eridge Green

in the County of Sussex

by Sir Horace Walpole

Lat. 51·5 Long. 0·15

Time of Observation 9 Am

Nearest Railway Station Eridge

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 10 in.

" " " " Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·26				1·61	·53		·03	·03	1
2				·29				·26			·08		2
3				·25			·49	·52		·16	·08		3
4		·16	·15	·01			·39	·04		·15			4
5	·26		·04	·26				·34	·41	·18	·07		5
6			·05	·04		·25			·19	·15	·18		6
7	·48						·15			·32			7
8	·06			·12			·29	·02		·39	·42	·19	8
9	·02		·03	·11			·15	·03			·02	1·00	9
10	·22		·12	·16				·14					10
11	·15	·04	·15	·46				·11	·09	·64			11
12	·06		·05					·13		·31			12
13	·05		·13		·04			·01	·01	·21			13
14			·05	·17				·12					14
15	·08			·02	·18			·22		·28		·09	15
16	·05	·15		·37	·11		·10	·01		·62		·72	16
17	·05	·01		·06	·43		·21	·04	·30	·34		·24	17
18	·04	·04		·12	·06		·25	·17	·23	·02			18
19	·01	·11	·20			·27		·02	·27				19
20		·14	·07		·94		·03		·06		·04		20
21		·01	·03	·04	·01	·03						·05	21
22	·02		·11			·65		·14		·15			22
23		·14	·02		·32			·20				·03	23
24		·03				·04	·01	·09		·26	·08	·02	24
25		·14	·06			·09					·02		25
26			·02					·30	·02		·85		26
27								1·28					27
28		·01	·08			1·29		·48				·12	28
29			·02		·25	·01	·27	·04		·85			29
30	·02	X	·40			·02	·59	·26		·03	·01		30
31	·04	X	·06	X		X	·50	·02	X	·02	X	·08	31
													YEAR'S TOTAL
Total	1·61	·98	1·84	2·74	2·34	2·63	3·51	6·60	2·09	5·08	1·88	2·57	33·87
Rain Days.	16	12	20	16	9	9	13	26	10	18	12	11	172

W. 8,000, IX. 17.

REGISTER OF RAINFALL IN 1919

FORM A. BRITISH RAINFALL.

Box. 1806

Kept at Danegate, Eridge Green

in the County of Sussex

by Sir Horace Walpole

Lat. 51·5 Long. 0·15

Time of Observation 9 Am

Nearest Railway Station Eridge

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 10 in.

" " " " Sea Level 410 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·59	·04	·02		·03		·16			·08	·03	·89	1
2	·36		·07		·22		·20			·06	·20	·38	2
3	·37		·41		·03		·43	·02	·22		·12	·23	3
4	·31	·07	·52			·03	·21		·05		·05	·08	4
5	·02	·35	1·04						·03		·09	·37	5
6	·10		·07								·03	·04	6
7	·13		·77								·06		7
8	·40										·02		8
9	·65		·04	·09	·05						·28		9
10	·72		·14	·12							·03	·10	10
11	·17		·30	·20	·03							·05	11
12	·20		·02	·06			·54			·02	·03		12
13	·02			·46								·12	13
14	·94			·51			·06		·20	·03		·09	14
15	·27	·02		·10								·25	15
16	·22	·44									·08	·02	16
17		·34		·03							·18	·08	17
18		·06	·09		·08			·07			·11	·05	18
19	·02	·24	·62			·06	·24	·16	·02		·13		19
20	·35	·14	·15			·80	·15	·23				·02	20
21	·05	·61	·07				·05				·03	·03	21
22		·03					·21		·50		·04	·19	22
23				·08			·04		·27		·04	·03	23
24				·21				·06		·04	·11	·05	24
25								·48				·02	25
26	·06	·09	·15	·14				·03	·07		·08	·62	26
27	·54	·02	·01	·96				·29			·11	·02	27
28			·23	·18				·77			·72	·30	28
29	·08			·05				·56		·20	·14	·15	29
30	·03	✕		·21		·02		·69		·13	·32	·95	30
31	·14	✕	·03	✕		✕	·02		✕	·04	✕	·25	31
Total	6·74	2·45	4·75	3·38	·44	·91	2·31	3·36	1·36	·60	3·03	5·18	YEAR'S TOTAL 34·51 ✓
Rain Days.	24	13	19	15	6	4	12	11	8	8	24	26	170 ✓

W. 8,000, VIII. 16